

Page 1/9

Printing date 15.07.2021

Revision: 13.07.2021

Version number 7.02 (replaces version 7.01)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name: edetic acid

· Article number: A5097

· CAS Number:

60-00-4

· EC number: 200-449-4

· Index number:

607-429-00-8

- · Application of the substance / the mixture Laboratory chemicals
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

AppliChem GmbH

Ottoweg 4

D-64291 Darmstadt

Tel.: +49 (0)6151 93570

Fax.: +49 (0)6151 935711 msds@applichem.com

- · Further information obtainable from: Dept. Compliance
- 1.4 Emergency telephone number: +49(0)6151 93570 (Inside normal buisness hours)

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H332 Harmful if inhaled.

H319 Causes serious eye irritation. Eye Irrit. 2

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS07 GHS08

- · Signal word Warning
- · Hazard statements

H332 Harmful if inhaled.

H319 Causes serious eye irritation.

(Contd. on page 2)

Page 2/9

(Contd. of page 1)

Printing date 15.07.2021 Revision: 13.07.2021

Version number 7.02 (replaces version 7.01)

Trade name: edetic acid

H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear eye protection / face protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

# **SECTION 3: Composition/information on ingredients**

· 3.1 Substances

· CAS No. Description

60-00-4 edetic acid

· Identification number(s)

· EC number: 200-449-4

· Index number: 607-429-00-8

#### **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Involve doctor immediately.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.

· After skin contact:

Call a doctor immediately.

Immediately remove any clothing soiled by the product.

Immediately wash with water and soap and rinse thoroughly.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Do not induce vomiting; call for medical help immediately.

make victim drink water (maximum of 2 drinking glasses)

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

Sand

Foam

(Contd. on page 3)

Page 3/9

(Contd. of page 2)

Printing date 15.07.2021 Revision: 13.07.2021

Version number 7.02 (replaces version 7.01)

Trade name: edetic acid

Carbon dioxide

Use fire extinguishing methods suitable to surrounding conditions.

· 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Nitrogen oxides (NOx)

Carbon monoxide and carbon dioxide

Non-combustible.

- · 5.3 Advice for firefighters
- · Protective equipment:

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

Avoid substance contact.

Ensure adequate ventilation

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Avoid formation of dust.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Clean up affected area.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Any unavoidable deposit of dust must be regularly removed.

- · Information about fire and explosion protection: The product is not flammable.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: Provide acid-resistant floor.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Open receptacle only under localised extractor facilities.

Store receptacle in a well ventilated area.

Store under lock and key and with access restricted to technical experts or their assistants only.

- · Recommended storage temperature: Room Temperature
- · Storage class: 13
- · 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.

(Contd. on page 4)

Page 4/9

Printing date 15.07.2021 Revision: 13.07.2021

Version number 7.02 (replaces version 7.01)

Trade name: edetic acid

(Contd. of page 3) · DNELs Oral Long-term - systemic effects, general population 25 mg/kg 3 mg/m3 Inhalative | Acute - local effects, worker 3 mg/m3 Acute - systemic effects, worker 1.5 mg/m3 Long-term - systemic effects, worker Long-term - local effects, worker 1.5 mg/m3 1.2 mg/m3 Acute - local effects, general population Long-term - local effects, general population 0.6 mg/m3 PNECs Aquatic compartment - freshwater 2.17 mg/L Aquatic compartment - marine water 0.217 mg/L Aquatic compartment - water, intermittent releases | 1.2 mg/L Terrestrial compartment - soil 1.11 mg/kg Sewage treatment plant 50 mg/L

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Vacuum clean contaminated clothing. Do not blow or brush off contamination.

Avoid contact with the eyes and skin.

#### · Respiratory protection:

Required when dusts are generated.

Filter P2

# · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material:  $\geq$  0.11 mm

Value for the permeation: Level ≥ 480 min

#### · As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.11$  mm

Value for the permeation: Level ≥ 480 min

· Eye/face protection



Tightly sealed goggles

### · Body protection:

Use protective suit.

(Contd. on page 5)

Page 5/9

Printing date 15.07.2021 Revision: 13.07.2021

Version number 7.02 (replaces version 7.01)

Trade name: edetic acid

(Contd. of page 4)

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazourdous substances handled.

## **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:

Solid
Whitish
Characteristic
Not determined.

Melting point/freezing point: >200 °C

· Boiling point or initial boiling point and boiling

range Undetermined. • Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.
Auto-ignition temperature: Not determined.

Decomposition temperature: >200 °C pH 2-3

· Viscosity:

Kinematic viscosity Dynamic: Not applicable. Not applicable.

· Solubility

· water at 20 °C: <1 g/l Insoluble.

· Partition coefficient n-octanol/water (log value) -5

• Vapour pressure: Not applicable.

· Density and/or relative density

Density at 20 °C:
 Relative density
 Bulk density:
 Vapour density
 Not determined.
 720-920 kg/m³
 Not applicable.

· 9.2 Other information

· Appearance:

· Form: Solid · Important information on protection of health

and environment, and on safety.

Ignition temperature: 410 °C

• Explosive properties: Product does not present an explosion hazard.

Void

· Change in condition

· Pyrophoric liquids

• **Evaporation rate** Not applicable.

Information with regard to physical hazard classes

· Explosives Void Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void

(Contd. on page 6)

Page 6/9

Printing date 15.07.2021 Revision: 13.07.2021

Version number 7.02 (replaces version 7.01)

Trade name: edetic acid

		(Contd. of page §
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

# **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: Heating.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:

strong bases

strong acids

strong oxidants

- 10.6 Hazardous decomposition products: In the event of fire: See chapter 5
- · Additional information:

The following applies in general to flammable organic substances and preparations: In correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

## **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

Harmful if inhaled.

· LD/LC50 values relevant for classification:

Quantitative data on the toxicological effect of this product are not available.

· Compone	ents	Type	Value	Species	
Oral	LD50	>2,000-<5,000 mg/kg (rat)			
Inhalative	LC50/4 h	1,000-5,000 mg/l (rat)			

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye irritation.

- · After inhalation: No irritant effect.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties Substance is not listed.

GB

Page 7/9

Printing date 15.07.2021 Revision: 13.07.2021

Version number 7.02 (replaces version 7.01)

Trade name: edetic acid

(Contd. of page 6)

# **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.

· Type of tes	st Effective concentration	Method	Assessment
EC50/72 h	>100 mg/l (Aquatic plants)		
EC50/24 h	>100 mg/l (daphnia magna)		
LC50/96 h	>100 mg/l (fish)		

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential

Due to the distribution coefficient n-octanol/water an accumulation in organisms is not expected.

- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system. Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water Danger to drinking water if even small quantities leak into the ground.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Chemicals must be disposed of in compliance with the respective national regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation:

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk accordi IMO instruments	ing to  Not applicable.	
		(Contd. on page

(Contd. on page 8)

Page 8/9

Printing date 15.07.2021 Revision: 13.07.2021

Version number 7.02 (replaces version 7.01)

Trade name: edetic acid

	(Contd. of page 7)
· Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

# **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57 Substance is not listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Dept. Compliance
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (RÈACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

\* Data compared to the previous version altered.

# **Annex: Exposure scenario**

- · Short title of the exposure scenario Formulation and packing/repacking of substances and mixtures
- · Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Solid
- · Concentration of the substance in the mixture Raw material.
- · Other operational conditions
- · Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting worker exposure

Avoid contact with eyes.

Avoid breathing particles.

· Other operational conditions affecting consumer exposure No special measures required.

(Contd. on page 9)

Page 9/9

Printing date 15.07.2021 Revision: 13.07.2021

Version number 7.02 (replaces version 7.01)

Trade name: edetic acid

(Contd. of page 8)

- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- Organisational protective measures No special measures required.
- Technical protective measures

Ensure that suitable extractors are available on processing machines

· Personal protective measures

Do not inhale dust / smoke / mist.

Avoid contact with the eyes.

Tightly sealed goggles

Required when dusts are generated.

Filter P2

- · Measures for consumer protection Ensure adequate labelling.
- · Environmental protection measures
- Water No special measures required.
- · Disposal measures Ensure that waste is collected and contained.
- Disposal procedures

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Waste type Partially emptied and uncleaned packaging
- **Exposure estimation**
- · Worker (inhalation)

The calculated value is smaller than the DNEL.

The exposure estimation was carried out in accordance with ECETOC TRA.

- · Consumer Not relevant for this Exposure Scenario.
- Guidance for downstream users No further relevant information available.

- GE