

# Safety data sheet

Page 1/7

according to 1907/2006/EC, Article 31

Printing date 24.03.2022 Revision: 24.03.2022 Version number 7.01 (replaces version 7.00)

| undertaking   | substance/mixture and of the company                                  |
|---|---|
| · 1.1 Product identifier  |   |
| · Trade name: <u>TAE buffer (10X)</u>   |   |
| <ul> <li>Article number: A4227</li> <li>Application of the substance / the mixture<br/>Biochemistry<br/>Molecular biology<br/>Laboratory chemicals</li> </ul> |   |
| <ul> <li>1.3 Details of the supplier of the safety data</li> <li>Manufacturer/Supplier:</li> </ul>  | sheet   |
| AppliChem GmbH<br>Ottoweg 4<br>D-64291 Darmstadt  | Tel.: +49 (0)6151 9357<br>Fax.: +49 (0)6151 9357<br>msds@applichem.co |
| Further information obtainable from: Dept. (     1.4 Emergency telephone number: +49(0)61     SECTION 2: Hazards identification                               |   |
| 2.1 Classification of the substance or mixtu<br>Classification according to Regulation (EC)<br>The product is not classified, according to the C              | No 1272/2008  |
|   |   |

# **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

· Description: aqeous solution

(Contd. on page 2)

(Contd. of page 1)

Trade name: TAE buffer (10X)

| · Dangerous components:    |   |          |
|----------------------------|---|----------|
| CAS: 64-19-7               | Acetic acid                             | >1-≤2.5% |
| EINECS: 200-580-7          | Flam. Liq. 3, H226; Skin Corr. 1A, H314 |          |
| Reg.nr.: 01-2119475328-30- | Specific concentration limits:          |          |
| XXXX                       | Skin Corr. 1A; H314: C ≥90 %            |          |
|                            | Skin Corr. 1B; H314: 25 % ≤ C < 90 %    |          |
|                            | Skin Irrit. 2; H315: 10 % ≤ C < 25 %    |          |
|                            | Eye Irrit. 2; H319: 10 % ≤ C < 25 %     |          |

• Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: Take affected persons out into the fresh air.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Wash off with plenty of water.

If skin irritation continues, consult a doctor.

- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing:

make victim drink water (maximum of 2 drinking glasses)

- Seek medical treatment.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

# **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

- **Suitable extinguishing agents:** CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released: Nitrogen oxides (NOx) Carbon monoxide and carbon dioxide Non-combustible.

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Contain escaping vapours with water.

# **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Avoid substance contact. Do not inhale steams/aerosols.
  6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
  6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Clean up affected area.
  6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 3)

GB

Trade name: TAE buffer (10X)

See Section 13 for disposal information.

(Contd. of page 2)

### **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: The product is not flammable.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container sealed.
- · Recommended storage temperature: Room Temperature
- Storage class: 12
- 7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

#### 64-19-7 Acetic acid

WEL Short-term value: 50 mg/m<sup>3</sup>, 20 ppm Long-term value: 25 mg/m<sup>3</sup>, 10 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

· Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### $\cdot$ For the permanent contact gloves made of the following materials are suitable: Natural rubber, NR Recommended thickness of the material: $\geq 0.11$ mm

Value for the permeation: Level  $\geq$  480 min

- As protection from splashes gloves made of the following materials are suitable: Nitrile rubber, NBR Recommended thickness of the material: > 0.11 mm
- Value for the permeation: Level  $\geq$  480 min
- · Eye/face protection Safety glasses

(Contd. on page 4)

<sup>-</sup> GB -

Trade name: TAE buffer (10X)

### · Body protection:

(Contd. of page 3)

- GB

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazourdous substances handled.

| SECTION 9: Physical and chemical prop                        | perties                                       |
|--|---|
| 9.1 Information on basic physical and chemical               | properties                                    |
| General Information  |   |
|  | Fluid   |
| •  | Colourless                                    |
|  | Odourless                                     |
| Odour threshold:   | Not determined.                               |
| Melting point/freezing point:                                | Undetermined.                                 |
| Boiling point or initial boiling point and boiling           |   |
|  | Undetermined.                                 |
| •  | Not applicable.                               |
| Lower and upper explosion limit                              |   |
| Lower:   | Not determined.                               |
|  | Not determined.                               |
| • •  | Not applicable.                               |
| -  | Not determined.                               |
| · · ·  | ~8.5  |
| Viscosity:   | 0.0   |
|  | Not determined.                               |
| Dynamic:   | Not determined.                               |
| Solubility   | Not determined.                               |
| •  | Fully missible                                |
|  | Fully miscible.                               |
| Partition coefficient n-octanol/water (log value)            |   |
| Vapour pressure:   | Not determined.                               |
| Density and/or relative density                              | Netdetermined                                 |
| -  | Not determined.                               |
| ,  | Not determined.                               |
| vapour density   | Not determined.                               |
| 9.2 Other information  |   |
| Appearance:  |   |
|  | Fluid   |
| Important information on protection of health                |   |
| and environment, and on safety.                              |   |
|  | Product is not selfigniting.                  |
|  | Product does not present an explosion hazard. |
| Solvent content:   |   |
| Organic solvents:  | 1.2 %   |
|  | 93.6 %  |
| VOC (EC)   | 1.20 %  |
| Change in condition  |   |
| Evaporation rate   | Not determined.                               |
| Information with regard to physical hazard                   |   |
| classes  |   |
|  | Void  |
| •  | Void  |
|  | Void  |
| Aarosols   |   |
|  | Void  |
| Oxidising gases  | Void  |
| Oxidising gases<br>Gases under pressure                      | Void  |
| Oxidising gases<br>Gases under pressure<br>Flammable liquids |   |

Page 5/7

#### Trade name: TAE buffer (10X)

|                                       |      | (Contd. of page 4 |
|---------------------------------------|------|-------------------|
| Self-reactive substances and mixtures | Void |                   |
| Pyrophoric liquids                    | Void |                   |
| Pyrophoric solids                     | Void |                   |
| Self-heating substances and mixtures  | Void |                   |
| Substances and mixtures, which emit   |      |                   |
| flammable gases in contact with water | Void |                   |
| Oxidising liquids                     | Void |                   |
| Oxidising solids                      | Void |                   |
| Organic peroxides                     | Void |                   |
| Corrosive to metals                   | Void |                   |
| Desensitised explosives               | Void |                   |

# **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- **10.6 Hazardous decomposition products:** In the event of fire: See chapter 5

# **SECTION 11: Toxicological information**

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity
- · LD/LC50 values relevant for classification:
- Quantitative data on the toxicological effect of this product are not available.
- · Serious eye damage/irritation
- After inhalation: No irritant effect.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

# **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system. Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 6)

GB

Trade name: TAE buffer (10X)

(Contd. of page 5)

# **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

#### · Recommendation

Chemicals must be disposed of in compliance with the respective national regulations. Must not be disposed together with household garbage. Do not allow product to reach sewage system.

#### · Uncleaned packaging:

### · Recommendation:

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

| SECTION 14: Transport information   | n  |
|---|--|
| <ul> <li>· 14.1 UN number or ID number</li> <li>· ADR, ADN, IMDG, IATA</li> </ul> | Void   |
| <ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>    | Void   |
| · 14.3 Transport hazard class(es)   |  |
| · ADR, ADN, IMDG, IATA<br>· Class   | Void   |
| <ul> <li>14.4 Packing group</li> <li>ADR, IMDG, IATA</li> </ul>                   | Void   |
| · 14.5 Environmental hazards:   | Not applicable.                                      |
| <ul> <li>14.6 Special precautions for user</li> </ul>                             | Not applicable.                                      |
| <ul> <li>14.7 Maritime transport in bulk according<br/>IMO instruments</li> </ul> | to<br>Not applicable.                                |
| · Transport/Additional information:   | Not dangerous according to the above specifications. |
| · UN "Model Regulation":  | Void   |

# **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57
- None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H226 Flammable liquid and vapour.

(Contd. on page 7)

Printing date 24.03.2022 Revision: 24.03.2022 Version number 7.01 (replaces version 7.00)

# Trade name: TAE buffer (10X)

|       | (Contd. of pa  |
|-------|--|
| H3    | 14 Causes severe skin burns and eye damage.  |
| · Dej | partment issuing SDS: Dept. Compliance   |
| · Abi | breviations and acronyms:  |
|       | : Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulat          |
|       | ncerning the International Transport of Dangerous Goods by Rail)   |
| ICA   | O: International Civil Aviation Organisation   |
| ADF   | R: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning |
| Inter | rnational Carriage of Dangerous Goods by Road)   |
|       | IG: International Maritime Code for Dangerous Goods  |
| IATA  | A: International Air Transport Association   |
|       | S: Globally Harmonised System of Classification and Labelling of Chemicals   |
|       | ECS: European Inventory of Existing Commercial Chemical Substances   |
|       | NCS: European List of Notified Chemical Substances   |
|       | S: Chemical Abstracts Service (division of the American Chemical Society)  |
|       | C: Volatile Organic Compounds (USA, EU)  |
|       | 0: Lethal concentration, 50 percent  |
|       | 0: Lethal dose, 50 percent   |
|       | F: Persistent, Bioaccumulative and Toxic   |
|       | IC: Substances of Very High Concern  |
|       | B: very Persistent and very Bioaccumulative  |
|       | n. Liq. 3: Flammable liquids – Category 3  |
|       | n Corr. 1A: Skin corrosion/irritation – Category 1A  |
| · * D | ata compared to the previous version altered.  |