

Hydrochloric acid solution

35329-1L

Version 1.3

Revision Date 17.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1. Product identifier | | | | | | |
|---|---|-------------|--|--|--|--|
| Product name | Hydrochloric acid solution | | | | | |
| SDS-number | 00000020903 | 00000020903 | | | | |
| Type of product | Mixture | Mixture | | | | |
| Remarks | SDS according to Art. 31 of Regulation (EC) 1907/2006. In accordance to the Article 14 (4) of the REACh Regulation (EC) No 1907/2006, exposure estimation and risk characterisation is not required. | | | | | |
| 1.2. Relevant identified us | of the substance or mixture and uses advised against | | | | | |
| Use of the Substance/Mixture | Laboratory chemicals | | | | | |
| Uses advised against | none | | | | | |
| 1.3. Details of the supplie | the safety data sheet | | | | | |
| Company | Honeywell International Inc.Honeywell International115 Tabor Road115 Tabor Road07950-2546 Morris PlainsMorris Plains, NJ 07950USAUSA | | | | | |
| Telephone For further information, please contact: | : SafetyDataSheet@Honeywell.com | | | | | |
| 1.4. Emergency telephone number | | | | | | |
| Emergency telephone number Country based Poison Control Center | +1-703-527-3887 (ChemTrec-Transport) +1-303-389-1414 (Medical) see chapter 15.1 | | | | | |

SECTION 2: Hazards identification

Page 1 / 16

Honeywell Fluka

Hydrochloric acid solution

35329-1L

Version 1.3

Revision Date 17.12.2022

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Corrosive to metals Category 1 H290 May be corrosive to metals.

2.2. Label elements

REGULATION (EC) No 1272/2008

Hazard pictograms



| Signal word | : | Warning |
|--------------------------|---|--------------|
| Hazard statements | : | H290 |
| Precautionary statements | : | P234 P280 |

May be corrosive to metals.

Keep only in original container. Wear protective gloves/ eye protection/ face protection.

2.3. Other hazards

May irritate skin. May irritate eyes. Results of PBT and vPvB assessment, see chapter 12.5.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

| Chemical name | CAS-No. Index-No. REACH Registration Number EC-No. | Classification 1272/2008 | Concentration | Remarks |
|-------------------|--|---|---------------|---------|
| hydrochloric acid | 7647-01-0 017-002-01-X 231-595-7 | Skin Corr. 1B; H314 STOT SE 3; H335; Respiratory system | < 5 % | |

Honeywell Fluka

Hydrochloric acid solution

35329-1L

Version 1.3

Revision Date 17.12.2022

| | | STOT SE 3; H335:>= 10 % |
|--|--|--------------------------------|
| | | Skin Irrit. 2; H315:10 - < 25 |
| | | % |
| | | Eye Irrit. 2; H319:10 - < 25 % |
| | | Skin Corr. 1B; H314:>= 25 % |

Remaining components of this product are non-hazardous and/or are present at concentrations below reportable limits.

Occupational Exposure Limit(s), if available, are listed in Section 8. For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice:

First aider needs to protect himself. Move out of dangerous area. Immediately take off contaminated clothing and rinse body with plenty of water. Show this safety data sheet to the doctor in attendance.

Inhalation:

If inhaled, remove to fresh air. Call a physician if irritation develops or persists.

Skin contact:

After contact with skin, wash immediately with plenty of water. If symptoms persist, call a physician.

Eye contact:

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Protect unharmed eye.

Ingestion:

When swallowed, allow water to be drunk. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

See Section 11 for more detailed information on health effects and symptoms.

Page 3 / 16



Hydrochloric acid solution

35329-1L

Version 1.3

Revision Date 17.12.2022

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Water spray Foam Carbon dioxide (CO2) Dry powder

Extinguishing media which shall not be used for safety reasons: High volume water jet

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Unprotected persons must be kept away.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so.

6.3. Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Pick for disposal in tightly closed containers

6.4. Reference to other sections

For personal protection see section 8.

Page 4 / 16



Hydrochloric acid solution

35329-1L

Version 1.3

Revision Date 17.12.2022

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling:

Wear personal protective equipment. Use only acid resistant equipment. Exhaust ventilation at the object is necessary.

Advice on protection against fire and explosion: Normal measures for preventive fire protection.

Hygiene measures:

Keep working clothes separately. Take off all contaminated clothing immediately. Wash hands before breaks and at the end of workday. Avoid contact with the skin and the eyes.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

no additional data available

Page 5 / 16



Hydrochloric acid solution

35329-1L

Version 1.3

Revision Date 17.12.2022

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits:

| Components | Basis / Value type | Value / Form of exposure | Exceeding Factor | Remarks |
|-------------------|-----------------------|---|---------------------|------------|
| hydrochloric acid | EH40 WEL STEL | 8 mg/m3 5 ppm Gas and aerosol mists. | | |
| hydrochloric acid | EH40 WEL TWA | 2 mg/m3 1 ppm Gas and aerosol mists. | | |
| hydrochloric acid | EH40 WEL | Gas and aerosol mists. | | Listed |
| hydrochloric acid | EU ELV TWA | 8 mg/m3 5 ppm | | Indicative |
| hydrochloric acid | EU ELV STEL | 15 mg/m3 10 ppm | | Indicative |

STEL - Short term exposure limit TWA - Time weighted average

DNEL/ PNEC-Values

| Component | End- use/impact | Exposure duration | Value | Exposure routes | Remarks |
|-------------------|---|-------------------|----------|-----------------|---------|
| hydrochloric acid | Workers / Acute local effects | | 15 mg/m3 | Inhalation | |
| hydrochloric acid | Workers / Long-term local effects | | 8 mg/m3 | Inhalation | |
| hydrochloric acid | Consumers / Acute local effects | | 15 mg/m3 | Inhalation | |

Page 6 / 16



Hydrochloric acid solution

35329-1L

Version 1.3

Revision Date 17.12.2022

| hydrochloric acid | Consumers / Long-term local effects | 8 mg/m3 | Inhalation | |
|-------------------|---|---------|------------|--|
|-------------------|---|---------|------------|--|

No PNEC data available.

8.2. Exposure controls

Occupational exposure controls

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345.

Personal protective equipment

Respiratory protection:

In the case of vapour formation use a respirator with an approved filter.

Hand protection: Glove material: Chloroprene Break through time: > 480 min Glove thickness: 0,65 mm Camapren®720 Gloves must be inspected prior to use. Replace when worn. Remarks:Supplementary note: The specifications are based on information and tests from similar substances by analogy. Due to varying conditions (e.g.temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374. Since actual conditions of practical use often deviate from standardised conditions according EN 374 the glove manufacturer reccomends to use the chemical protective glove in practice not longer than 50% of the recomended permeation time. Manufacturer's directions for use should be observed because of great diversity of types . Suitable gloves tested according EN 374 are supplied e.g. from KCL GmbH, D-36124 Eichenzell, Vertrieb@kcl.de

Eye protection: Safety goggles

Skin and body protection: Wear suitable protective equipment.

Page 7 / 16



Hydrochloric acid solution

35329-1L

Version 1.3

Revision Date 17.12.2022

Wear as appropriate: Protective suit

Environmental exposure controls

Handle in accordance with local environmental regulations and good industrial practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state | : | liquid |
|-----------------------------|---|---------------------------------------|
| Colour | : | colourless |
| Odour | : | odourless |
| molecular weight | : | 36,46 g/mol |
| Melting point/range | : | < 0 °C |
| Boiling point/boiling range | : | > 100 °C at 1.013 hPa |
| Flammability | : | Not applicable |
| Upper explosion limit | : | Not applicable |
| Lower explosion limit | : | Not applicable |
| Flash point | : | Not applicable |
| Auto-ignition temperature | : | Not applicable |
| Decomposition temperature | : | No decomposition if used as directed. |
| рН | : | acidic |
| Auto-ignition temperature | : | not auto-flammable |
| Viscosity, kinematic | : | No data available |

Page 8 / 16

Honeywell Fluka

Hydrochloric acid solution

35329-1L

Version 1.3 Revision Date 17.12.2022

| Water solubility | : | completely miscible |
|--|---|--|
| Partition coefficient: n- octanol/water | : | No data available |
| Vapour pressure | : | No data available |
| Density | : | ca. 1,010 g/cm3 at 20 °C |
| Bulk density | : | Not applicable |
| Relative vapour density | : | No data available |
| 9.2 Other Information | | |
| Oxidizing properties | : | The substance or mixture is not classified as oxidizing. |
| Corrosive to metals | : | Corrosive to metals |
| Evaporation rate | : | No data available |
| Viscosity, dynamic | : | No data available |

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

No decomposition if used as directed.

10.3. Possibility of hazardous reactions

Gives off hydrogen by reaction with metals.

Page 9 / 16



Hydrochloric acid solution

35329-1L

Version 1.3

Revision Date 17.12.2022

10.4. Conditions to avoid

Protect from extreme heat and cold.

10.5. Incompatible materials

Keep away from metals. Reactions with strong alkalies and oxidising agents.

10.6. Hazardous decomposition products

In case of fire hazardous decomposition products may be produced such as: Hydrogen chloride gas

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity: No data available

Acute dermal toxicity: No data available

Acute inhalation toxicity: LC50 Species: Rat Value: 40989 ppm Exposure time: 5 min Test substance: anhydrous substance

LC50 Species: Rat Value: 4701 ppm Exposure time: 30 min Test substance: anhydrous substance

Skin irritation: Not classified due to data which are conclusive although insufficient for classification.

Eye irritation: Not classified due to data which are conclusive although insufficient for classification.

Page 10 / 16



Hydrochloric acid solution

35329-1L

Version 1.3

Revision Date 17.12.2022

Respiratory or skin sensitisation: Route of exposure: Dermal Species: Guinea pig Result: non-sensitizing

Repeated dose toxicity: Note: Not classified due to data which are conclusive although insufficient for classification.

Carcinogenicity: Species: Rat Note: Not classified due to data which are conclusive although insufficient for classification. *Germ cell mutagenicity:* Note: Not classified due to data which are conclusive although insufficient for classification.

Reproductive toxicity: Species: not specified Remarks: Not classified due to data which are conclusive although insufficient for classification.

Aspiration hazard: No data available

11.2. Information on other hazards

Endocrine disrupting properties No data available

Other information: No data available

SECTION 12: Ecological information

12.1. Toxicity

Toxicity to fish: Not classified due to data which are conclusive although insufficient for classification.

Toxicity to aquatic plants: Not classified due to data which are conclusive although insufficient for classification.

Toxicity to aquatic invertebrates: Not classified due to data which are conclusive although insufficient for classification.

Page 11 / 16



Hydrochloric acid solution

35329-1L

Version 1.3

Revision Date 17.12.2022

12.2. Persistence and degradability

Biodegradability:

The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product: Dispose according to legal requirements.

Packaging: Legal requirements are to be considered in regard of reuse or disposal of used packaging materials

Further information: Provisions relating to waste: EC Directive 2006/12/EC; 2008/98/EEC Regulation No. 1013/2006

For personal protection see section 8.

SECTION 14: Transport information

Page 12 / 16



| drochloric acid solution | า | |
|--|--------------------------------|---------------------------------|
| 329-1L | | |
| ersion 1.3 F | Revision Date 17.12.2022 | |
| | | |
| | | |
| | | |
| | | |
| 14.1 UN number | | |
| ADR/RID:1789 | IMDG:1789 | IATA:1789 |
| 14.2 UN proper shipping name ADR/RID:HYDROCHLORIC ACIE IMDG:HYDROCHLORIC ACID IATA:Hydrochloric acid |) | |
| 14.3 Transport hazard class(es) | | |
| ADR/RID: 8 | IMDG: 8 | IATA: 8 |
| 14.4 Packaging group ADR/RID: III | IMDG: III | IATA: III |
| 14.5 Environmental hazards ADR/RID:no | Marine pollutant: no | |
| 14.6 Special precautions for us IMDG Code segregation group (S | | |
| 14.7 Maritime transport in bulk No data available | according to IMO instruments | 5 |
| CTION 15: Regulatory information | 1 | |
| | | |
| 15.1 Safety, health and environ mixture | mental regulations/legislatior | i specific for the substance or |
| Basis | Value | Remarks |
| | | This product does not contain |

| Substances of very high concern (SVHC) | This product does not contain substances of very high concern according to Regulation (EC) No Article 57 above the respective regulatory 1907/2006 (REACH), concentration limit of \geq 0.1 % (w/w). |
|--|---|
| | |

Poison Control Center

| Country | Phone Number | | Country | Phone Number |
|---------|--------------|------|---------|--------------|
| | Page | 9 13 | / 16 | |
| | | | | |
| | | | | |
| | | | | |



Hydrochloric acid solution

35329-1L

Version 1.3

Revision Date 17.12.2022

| Austria | +4314064343 |
|----------------|------------------------------|
| Belgium | 070 245245 |
| Bulgaria | (+)35929154233 |
| Croatia | (+3851)23-48-342 |
| Cyprus | +357 2240 5611 |
| Czech Republic | +420224919293; +420224915402 |
| Denmark | 82121212 |
| Estonia | 16662; (+372)6269390 |
| Finland | 9471977 |
| France | +33(0)145425959 |
| Greece | +30 210 779 3777 |
| Hungary | (+36-80)201-199 |
| Iceland | 5432222 |
| Ireland | +353(1)8092166 |
| Italy | 0382 24444 |
| Germany | Berlin : 030/19240 |
| | Bonn : 0228/19240 |
| | Erfurt : 0361/730730 |
| | Freiburg : 0761/19240 |
| | Göttingen : 0551/19240 |
| | Homburg : 06841/19240 |
| | Mainz : 06131/19240 |
| | Munich : 089/19240 |
| Latvia | +37167042473 |

| Liechtenstein | +41 442515151 |
|-----------------|---|
| Lithuania | +370532362052 |
| Luxembourg | 070245245; (+352)80002-5500 |
| Malta | +356 2395 2000 |
| Netherlands | 030-2748888 |
| Norway | 22591300 |
| Poland | +48 42 25 38 400 |
| Portugal | 800250250 |
| Romania | +40 21 318 3606 |
| Slovakia (NTIC) | +421 2 54 774 166 |
| Slovenia | +386 1 400 6051 |
| Spain | +34915620420 |
| Sweden | 112 (begär Giftinformation);+46104566786 |
| Switzerland | 145 |
| United Kingdom | (+44) 844 892 0111 |

Other inventory information

US. Toxic Substances Control Act On TSCA Inventory

Australia. Inventory of Industrial Chemicals (AIIC), as amended On the inventory, or in compliance with the inventory

Page 14 / 16



Hydrochloric acid solution

35329-1L

Version 1.3

Revision Date 17.12.2022

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL) All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List On the inventory, or in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI) On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS) On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC) On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI) On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Text of H-statements referred to under heading 3

hydrochloric acid:H314Causes severe skin burns and eye damage.H335May cause respiratory irritation.

Further information

All directives and regulations refer to amended versions. Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Abbreviations: EC European Community

Page 15 / 16



Hydrochloric acid solution

35329-1L

Version 1.3

Revision Date 17.12.2022

CAS Chemical Abstracts Service DNEL Derived no effect level PNEC Predicted no effect level vPvB Very persistent and very biaccumulative substance PBT Persistent, bioaccmulative und toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.

Page 16 / 16