CORNING Life Sciences	Document Number: LSR00026	Rev.: 3
Description (Class): Reference, Customer Technical Data Sheet – Aspirating Pipets, 5 mL		Page: 1 of 2

APPLICATIONS:

For tissue culture usage or any non-toxic solution that requires aliquoted or aspirating/dispensing in an aseptic environment

FEATURES:

- Guaranteed sterile claim (individual)
 - Contamination control
- Consistent performance
 - o Reliability, contamination control
- Aseptic presentation
 - Contamination control
- Non-pyrogenic
 - Low endotoxins
- Crystal grade polystyrene
 - Can clearly see fluid sample
- Non-wettable
 - o Minimum meniscus
- Individually wrapped packaging: "Thermoform" polyethylene-coated paper on one side, clear plastic on the other
 - o Reduces "static cling", quick and easy to open. Two ways to open: Peel or Pop-through

STERILITY:

Product is gamma irradiated

RESTRICTIONS:

• Refer to "Thermoplastics Properties Chart," available at: http://catalog2.corning.com/Lifesciences/media/pdf/an_DL_226_Falcon_ThermoPlastics_Broch.pdf

CORNING Life Sciences	Document Number: LSR00026	Rev.:
Description (Class): Reference, Customer Technical Data Sheet – Aspirating Pipets, 5 mL		Page: 2 of 2

Falcon[®] 5 mL Aspirating Pipet

Material: Polystyrene

Related Catalog Numbers: Cat. No. Packout Description

Sterile 357501 Individually, wrapped, 200/case

Dimensions: = XXX mm (XXX inches)

TIP: PIPET SIZE: 5 mL Length: = 37.36 (1.471)

Interior Diameter: = 1.57(.0.62) INCREMENTS: N/A

Outside Diameter: = 3.35 (.132)

GRADUATIONS: N/A


MOUTHPIECE:
Length: = N/A OVERFILL CAPACITY: N/A

Interior Diameter: = 8.03 (.316)

Outside Diameter: = 6.01 (.236) COLOR CODE: N/A
Plug Length = N/A

GENERAL DIMENSIONS:

EXTRUSION: A = 348.51 (13.721)
Interior Diameter: = 6.01 (.236) B = 3.35 (.132) Diameter
Outside Diameter: = 8.03 (.316) C = 8.03 (.316) Diameter



Warranty/Disclaimer: Unless otherwise specified, all products are for research use only. Not intended for use in diagnostic or therapeutic procedures.