CORNING	Life Sciences	Document Number: LSR00025	Rev.: 3
Description (Class): Reference, Customer T	echnical Data Sheet – Aspirating Pipets, 2 mL		Page: 1 of 2

APPLICATIONS:

For tissue culture usage or any non-toxic solution that requires aliquoted or aspirating/dispensing in an aseptic environment,

FEATURES:

- Guaranteed sterile claim (individual)
 - Contamination control
- Consistent performance
 - o Reliability, contamination control
- Aseptic presentation
 - Contamination control
- Non-pyrogenic
 - Low endotoxins
- Crystal grade polystyrene
 - o Can clearly see fluid sample
- Non-wettable
 - o Minimum meniscus
- Individually wrapped packaging: "Thermoform" polyethylene-coated paper on one side, clear plastic on the other
 - o Reduces "static cling", quick and easy to open. Two ways to open: Peel or Pop-through

STERILITY:

Product is gamma irradiated

RESTRICTIONS:

• Refer to "Thermoplastics Properties Chart," available at: http://catalog2.corning.com/Lifesciences/media/pdf/an_DL_226_Falcon_ThermoPlastics_Broch.pdf

CORNING	Life Sciences	Document Number: LSR00025	Rev.:
Description (Class): Reference, Customer T	echnical Data Sheet – Aspirating Pipets, 2 mL		Page: 2 of 2

Falcon® 2 mL Aspirating Pipet

Material: Polystyrene

Plug Length

Related Catalog Numbers: Cat. No. Packout Description

Sterile 357558 Individually wrapped, 200/case

Dimensions: = XXX mm (XXX inches)

TIP: PIPET SIZE: 2 mL

Length: = N/A Interior Diameter: = 1.625 (.0.64) INCREMENTS: N/A

Outside Diameter: = 3.73 (.147)

GRADUATIONS: N/A

GRADUATIONS: N/A

Length: = N/A OVERFILL CAPACITY: N/A

Interior Diameter: = 4.165 (.164)
Outside Diameter: = 6.27 (.247)

COLOR CODE: N/A

= N/A

GENERAL DIMENSIONS:

EXTRUSION:A = 282.58 (11.125)Interior Diameter:= N/AB = 3.73 (.147) DiameterOutside Diameter:= N/AC = 6.27 (.247) DiameterLength:= N/AD = 6.27 (.247) Diameter

A D C

Warranty/Disclaimer: Unless otherwise specified, all products are for research use only. Not intended for use in diagnostic or therapeutic procedures.