


PDS No.385270	PRODUCT DATA SHEET			Page 1 of 1
Revision 01	Cap Carrier with 96 Screw Caps for Cryo.s™ Biobanking Tubes			
	Greiner Item-No. 385270			
Valid for Item-No.:	385270			

1.	Description / Specification	
1.1	Description	Cap carrier with 96 screw caps (caps have a silicone gasket and internal thread), non-sterile, for uncapped Cryo.s™ Biobanking Tubes in racks: Cat.-No. 976570, -570-2D1 / 977570, -570-2D1 / 978570, -570-2D1
1.2	Dimensions	See customer drawing
1.3	Volume	-
1.4	Material / Resin	<u>Caps</u> : PP (Polypropylene), medical grade and USP class VI certified <u>Gasket</u> : Silicone, medical grade <u>Carrier</u> : PS (Polystyrene)
1.5	Colour	<u>Caps</u> : natural <u>Gasket</u> : blue <u>Carrier</u> : clear
1.6	Sterilization	No
1.7	Quality Control	<u>Product-Control</u> : testing of attributive and variable characteristics in accordance with the valid specification
1.8	Other Information	- for single use only - compatible with Hamilton decapper & J.D. capper

2.	Features	
2.1	Basic features	Free of detectable DNase/RNase, human DNA and pyrogens. Contents non-cytotoxic
2.2	Temperature range	<u>Caps</u> : -196°C to 121°C <u>Carrier</u> : -20°C to +60°C
2.3	Autoclavability	<u>Carrier with caps</u> : no
2.4	Centrifugation, max. RCF	-
2.5	Chemical Resistance	See homepage: https://www.gbo.com/en_INT/know-how-services/download-center.html
2.6	Shelf life	N/A
2.7	Other Information	-

3.	Packaging	
3.1	Pieces / Cap carrier	96
3.2	Pieces / Box	960 pcs (10 cap carries)
3.3	Lot-No.	E YY MM XXX (manufacturing facility, year, month, consecutive SAP-No.)
3.4	Other Information	Certificate of Quality

4.	Other Information
	-

Data Sheet subject to change without notice!

Prior Issue	Drawn	Approved	Released	CONFIDENTIAL: Information contained in this document or drawing is confidential and proprietary to Greiner Bio-One GmbH. This document may not be reproduced for any reason without written permission from Greiner Bio-One GmbH. All rights of design, invention, and copyright are reserved.
Revision	Date	Date	Date	
-	10 October 2014	20 October 2014	23 October 2014	
Date	Name	Name	Name	
-	S. Kaelberer	Dr. S. Mühlfriedel	A. Schulz	

DISCLAIMER: The description of a certain product can only be considered as a guidance, because its performance ultimately depends on what the product is used for. Very often performance studies are indispensable.