

# TECHNICAL DATA SHEET ITEM 568

Mod. AQ 001 Rev. 0 del 25/09/2003

## **TECHNICAL SPECIFICATIONS**

Trade name	Universal test tube rack
Use	Large capacity rack; special design allows samples to be incubated at
	same temperature
Material	Polypropylene PP
Other	Available in the following colours:
	White (03) – Blue (04) – Yellow (06) – Red (10)

## **DIMENSIONAL SPECIFICATIONS**

Dimension	mm. 112,00 x300,00 x 85,00
Holes, diameter	mm. 30,00
Holes, no.	24
Hole format	3 x 8
General dimensional tolerance	mm. +/- 0,20



## **GENERAL FEATURES**

CE mark	No
Food contact suitable	Yes

## **STERILIZATION**

Autoclavability at +121°C	Yes
Gas (Ethylene Oxide)	Yes
Dry (+160°C)	No
Chemical (in Formalin)	Yes
Radiation	Yes
Microwaves	Yes

## **CLEANING OPERATIONS**

Slight contamination	Wash with neutral detergents (pH7)
Heavy Contamination	Wash with alkaline detergents (pH up to 12)

## **Quality Assurance**

Massimiliano Capitanio



## TECHNICAL DATA SHEET ITEM 568

Mod. AQ 001 Rev. 0 del 25/09/2003

## **CHEMICAL RESISTANCE**

Categories of substances	Reference	Concen. %	T. 20°	T. 40°	T.° 60
Inorganic acid	Sulphuric acid	98	В	С	
Organic acid	Benzoic acid	100	Α	В	В
Alcohol	Ethanol	100	Α	A	Α
Aldehydes	Acetaldehyde	100	В	C	-
Inorganic alkali	Sodium hydroxide	50	Α	Α	Α
Organic alkali	Aniline	100	Α	В	С
Ketone	Acetone	100		-	•
Esther	Ethyl acetate	100	В	В	С
Hydrocarbons, halogenated	Dichloroethylene	100	C	-	-
Hydrocarbons, aromatic	Benzene	100	В	С	•
Hydrocarbons, linear	Hexane	100	В	В	С
Supersolvent	Tetrahydrofuran	100	В	В	С

Legenda (not applicable if neglected):

- A: fair resistence; exposure (30 days) to the chemical does not cause any damage.
- **B:** sufficient resistence; exposure causes damage of poor importance, which sometimes is only temporary.
- C: poor resistence; exposure to chemical is not allowed, or causes immediate permanent damage.

Results of testing with reference materials are to be considered as indication: in case of specific use it is recommended to carry out preliminary testing..

#### **PACKAGING**

|--|

## **Quality Assurance**

Massimiliano Capitanio

