

# TECHNICAL DATA SHEET ITEM 1057

Mod. AQ 001 Rev. 0 del 25/09/2003

#### **TECHNICAL SPECIFICATIONS**

Trade name	Industrial scoop
Use	General use
Material	Polypropylene PP

#### **DIMENSIONAL SPECIFICATIONS**

Capacity	ml. 10	
Dimensions	mm. 32 x 103 x 16	



## **GENERAL FEATURES**

CE mark	No
Food contact suitable	Yes

## **STERILIZATION**

Autoclavability + 121°C	Yes
Gas (Ethylene Oxide)	Yes
Dry Heat (+160°C)	No
Chemical (Formalin)	Yes
Irradiation	Yes
Microwave	Yes

#### **CLEANING OPERATIONS**

Slight contamination	Wash with neutral detergent (pH 7)	
Consistent contamination	Wash with alkalin detergent (pH up to 12)	

**Quality Assurance** 

**Technical Direction** 

Massimiliano Capitanio

Guido Borona



# TECHNICAL DATA SHEET ITEM 1057

Mod. AQ 001 Rev. 0 del 25/09/2003

#### **CHEMICAL RESISTANCE**

Categories of substances	Reference	Concen. %	T. 20°	T. 40°	T.° 60
Inorganic acid	Sulphuric acid	98	В	С	-
Organic acid	Benzoic acid	100	Α	В	В
Alcohol	Ethanol	100	A	Α	Α
Aldehydes	Acetaldehyde	100	В	С	-
Inorganic alkali	Sodium hydroxide	50	Α	Α	Α
Organic alkali	Aniline	100	Α	В	С
Ketone	Acetone	100	-	-	-
Esther	Ethyl acetate	100	В	В	С
Hydrocarbons, halogenated	Dichloroethylene	100	С	-	-
Hydrocarbons, aromatic	Benzene	100	В	С	-
Hydrocarbons, linear	Hexane	100	В	В	С
Supersolvent	Tetrahydrofuran	100	В	В	С

Legenda (not applicable if neglected):

- A: fair resistence; exposure (30 days) to the chemical does not cause any damage.
- **B: sufficient resistence**; exposure causes damage of poor importance, which sometimes is only temporary.
- **C: poor resistence**; exposure to chemical is not allowed, or causes immediate permanent damage. Results of testing with reference materials are to be considered as indication: in case of specific use it is recommended to carry out preliminary testing..

#### **PACKAGING**

Box	Pcs 12	

**Quality Assurance** 

**Technical Direction** 

Massimiliano Capitanio

Guido Borona

