

TECHNICAL DATA SHEET ITEM 143

Mod. AQ 001 Rev. 0 del 25/09/2003

TECHNICAL SPECIFICATIONS

Trade name	Input pot	
Use	Smaller pot very useful in storing	
Material	Polypropylene PP	

DIMENSIONAL SPECIFICATIONS

External Height	mm. 199,70
Internal Height	mm. 190
Body diameter	mm. 89,00
Base diameter	mm. 147,00
ml	1100
General dimensional tolerance	mm. +/- 0,10



GENERAL FEATURES

CE mark	No
Food contact suitable	Yes

STERILIZATION

Autoclavability at +121°C	Yes
Gas (Ethylene Oxide)	Yes
Dry at 160°C	No
Chemical (Formalin)	Yes
Radiations	Yes
Microwave	Yes

CLEANING OPERATIONS

Slight contamination	Wash with neutral detergent (pH 7)
Consistent contamination	Wash with alkaline detergent (pH up to 12)

Quality Assurance

Massimiliano Capitanio



TECHNICAL DATA SHEET ITEM 143

Mod. AQ 001 Rev. 0 del 25/09/2003

CHEMICAL RESISTANCE

Categories of substances	Reference	Concen. %	T. 20°	T. 40°	T.° 60
Inorganic acid	Sulphuric acid	98	В	C	ı
Organic acid	Benzoic acid	100	A	В	В
Alcohol	Ethanol	100	A	Α	Α
Aldehydes	Acetaldehyde	100	В	С	ı
Inorganic alkali	Sodium hydroxide	50	Α	Α	Α
Organic alkali	Aniline	100	Α	В	O
Ketone	Acetone	100	-	_	-
Esther	Ethyl acetate	100	В	В	C
Hydrocarbons, halogenated	Dichloroethylene	100	U	-	ı
Hydrocarbons, aromatic	Benzene	100	В	С	-
Hydrocarbons, linear	Hexane	100	В	В	С
Supersolvent	Tetrahydrofuran	100	В	В	С

Legenda (not applicable if neglected):

- A: fair resistence; exposure (30 days) to the chemical does not cause any damage.
- **B: sufficient resistence**; exposure causes damage of poor importance, which sometimes is only temporary.
- **C: poor resistence**; exposure to chemical is not allowed, or causes immediate permanent damage.

Results of testing with reference materials are to be considered as indication: in case of specific use it is recommended to carry out preliminary testing.

PACKAGING

Bag	Pcs. 5
Case	Pcs. 90

