

TECHNICAL DATA SHEET 392

Mod. AQ 001 Rev. 0 del 25/09/2003

TECHNICAL FEATURES

Trade name	Dropping bottles Ranvier type	
Use	Dropping bottle	
Material	Polyhetylene PE	
Other features	Complete with a PE tube with rubber teat	

DIMENSIONAL FEATURE

Capacity	500 ml
Esternal diameter	75 mm
Height	180 mm



GENERAL FEATURES

CE Marck	No
Foodstuff suitability	Yes

STERILIZATION OF THE BOTTLE

Autoclavable at +121°C	No
Gas (Ethylene Oxide)	Yes
Dry at +160°C	No
Chemical (Formalin)	Yes
Radiations	Yes
Microwaves	Yes

Quality Assurance Massimiliano Capitanio **Technical Direction**

Guido Borona



TECHNICAL DATA SHEET 392

Mod. AQ 001 Rev. 0 del 25/09/2003

CLEANING OPERATIONS

Slight contamination	Wash using a chemically neutral (pH7) cleaning agent	
Heavy contamination	Wash using alkaline (pH up to 12) clenaing agent	

CHEMICAL RESISTANCES (bottle)

Categories of substances	Reference	Concentrazione %	T. 20° C	T. 40° C	T. 60° C
Inorganic Acid	Sulphuric acid	98	В	В	В
Organic Acid	Benzoic acid	100	А	Α	Α
Alcohol	Ethanol	100	А	В	В
Aldehydes	Acetaldeyde	100	В	С	
Inorganic alkali	Isodium hydroxide	50	С		ī
Organic alkali	Aniline	100	Α	В	С
Ketone	Acetone	100	В	С	-
Esther	Ethyl acetate	100	В	С	ī
Hydrocarbons, halogenated	Dichloroethylene	100	С	-	-
Hydrocarbons, aromatic	Benzene	100	В	С	-
Hydrocarbons, linear	Hexane	100	С	=	=
Supersolvent	Tetrahydrofuran	100	В	В	С

Legenda (not applicable if neglected):

- A: fair resistence; exposure (30 days) to the chemical does not cause any damage.
- B: sufficient resistence; exposure causes damage of poor importance, which sometimes is only temporary.
- C: poor resistence; exposure to chemical is not allowed, or causes immediate permanent damages.

Results of testing with reference materials are to be considered as indication: in case of specific use it is recommended to carry out preliminary testing.

Information about resistance of plastic materials to temperatures, steriization and washing treatments are based on bulletins issued by the Producers of raw materials , on literature data and on the experience gained in using the products

PACKAGING

Box	10	pcs

Quality Assurance Massimiliano Capitanio **Technical Direction**

