

TECHNICAL SPECIFICATIONS

Trade name	Stirring Rod
Use	Ideal replacement for glass rods
Material	Pvc

DIMENSIONAL SPECIFICATIONS

Diameter	mm 7,15
Height	mm 300,00
General dimensional tolerance	mm. +/- 0,5

GENERAL FEATURES

CE mark	No
Autoclavability	No
Sterilization	Yes: by gas
Food contact suitable	No

CHEMICAL RESISTANCE

Categories of substances	Reference	Concen. %	T. 20°	T. 40°	T.° 60
Inorganic acid	Sulphuric acid	98	C	-	-
Organic acid	Benzoic acid	100	A	B	B
Alcohol	Ethanol	100	A	B	B
Aldehydes	Acetaldehyde	100	C	-	-
Inorganic alkali	Sodium hydroxide	50	C	-	-
Organic alkali	Aniline	100	C	-	-
Ketone	Acetone	100	C	-	-
Esther	Ethyl acetate	100	C	-	-
Hydrocarbons, halogenated	Dichloroethylene	100	C	-	-
Hydrocarbons, aromatic	Benzene	100	C	-	-
Hydrocarbons, linear	Hexane	100	B	C	-
Supersolvent	Tetrahydrofuran	100	C	-	-

Legenda (not applicable if neglected):

- **A: fair resistance;** exposure (30 days) to the chemical does not cause any damage.
 - **B: sufficient resistance;** exposure causes damage of poor importance, which sometimes is only temporary.
 - **C: poor resistance;** exposure to chemical is not allowed, or causes immediate permanent damage.
- Results of testing with reference materials are to be considered as indication: in case of specific use it is recommended to carry out preliminary testing..

PACKAGING

Bag	Pz. 10
-----	--------

Quality Assurance

Massimiliano Capitanio

Technical Direction

Guido Borona

DOMINIQUE DUTSHER SAS