

# TECHNICAL DATA SHEET ITEM 1240

Mod. AQ 001 Rev. 0 del 25/09/2003

# **TECHNICAL SPECIFICATIONS**

Trade name	Conical stopper	
Use	General use	
Material	Polyethylene PE	
Standard	DIN 12242	

# **DIMENSIONAL SPECIFICATIONS**

NS/Cone	7/16
Lower ø mm	5,9
Colour	Violet



#### **GENERAL FEATURES**

CE mark	No
Body	Ensures sealing action on non-standard surfaces

#### **STERILIZATION**

Autoclavability atT +121°C	No
Gas (Ethylene Oxide)	Yes
Dry at 160°C	No
Chemical (Formalin)	Yes
Radiations	Yes
Microwave	Yes

# **CLEANING OPERATIONS**

Slight contamination	Wash with neutral detergent (pH 7)
Consistent contamination	Wash with alkaline detergent (pH up to 12)

# **Quality Assurance**



# TECHNICAL DATA SHEET ITEM 1240

Mod. AQ 001 Rev. 0 del 25/09/2003

#### **CHEMICAL RESISTANCE**

Categories of substances	Reference	Concen. %	T. 20°	T. 40°	T.° 60
Inorganic acid	Sulphuric acid	98	В	В	В
Organic acid	Benzoic acid	100	A	A	Α
Alcohol	Ethanol	100	A	В	В
Aldehydes	Acetaldehyde	100	В	C	-
Inorganic alkali	Sodium hydroxide	50	O	-	1
Organic alkali	Aniline	100	Α	В	C
Ketone	Acetone	100	В	U	ı
Esther	Ethyl acetate	100	В	С	1
Hydrocarbons,	Dichloroethylene	100			
halogenated	Dictriordentiylerie	100	J	_	_
Hydrocarbons, aromatic	Benzene	100	В	С	-
Hydrocarbons, linear	Hexane	100	C	-	-
Supersolvent	Tetrahydrofuran	100	В	В	С

**Legenda** (not applicable if neglected):

- A: fair resistence; exposure (30 days) to the chemical does not cause any damage.
- **B: sufficient resistence**; exposure causes damage of poor importance, which sometimes is only temporary.
- **C: poor resistence**; exposure to chemical is not allowed, or causes immediate permanent damage.

Results of testing with reference materials are to be considered as indication: in case of specific use it is recommended to carry out preliminary testing.

#### **PACKAGING**

Bag	Pcs. 50
Box	Pcs. 1000

