Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 Version number 20 (replaces version 19) Revision: 26.03.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**
· **Trade name: tert-Butyl methyl ether**
· **SDS number:** CH0131
· **CAS Number:**
1634-04-4

· **EC number:**
216-653-1
· **Index number:**
603-181-00-X
· **Registration number** 01-2119452786-27
· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
· **Life cycle stages**
IS Use at industrial Sites
F Formulation or re-packing
· **Sector of Use**
SU9 Manufacture of fine chemicals
SU24 Scientific research and development
· **Product category**
PC20 Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents
PC21 Laboratory chemicals
PC29 Pharmaceuticals
PC40 Extraction agents
· **Process category**
PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
PROC4 Chemical production where opportunity for exposure arises
PROC5 Mixing or blending in batch processes
PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
PROC15 Use as laboratory reagent
· **Environmental release category**
ERC1 Manufacture of the substance
ERC2 Formulation into mixture
ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
ERC6a Use of an intermediary
· **Application of the substance / the mixture** Chemicals products for laboratory

· **1.3 Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
CARLO ERBA REAGENTS
Chaussée du Vexin
Parc d'Affaires des Portes - BP616
27106 VAL DE REUIL Cedex
Téléphone: +33 (0)2 32 09 20 00
Télécopie: +33 (0)2 32 09 20 20
· **Further information obtainable from:**
Q.A / Normative
email: MSDS_CER-SDS@cer.dgroup.it

(Contd. on page 2)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 *Version number 20 (replaces version 19)* *Revision: 26.03.2026*

Trade name: tert-Butyl methyl ether

(Contd. of page 1)

· ***1.4 Emergency telephone number:***
Ireland - Tel : 00 353 1 8092568 - 00 353 1 8379964 (24h/24)
EU Tel : 112

SECTION 2: Hazards identification

· ***2.1 Classification of the substance or mixture***
· ***Classification according to Regulation (EC) No 1272/2008***



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

· ***2.2 Label elements***
· ***Labelling according to Regulation (EC) No 1272/2008***
The substance is classified and labelled according to the CLP regulation.
· ***Hazard pictograms***



GHS02 GHS07

· ***Signal word*** *Danger*
· ***Hazard statements***
H225 Highly flammable liquid and vapour.
H315 Causes skin irritation.
· ***Precautionary statements***

P210	*Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.*
P241	*Use explosion-proof [electrical/ventilating/lighting] equipment.*
P280	*Wear protective gloves / eye protection / face protection.*
P303+P361+P353	*IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].*
P332+P313	*If skin irritation occurs: Get medical advice/attention.*
P403+P235	*Store in a well-ventilated place. Keep cool.*

· ***2.3 Other hazards***
· ***Results of PBT and vPvB assessment***
· ***PBT:*** *Not applicable*
· ***vPvB:*** *Not applicable*
· ***Determination of endocrine-disrupting properties*** *Not applicable*

(Contd. on page 3)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 *Version number 20 (replaces version 19)* *Revision: 26.03.2026*

Trade name: tert-Butyl methyl ether

(Contd. of page 2)

SECTION 3: Composition/information on ingredients

· **3.1 Substances**

· **CAS No. Description**
CAS: 1634-04-4 tert-Butyl methyl ether

· **Identification number(s)**

· **EC number:** 216-653-1

· **Index number:** 603-181-00-X

· **Impurities and stabilising additives:**

CAS: 67-56-1 EINECS: 200-659-6 Index number: 603-001-00-X RTECS: PC 1400000 Reg.nr.: 01-2119433307-44	Methanol Flam. Liq. 2, H225; Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; STOT SE 1, H370 Specific concentration limits: STOT SE 1; H370: C ≥ 10 % STOT SE 2; H371: 3 % ≤ C < 10 %

SECTION 4: First aid measures

· **4.1 Description of first aid measures**
· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
· **After skin contact:**
Immediately wash with water and soap and rinse thoroughly. Wash contaminated clothing before reuse.
If skin irritation continues, consult a doctor.
· **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
Seek immediate medical advice.
· **After swallowing:** Rinse out mouth and then drink plenty of water.
· **Information for doctor:** Show the doctor this Material Safety Data Sheet.
· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
· **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**
· **Suitable extinguishing agents:** CO2 or alcohol resistant foam.
· **For safety reasons unsuitable extinguishing agents:** Water with full jet.
· **5.2 Special hazards arising from the substance or mixture** Carbon monoxide and carbon dioxide
· **5.3 Advice for firefighters**
· **Protective equipment:** Do not inhale gases in case or fire or combustion.
· **Additional information** Keep receptacles cool with water spray.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**
Keep away any ignition source.
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
· **6.2 Environmental precautions:**
Do not allow to penetrate the ground/soil.

(Contd. on page 4)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 *Version number 20 (replaces version 19)* *Revision: 26.03.2026*

Trade name: tert-Butyl methyl ether

(Contd. of page 3)

Do not allow product to reach sewage system or any water course.
Prevent seepage into sewage system, workpits and cellars.
· ***6.3 Methods and material for containment and cleaning up:***
Collect the liquid with vacuum in a suitable container and absorb the remainder with a porous material (diatomite, acid binders, universal binders, etc).
Ensure adequate ventilation.
· ***6.4 Reference to other sections***
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

· ***7.1 Precautions for safe handling***
Store in cool, dry place in tightly closed receptacles.
Ensure good ventilation/exhaustion at the workplace.
Only handle and refill product in closed systems or under local exhaust.
Pneumatic conveyance only with nitrogen or other inert gases.
· ***Information about fire - and explosion protection:***



Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· ***7.2 Conditions for safe storage, including any incompatibilities***
· ***Storage:***
· ***Requirements to be met by storerooms and receptacles:***
Store in a cool location.
Use only receptacles specifically permitted for this substance/product.
· ***Information about storage in one common storage facility:*** *Not required*
· ***Further information about storage conditions:*** *Store in cool, dry conditions in well sealed receptacles.*
· ***7.3 Specific end use(s)*** *No further relevant information available.*

SECTION 8: Exposure controls/personal protection

· ***8.1 Control parameters***

· ***Ingredients with limit values that require monitoring at the workplace:***	
CAS: 1634-04-4 tert-Butyl methyl ether	
IOELV	Short-term value: 367 mg/m³, 100 ppm Long-term value: 183.5 mg/m³, 50 ppm

· ***DNELs***		
Inhalative	DNEL (workers-local effects Acute)	357 mg/m3 (15mn, SCOEL)
	DNEL (workers-systemic chronic effects)	178.5 mg/m3 (8h, SCOEL)

· ***PNECs***	
PNEC (Fresh water)	5.1 mg/l
PNEC (Freshwater sediment)	23 mg/kg
PNEC (Marine water)	0.26 mg/l
PNEC (Seawater sediment)	1.17 mg/l

(Contd. on page 5)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 *Version number 20 (replaces version 19)* *Revision: 26.03.2026*

Trade name: tert-Butyl methyl ether

(Contd. of page 4)

· ***Additional information:*** *The lists valid during the making were used as basis.*

· ***8.2 Exposure controls***
· ***Appropriate engineering controls*** *No further data; see section 7.*
· ***Individual protection measures, such as personal protective equipment***
· ***General protective and hygienic measures:***
The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Avoid contact with the eyes and skin.
· ***Respiratory protection:*** *Use suitable respiratory protective device only when aerosol or mist is formed.*
· ***Hand protection***
The selected protective gloves have to satisfy the specifications of REGULATION (EU) 2016/425 and the standard EN 374 derived from it.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

Rubber gloves
· ***Material of gloves***
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
Neoprene gloves
· ***Penetration time of glove material***
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
· ***Eye/face protection***



Tightly sealed goggles

· ***Environmental exposure controls***
In case of unintended release of the product: See section 6 of the Safety Data Sheet.
· ***Risk management measures*** *Keep good industrial hygiene.*

SECTION 9: Physical and chemical properties

· ***9.1 Information on basic physical and chemical properties***	
· ***Molecular weight***	*88.15 g*
· ***Physical state***	*Liquid*
· ***Colour:***	*Colourless*
· ***Odour:***	*Characteristic*
· ***Odour threshold:***	*Not determined*
· ***Melting point/freezing point:***	*-108.6 °C*
· ***Boiling point or initial boiling point and boiling range***	*55.2 °C*
· ***Flammability***	*Highly flammable.*
· ***Lower and upper explosion limit***	
· ***Lower:***	*1.6 Vol %*
· ***Upper:***	*8.4 Vol %*

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 *Version number 20 (replaces version 19)* *Revision: 26.03.2026*

Trade name: tert-Butyl methyl ether

(Contd. of page 5)

· ***Flash point:***	*-30 °C*
· ***Auto-ignition temperature:***	*460 °C*
· ***Decomposition temperature:***	*Not determined*
· ***pH***	*Not determined*
· ***Viscosity:***	
· ***Kinematic viscosity at 40 °C***	*0.409 mm²/s (OECD 114)*
· ***Dynamic at 20 °C:***	*0.36 mPas*
· ***Solubility***	
· ***water at 25 °C:***	*51 g/l*
· ***organic solvents:***	*Soluble in many organic solvents.*
· ***Partition coefficient n-octanol/water (log value)***	*0.96*
· ***Vapour pressure at 20 °C:***	*268 hPa*
· ***Vapour pressure at 50 °C:***	*849 hPa*
· ***Density and/or relative density***	
· ***Density at 20 °C:***	*0.7405 g/cm³*
· ***Relative density***	*Not determined*
· ***Vapour density***	*Not determined*

· ***9.2 Other information***	
· ***Appearance:***	
· ***Form:***	*Fluid*
· ***Important information on protection of health and environment, and on safety.***	
· ***Ignition temperature:***	*Not determined*
· ***Explosive properties:***	*Product is not explosive. However, formation of explosive air/vapour mixtures are possible.*
· ***Molecular formula***	*C5 H12 O*
· ***Molecular weight***	*88.15 g/mol*
· ***Refractive index***	*1.3756*
· ***Change in condition***	
· ***Evaporation rate***	*Not determined*

· ***Information with regard to physical hazard classes***	
· ***Explosives***	*Void*
· ***Flammable gases***	*Void*
· ***Aerosols***	*Void*
· ***Oxidising gases***	*Void*
· ***Gases under pressure***	*Void*
· ***Flammable liquids***	*Highly flammable liquid and vapour.*
· ***Flammable solids***	*Void*
· ***Self-reactive substances and mixtures***	*Void*
· ***Pyrophoric liquids***	*Void*
· ***Pyrophoric solids***	*Void*
· ***Self-heating substances and mixtures***	*Void*
· ***Substances and mixtures, which emit flammable gases in contact with water***	*Void*
· ***Oxidising liquids***	*Void*
· ***Oxidising solids***	*Void*
· ***Organic peroxides***	*Void*
· ***Corrosive to metals***	*Void*
· ***Desensitised explosives***	*Void*

(Contd. on page 7)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 *Version number 20 (replaces version 19)* *Revision: 26.03.2026*

Trade name: tert-Butyl methyl ether

(Contd. of page 6)

SECTION 10: Stability and reactivity

· ***10.1 Reactivity*** *See 10.3*
· ***10.2 Chemical stability***
· ***Thermal decomposition / conditions to be avoided:***
No decomposition if used and stored according to specifications.
· ***10.3 Possibility of hazardous reactions***
Can react violently with oxygen rich (oxidizing) material. Danger of Explosion.
· ***10.4 Conditions to avoid***
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
· ***10.5 Incompatible materials:*** *No further relevant information available.*
· ***10.6 Hazardous decomposition products:*** *Carbon monoxide, Carbon dioxide.*

SECTION 11: Toxicological information

· ***11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008***
· ***Acute toxicity*** *Based on available data, the classification criteria are not met.*

· ***LD/LC50 values relevant for classification:***		
Oral	*LD50*	*>2,000 mg/kg (rat)*
Dermal	*LD50*	*>10,000 mg/kg (rabbit)*
		>2,000 mg/kg (rat)
Inhalative	*LC50/4 h*	*85 mg/L (rat)*

· ***Primary irritant effect:***
· ***Skin corrosion/irritation*** *Causes skin irritation.*
· ***Serious eye damage/irritation*** *Irritating effect.*
· ***Ingestion:*** *It can be harmfull if swallowed.*
· ***Inhalation:*** *May be harmful if inhaled.*
· ***Respiratory or skin sensitisation*** *Based on available data, the classification criteria are not met.*
· ***Germ cell mutagenicity*** *Based on available data, the classification criteria are not met.*
· ***Carcinogenicity*** *Based on available data, the classification criteria are not met.*
· ***Reproductive toxicity*** *Based on available data, the classification criteria are not met.*
· ***STOT-single exposure*** *Based on available data, the classification criteria are not met.*
· ***STOT-repeated exposure*** *Based on available data, the classification criteria are not met.*
· ***Aspiration hazard*** *Based on available data, the classification criteria are not met.*
· ***Other information (about experimental toxicology):*** *No further relevant information available.*
· ***11.2 Information on other hazards***
· ***Endocrine disrupting properties*** *Substance is not listed.*

SECTION 12: Ecological information

· ***12.1 Toxicity***

· ***Aquatic toxicity:***	
NOEC	*51 mg/L (Daphnia) (21 days, US-EPA)*
	299 mg/L (fishes) (31 days, ASTM E1241-92)
EC50/48h	*472 mg/l (Daphnia) (US-EPA)*
EC50	*>800 mg/L (algae) (72h, 88/302/CEE)*
LC50/96h	*574 mg/l (fishes) (OECD TG 203)*
LC50	*>1,000 mg/l (fishes) (48h, DIN38412)*

· ***12.2 Persistence and degradability*** *No further relevant information available.*

(Contd. on page 8)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 *Version number 20 (replaces version 19)* *Revision: 26.03.2026*

Trade name: tert-Butyl methyl ether

(Contd. of page 7)

· ***Method***
· ***Ecological information*** *Not available*
· ***Other information:*** *The product is biodegradable.*
· ***12.3 Bioaccumulative potential*** *No further relevant information available.*
· ***12.4 Mobility in soil*** *No further relevant information available.*
· ***12.5 Results of PBT and vPvB assessment***
· ***PBT:*** *Not applicable*
· ***vPvB:*** *Not applicable*
· ***12.6 Endocrine disrupting properties***
The product does not contain substances with endocrine disrupting properties.
· ***12.7 Other adverse effects***
· ***Additional ecological information:***
· ***General notes:***
Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· ***13.1 Waste treatment methods***
· ***Recommendation***
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Reutilise if possible or contact a waste processors for recycling or safe disposal.
· ***Waste disposal key:***
The European Union does not establish uniform rules for the disposal of chemical waste, which are special waste. Their treatment and elimination of the domestic legislation of each country. So, in each case, you should contact the relevant authorities, or those companies legally authorized for elimination of waste.
2014/955/UE: Council Decision of 18 December 2014 amending the list of wastes contained in Decision 2000/532/EC.
Directive 2008/98/EC of the european parliament and of the council of 18 November 2008, in ist latest valid version.

· ***European waste catalogue***	
07 00 00	*WASTES FROM ORGANIC CHEMICAL PROCESSES*
07 01 00	*wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals*
*07 01 04**	*other organic solvents, washing liquids and mother liquors*
HP3	*Flammable*
HP4	*Irritant - skin irritation and eye damage*

· ***Uncleaned packaging:***
The containers and packaging materials contaminated with dangerous substances or preparations, have the same treatment of products.
Directive 94/62/EC of the European Parliament and the Council of 20 December 1994 on packaging and packaging waste.
· ***Recommendation:***
Disposal must be made according to official regulations.
Wash with solvents to be incinerated.
Packagings that may not be cleansed are to be disposed of in the same manner as the product.

(Contd. on page 9)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 *Version number 20 (replaces version 19)* *Revision: 26.03.2026*

Trade name: tert-Butyl methyl ether

(Contd. of page 8)

SECTION 14: Transport information

· **14.1 UN number or ID number**	
· **ADR/RID, IMDG, IATA**	UN2398
· **14.2 UN proper shipping name**	
· **ADR/RID**	2398 METHYL tert-BUTYL ETHER
· **IMDG**	METHYL tert-BUTYL ETHER
· **IATA**	Methyl tert-butyl ether
· **14.3 Transport hazard class(es)**	
· **ADR/RID**	



· **Class**	3 (F1) Flammable liquids.
· **Label**	3
· **IMDG, IATA**	



· **Class**	3 Flammable liquids.
· **Label**	3
· **14.4 Packing group**	
· **ADR/RID, IMDG, IATA**	II
· **14.5 Environmental hazards:**	
· **Marine pollutant:**	No
· **14.6 Special precautions for user**	Warning: Flammable liquids.
· **Hazard identification number (Kemler code):**	33
· **EMS Number:**	F-E,S-D
· **Stowage Category**	E
· **14.7 Maritime transport in bulk according to IMO instruments**	Not applicable
· **Transport/Additional information:**	
· **ADR/RID**	
· **Excepted quantities (EQ):**	E2
· **Limited quantities (LQ)**	1L
· **Excepted quantities (EQ)**	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· **Transport category**	2
· **Tunnel restriction code**	D/E
· **IMDG**	
· **Limited quantities (LQ)**	1L
· **Excepted quantities (EQ)**	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

(Contd. on page 10)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 Version number 20 (replaces version 19) Revision: 26.03.2026

Trade name: tert-Butyl methyl ether

(Contd. of page 9)

· **UN "Model Regulation":** UN 2398 METHYL TERT-BUTYL ETHER, 3, II

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
· **SARA Section 355 (extremely hazardous substances)** Substance is not listed.
· **SARA Section 313 (specific toxic chemical listings)** Substance is listed.
· **Prop 65 - Chemicals known to cause cancer** Substance is not listed.

· **Directive 2012/18/EU**
· **Named dangerous substances - ANNEX I** Substance is not listed.
· **Seveso category** P5c FLAMMABLE LIQUIDS
· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t
· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t
· **REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)** Substance is not listed.
· **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)** Substance is not listed.
· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 40, 75
· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**
Substance is not listed.
· **REGULATION (EU) 2024/590 on substances that deplete the ozone layer** Substance is not listed.
· **National regulations:**

· **Technical instructions (air):**

Class	Share in %
NK	50-100

· **Waterhazard class:** Water hazard class 1 (Assessment by list): slightly hazardous for water.

· **Other regulations, limitations and prohibitive regulations**
· **Substances of very high concern (SVHC) according to REACH, Article 57** Substance is not listed.
· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**
H225 Highly flammable liquid and vapour.
H301 Toxic if swallowed.
H311 Toxic in contact with skin.
H331 Toxic if inhaled.
H370 Causes damage to organs.
H371 May cause damage to organs.
· **Department issuing SDS:** Q.A./Normative
· **Date of previous version:** 11.09.2025
· **Version number of previous version:** 19
· **Abbreviations and acronyms:**
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
RCR : Risk Characterisation Ratio
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 11)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 *Version number 20 (replaces version 19)* *Revision: 26.03.2026*

Trade name: tert-Butyl methyl ether

(Contd. of page 10)

DOT: US Department of Transportation
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
Flam. Liq. 2: Flammable liquids – Category 2
Skin Irrit. 2: Skin corrosion/irritation – Category 2

· ***Sources***
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006, REACH, in the latest valid version.
Regulation (EC) N° 1272/2008 of the European Parliament and of the Council of 16 December 2008, CLP, in the latest valid version.
Globally Harmonized System, GHS
ADR/RID, IMDG, IATA
PubChem : an open chemistry database at the National Institutes of Health (NIH)
ECHA : European CHemicals Agency
GESTIS : Information system on hazardous substances of the German Social Accident Insurance

· **** Data compared to the previous version altered.*** .

EU

(Contd. on page 12)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 *Version number 20 (replaces version 19)* *Revision: 26.03.2026*

Trade name: tert-Butyl methyl ether

(Contd. of page 11)

*
Annex: Exposure scenario 1

· ***Short title of the exposure scenario*** *Formulation or re-packing*
· ***Sector of Use*** *Industrial use.*
· ***Process category***
PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
PROC4 Chemical production where opportunity for exposure arises
PROC5 Mixing or blending in batch processes
PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
PROC15 Use as laboratory reagent
· ***Environmental release category*** *ERC2 Formulation into mixture*
· ***Description of the activities / processes covered in the Exposure Scenario***
See section 1 of the annex to the Safety Data Sheet.
· ***Conditions of use*** *Customary application according to section 1.*
· ***Duration and frequency*** *5 workdays/week.*
· ***Worker*** *8hrs (full working shift).*
· ***Physical parameters***
The data on the physical - chemical properties in the Exposure Scenario is based on the properties of the preparation.
· ***Physical state***
Fluid
Fluid
· ***Concentration of the substance in the mixture*** *Raw material.*
· ***Used amount per time or activity*** *According to directions for use.*
· ***Other operational conditions*** *Observe the general safety regulations when handling chemicals.*
· ***Other operational conditions affecting environmental exposure***
Observe section 6 of the Safety Data Sheet (Accidental release measures).
· ***Other operational conditions affecting worker exposure***
Avoid contact with the skin.
Take precautionary measures against static discharge.
Keep away from sources of ignition - No smoking.
· ***Risk management measures***
· ***Worker protection***
· ***Organisational protective measures***
Keep good industrial hygiene.
Ensure that activities are executed by specialists or authorised personnel only.
Persons, who tend to skin diseases or other hypersensitivity reactions of the skin, should not handle the product.
Provide sufficient washing facilities.
Work clothes must not consist of textiles that exhibit dangerous melting behaviour in case of fire.
· ***Technical protective measures***
Provide explosion-proof electrical equipment.
Ensure that suitable extractors are available on processing machines
Ensure good ventilation/exhaustion at the workplace.
Minimum efficiency of local ventilation [%]: 80.
· ***Personal protective measures***
Do not inhale gases / fumes / aerosols.

(Contd. on page 13)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 *Version number 20 (replaces version 19)* *Revision: 26.03.2026*

Trade name: tert-Butyl methyl ether

(Contd. of page 12)

Avoid contact with the skin.
The selected protective gloves have to satisfy the specifications of REGULATION (EU) 2016/425 and the standard EN 374 derived from it.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
Protective gloves
Rubber gloves
Tightly sealed goggles
The usual precautionary measures are to be adhered to when handling chemicals.
Detailed measures on hand protection according to Safety Data Sheet, section 8.
Use suitable respiratory protective device only when aerosol or mist is formed.

· ***Environmental protection measures***
· ***Water***
No special measures required.
Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.
· ***Notes*** *In case of unintended release of the product: See section 6 of the Safety Data Sheet.*
· ***Disposal measures***
Disposal must be made according to official regulations.
Ensure that waste is collected and contained.
· ***Disposal procedures***
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
· ***Waste type*** *Partially emptied and uncleaned packaging*
· ***Exposure estimation***
· ***Worker (dermal)***
RCR 0.01
The exposure estimation was carried out in accordance with ECETOC TRA.
· ***Worker (inhalation)***
RCR 0.432
The exposure estimation was carried out in accordance with ECETOC TRA.
· ***Environment***
The highest environmental exposure to be expected for soil is 0.273 mg / kg wet weight.
The highest environmental exposure to be expected for surface waters is 0.172 mg / L.
The estimation of environmental exposure was carried out in accordance with EUSES.
· ***Guidance for downstream users***
Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.

(Contd. on page 14)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 *Version number 20 (replaces version 19)* *Revision: 26.03.2026*

Trade name: tert-Butyl methyl ether

(Contd. of page 13)

*
Annex: Exposure scenario 2

· ***Short title of the exposure scenario*** *Substance manufacturing*
· ***Sector of Use*** *Industrial use.*
· ***Process category***
PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
PROC4 Chemical production where opportunity for exposure arises
PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC15 Use as laboratory reagent
· ***Environmental release category*** *ERC1 Manufacture of the substance*
· ***Description of the activities / processes covered in the Exposure Scenario***
See section 1 of the annex to the Safety Data Sheet.
· ***Conditions of use*** *Customary application according to section 1.*
· ***Duration and frequency*** *5 workdays/week.*
· ***Worker*** *8hrs (full working shift).*
· ***Physical parameters***
The data on the physical - chemical properties in the Exposure Scenario is based on the properties of the preparation.
· ***Physical state*** *Fluid*
· ***Concentration of the substance in the mixture*** *The substance is main component.*
· ***Other operational conditions*** *Observe the general safety regulations when handling chemicals.*
· ***Other operational conditions affecting environmental exposure***
Observe section 6 of the Safety Data Sheet (Accidental release measures).
· ***Other operational conditions affecting worker exposure***
Avoid contact with the skin.
Take precautionary measures against static discharge.
Keep away from sources of ignition - No smoking.
· ***Risk management measures***
· ***Worker protection***
· ***Organisational protective measures***
Keep good industrial hygiene.
Ensure that activities are executed by specialists or authorised personnel only.
Persons, who tend to skin diseases or other hypersensitivity reactions of the skin, should not handle the product.
Provide sufficient washing facilities.
Work clothes must not consist of textiles that exhibit dangerous melting behaviour in case of fire.
· ***Technical protective measures***
Provide explosion-proof electrical equipment.
Ensure good ventilation/exhaustion at the workplace.
Minimum efficiency of local ventilation [%]: 80.
· ***Personal protective measures***
The usual precautionary measures are to be adhered to when handling chemicals.
Avoid contact with the skin.
Detailed measures on hand protection according to Safety Data Sheet, section 8.
Use suitable respiratory protective device only when aerosol or mist is formed.
The selected protective gloves have to satisfy the specifications of REGULATION (EU) 2016/425 and the standard EN 374 derived from it.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 15)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

(Contd. of page 14)

Protective gloves
Rubber gloves
Avoid direct contact with the chemical/ the product/ the preparation by organisational measures.
Protective work clothing
Face protection
· ***Environmental protection measures***
· ***Water***
Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.
· ***Notes*** *In case of unintended release of the product: See section 6 of the Safety Data Sheet.*
· ***Disposal measures*** *Ensure that waste is collected and contained.*
· ***Disposal procedures***
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
· ***Waste type*** *Partially emptied and uncleaned packaging*
· ***Exposure estimation***
· ***Worker (dermal)***
RCR 0.01
The exposure estimation was carried out in accordance with ECETOC TRA.
· ***Worker (inhalation)***
RCR 0.577
The exposure estimation was carried out in accordance with ECETOC TRA.
· ***Environment***
The highest environmental exposure to be expected for soil is 0.965 mg / kg wet weight.
The highest environmental exposure to be expected for surface waters is 3.222 mg / L.
The estimation of environmental exposure was carried out in accordance with EUSES.
· ***Guidance for downstream users***
Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.