biotium
Glowing Products for Science™
www.biotium.com

Revised: August 2, 2021

Selected EvaGreen® References by Application

Click on the blue link to see journal article

Contents:
The use of EvaGreen® Dye has been published in hundreds of journal articles. This is a selection of publications using EvaGreen® Dye in a variety of applications.

EvaGreen® Dye by Application

- Real-time qPCR p. 1
- High Resolution Melt Analysis (HRM) p. 5
- Digital PCR & Droplet Digital PCR (ddPCR) p. 7
- Fluidigm Instruments p. 8
- Isothermal Amplification p. 10
- Capillary Electrophoresis p. 11
- DNA Quantitation p. 12
- Other Applications p. 12

EvaGreen® Dye References by Application

Real-time qPCR

Almeida, L. O., et al. Accumulated SET protein up-regulates and interacts with hnRNPK, increasing its binding to nucleic acids, the Bcl-xS repression, and cellular proliferation. Biochem Biophys Res Commun 445(1), 196-202, (2014), DOI: 10.1016/j.bbrc.2014.01.175 (Fast EvaGreen Master Mix)

Babelova, A., et al. Activation of Rac-1 and RhoA contributes to podocyte injury in chronic kidney disease. PLoS One 8(11), e80328, (2013), DOI: 10.1371/journal.pone.0080328 (Fast Plus EvaGreen Master Mix)

Camargo Lde, L., et al. Endo-PDI is required for TNFalpha-induced angiogenesis. Free Radic Biol Med 65, 1398-1407, (2013), DOI: 10.1016/j.freeradbiomed.2013.09.028 (Fast Plus EvaGreen Master Mix)

Canier, L., et al. An innovative tool for moving malaria PCR detection of parasite reservoir into the field. Malar J 12, 405, (2013), DOI: 10.1186/1475-2875-12-405

Chan, L. T., et al. MicroRNAs: new insights into the pathogenesis of endodontic periapical disease. J Endod 39(12), 1498-1503, (2013), DOI: 10.1016/j.joen.2013.08.032 (Fast EvaGreen Master Mix)

Chen, D., et al. High-sensitivity PCR method for detecting BRAF V600Emutations in metastatic colorectal cancer using LNA/DNA chimeras to block wild-type alleles. Anal Bioanal Chem, (2014), DOI: 10.1007/s00216-014-7618-x

Chen, Y., et al. Identification of cervidae DNA in feedstuff using a real-time polymerase chain reaction method with the new fluorescence intercalating dye EvaGreen. J AOAC Int 92(1), 175-180, (2009),

Cheng, J., et al. Development of a single-tube multiplex real-time PCR for detection and identification of five pathogenic targets by using melting-curve analysis with EvaGreen. Arch Virol, (2012), DOI: 10.1007/s00705-012-1493-6

DOMINIQUE DUTSCHER SAS

Choi, W. G., et al. Salt stress-induced Ca2+ waves are associated with rapid, long-distance root-to-shoot signaling in plants. Proc Natl Acad Sci U S A 111(17), 6497-6502, (2014), DOI: 10.1073/pnas.1319955111 (Fast EvaGreen Master Mix)

Eischeid, A. C. SYTO dyes and EvaGreen outperform SYBR Green in real-time PCR. BMC Res Notes 4, 263, (2011), DOI: 10.1186/1756-0500-4-263

Flores Bueso, Y., et al. Characterization of FFPE-induced bacterial DNA damage and development of a repair method. Biol Methods Protoc 5(1), bpaa015, (2020), DOI: 10.1093/biomethods/bpaa015

Ganguli, A., et al. Hands-free smartphone-based diagnostics for simultaneous detection of Zika, Chikungunya, and Dengue at point-of-care. Biomed Microdevices 19(4), 73, (2017), DOI: 10.1007/s10544-017-0209-9

Gonzalez-Gonzalez, E., et al. Portable and accurate diagnostics for COVID-19: Combined use of the miniPCR thermocycler and a well-plate reader for SARS-CoV-2 virus detection. PLoS One 15(8), e0237418, (2020), DOI: 10.1371/journal.pone.0237418

Haines, A. M., et al. Optimization of Diamond Nucleic Acid Dye for quantitative PCR. Biotechniques 61(4), 183-189, (2016), DOI: 000114458 [pii] 10.2144/000114458

He, P., et al. Multiplex real-time PCR assay for detection of pathogenic Vibrio parahaemolyticus strains. Mol Cell Probes, (2014), DOI: 10.1016/j.mcp.2014.06.001

Hernandez-Arteaga, S. and Lopez-Revilla, R. Quantitation of human papillomavirus type 16 E6 oncogene sequences by real-time or quantitative PCR with EvaGreen. Anal Biochem 380(1), 131-133, (2008), DOI: 10.1016/j.ab.2008.05.012

Hu, Z., et al. Development of a single-tube duplex EvaGreen real-time PCR for the detection and identification of EHV-1 and EHV-4. Appl Microbiol Biotechnol 98(9), 4179-4186, (2014), DOI: 10.1007/s00253-014-5626-6

Khan, S. A., et al. Detection of aacA-aphD, qacEdelta1, marA, floR, and tetA genes from multidrug-resistant bacteria: Comparative analysis of real-time multiplex PCR assays using EvaGreen((R)) and SYBR((R)) Green I dyes. Mol Cell Probes 25(2-3), 78-86, (2011), DOI: 10.1016/j.mcp.2011.01.004

Kolm, C., et al. DNA aptamers against bacterial cells can be efficiently selected by a SELEX process using state-of-the art qPCR and ultra-deep sequencing. Sci Rep 10(1), 20917, (2020), DOI: 10.1038/s41598-020-77221-9

Kropotova, E. S., et al. Altered expression of multiple genes involved in retinoic acid biosynthesis in human colorectal cancer. Pathol Oncol Res 20(3), 707-717, (2014), DOI: 10.1007/s12253-014-9751-4 (Fast Plus EvaGreen Master Mix)

Lee, H. G., et al. PCR-coupled Paper-based Surface-enhanced Raman Scattering (SERS) Sensor for Rapid and Sensitive Detection of Respiratory Bacterial DNA. Sensors and Actuators B: Chemical 326, (2021), DOI: 10.1016/j.snb.2020.128802

Li, J., et al. The Cloning and Characterization of the Enolase2 Gene of Gekko japonicus and Its Polyclonal Antibody Preparation. Int J Mol Sci 14(5), 8787-8800, (2013), DOI: 10.3390/ijms14058787 (Fast EvaGreen Master Mix)

DOMINIQUE DUTSCHER SAS

Luo, Y., et al. Massively parallel single-molecule telomere length measurement with digital real-time PCR. Sci Adv 6(34), (2020), DOI: 10.1126/sciadv.abb7944

Mao, F., et al. Characterization of EvaGreen and the implication of its physicochemical properties for qPCR applications. BMC Biotechnol 7, 76, (2007), DOI: 10.1186/1472-6750-7-76

Moniri, A., et al. Amplification Curve Analysis: Data-Driven Multiplexing Using Real-Time Digital PCR. Anal Chem 92(19), 13134-13143, (2020), DOI: 10.1021/acs.analchem.0c02253

Montgomery, J. L. and Wittwer, C. T. Influence of PCR reagents on DNA polymerase extension rates measured on real-time PCR instruments. Clin Chem 60(2), 334-340, (2014), DOI: 10.1373/clinchem.2013.212829

Mossbrugger, I., et al. EvaGreen based real-time RT-PCR assay for broad-range detection of hantaviruses in the field. J Clin Virol 58(1), 334-335, (2013), DOI: 10.1016/j.jcv.2013.06.023 qPCR to detect hantavirus

Nanayakkara, I. A., et al. Simplifying Nucleic Acid Amplification from Whole Blood with Direct Polymerase Chain Reaction on Chitosan Microparticles. Anal Chem 89(6), 3773-3779, (2017), DOI: 10.1021/acs.analchem.7b00274

Naqvi, A. R., et al. MicroRNAs responsive to Aggregatibacter actinomycetemcomitans and Porphyromonas gingivalis LPS modulate expression of genes regulating innate immunity in human macrophages. Innate Immun 20(5), 540-551, (2013), DOI: 10.1177/1753425913501914 (Fast EvaGreen Master Mix)

Novak, L., et al. An integrated fluorescence detection system for lab-on-a-chip applications. Lab Chip 7(1), 27-29, (2007), DOI: 10.1039/b611745g

Oliveira-Pelegrin, G. R., et al. Cleaved caspase-3 expression in hypothalamic magnocellular neurons may affect vasopressin secretion during experimental polymicrobial sepsis. J Neuroimmunol 258(1-2), 10-16, (2013), DOI: 10.1016/j.jneuroim.2013.02.007 (Fast EvaGreen Master Mix)

Padirac, A., et al. Spatial waves in synthetic biochemical networks. J Am Chem Soc 135(39), 14586-14592, (2013), DOI: 10.1021/ja403584p

Purhonen, J., et al. A sensitive assay for dNTPs based on long synthetic oligonucleotides, EvaGreen dye and inhibitor-resistant high-fidelity DNA polymerase. Nucleic Acids Res 48(15), e87, (2020), DOI: 10.1093/nar/gkaa516

Qian, Z., et al. [Quantification of GRAF gene expression in patients with acute myeloid leukemia using EvaGreen real time quantitative PCR]. Zhonghua Yi Xue Yi Chuan Xue Za Zhi 27(3), 290-293, (2010), DOI: 10.3760/cma.j.issn.1003-9406.2010.0.012

Rodrigues, E. F., et al. Epigenetic alterations of p15(INK4B) and p16(INK4A) genes in pediatric primary myelodysplastic syndrome. Leuk Lymphoma 51(10), 1887-1894, (2010), DOI: 10.3109/10428194.2010.505820 (Fast EvaGreen Master Mix)

Sang, F., et al. Development of a high-throughput real time PCR based on a hot-start alternative for Pfu mediated by quantum dots. Nanoscale 7(38), 15852-15862, (2015), DOI: 10.1039/c5nr03596a

DOMINIQUE DUTSCHER SAS

Sang, F., et al. CdTe quantum dots enhance feasibility of EvaGreen-based real-time PCR with decent amplification fidelity. Mol Biotechnol 54(3), 969-976, (2013), DOI: 10.1007/s12033-013-9650-z

Shcheglovitov, A., et al. SHANK3 and IGF1 restore synaptic deficits in neurons from 22q13 deletion syndrome patients. Nature 503(7475), 267-271, (2013), DOI: 10.1038/nature12618

Shi, W., et al. EvaGreen-based real-time PCR assay for sensitive detection of salmonid alphavirus. Mol Cell Probes 39, 7-13, (2018), DOI: 10.1016/j.mcp.2018.03.002

Shu, B., et al. A sample-to-answer, real-time convective polymerase chain reaction system for point-of-care diagnostics. Biosens Bioelectron 97, 360-368, (2017), DOI: 10.1016/j.bios.2017.06.014

Swennenhuis, J. F., et al. Efficiency of whole genome amplification of single circulating tumor cells enriched by CellSearch and sorted by FACS. Genome Med 5(11), 106, (2013), DOI: 10.1186/gm510

Timon-Gomez, A., et al. Differential regulation of mitochondrial pyruvate carrier genes modulates respiratory capacity and stress tolerance in yeast. PLoS One 8(11), e79405, (2013), DOI: 10.1371/journal.pone.0079405 (Fast EvaGreen Master Mix)

Velez, D. O., et al. Massively parallel digital high resolution melt for rapid and absolutely quantitative sequence profiling. Sci Rep 7, 42326, (2017), DOI: 10.1038/srep42326

Veltkamp, H. W., et al. Disposable DNA Amplification Chips with Integrated Low-Cost Heaters. Micromachines (Basel) 11(3), (2020), DOI: 10.3390/mi11030238

Vig, P. J., et al. Knockdown of acid-sensing ion channel 1a (ASIC1a) suppresses disease phenotype in SCA1 mouse model. Cerebellum 13(4), 479-490, (2014), DOI: 10.1007/s12311-014-0563-6 (Fast EvaGreen Master Mix)

Wang, C., et al. Rapid screening of MMACHC gene mutations by high-resolution melting curve analysis. Mol Genet Genomic Med 8(6), e1221, (2020), DOI: 10.1002/mgg3.1221

Wang, C. P., et al. Isoquercetin protects cortical neurons from oxygen-glucose deprivation-reperfusion induced injury via suppression of TLR4-NF-small ka, CyrillicB signal pathway. Neurochem Int 63(8), 741-749, (2013), DOI: 10.1016/j.neuint.2013.09.018 (Fast Plus EvaGreen Master Mix)

Wei, C., et al. Identification of the crucial molecular events during the large-scale myoblast fusion in sheep. Physiol Genomics 46(12), 429-440, (2014), DOI: 10.1152/physiolgenomics.00184.2013 (Fast EvaGreen Master Mix)

Zhang, H., et al. PCR Multiplexing Based on a Single Fluorescent Channel Using Dynamic Melting Curve Analysis. ACS Omega 5(46), 30267-30273, (2020), DOI: 10.1021/acsomega.0c04766

Zhang, Q., et al. Involvement of ERK1/2 pathway in neuroprotective effects of pyrroloquinoline quinine against rotenone-induced SH-SY5Y cell injury. Neuroscience 270, 183-191, (2014), DOI: 10.1016/j.neuroscience.2014.04.022 (Fast EvaGreen Master Mix)

Zhu, S. and Coffman, J. A. Simple and fast quantification of DNA damage by real-time PCR, and its application to nuclear and mitochondrial DNA from multiple tissues of aging zebrafish. BMC Res Notes 10(1), 269, (2017), DOI: 10.1186/s13104-017-2593-x

DOMINIQUE DUTSCHER SAS

High Resolution Melt Analysis (HRM)

Athamanolap, P., et al. Droplet Array Platform for High-Resolution Melt Analysis of DNA Methylation Density. J Lab Autom, (2013), DOI: 10.1177/2211068213507923

Cai, X. Q., et al. Rapid detection and simultaneous genotyping of Cronobacter spp. (formerly Enterobacter sakazakii) in powdered infant formula using real-time PCR and high resolution melting (HRM) analysis. PLoS One 8(6), e67082, (2013), DOI: 10.1371/journal.pone.0067082 (Fast Plus EvaGreen Master Mix)

Cubas-Atienzar, A. I., et al. A novel air-dried multiplex high resolution melt assay for detection of extended spectrum beta-lactamase and carbapenemase genes. MedRxiv, (2021), DOI: 10.1101/2021.02.18.21251950

Dhami, M. K. and Kumarasinghe, L. A HRM real-time PCR assay for rapid and specific identification of the emerging pest spotted-wing drosophila (Drosophila suzukii). PLoS One 9(6), e98934, (2014), DOI: 10.1371/journal.pone.0098934

Dong, J., et al. Single-color multiplexing by the integration of high-resolution melting pattern recognition with loop-mediated isothermal amplification. Chem Commun (Camb) 55(17), 2457-2460, (2019), DOI: 10.1039/c8cc09741k

Flores Bueso, Y., et al. Characterization of FFPE-induced bacterial DNA damage and development of a repair method. Biol Methods Protoc 5(1), bpaa015, (2020), DOI: 10.1093/biomethods/bpaa015

Fraley, S. I., et al. Universal digital high-resolution melt: a novel approach to broad-based profiling of heterogeneous biological samples. Nucleic Acids Res 41(18), e175, (2013), DOI: 10.1093/nar/gkt684 U

Hanson, E. K. and Ballantyne, J. Rapid and inexpensive body fluid identification by RNA profiling-based multiplex High Resolution Melt (HRM) analysis. F1000Res 2, 281, (2013), DOI: 10.12688/f1000research.2-281.v2

Kozina, V., et al. A one-step real-time multiplex PCR for screening Y-chromosomal microdeletions without downstream amplicon size analysis. PLoS One 6(8), e23174, (2011), DOI: 10.1371/journal.pone.0023174

Li, Y. D., et al. A cost-effective high-resolution melting approach using the EvaGreen dye for DNA polymorphism detection and genotyping in plants. J Integr Plant Biol 52(12), 1036-1042, (2010), DOI: 10.1111/j.1744-7909.2010.01001.x

Liyanage, K. E., et al. High-resolution melting analysis for detection of familial ligand-defective apolipoprotein B-100 mutations. Ann Clin Biochem 45(Pt 2), 170-176, (2008), DOI: 10.1258/acb.2007.007077

Mader, E., et al. Quantitative high-resolution melting analysis for detecting adulterations. Anal Biochem 409(1), 153-155, (2011), DOI: 10.1016/j.ab.2010.10.009

Maltese, P., et al. High resolution melting (HRM) analysis for the detection of ER22/23EK, BclI, and N363S polymorphisms of the glucocorticoid receptor gene. J Steroid Biochem Mol Biol 113(3-5), 269-274, (2009), DOI: 10.1016/j.jsbmb.2009.01.012

DOMINIQUE DUTSCHER SAS

Miller, M., et al. High-Resolution Melting Curve Analysis for Identification of Pasteurellaceae Species in Experimental Animal Facilities. PLoS One 10(11), e0142560, (2015), DOI: 10.1371/journal.pone.0142560 PONE-D-15-35081 [pii]

Nemcova, E., et al. Rapid identification of medically important Candida isolates using high resolution melting analysis. PLoS One 10(2), e0116940, (2015), DOI: 10.1371/journal.pone.0116940 PONE-D-14-41648 [pii]

Pisanic, T. R., 2nd, et al. DREAMing: a simple and ultrasensitive method for assessing intratumor epigenetic heterogeneity directly from liquid biopsies. Nucleic Acids Res 43(22), e154, (2015), DOI: gkv795 [pii] 10.1093/nar/gkv795

Radvanszky, J., et al. Comparison of different DNA binding fluorescent dyes for applications of high-resolution melting analysis. Clin Biochem 48(9), 609-616, (2015), DOI: S0009-9120(15)00032-6 [pii] 10.1016/j.clinbiochem.2015.01.010

Rao, P., et al. Development of an EvaGreen-based multiplex real-time PCR assay with melting curve analysis for simultaneous detection and differentiation of six viral pathogens of porcine reproductive and respiratory disorder. J Virol Methods 208, 56-62, (2014), DOI: 10.1016/j.jviromet.2014.06.027

Ronai, Z., et al. Molecular identification of Mycobacterium avium subsp. silvaticum by duplex high-resolution melt analysis and subspecies-specific real-time PCR. J Clin Microbiol 53(5), 1582-1587, (2015), DOI: JCM.03556-14 [pii] 10.1128/JCM.03556-14

Tanaka, M., et al. High-resolution melting analysis for genotyping Duffy, Kidd and Diego blood group antigens. Leg Med (Tokyo) 13(1), 1-6, (2011), DOI: 10.1016/j.legalmed.2010.08.004

Twist, G. P., et al. High-resolution melt analysis to detect sequence variations in highly homologous gene regions: application to CYP2B6. Pharmacogenomics 14(8), 913-922, (2013), DOI: 10.2217/pgs.13.66

Valenzuela-Munoz, V., et al. SNP discovery and High Resolution Melting Analysis from massive transcriptome sequencing in the California red abalone Haliotis rufescens. Mar Genomics 10, 11-16, (2013), DOI: 10.1016/j.margen.2012.12.003 (Fast EvaGreen Master Mix)

Velez, D. O., et al. Massively parallel digital high resolution melt for rapid and absolutely quantitative sequence profiling. Sci Rep 7, 42326, (2017), DOI: 10.1038/srep42326

Wang, C., et al. Rapid screening of MMACHC gene mutations by high-resolution melting curve analysis. Mol Genet Genomic Med 8(6), e1221, (2020), DOI: 10.1002/mgg3.1221

Wang, J., et al. Assessment for Melting Temperature Measurement of Nucleic Acid by HRM. J Anal Methods Chem 2016, 5318935, (2016), DOI: 10.1155/2016/5318935

White, H. E., et al. Methylation-sensitive high-resolution melting-curve analysis of the SNRPN gene as a diagnostic screen for Prader-Willi and Angelman syndromes. Clin Chem 53(11), 1960-1962, (2007), DOI: 10.1373/clinchem.2007.093351

Xu, X., et al. Rapid screening of UPB1 gene variations by high resolution melting curve analysis. Exp Ther Med 21(4), 403, (2021), DOI: 10.3892/etm.2021.9834

DOMINIQUE DUTSCHER SAS

You, C. G., et al. Association analysis of single nucleotide polymorphisms of proinflammatory cytokine and their receptors genes with rheumatoid arthritis in northwest Chinese Han population. Cytokine 61(1), 133-138, (2013), DOI: 10.1016/j.cyto.2012.09.007 (Fast EvaGreen Master Mix)

Digital PCR & Droplet Digital PCR (ddPCR)

Athamanolap, P., et al. Droplet Array Platform for High-Resolution Melt Analysis of DNA Methylation Density. J Lab Autom, (2013), DOI: 10.1177/2211068213507923

Autour, A., et al. iSpinach: a fluorogenic RNA aptamer optimized for in vitro applications. Nucleic Acids Res 44(6), 2491-2500, (2016), DOI: gkw083 [pii] 10.1093/nar/gkw083

Falzone, L., et al. Sensitivity assessment of droplet digital PCR for SARS-CoV-2 detection. Int J Mol Med 46(3), 957-964, (2020), DOI: 10.3892/ijmm.2020.4673

Fraley, S. I., et al. Universal digital high-resolution melt: a novel approach to broad-based profiling of heterogeneous biological samples. Nucleic Acids Res 41(18), e175, (2013), DOI: 10.1093/nar/gkt684

McDermott, G. P., et al. Multiplexed target detection using DNA-binding dye chemistry in droplet digital PCR. Anal Chem 85(23), 11619-11627, (2013), DOI: 10.1021/ac403061n

Miotke, L. K., et al. High Sensitivity Detection and Quantitation of DNA Copy Number and Single Nucleotide Variants with Single Color Droplet Digital PCR. Anal Chem, (2014), DOI: 10.1021/ac403843j

Moniri, A., et al. High-Level Multiplexing in Digital PCR with Intercalating Dyes by Coupling Real-Time Kinetics and Melting Curve Analysis. Anal Chem 92(20), 14181-14188, (2020), DOI: 10.1021/acs.analchem.0c03298

Moniri, A., et al. Amplification Curve Analysis: Data-Driven Multiplexing Using Real-Time Digital PCR. Anal Chem 92(19), 13134-13143, (2020), DOI: 10.1021/acs.analchem.0c02253

Ryckelynck, M., et al. Using droplet-based microfluidics to improve the catalytic properties of RNA under multiple-turnover conditions. RNA 21(3), 458-469, (2015), DOI:10.1261/rna.048033.114

Sidore, A. M., et al. Enhanced sequencing coverage with digital droplet multiple displacement amplification. Nucleic Acids Res 44(7), e66, (2016), DOI: 10.1093/nar/gkv1493

Wang, Y., et al.Digital PCR using micropatterned superporous absorbent array chips. Analyst 141(12), 3821-3831, (2016), DOI: 10.1039/c6an00164e

Wood-Bouwens, C., et al. Single-Color Digital PCR Provides High-Performance Detection of Cancer Mutations from Circulating DNA. J Mol Diagn 19(5), 697-710, (2017), DOI: 10.1016/j.jmoldx.2017.05.003

Zhang, H., et al.Isolation and Analysis of Rare Norovirus Recombinants from Coinfected Mice Using Drop-Based Microfluidics. J Virol 89(15), 7722-7734, (2015), DOI: 10.1128/JVI.01137-15

Zhang, H., et al. PCR Multiplexing Based on a Single Fluorescent Channel Using Dynamic Melting Curve Analysis. ACS Omega 5(46), 30267-30273, (2020), DOI: 10.1021/acsomega.0c04766

DOMINIQUE DUTSCHER SAS

Fluidigm Instruments

Adamski, M. G., et al. Next-generation qPCR for the high-throughput measurement of gene expression in multiple leukocyte subsets. J Biomol Screen 18(9), 1008-1017, (2013), DOI: 10.1177/1087057113489882 (Fast EvaGreen Master Mix)

Allen, E. K., et al. Evaluation of replication of variants associated with genetic risk of otitis media. PLoS One 9(8), e104212, (2014), DOI: 10.1371/journal.pone.0104212 (Fast Probe Master Mix)

Barribeau, S. M. and Schmid-Hempel, P. Qualitatively different immune response of the bumblebee host, Bombus terrestris, to infection by different genotypes of the trypanosome gut parasite, Crithidia bombi. Infect Genet Evol 20, 249-256, (2013), DOI: 10.1016/j.meegid.2013.09.014

Brunner, F. S., et al. Immune gene expression in Bombus terrestris: signatures of infection despite strong variation among populations, colonies, and sister workers. PLoS One 8(7), e68181, (2013), DOI: 10.1371/journal.pone.0068181

Bugarel, M., et al. Molecular identification in monophasic and nonmotile variants of Salmonella enterica serovar Typhimurium. Microbiologyopen 1(4), 481-489, (2012), DOI: 10.1002/mbo3.39

Citri, A., et al. Comprehensive qPCR profiling of gene expression in single neuronal cells. Nat Protoc 7(1), 118-127, (2012), DOI: 10.1038/nprot.2011.430

Diepeveen, E. T., et al. Immune-related functions of the Hivep gene family in East African cichlid fishes. G3 (Bethesda) 3(12), 2205-2217, (2013), DOI: 10.1534/g3.113.008839

Flynn, J. M., et al. Single cell gene expression profiling of cortical osteoblast lineage cells. Bone 53(1), 174-181, (2013), DOI: 10.1016/j.bone.2012.11.043

Guo, G., et al. Mapping cellular hierarchy by single-cell analysis of the cell surface repertoire. Cell Stem Cell 13(4), 492-505, (2013), DOI: 10.1016/j.stem.2013.07.017

Ho, D. W., et al. Gene expression profiling of liver cancer stem cells by RNA-sequencing. PLoS One 7(5), e37159, (2012), DOI: 10.1371/journal.pone.0037159

Isom, S. C., et al. Transcriptional profiling by RNA-Seq of peri-attachment porcine embryos generated by a variety of assisted reproductive technologies. Physiol Genomics 45(14), 577-589, (2013), DOI: 10.1152/physiolgenomics.00094.2012

Jasnos, L., et al. Identifying division symmetry of mouse embryonic stem cells: negative impact of DNA methyltransferases on symmetric self-renewal. Stem Cell Reports 1(4), 360-369, (2013), DOI: 10.1016/j.stemcr.2013.08.005

Jasnos, L. and Sawado, T. Determining cell division symmetry through the dissection of dividing cells using single-cell expression analysis. Nat Protoc 9(3), 505-516, (2014), DOI: 10.1038/nprot.2014.032

Johnston, W. T., et al. Relationship between Plasmodium falciparum malaria prevalence, genetic diversity and endemic Burkitt lymphoma in Malawi. Sci Rep 4, 3741, (2014), DOI: 10.1038/srep03741 (Fast Probe Master Mix)

Kerenyi, M. A., et al. Histone demethylase Lsd1 represses hematopoietic stem and progenitor cell signatures during blood cell maturation. Elife 2, e00633, (2013), DOI: 10.7554/eLife.00633

DOMINIQUE DUTSCHER SAS

Khan, S. A., et al. The mQTL hotspot on linkage group 16 for phenolic compounds in apple fruits is probably the result of a leucoanthocyanidin reductase gene at that locus. BMC Res Notes 5, 618, (2012), DOI: 10.1186/1756-0500-5-618

Laurell, H., et al. Correction of RT-qPCR data for genomic DNA-derived signals with ValidPrime. Nucleic Acids Res 40(7), e51, (2012), DOI: 10.1093/nar/gkr1259

Liang-Chu, M. M., et al. Human biosample authentication using the high-throughput, cost-effective SNPtrace(TM) system. PLoS One 10(2), e0116218, (2015), DOI: 10.1371/journal.pone.0116218 PONE-D-14-45036 [pii]

May-Panloup, P., et al. Molecular characterization of corona radiata cells from patients with diminished ovarian reserve using microarray and microfluidic-based gene expression profiling. Hum Reprod 27(3), 829-843, (2012), DOI: 10.1093/humrep/der431

Murima, P., et al. Exploring the mode of action of bioactive compounds by microfluidic transcriptional profiling in mycobacteria. PLoS One 8(7), e69191, (2013), DOI: 10.1371/journal.pone.0069191

Pasca, S. P., et al. Using iPSC-derived neurons to uncover cellular phenotypes associated with Timothy syndrome. Nat Med 17(12), 1657-1662, (2011), DOI: 10.1038/nm.2576

Pedersen, R., et al. Characterisation of gut microbiota in Ossabaw and Gottingen minipigs as models of obesity and metabolic syndrome. PLoS One 8(2), e56612, (2013), DOI: 10.1371/journal.pone.0056612

Piazza, R. M., et al. Molecular and phenotypic characterization of Escherichia coli O26:H8 among diarrheagenic E. coli O26 strains isolated in Brazil. Appl Environ Microbiol 79(22), 6847-6854, (2013), DOI: 10.1128/AEM.01693-13

Rodgaard, T., et al. Cloning changes the response to obesity of innate immune factors in blood, liver, and adipose tissues in domestic pigs. Cell Reprogram 15(3), 185-194, (2013), DOI: 10.1089/cell.2012.0091

Rusnakova, V., et al. Heterogeneity of astrocytes: from development to injury - single cell gene expression. PLoS One 8(8), e69734, (2013), DOI: 10.1371/journal.pone.0069734

Schunter, C., et al. SNP development from RNA-seq data in a nonmodel fish: how many individuals are needed for accurate allele frequency prediction?. Mol Ecol Resour 14(1), 157-165, (2014), DOI: 10.1111/1755-0998.12155 (Fast Probe Master Mix)

Shcheglovitov, A., et al. SHANK3 and IGF1 restore synaptic deficits in neurons from 22q13 deletion syndrome patients. Nature 503(7475), 267-271, (2013), DOI: 10.1038/nature12618

Skovgaard, K., et al. Expression of innate immune genes, proteins and microRNAs in lung tissue of pigs infected experimentally with influenza virus (H1N2). Innate Immun 19(5), 531-544, (2013), DOI: 10.1177/1753425912473668

Sreenivasan, R., et al. Gonad Differentiation in Zebrafish Is Regulated by the Canonical Wnt Signaling Pathway. Biol Reprod, (2013), DOI: 10.1095/biolreprod.113.110874

Veltkamp, H. W., et al. Disposable DNA Amplification Chips with Integrated Low-Cost Heaters. Micromachines (Basel) 11(3), (2020), DOI: 10.3390/mi11030238

DOMINIQUE DUTSCHER SAS

Weinstein, J. A., et al. Correlation of gene expression and genome mutation in single B-cells. PLoS One 8(6), e67624, (2013), DOI: 10.1371/journal.pone.0067624

Wopereis, S., et al. Assessment of inflammatory resilience in healthy subjects using dietary lipid and glucose challenges. BMC Med Genomics 6, 44, (2013), DOI: 10.1186/1755-8794-6-44

Isothermal Amplification

Alekseenko, A., et al. Direct detection of SARS-CoV-2 using non-commercial RT-LAMP reagents on heat-inactivated samples. Sci Rep 11(1), 1820, (2021), DOI: 10.1038/s41598-020-80352-8

Chen, W., et al. Mobile Platform for Multiplexed Detection and Differentiation of Disease-Specific Nucleic Acid Sequences, Using Microfluidic Loop-Mediated Isothermal Amplification and Smartphone Detection. Anal Chem 89(21), 11219-11226, (2017), DOI: 10.1021/acs.analchem.7b02478

Dong, J., et al. Single-color multiplexing by the integration of high-resolution melting pattern recognition with loop-mediated isothermal amplification. Chem Commun (Camb) 55(17), 2457-2460, (2019), DOI: 10.1039/c8cc09741k

Duarte, C., et al. On-chip parallel detection of foodborne pathogens using loop-mediated isothermal amplification. Biomed Microdevices, (2013), DOI: 10.1007/s10544-013-9769-5

El-Tholoth, M., et al. A Single and Two-Stage, Closed-Tube, Molecular Test for the 2019 Novel Coronavirus (COVID-19) at Home, Clinic, and Points of Entry. ChemRxiv, (2020), DOI: 10.26434/chemrxiv.11860137.v1 10.26434/chemrxiv.11860137

Fukuta, S., et al. Development of loop-mediated isothermal amplification assay for the detection of Pythium myriotylum. Lett Appl Microbiol 59(1), 49-57, (2014), DOI: 10.1111/lam.12244

Ganguli, A., et al. Rapid isothermal amplification and portable detection system for SARS-CoV-2. Proc Natl Acad Sci U S A 117(37), 22727-22735, (2020), DOI: 10.1073/pnas.2014739117

Ganguli, A., et al. Reverse Transcription Loop-Mediated Isothermal Amplification Assay for Ultrasensitive Detection of SARS-CoV-2 in Saliva and Viral Transport Medium Clinical Samples. Anal Chem 93(22), 7797-7807, (2021), DOI: 10.1021/acs.analchem.0c05170

Ganguli, A., et al. Hands-free smartphone-based diagnostics for simultaneous detection of Zika, Chikungunya, and Dengue at point-of-care. Biomed Microdevices 19(4), 73, (2017), DOI: 10.1007/s10544-017-0209-9

Garcia, D. C., et al. Expression of urokinase type plasminogen activator receptor (uPAR) in the bovine oviduct: Relationship with uPA effect on oviductal epithelial cells. Res Vet Sci 97(1), 118-123, (2014), DOI: 10.1016/j.rvsc.2014.05.012 (Fast Plus EvaGreen Master Mix)

Goldmeyer, J., et al. Development of a novel one-tube isothermal reverse transcription thermophilic helicase-dependent amplification platform for rapid RNA detection. J Mol Diagn 9(5), 639-644, (2007), DOI: 10.2353/jmoldx.2007.070012

Li, Y., et al. Primase-based whole genome amplification. Nucleic Acids Res 36(13), e79, (2008), DOI: 10.1093/nar/gkn377

DOMINIQUE DUTSCHER SAS

Liao, S. C., et al. Smart Cup: A Minimally-Instrumented, Smartphone-Based Point-of-Care Molecular Diagnostic Device. Sens Actuators B Chem 229, 232-238, (2016), DOI: 10.1016/j.snb.2016.01.073

Liu, C., et al. Membrane-based, sedimentation-assisted plasma separator for point-of-care applications. Anal Chem 85(21), 10463-10470, (2013), DOI: 10.1021/ac402459h

Loo, J. F. C., et al. An aptamer-based bio-barcode assay with isothermal recombinase polymerase amplification for cytochrome-c detection and anti-cancer drug screening. Talanta 115(0), 159-165, (2013), DOI: 10.1016/j.talanta.2013.04.051

Montgomery, J. L., et al. Stopped-flow DNA polymerase assay by continuous monitoring of dNTP incorporation by fluorescence. Anal Biochem 441(2), 133-139, (2013), DOI: 10.1016/j.ab.2013.07.008

Salm, E., et al. Electrical detection of nucleic acid amplification using an on-chip quasi-reference electrode and a PVC REFET. Anal Chem 86(14), 6968-6975, (2014), DOI: 10.1021/ac500897t

Schaerli, Y., et al. Isothermal DNA amplification using the T4 replisome: circular nicking endonuclease-dependent amplification and primase-based whole-genome amplification. Nucleic Acids Res 38(22), e201, (2010), DOI: 10.1093/nar/gkq795

Wang, D. and Liu, Y. Development of Primer Sets for Loop-Mediated Isothermal Amplification that Enables Rapid and Specific Detection of Streptococcus dysgalactiae, Streptococcus uberis and Streptococcus agalactiae. Int J Environ Res Public Health 12(6), 5735-5742, (2015), DOI: ijerph120605735 [pii] 10.3390/ijerph120605735

Wang, D., et al. A Comparison of In-House Real-Time LAMP Assays with a Commercial Assay for the Detection of Pathogenic Bacteria. Molecules 20(6), 9487-9495, (2015), DOI: molecules20069487 [pii] 10.3390/molecules20069487

Wang, D. G., et al. Two methods for increased specificity and sensitivity in loop-mediated isothermal amplification. Molecules 20(4), 6048-6059, (2015), DOI: molecules20046048 [pii] 10.3390/molecules20046048

Yi, C., et al. Nanoporous hydrogel for direct digital nucleic acid amplification in untreated complex matrices for single bacteria counting. Biosens Bioelectron 184, 113199, (2021), DOI: 10.1016/j.bios.2021.113199

Zhou, Q. J., et al. Development and evaluation of a real-time fluorogenic loop-mediated isothermal amplification assay integrated on a microfluidic disc chip (on-chip LAMP) for rapid and simultaneous detection of ten pathogenic bacteria in aquatic animals. J Microbiol Methods 104, 26-35, (2014), DOI: 10.1016/j.mimet.2014.06.008

Capillary Electrophoresis

Sang, F., et al. Genetic mutation analysis by CE with LIF detection using inverse-flow derivatization of DNA fragments. Electrophoresis 27(19), 3846-3855, (2006), DOI: 10.1002/elps.200600160

Sang, F. and Ren, J. Capillary electrophoresis of double-stranded DNA fragments using a new fluorescence intercalating dye EvaGreen. J Sep Sci 29(9), 1275-1280, (2006), DOI: 10.1002/jssc.200600029

DOMINIQUE DUTSCHER SAS

DNA Quantification

Ihrig, J., et al. Application of the DNA-specific dye EvaGreen for the routine quantification of DNA in microplates. Anal Biochem 359(2), 265-267, (2006), DOI: 10.1016/j.ab.2006.07.043

Mao, F., et al. Characterization of EvaGreen and the implication of its physicochemical properties for qPCR applications. BMC Biotechnol 7, 76, (2007), DOI: 10.1186/1472-6750-7-76

Purhonen, J., et al. A sensitive assay for dNTPs based on long synthetic oligonucleotides, EvaGreen dye and inhibitor-resistant high-fidelity DNA polymerase. Nucleic Acids Res 48(15), e87, (2020), DOI: 10.1093/nar/gkaa516

Wang, W., et al. DNA quantification using EvaGreen and a real-time PCR instrument. Anal Biochem 356(2), 303-305, (2006), DOI: 10.1016/j.ab.2006.05.027

Other Applications

Ahrberg, C. D., et al. Palm-Sized Device for Point-of-Care Ebola Detection. Anal Chem 88(9), 4803-4807, (2016), DOI: 10.1021/acs.analchem.6b00278

Chiaraviglio, L. and Kirby, J. E. Evaluation of impermeant, DNA-binding dye fluorescence as a real-time readout of eukaryotic cell toxicity in a high throughput screening format. Assay Drug Dev Technol 12(4), 219-228, (2014), DOI: 10.1089/adt.2014.577

Everitt, M. L., et al. Sample-to-Answer Diagnostic System for the Detection of Circulating Histones in Whole Blood. ACS Sens, (2021), DOI: 10.1021/acssensors.1c00886

Gilat, N., et al. Rapid Quantification of Oxidation and UV Induced DNA Damage by Repair Assisted Damage Detection-(Rapid RADD). Anal Chem 92(14), 9887-9894, (2020), DOI: 10.1021/acs.analchem.0c01393

Huang, G., et al. fM to aM nucleic acid amplification for molecular diagnostics in a non-stick-coated metal microfluidic bioreactor. Sci Rep 4, 7344, (2014), DOI: srep07344 [pii] 10.1038/srep07344

Luo, Y., et al. Massively parallel single-molecule telomere length measurement with digital real-time PCR. Sci Adv 6(34), (2020), DOI: 10.1126/sciadv.abb7944

Miotke, L., et al. Enzyme-Free Detection of Mutations in Cancer DNA Using Synthetic Oligonucleotide Probes and Fluorescence Microscopy. PLoS One 10(8), e0136720, (2015), DOI: 10.1371/journal.pone.0136720 PONE-D-15-21710 [pii]

Moyal, L., et al. AN-7, a butyric acid prodrug, sensitizes cutaneous T-cell lymphoma cell lines to doxorubicin via inhibition of DNA double strand breaks repair. Invest New Drugs 36(1), 1-9, (2018), DOI: 10.1007/s10637-017-0500-x

Padirac, A., et al. Spatial waves in synthetic biochemical networks. J Am Chem Soc 135(39), 14586-14592, (2013), DOI: 10.1021/ja403584p

Shoute, L. C. T. and Loppnow, G. R. Characterization of the binding interactions between EvaGreen dye and dsDNA. Phys Chem Chem Phys 20(7), 4772-4780, (2018), DOI: 10.1039/c7cp06058k

DOMINIQUE DUTSCHER SAS

Shu, B., et al. A handheld flow genetic analysis system (FGAS): towards rapid, sensitive, quantitative and multiplex molecular diagnosis at the point-of-care level. Lab Chip 15(12), 2597-2605, (2015), DOI: 10.1039/c5lc00139k

Zadorin, A. S., et al. Synthesis of programmable reaction-diffusion fronts using DNA catalyzers. Phys Rev Lett 114(6), 068301, (2015), DOI: 10.1103/PhysRevLett.114.068301

Zhu, G., et al. Building Fluorescent DNA Nanodevices on Target Living Cell Surfaces. Angew Chem Int Ed Engl 52(21), 5490-5496, (2013), DOI: 10.1002/anie.201301439

DOMINIQUE DUTSCHER SAS