Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.03.2026 Version number 25 (replaces version 24) Revision: 25.03.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**
· **Trade name: 4-methylpentan-2-one**
· **SDS number:** CH0020

· **EC number:**
203-550-1
· **Index number:**
606-004-00-4
· **Registration number** 01-2119473980-30
· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
· **Life cycle stages**
IS Use at industrial Sites
F Formulation or re-packing
· **Sector of Use**
SU9 Manufacture of fine chemicals
SU24 Scientific research and development
· **Product category**
PC20 Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents
PC21 Laboratory chemicals
PC29 Pharmaceuticals
PC40 Extraction agents
· **Process category**
PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
PROC4 Chemical production where opportunity for exposure arises
PROC5 Mixing or blending in batch processes
PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
PROC10 Roller application or brushing
PROC15 Use as laboratory reagent
· **Environmental release category**
ERC1 Manufacture of the substance
ERC2 Formulation into mixture
ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
ERC6a Use of an intermediary
· **Application of the substance / the mixture** Chemicals products for laboratory

· **1.3 Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
CARLO ERBA REAGENTS
Chaussée du Vexin
Parc d'Affaires des Portes - BP616
27106 VAL DE REUIL Cedex
Téléphone: +33 (0)2 32 09 20 00
Télécopie: +33 (0)2 32 09 20 20
· **Further information obtainable from:**
Q.A / Normative
email: MSDS_CER-SDS@cer.dgroup.it

(Contd. on page 2)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.03.2026 *Version number 25 (replaces version 24)* *Revision: 25.03.2026*

Trade name: 4-methylpentan-2-one

(Contd. of page 1)

· ***1.4 Emergency telephone number:***
Ireland - Tel : 00 353 1 8092568 - 00 353 1 8379964 (24h/24)
EU Tel : 112

SECTION 2: Hazards identification

· ***2.1 Classification of the substance or mixture***
· ***Classification according to Regulation (EC) No 1272/2008***



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS08 health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.
Eye Irrit. 2 H319 Causes serious eye irritation.
STOT SE 3 H336 May cause drowsiness or dizziness.

· ***2.2 Label elements***
· ***Labelling according to Regulation (EC) No 1272/2008***
The substance is classified and labelled according to the CLP regulation.
· ***Hazard pictograms***



GHS02 GHS07 GHS08

· ***Signal word*** *Danger*
· ***Hazard statements***
H225 Highly flammable liquid and vapour.
H332 Harmful if inhaled.
H319 Causes serious eye irritation.
H351 Suspected of causing cancer.
H336 May cause drowsiness or dizziness.
· ***Precautionary statements***
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280 Wear protective gloves / eye protection / face protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.03.2026 *Version number 25 (replaces version 24)* *Revision: 25.03.2026*

Trade name: 4-methylpentan-2-one

(Contd. of page 2)

· ***Additional information:***
EUH066 Repeated exposure may cause skin dryness or cracking.
· ***2.3 Other hazards***
· ***Results of PBT and vPvB assessment***
· ***PBT:*** *Not applicable*
· ***vPvB:*** *Not applicable*
· ***Determination of endocrine-disrupting properties*** *Not applicable*

SECTION 3: Composition/information on ingredients

· ***3.1 Substances***

· ***CAS No. Description***
Methyl isobutyl ketone

· ***Identification number(s)***

· ***EC number:*** *203-550-1*

· ***Index number:*** *606-004-00-4*
· ***Acute toxicity estimate (ATE) values*** *LC50/4 h inhalative: 11 ppm*

SECTION 4: First aid measures

· ***4.1 Description of first aid measures***
· ***General information:***
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
· ***After inhalation:***
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
· ***After skin contact:***
Immediately wash with water and soap and rinse thoroughly. Wash contaminated clothing before reuse.
If skin irritation continues, consult a doctor.
· ***After eye contact:***
Rinse opened eye for several minutes under running water.
Seek immediate medical advice.
· ***Information for doctor:*** *Show the doctor this Material Safety Data Sheet.*
· ***4.2 Most important symptoms and effects, both acute and delayed*** *No further relevant information available.*
· ***4.3 Indication of any immediate medical attention and special treatment needed***
No further relevant information available.

SECTION 5: Firefighting measures

· ***5.1 Extinguishing media***
· ***Suitable extinguishing agents:*** *CO2 or alcohol resistant foam.*
· ***For safety reasons unsuitable extinguishing agents:*** *Water with full jet.*
· ***5.2 Special hazards arising from the substance or mixture*** *Carbon monoxide and carbon dioxide*
· ***5.3 Advice for firefighters***
· ***Protective equipment:***
In closed rooms wear a self contained breathing apparatus.
Do not inhale gases in case or fire or combustion.

(Contd. on page 4)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.03.2026 *Version number 25 (replaces version 24)* *Revision: 25.03.2026*

Trade name: 4-methylpentan-2-one

(Contd. of page 3)

· ***Additional information*** *Keep receptacles cool with water spray.*

SECTION 6: Accidental release measures

· ***6.1 Personal precautions, protective equipment and emergency procedures***
Keep away any ignition source.
Wear protective equipment. Keep unprotected persons away.
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
Exercise appropriate precautions to minimize direct contact with eyes and prevent inhalation.
Ensure adequate ventilation
· ***6.2 Environmental precautions:***
Do not allow to penetrate the ground/soil.
Do not allow product to reach sewage system or any water course.
Prevent seepage into sewage system, workpits and cellars.
· ***6.3 Methods and material for containment and cleaning up:***
Collect the liquid with vacuum in a suitable container and absorb the remainder with a porous material (diatomite, acid binders, universal binders, etc).
Ensure adequate ventilation.
Dispose contaminated material as waste according to section 13.
· ***6.4 Reference to other sections***
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

· ***7.1 Precautions for safe handling***
Store in cool, dry place in tightly closed receptacles.
Ensure good ventilation/exhaustion at the workplace.
Only handle and refill product in closed systems or under local exhaust.
Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.
Pneumatic conveyance only with nitrogen or other inert gases.
· ***Information about fire - and explosion protection:***



Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.
Keep respiratory protective device available.

· ***7.2 Conditions for safe storage, including any incompatibilities***
· ***Storage:***
· ***Requirements to be met by storerooms and receptacles:***
Store in a cool location.
Use only receptacles specifically permitted for this substance/product.
· ***Information about storage in one common storage facility:*** *Not required*
· ***Further information about storage conditions:***
Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 5)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.03.2026 *Version number 25 (replaces version 24)* *Revision: 25.03.2026*

Trade name: 4-methylpentan-2-one

(Contd. of page 4)

· ***7.3 Specific end use(s)*** *No further relevant information available.*

SECTION 8: Exposure controls/personal protection

· ***8.1 Control parameters***

· ***Ingredients with limit values that require monitoring at the workplace:***	
Methyl isobutyl ketone	
IOELV	*Short-term value: 208 mg/m³, 50 ppm* *Long-term value: 83 mg/m³, 20 ppm*

· ***DNELs***		
Dermal	*DNEL (workers-systemic chronic effects)*	*11.8 mg/kg*
Inhalative	*DNEL (workers-local effects Acute)*	*208 mg/m3*
	DNEL (workers-acute systemic)	*208 mg/m3*
	DNEL (workers-systemic chronic effects)	*83 mg/m3*

· ***PNECs***	
PNEC (Fresh water)	*0.6 mg/l*
PNEC (Intermittent rejection)	*1.5 mg/l*
PNEC (Freshwater sediment)	*8.27 mg/kg*
PNEC (Marine water)	*0.06 mg/l*
PNEC (Seawater sediment)	*0.83 mg/l*
PNEC (Soil)	*1.3 mg/kg*

· ***Additional information:*** *The lists valid during the making were used as basis.*

· ***8.2 Exposure controls***
· ***Appropriate engineering controls*** *No further data; see section 7.*
· ***Individual protection measures, such as personal protective equipment***
· ***General protective and hygienic measures:***
The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from foodstuffs, beverages and feed.
Avoid contact with the eyes and skin.
· ***Respiratory protection:***
Use suitable respiratory protective device only when aerosol or mist is formed.



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter P2
Suitable respiratory protective device recommended in case of leakages or handling in open devices.
Use suitable respiratory protective device in case of insufficient ventilation.
The selected respiratory protection must comply with standard EN 136/140/143/145/149.
· ***Recommended filter device for short term use:*** *Combination filter A-P2*
· ***Hand protection***
The selected protective gloves have to satisfy the specifications of REGULATION (EU) 2016/425 and the standard EN 374 derived from it.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.03.2026 *Version number 25 (replaces version 24)* *Revision: 25.03.2026*

Trade name: 4-methylpentan-2-one

(Contd. of page 5)



Protective gloves

Rubber gloves

· ***Material of gloves***

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Neoprene gloves

· ***Penetration time of glove material***

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· ***For the permanent contact gloves made of the following materials are suitable:***

The penetration time has to be at least 60 minutes

PVC gloves

Recommended thickness of the material: ≥ 0.3 mm

· ***Eye/face protection***



Tightly sealed goggles

· ***Environmental exposure controls***

In case of unintended release of the product: See section 6 of the Safety Data Sheet.

· ***Risk management measures*** *Keep good industrial hygiene.*

SECTION 9: Physical and chemical properties

· ***9.1 Information on basic physical and chemical properties***	
· ***Molecular weight***	*100.16 g*
· ***Physical state***	*Liquid*
· ***Colour:***	*Colourless*
· ***Odour:***	*Characteristic*
· ***Odour threshold:***	*Not determined*
· ***Melting point/freezing point:***	*-83.5 °C*
· ***Boiling point or initial boiling point and boiling range***	*114-117 °C*
· ***Flammability***	*Highly flammable.*
· ***Lower and upper explosion limit***	
· ***Lower:***	*1.2 Vol %*
· ***Upper:***	*8 Vol %*
· ***Flash point:***	*14 °C*
· ***Auto-ignition temperature:***	*460 °C*
· ***Decomposition temperature:***	*Not determined*
· ***pH***	*Not determined*
· ***Viscosity:***	
· ***Kinematic viscosity***	*Not determined*
· ***Dynamic at 20 °C:***	*0.59 mPas*
· ***Solubility***	
· ***water at 20 °C:***	*19 g/l*
· ***organic solvents:***	*Miscible with many organic solvents.*
· ***Partition coefficient n-octanol/water (log value)***	*1.30999*
· ***Vapour pressure at 20 °C:***	*19 hPa*

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.03.2026 *Version number 25 (replaces version 24)* *Revision: 25.03.2026*

Trade name: 4-methylpentan-2-one

(Contd. of page 6)

· ***Vapour pressure at 50 °C:***	*91 hPa*
· ***Density and/or relative density***	
· ***Density at 20 °C:***	*0.8008 g/cm³*
· ***Relative density***	*Not determined*
· ***Vapour density***	*Not determined*

· ***9.2 Other information***	
· ***Appearance:***	
· ***Form:***	*Fluid*
· ***Important information on protection of health and environment, and on safety.***	
· ***Ignition temperature:***	*Not determined*
· ***Explosive properties:***	*Product is not explosive. However, formation of explosive air/vapour mixtures are possible.*
· ***Molecular formula***	*C6 H12 O*
· ***Molecular weight***	*100.16 g/mol*
· ***Refractive index***	*1.3959*
· ***Change in condition***	
· ***Evaporation rate***	*Not determined*

· ***Information with regard to physical hazard classes***	
· ***Explosives***	*Void*
· ***Flammable gases***	*Void*
· ***Aerosols***	*Void*
· ***Oxidising gases***	*Void*
· ***Gases under pressure***	*Void*
· ***Flammable liquids***	*Highly flammable liquid and vapour.*
· ***Flammable solids***	*Void*
· ***Self-reactive substances and mixtures***	*Void*
· ***Pyrophoric liquids***	*Void*
· ***Pyrophoric solids***	*Void*
· ***Self-heating substances and mixtures***	*Void*
· ***Substances and mixtures, which emit flammable gases in contact with water***	*Void*
· ***Oxidising liquids***	*Void*
· ***Oxidising solids***	*Void*
· ***Organic peroxides***	*Void*
· ***Corrosive to metals***	*Void*
· ***Desensitised explosives***	*Void*

SECTION 10: Stability and reactivity

· ***10.1 Reactivity*** *See 10.3*
· ***10.2 Chemical stability***
· ***Thermal decomposition / conditions to be avoided:***
No decomposition if used and stored according to specifications.
· ***10.3 Possibility of hazardous reactions***
Can react violently with oxygen rich (oxidizing) material. Danger of Explosion.
· ***10.4 Conditions to avoid***
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
· ***10.5 Incompatible materials:*** *Strong bases.*

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.03.2026 *Version number 25 (replaces version 24)* *Revision: 25.03.2026*

Trade name: 4-methylpentan-2-one

(Contd. of page 7)

· ***10.6 Hazardous decomposition products:*** *Carbon monoxide, Carbon dioxide.*

SECTION 11: Toxicological information

· ***11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008***
· ***Acute toxicity*** *Harmful if inhaled.*

· ***LD/LC50 values relevant for classification:***		
Oral	*LD50*	*2,080 mg/kg (rat)*
Dermal	*LD50*	*16,000 mg/kg (rabbit)*
Inhalative	*LC50/4 h*	*11 ppm (ATE)*
	LC50/4 h	*32 mg/L (rat)*

· ***Primary irritant effect:***
· ***Skin corrosion/irritation*** *Based on available data, the classification criteria are not met.*
· ***Serious eye damage/irritation***
Strong irritant with the danger of severe eye injury.
Causes serious eye irritation.
· ***Ingestion:*** *It can be harmfull if swallowed.*
· ***Inhalation:*** *Harmful if inhaled.*
· ***Respiratory or skin sensitisation*** *Based on available data, the classification criteria are not met.*
· ***Germ cell mutagenicity*** *Based on available data, the classification criteria are not met.*
· ***Carcinogenicity*** *Suspected of causing cancer.*
· ***Reproductive toxicity*** *Based on available data, the classification criteria are not met.*
· ***STOT-single exposure*** *May cause drowsiness or dizziness.*
· ***STOT-repeated exposure*** *Based on available data, the classification criteria are not met.*
· ***Aspiration hazard*** *Based on available data, the classification criteria are not met.*
· ***Other information (about experimental toxicology):*** *No further relevant information available.*
· ***Additional toxicological information:***
There is a suspect of carcinogenic activity: the animal experiments can not be easy extrapolated to humans.
However handle the product with the right care.
· ***11.2 Information on other hazards***
· ***Endocrine disrupting properties*** *Substance is not listed.*

SECTION 12: Ecological information

· ***12.1 Toxicity***

· ***Aquatic toxicity:***	
EC50/48h	*>100 mg/l (Daphnia)*
LC50/96h	*>100 mg/l (fishes)*

· ***12.2 Persistence and degradability*** *No further relevant information available.*
· ***Method***
· ***Ecological information*** *Not available*
· ***12.3 Bioaccumulative potential*** *BOD5 : BOD > 69% ThOD (20d/3-10 mg/l)*
· ***12.4 Mobility in soil*** *No further relevant information available.*
· ***12.5 Results of PBT and vPvB assessment***
· ***PBT:*** *Not applicable*
· ***vPvB:*** *Not applicable*
· ***12.6 Endocrine disrupting properties***
The product does not contain substances with endocrine disrupting properties.

(Contd. on page 9)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.03.2026 Version number 25 (replaces version 24) Revision: 25.03.2026

Trade name: 4-methylpentan-2-one

(Contd. of page 8)

· **12.7 Other adverse effects**
· **Additional ecological information:**
· **General notes:**
Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

*
SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Reutilise if possible or contact a waste processors for recycling or safe disposal.
· **Waste disposal key:**
The European Union does not establish uniform rules for the disposal of chemical waste, which are special waste. Their treatment and elimination of the domestic legislation of each country. So, in each case, you should contact the relevant authorities, or those companies legally authorized for elimination of waste.
2014/955/UE: Council Decision of 18 December 2014 amending the list of wastes contained in Decision 2000/532/EC.
Directive 2008/98/EC of the european parliament and of the council of 18 November 2008, in ist latest valid version.

· **European waste catalogue**	
07 00 00	WASTES FROM ORGANIC CHEMICAL PROCESSES
07 01 00	wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals
07 01 04*	other organic solvents, washing liquids and mother liquors
HP3	Flammable
HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP7	Carcinogenic

· **Uncleaned packaging:**
The containers and packaging materials contaminated with dangerous substances or preparations, have the same treatment of products.
Directive 94/62/EC of the European Parliament and the Council of 20 December 1994 on packaging and packaging waste.
· **Recommendation:**
Disposal must be made according to official regulations.
Wash with solvents to be incinerated.
Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

· **14.1 UN number or ID number**	
· **ADR/RID, IMDG, IATA**	UN1245
· **14.2 UN proper shipping name**	
· **ADR/RID**	1245 METHYL ISOBUTYL KETONE
· **IMDG**	METHYL ISOBUTYL KETONE
· **IATA**	Methyl isobutyl ketone

(Contd. on page 10)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.03.2026 *Version number 25 (replaces version 24)* *Revision: 25.03.2026*

Trade name: 4-methylpentan-2-one

(Contd. of page 9)

· ***14.3 Transport hazard class(es)***

· ***ADR/RID***



· ***Class***	*3 (F1) Flammable liquids.*
· ***Label***	*3*

· ***IMDG, IATA***



· ***Class***	*3 Flammable liquids.*
· ***Label***	*3*
· ***14.4 Packing group***	
· ***ADR/RID, IMDG, IATA***	*II*
· ***14.5 Environmental hazards:***	
· ***Marine pollutant:***	*No*
· ***14.6 Special precautions for user***	*Warning: Flammable liquids.*
· ***Hazard identification number (Kemler code):***	*33*
· ***EMS Number:***	*F-E,S-D*
· ***Stowage Category***	*B*
· ***14.7 Maritime transport in bulk according to IMO instruments***	*Not applicable*
· ***Transport/Additional information:***	
· ***ADR/RID***	
· ***Excepted quantities (EQ):***	*E2*
· ***Limited quantities (LQ)***	*1L*
· ***Excepted quantities (EQ)***	*Code: E2* *Maximum net quantity per inner packaging: 30 ml* *Maximum net quantity per outer packaging: 500 ml*
· ***Transport category***	*2*
· ***Tunnel restriction code***	*D/E*
· ***IMDG***	
· ***Limited quantities (LQ)***	*1L*
· ***Excepted quantities (EQ)***	*Code: E2* *Maximum net quantity per inner packaging: 30 ml* *Maximum net quantity per outer packaging: 500 ml*
· ***UN "Model Regulation":***	*UN 1245 METHYL ISOBUTYL KETONE, 3, II*

SECTION 15: Regulatory information

· ***15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture***
· ***SARA Section 355 (extremely hazardous substances)*** *Substance is not listed.*
· ***SARA Section 313 (specific toxic chemical listings)*** *Substance is listed.*

(Contd. on page 11)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.03.2026 *Version number 25 (replaces version 24)* *Revision: 25.03.2026*

Trade name: 4-methylpentan-2-one

(Contd. of page 10)

· ***Prop 65 - Chemicals known to cause cancer*** *Substance is listed.*

· ***Directive 2012/18/EU***
· ***Named dangerous substances - ANNEX I*** *Substance is not listed.*
· ***Seveso category*** *P5c FLAMMABLE LIQUIDS*
· ***Qualifying quantity (tonnes) for the application of lower-tier requirements*** *5,000 t*
· ***Qualifying quantity (tonnes) for the application of upper-tier requirements*** *50,000 t*
· ***REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)*** *Substance is not listed.*
· ***LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)*** *Substance is not listed.*
· ***REGULATION (EC) No 1907/2006 ANNEX XVII*** *Conditions of restriction: 3, 40, 75*
· ***DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II***
Substance is not listed.
· ***REGULATION (EU) 2024/590 on substances that deplete the ozone layer*** *Substance is not listed.*
· ***National regulations:***

· ***Technical instructions (air):***

Class	Share in %
NK	50-100

· ***Waterhazard class:*** *Water hazard class 1 (Assessment by list): slightly hazardous for water.*

· ***Other regulations, limitations and prohibitive regulations***
· ***Substances of very high concern (SVHC) according to REACH, Article 57*** *Substance is not listed.*
· ***15.2 Chemical safety assessment:*** *A Chemical Safety Assessment has been carried out.*

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· ***Department issuing SDS:*** *Q.A./Normative*
· ***Date of previous version:*** *19.03.2021*
· ***Version number of previous version:*** *24*
· ***Abbreviations and acronyms:***
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
RCR : Risk Characterisation Ratio
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 4: Acute toxicity – Category 4
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Carc. 2: Carcinogenicity – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

(Contd. on page 12)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.03.2026 *Version number 25 (replaces version 24)* *Revision: 25.03.2026*

Trade name: 4-methylpentan-2-one

(Contd. of page 11)

· ***Sources***

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006, REACH, in the latest valid version.
Regulation (EC) N° 1272/2008 of the European Parliament and of the Council of 16 December 2008, CLP, in the latest valid version.
Globally Harmonized System, GHS
ADR/RID, IMDG, IATA
PubChem : an open chemistry database at the National Institutes of Health (NIH)
ECHA : European CHemicals Agency
GESTIS : Information system on hazardous substances of the German Social Accident Insurance

· **** Data compared to the previous version altered.*** .

(Contd. on page 13)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.03.2026 *Version number 25 (replaces version 24)* *Revision: 25.03.2026*

Trade name: 4-methylpentan-2-one

(Contd. of page 12)

Annex: Exposure scenario

· ***Short title of the exposure scenario*** *Chemicals products for laboratory*
· ***Sector of Use*** *Industrial use.*
· ***Product category*** *PC21 Laboratory chemicals*
· ***Process category***
PROC10 Roller application or brushing
PROC15 Use as laboratory reagent
· ***Environmental release category***
ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
· ***Description of the activities / processes covered in the Exposure Scenario***
See section 1 of the annex to the Safety Data Sheet.
· ***Conditions of use***
According to directions for use.
Customary application according to section 1.
· ***Duration and frequency*** *5 workdays/week.*
· ***Worker*** *8hrs (full working shift).*
· ***Physical parameters***
The data on the physical - chemical properties in the Exposure Scenario is based on the properties of the preparation.
· ***Physical state*** *Fluid*
· ***Concentration of the substance in the mixture*** *Raw material.*
· ***Used amount per time or activity*** *100 tons per year*
· ***Other operational conditions*** *Observe the general safety regulations when handling chemicals.*
· ***Other operational conditions affecting environmental exposure***
Observe section 6 of the Safety Data Sheet (Accidental release measures).
· ***Other operational conditions affecting worker exposure***
Avoid contact with eyes.
Do not breathe gas/vapour/aerosol.
Take precautionary measures against static discharge.
Keep away from sources of ignition - No smoking.
· ***Risk management measures***
· ***Worker protection***
· ***Organisational protective measures***
Keep good industrial hygiene.
Deploy only trained chemical workers.
Ensure that activities are executed by specialists or authorised personnel only.
Provide sufficient washing facilities.
Ensure good ventilation. This can be achieved by using a local exhaustion or general exhaust system. If these measures are insufficient to keep the solvent vapour concentration below the workplace limit, wear an adequate respiratory protective device.
Work clothes must not consist of textiles that exhibit dangerous melting behaviour in case of fire.
· ***Technical protective measures***
Ensure good ventilation/exhaustion at the workplace.
Provide explosion-proof electrical equipment.
· ***Personal protective measures***
The usual precautionary measures are to be adhered to when handling chemicals.
Avoid contact with the eyes.
Detailed measures on hand protection according to Safety Data Sheet, section 8.
Use suitable respiratory protective device only when aerosol or mist is formed.
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
Filter P2
Suitable respiratory protective device recommended in case of leakages or handling in open devices.
Use suitable respiratory protective device in case of insufficient ventilation.

(Contd. on page 14)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.03.2026 *Version number 25 (replaces version 24)* *Revision: 25.03.2026*

Trade name: 4-methylpentan-2-one

(Contd. of page 13)

The selected respiratory protection must comply with standard EN 136/140/143/145/149.
The selected protective gloves have to satisfy the specifications of REGULATION (EU) 2016/425 and the standard EN 374 derived from it.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
Protective gloves
Rubber gloves
Tightly sealed goggles

· ***Environmental protection measures***
· ***Notes*** *In case of unintended release of the product: See section 6 of the Safety Data Sheet.*
· ***Disposal measures*** *Ensure that waste is collected and contained.*
· ***Disposal procedures***
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
· ***Waste type*** *Partially emptied and uncleaned packaging*
· ***Exposure estimation***
· ***Worker (dermal)***
The highest dermal exposure to be expected is 2.743 mg / kg / day.
RCR 0.232
Detailed information on the exposure estimation can be found at http://www.ecetoc.org/tra.
· ***Worker (inhalation)***
The highest inhalative exposure to be expected is 41.73 ppm.
RCR 0.503
Detailed information on the exposure estimation can be found at http://www.ecetoc.org/tra.
· ***Environment***
The highest environmental exposure to be expected for surface waters is 0.584 mg / L.
The highest environmental exposure to be expected for soil is 1.29 mg / kg wet weight.
The estimation of environmental exposure was carried out in accordance with EUSES.
· ***Guidance for downstream users***
Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.