biotium
Glowing Products for Science™
www.biotium.com

Revised: July 28, 2023

Selected CF® Dye References, by Dye Color and Application

Click on the blue link to see journal article

Contents:

The use of CF® Dyes have been published in hundreds of journal articles. This list of publications using CF® Dyes is organized below by the dye color and by application that the CF® Dyes were used with.

CF® Dyes by Color

- CF®350 p. 2
- CF®405M p. 2
- CF®405S p. 4
- CF®405L p. 6
- CF®488A p. 6
- CF®514 p. 22
- CF®532 p. 22
- CF®543 p. 22
- CF®555 p. 24
- CF®568 p. 30
- CF®583R p. 40
- CF®594 p. 40
- CF®597R p. 45
- CF®620R p. 45
- CF®633 p. 45
- CF®640R p. 50
- CF®647 p. 55
- CF®660C p. 60
- CF®660R p. 61
- CF®680 p. 62
- CF®680R p. 66
- CF®750 p. 67
- CF®770 p. 69
- CF®790 p. 74

CF® Dyes by Application

- Mix-n-Stain™ p. 74
- Flow Cytometry p. 79
- Western Blotting p. 80
- In-Cell Western® p. 83
- In Vivo Imaging p. 84
- Super-Resolution Microscopy p. 86
- TIRF Microscopy p. 92
- Fluorescence Polarization Assay p. 93
- 2-Photon Microscopy p. 93

PLEASE DUTSCHER SAS

Abbreviations: FC: flow cytometry; FIONA: fluorescence imaging with one-nanometer accuracy; FISH: fluorescence in situ hybridization; FLImP: fluorophore localization imaging with photobleaching; FRAP: fluorescence recovery after photobleaching; gSHRImP: generalized single molecule high-resolution imaging with photobleaching; IF: immunofluorescence; ICW: in-cell western®; IHF: immuno-histofluorescence; SIM: structured illumination microscopy; SMLM: single-molecule localization microscopy; STED: stimulated emission depletion; STORM: stochastic optical reconstruction microscopy; TIRF: total internal reflection microscopy; WB: Western blotting.

LI-COR, Odyssey, and In-Cell Western are registered trademarks of LI-COR Biosciences in the United States and other countries. IVIS is a registered trademark of Caliper Life Sciences.

CF® Dye References by Dye Color

CF®350

Ahi, Y. S., et al. Adenoviral E2 IVa2 Protein Interacts with L4 33K Protein and E2 DNA-Binding Protein. J Gen Virol 94(6), 1325, (2013), DOI: DOI:10.1099/vir.0.049346-0 (Mix-n-Stain CF350, Mix-n-Stain CF488A, CF568 goat anti-mouse IgG; ICC)

Bojarczuk, A., et al. Cryptococcus neoformans Intracellular Proliferation and Capsule Size Determines Early Macrophage Control of Infection. Sci Rep 6, 21489, (2016), DOI: 10.1038/srep21489 (CF350 goat anti-mouse fragment)

Fan, J. X., et al. Targeting epithelial-mesenchymal transition: Metal organic network nano-complexes for preventing tumor metastasis. Biomaterials 139, 116-126, (2017), DOI: 10.1016/j.biomaterials.2017.06.007 (CF350 succinimidyl ester)

Jin, S., et al. Tetherin Suppresses Type I Interferon Signaling by Targeting MAVS for NDP52-Mediated Selective Autophagic Degradation in Human Cells. Mol Cell 68(2), 308-322 e304, (2017), DOI: 10.1016/j.molcel.2017.09.005 (CF350 donkey anti-rabbit)

Lee, W., et al. Synergy between Piezo1 and Piezo2 channels confers high-strain mechanosensitivity to articular cartilage. Proc Natl Acad Sci U S A 111(47), E5114-5122, (2014), DOI: 1414298111 10.1073/pnas.1414298111 (CF350 phalloidin)

Pu, Q., et al. Identifying drug resistant cancer cells using microbubble well arrays. Biomed Microdevices 19(3), 17, (2017), DOI: 10.1007/s10544-017-0160-9 (CF350 goat anti-mouse IgG1)

Shanks, H. R., et al. Including fluorescent nanoparticle probes within injectable gels for remote strain measurements and discrimination between compression and tension. Soft Matter 17(4), 1048-1055, (2021), DOI: 10.1039/d0sm01635g (CF350 amine)

Takenaka, N., et al. Involvement of the protein kinase Akt2 in insulin-stimulated Rac1 activation leading to glucose uptake in mouse skeletal muscle. PLoS One 14(2), e0212219, (2019), DOI: 10.1371/journal.pone.0212219, PONE-D-18-28417 (CF350 CF543 CF647 secondaries)

Takenaka, N., et al. Role of the guanine nucleotide exchange factor in Akt2-mediated plasma membrane translocation of GLUT4 in insulin-stimulated skeletal muscle. Cell Signal 26(11), 2460-2469, (2014), DOI: S0898-6568(14)00221-6, 10.1016/j.cellsig.2014.07.002 (CF350, CF543 & CF647; ICC)

Tschumper, R. C., et al. Molecular analysis of immunoglobulin genes reveals frequent clonal relatedness in double monoclonal gammopathies. Blood Cancer J 3, e112, (2013), DOI: DOI:10.1038/bcj.2013.12 (Mix-n-Stain CF350; ICC)

Zhang, M., et al. A high M1/M2 ratio of tumor-associated macrophages is associated with extended survival in ovarian cancer patients. J Ovarian Res 7(1), 19, (2014), DOI: 1757-2215-7-19, 10.1186/1757-2215-7-19 (CF350, CF488A labeled primaries; IHC)

CF®405M

Barbirou, M., et al. Single Circulating-Tumor-Cell-Targeted Sequencing to Identify Somatic Variants in Liquid Biopsies in Non-Small-Cell Lung Cancer Patients. Current Issues in Molecular Biology 44(2), 750-763, (2022), DOI: 10.3390/cimb44020052 (CF405 succinimidyl ester & CF647 succinimidyl ester)

DOMINIQUE DUTSCHER SAS

Bolduc, J. F., et al. Epigenetic Metabolite Acetate Inhibits Class I/II Histone Deacetylases, Promotes Histone Acetylation, and Increases HIV-1 Integration in CD4(+) T Cells. J Virol 91(16), (2017), DOI: 10.1128/JVI.01943-16 (CF4505M Mix-n-Stain flow)

Chiva-Blanch, G., et al. Microparticle Shedding from Neural Progenitor Cells and Vascular Compartment Cells Is Increased in Ischemic Stroke. PLoS One 11(1), e0148176, (2016), DOI: 10.1371/journal.pone.0148176 (CF405M Annexin V)

Comrie, W. A., et al. F-actin flow drives affinity maturation and spatial organization of LFA-1 at the immunological synapse. J Cell Biol 208(4), 475-491, (2015), DOI: jcb.201406121, 10.1083/jcb.201406121 (CF405M phalloidin)

Demmerle, J., et al. Strategic and practical guidelines for successful structured illumination microscopy. Nat Protoc 12(5), 988-1010, (2017), DOI: nprot.2017.019, 10.1038/nprot.2017.019 (CF405S and CF405M SIM)

Gielen, P. R., et al. Connexin43 confers Temozolomide resistance in human glioma cells by modulating the mitochondrial apoptosis pathway. Neuropharmacology, (2013), DOI: DOI:10.1016/j.neuropharm.2013.05.002 (CF405M Annexin V; FC)

Hadassa Y. Holzapfel, and Marc R. Birtwistle. Creating Complex Fluorophore spectra on Antibodies Through Combinatorial Labeling. Transl Sci, 1-10, (2016). (CF405M, CF488A, CF568, CF640R, FRET, MnS)

Kim, Y. R., et al. Neutrophils Return to Bloodstream Through the Brain Blood Vessel After Crosstalk With Microglia During LPS-Induced Neuroinflammation. Front Cell Dev Biol 8, 613733, (2020), DOI: 10.3389/fcell.2020.613733 (CF405M wheat-germ agglutinin, 2-photon)

Kraus, F., et al. Quantitative 3D structured illumination microscopy of nuclear structures. Nat Protoc 12(5), 1011-1028, (2017), DOI: nprot.2017.020, 10.1038/nprot.2017.020 (CF568 azide, CF405M azide, SIM)

Lee, A. T., et al. A class of GABAergic neurons in the prefrontal cortex sends long-range projections to the nucleus accumbens and elicits acute avoidance behavior. J Neurosci 34(35), 11519-11525, (2014), DOI: 34/35/11519, 10.1523/JNEUROSCI.1157-14.2014 (CF405 mouse anti-biotin; IHC)

Lee, K. S., et al. Functional Synaptic Architecture of Callosal Inputs in Mouse Primary Visual Cortex. Neuron 101(3), 421-428 e425, (2019), DOI: 10.1016/j.neuron.2018.12.005 (CF405M CF647 expansion microscopy)

Lindstrom, A., et al. Fusion between M2-macrophages and cancer cells results in a subpopulation of radioresistant cells with enhanced DNA-repair capacity. Oncotarget 8(31), 51370-51386, (2017), DOI: 10.18632/oncotarget.17986 (CF405M succinimidyl ester)

Loh, L. N., et al. Dissecting Bacterial Cell Wall Entry and Signaling in Eukaryotic Cells: an Actin-Dependent Pathway Parallels Platelet-Activating Factor Receptor-Mediated Endocytosis. MBio 8(1), (2017), DOI: mBio.02030-16, 10.1128/mBio.02030-16 (CF405M wheat germ agglutinin, CF488A succinimidyl ester, CF640R succinimidyl ester; CF640R SIM)

Markaki, Y., et al. Fluorescence In Situ Hybridization Applications for Super-Resolution 3D Structured Illumination Microscopy. Methods Mol Biol 950, 43-64, (2013), DOI: DOI:10.1007/978-1-62703-137-0_4 (CF405M secondary antibodies; super resolution microscopy (3D-SIM); 3D-FISH)

DOMINIQUE DUTSCHER SAS

Martinko, A. J., et al. Switchable assembly and function of antibody complexes in vivo using a small molecule. Proc Natl Acad Sci U S A, (2022), DOI: 119. 10.1073/pnas.2117402119 (CF405M succinimidyl ester)

Miron, E., et al. In Vivo and In Situ Replication Labeling Methods for Super-resolution Structured Illumination Microscopy of Chromosome Territories and Chromatin Domains. Methods Mol Biol 1431, 127-140, (2016), DOI: 10.1007/978-1-4939-3631-1_10 (CF405M SIM)

Nam, J. H., et al. TRPV1 on astrocytes rescues nigral dopamine neurons in Parkinson's disease via CNTF. Brain 138(Pt 12), 3610-3622, (2015), DOI: 10.1093/brain/awv297 (CF405M secondaries)

Namburi, P., et al. A circuit mechanism for differentiating positive and negative associations. Nature 520(7549), 675-678, (2015), DOI: nature14366, 10.1038/nature14366 (CF405 Streptavidin)

Nolke, T., et al. Septins guide microtubule protrusions induced by actin-depolymerizing toxins like Clostridium difficile transferase (CDT). Proc Natl Acad Sci U S A 113(28), 7870-7875, (2016), DOI: 10.1073/pnas.1522717113 (CF405M secondary)

Ohgomori, T., et al. Differential involvement of vesicular and glial glutamate transporters around spinal alpha-motoneurons in the pathogenesis of SOD1(G93A) mouse model of amyotrophic lateral sclerosis. Neuroscience 356, 114-124, (2017), DOI: 10.1016/j.neuroscience.2017.05.014 (CF405M streptavidin)

Seo, J., et al. PICASSO allows ultra-multiplexed fluorescence imaging of spatially overlapping proteins without reference spectra measurements. Nat Commun 13, 2475, (2022), DOI: 10.1038/s41467-022-30168-z (CF405S, CF405M, CF405L, CF488A, CF568, CF633, CF660R, CF680R)

Sutherland, D. R., et al. High-sensitivity 5-, 6-, and 7-color PNH WBC assays for both Canto II and Navios platforms. Cytometry B Clin Cytom 94(4), 637-651, (2018), DOI: 10.1002/cyto.b.21626 (CF405M succinimidyl ester, flow)

Trofimenko, E., et al. The endocytic pathway taken by cationic substances requires Rab14 but not Rab5 and Rab7. Cell Rep 37, 109945, (2021), DOI: 10.1016/j.celrep.2021.109945 (CF405M, CF488A, CF594, CF647, Mix-n-Stain)

Trofimenko, E., et al. Identification of a new, Rab14-dependent, endo-lysosomal pathway. bioRxiv, (2021), DOI: 10.1101/2021.03.25.436964 (CF405M, CF594, Mix-n-Stain)

Yamada, J., et al. Perineuronal nets affect parvalbumin expression in GABAergic neurons of the mouse hippocampus. Eur J Neurosci 41(3), 368-378, (2015), DOI: 10.1111/ejn.12792 (CF405 streptavidin)

Zhang, R., et al. The mechanisms of dynamin-actin interaction. bioRxiv, (2019), DOI: 10.1101/586461 (CF405M goat anti-rabbit, STED)

CF®405S

Demmerle, J., et al. Strategic and practical guidelines for successful structured illumination microscopy. Nat Protoc 12(5), 988-1010, (2017), DOI: nprot.2017.019 [pii] 10.1038/nprot.2017.019 (CF405S and CF405M SIM)

Essig, K., et al. Roquin Suppresses the PI3K-mTOR Signaling Pathway to Inhibit T Helper Cell Differentiation and Conversion of Treg to Tfr Cells. Immunity, (2017), DOI: 10.1016/j.immuni.2017.11.008 (CF405S SIM)

DOMINIQUE DUTSCHER SAS

Gothe, H. J., et al. Spatial Chromosome Folding and Active Transcription Drive DNA Fragility and Formation of Oncogenic MLL Translocations. Mol Cell 75(2), 267-283 e212, (2019), DOI: 10.1016/j.molcel.2019.05.015 (CF405S dUTP nick translation FISH)

He, X., et al. Targeting the Endocannabinoid/CB1 Receptor System For Treating Major Depression Through Antidepressant Activities of Curcumin and Dexanabinol-Loaded Solid Lipid Nanoparticles. Cell Physiol Biochem 42(6), 2281-2294, (2017), DOI: 10.1159/000480001 (CF405S succinimidyl ester, RedDot)

Irie, T. Essential Role of Somatic Kv2 Channels in High-Frequency Firing in Cartwheel Cells of the Dorsal Cochlear Nucleus. eNeuro, (2021), DOI: 10.1523/ENEURO.0515-20.2021 (CF405S IgG2a CF568 IgG2b)

Hwang, J., et al. Aptamer-conjugated live human immune cell based biosensors for the accurate detection of C-reactive protein. Sci Rep 6, 34778, (2016), DOI: 10.1038/srep34778 (CF594 Mix-n-Stain)

Jankowska, K. I., et al. Integrins Modulate T Cell Receptor Signaling by Constraining Actin Flow at the Immunological Synapse. Front Immunol 9, 25, (2018), DOI: 10.3389/fimmu.2018.00025 (CF488A Mix-n-Stain, CF405 phalloidin)

Kohara, K., et al. Cell type-specific genetic and optogenetic tools reveal hippocampal CA2 circuits. Nat Neurosci 17(2), 269-279, (2014), DOI: nn.3614 [pii] 10.1038/nn.3614 (CF633 goat anti-mouse, CF633 goat anti-rabbit, CF633 SA, CF405S goat anti-mouse; IHC)

MacDonald, A. B. Lyme ELISA seronegative patients with borrelia antibody coated borrelia microbes in their blood. Med Clin Res 7, (2022), ISSN: 2577 - 8005 (CF405S, CF660R, Mix-n-Stain)

Nazari, B., et al. Altered Dermal Fibroblasts in Systemic Sclerosis Display Podoplanin and CD90. Am J Pathol 186(10), 2650-2664, (2016), DOI: 10.1016/j.ajpath.2016.06.020 (CF405S tyramide)

Ruger, M., et al. Species-specific viability analysis of Pseudomonas aeruginosa, Burkholderia cepacia and Staphylococcus aureus in mixed culture by flow cytometry. BMC Microbiol 14, 56, (2014), DOI: 1471-2180-14-56 [pii] 10.1186/1471-2180-14-56 (CF405S Mix-n-Stain; Flow Cytometry)

Ruger, M., et al. A flow cytometric method for viability assessment of Staphylococcus aureus and Burkholderia cepacia in mixed culture. Cytometry A 81(12), 1055, (2012), DOI: 10.1002/cyto.a.22219 (CF405S Mix-n-Stain labeling of wheat germ agglutinin; Flow Cytometry)

Schneider, K., et al. Dissection of cell cycle-dependent dynamics of Dnmt1 by FRAP and diffusion-coupled modeling. Nucleic Acids Res 41(9), 4860-4876, (2013), DOI: gkt191 [pii] 10.1093/nar/gkt191 (CF405S goat anti-mouse; FRAP)

Seo, J., et al. PICASSO allows ultra-multiplexed fluorescence imaging of spatially overlapping proteins without reference spectra measurements. Nat Commun 13, 2475, (2022), DOI: 10.1038/s41467-022-30168-z (CF405S, CF405M, CF405L, CF488A, CF568, CF633, CF660R, CF680R)

Torkzadeh, H., et al. Quantification and modeling of the response of surface biofilm growth to continuous low intensity UVC irradiation. Water Res 193, 116895, (2021), DOI: 10.1016/j.watres.2021.116895 (CF405S ConA Biofilm)

Ugolini, I., et al. Chromatin localization of nucleophosmin organizes ribosome biogenesis. Mol Cell 82, 4443-4457 e4449, (2022), DOI: 10.1016/j.molcel.2022.10.033 (CF405S maleimide)

FOR USE BY BUTSCHER SAS

Van Dyke, J. M., et al. Macrophage-mediated inflammation and glial response in the skeletal muscle of a rat model of familial amyotrophic lateral sclerosis (ALS). Exp Neurol 277, 275-282, (2016), DOI: 10.1016/j.expneurol.2016.01.008 (CF405S bungarotoxin)

Vasilyeva, N. A., et al. Influence of Membrane Receptor Lateral Diffusion on the Short-Term Depression of Acetylcholine-Induced Current in Helix Neurons. Cell Mol Neurobiol 37(8), 1443-1455, (2017), DOI: 10.1007/s10571-017-0475-3 (CF405S bungarotoxin FRAP)

Yamada, J., et al. Alterations in expression of Cat-315 epitope of perineuronal nets during normal ageing, and its modulation by an open-channel NMDA receptor blocker, memantine. J Comp Neurol 525(9), 2035-2049, (2017), DOI: 10.1002/cne.24198 (CF405 streptavidin)

Yu, C. H., et al. Integrin-beta3 clusters recruit clathrin-mediated endocytic machinery in the absence of traction force. Nat Commun 6, 8672, (2015), DOI: 10.1038/ncomms9672 (CF680R maleimide and CF405 phalloidin)

CF®405L

Seo, J., et al. PICASSO allows ultra-multiplexed fluorescence imaging of spatially overlapping proteins without reference spectra measurements. Nat Commun 13, 2475, (2022), DOI: 10.1038/s41467-022-30168-z (CF405S, CF405M, CF405L, CF488A, CF568, CF633, CF660R, CF680R)

CF®488A

Agrawal, A., et al. Manipulation of coacervate droplets with an electric field. Proc Natl Acad Sci U S A 119, e2203483119 (2022), DOI: 10.1073/pnas.2203483119 (CF488A BSA, CF640R BSA, fluorescence microscopy)

Ahi, Y. S., et al. Adenoviral E2 IVa2 Protein Interacts with L4 33K Protein and E2 DNA-Binding Protein. J Gen Virol 94(6), 1325, (2013), DOI: DOI:10.1099/vir.0.049346-0 (Mix-n-Stain CF350, Mix-n-Stain CF488A, CF568 goat anti-mouse IgG; ICC)

Ahi, Y. S., et al. Functional Interplay Between Murine Leukemia Virus Glycogag, Serinc5, and Surface Glycoprotein Governs Virus Entry, with Opposite Effects on Gammaretroviral and Ebolavirus Glycoproteins. mBio 7(6), (2016), DOI: 10.1128/mBio.01985-16 (CF488A goat anti-rabbit & CF594 donkey anti-mouse)

Akhmetshina, A., et al. Activation of canonical Wnt signalling is required for TGF-beta-mediated fibrosis. Nat Commun 3, 735, (2012), DOI: DOI:10.1038/ncomms1734 (CF488A and CF594 streptavidin; IHC, ICC)

Al Tanoury, Z., et al. Genes involved in cell adhesion and signaling: a new repertoire of retinoic acid receptor target genes in mouse embryonic fibroblasts. J Cell Sci 127(Pt 3), 521-533, (2014), DOI: jcs.131946 [pii] 10.1242/jcs.131946 (CF488A phalliodin; ICC)

Alissafi, T., et al. De novo-induced self-antigen-specific Foxp3+ regulatory T cells impair the accumulation of inflammatory dendritic cells in draining lymph nodes. J Immunol 194(12), 5812-5824, (2015), DOI: 10.4049/jimmunol.1500111 (CF488A goat anti-rabbit)

Amorosi, C. J., et al. Massively parallel characterization of CYP2C9 variant enzyme activity and abundance. Am J Hum Genet 108, 1735-1751, (2021), DOI: 10.1016/j.ajhg.2021.07.001 (CF488A picolyl azide)

DOMINIQUE DUTSCHER SAS

Anderson, M. S., et al. Maturation and vesicle-mediated egress of primate gammaherpesvirus rhesus monkey rhadinovirus require inner tegument protein ORF52. J Virol 88(16), 9111-9128, (2014), DOI: JVI.01502-14 [pii] 10.1128/JVI.01502-14 (CF488A Mix n Stain; ICC)

Anestopoulos, I., et al. A Novel Role of Silibinin as a Putative Epigenetic Modulator in Human Prostate Carcinoma. Molecules 22(1), (2016), DOI: 10.3390/molecules22010062 (GaR CF405S, goat anti-rabbit CF488A)

Angelov, B. and Angelova, A. Nanoscale clustering of the neurotrophin receptor TrkB revealed by super-resolution STED microscopy. Nanoscale 9(28), 9797-9804, (2017), DOI: 10.1039/c7nr03454g (CF488A STED)

Antolín-Urbaneja, J. C., et al. Compact and cost effective instrument for detecting drug precursors in different environments based on fluorescence polarization. Paper presented at: Optical Sensors 2013, (Prague, Czech Republic, Proc SPIE), (2013), DOI: DOI:10.1117/12.2017257 (CF488A succinimidyl ester; fluorescence polarization assay)

Aravindan, S., et al. Polyphenols from marine brown algae target radiotherapy-coordinated EMT and stemness-maintenance in residual pancreatic cancer. Stem Cell Res Ther 6, 182, (2015), DOI: 10.1186/s13287-015-0173-3 (Mix-n-Stain CF488A)

Arul, M., et al. Culture of low passage colorectal cancer cells and demonstration of variation in selected tumour marker expression. Cytotechnology 66(3), 481, (2013), DOI: 10.1007/s10616-013-9600-4 (CF488A Mix-n-Stain, CF594 Mix-n-Stain, CF488A goat anti-mouse; ICC)

Bargul, J. L., et al. Species-Specific Adaptations of Trypanosome Morphology and Motility to the Mammalian Host. PLoS Pathog 12(2), e1005448, (2016), DOI: 10.1371/journal.ppat.1005448 (anti-Biotin CF488A)

Bekiari, C., et al. Neurogenesis in the septal and temporal part of the adult rat dentate gyrus. Hippocampus 25(4), 511-523, (2015), DOI: 10.1002/hipo.22388 (CF488A goat anti-mouse & CF555 goat anti-rabbit)

Bohara, M., et al. C-type natriuretic peptide modulates permeability of the blood-brain barrier. J Cereb Blood Flow Metab 34(4), 589-596, (2014), DOI: jcbfm2013234 [pii] 10.1038/jcbfm.2013.234 (CF488A goat anti-mouse; ICC)

Bonifacio, G., et al. Protonation controls ASIC1a activity via coordinated movements in multiple domains. J Gen Physiol 143(1), 105-118, (2014), DOI: jgp.201311053 [pii] 10.1085/jgp.201311053 (CF488A maleimide; voltage clamp)

Briceno, M. P., et al. Toxoplasma gondii Infection Promotes Epithelial Barrier Dysfunction of Caco-2 Cells. J Histochem Cytochem 64(8), 459-469, (2016), DOI: 10.1369/0022155416656349 (CF488A goat anti-rabbit)

Burgueno, J. F., et al. TLR2 and TLR9 modulate enteric nervous system inflammatory responses to lipopolysaccharide. J Neuroinflammation 13(1), 187, (2016), DOI: 10.1186/s12974-016-0653-0 (CF488A donkey anti-chicken & CF488A donkey anti-mouse)

Cantuti-Castelvetri, L., et al. Neuropilin-1 facilitates SARS-CoV-2 cell entry and infectivity. Science 370(6518), 856-860, (2020), DOI: 10.1126/science.abd2985 (CF488A, CF555, CF647)

DOMINIQUE DUTSCHER SAS

Cao, F. Y., et al. Evaluating the effects of charged oligopeptide motifs coupled with RGD on osteogenic differentiation of mesenchymal stem cells. ACS Appl Mater Interfaces 7(12), 6698-6705, (2015), DOI: 10.1021/acsami.5b00064 (CF488A phalloidin)

Cao, F. Y., et al. A novel function of BMHP1 and cBMHP1 peptides to induce the osteogenic differentiation of mesenchymal stem cells. Biomater Sci 3(2), 345-351, (2015), DOI: 10.1039/c4bm00300d (CF488A phalloidin)

Chen, Z. H., et al. Characterization of interstitial Cajal progenitors cells and their changes in Hirschsprung's disease. PLoS One 9(1), e86100, (2014), DOI: 10.1371/journal.pone.0086100 PONE-D-13-26924 [pii] (CF488A donkey anti-rabbit, CF543 BAG, CF633 donkey anti-mouse; IHC)

Daly, D. T. and Ariel, M. A novel cerebellar commissure and other myelinated axons in the Purkinje cell layer of a pond turtle (Trachemys scripta elegans). J Comp Neurol 526(17), 2802-2823, (2018), DOI: 10.1002/cne.24528 (CF488A and CF594 10K dextran)

Darvish-Damavandi, M., et al. Towards the development of an enzyme replacement therapy for the metabolic disorder propionic acidemia. Mol Genet Metab Rep 8, 51-60, (2016), DOI: 10.1016/j.ymgmr.2016.06.009, S2214-4269(16)30048-9 [pii] (CF488A Mix-n-Stain)

Dasgupta, P., et al. Rapid assessment of G protein signaling of four opioid receptors using a real-time fluorescence-based membrane potential assay. Eur J Pharmacol 890, 173640, (2021), DOI: 10.1016/j.ejphar.2020.173640 (CF488A Anti-6X His CF640R Anti-FLAG)

Decembre, E., et al. Sensing of immature particles produced by dengue virus infected cells induces an antiviral response by plasmacytoid dendritic cells. PLoS Pathog 10(10), e1004434, (2014), DOI: 10.1371/journal.ppat.1004434 PPATHOGENS-D-14-00241 [pii] (CF488A phalloidin)

Di Giovanni, S., et al. Determination of benzyl methyl ketone - a commonly used precursor in amphetamine manufacture. Analytical Methods 4(11), 3558-3564, (2012), DOI: DOI:10.1039/c2ay25772f (CF488A succinimidyl ester; fluorescence polarization assay)

Diamantopoulou, A., et al. Denial or receipt of expected reward through maternal contact during the neonatal period differentially affect the development of the rat amygdala and program its function in adulthood in a sex-dimorphic way. Psychoneuroendocrinology 38(9), 1757, (2013), DOI: DOI:10.1016/j.psyneuen.2013.02.012 (Mix-n-Stain CF488A, Mix-N-Stain CF555; IHC)

Donskow-Lysoniewska, K., et al. Heligmosmoides polygyrus fourth stages induce protection against DSS-induced colitis and change opioid expression in the intestine. Parasite Immunol 34(11), 536, (2012), DOI: DOI:10.1111/pim.12003 (Mix-n-Stain CF488A; IHC)

Droste, D., et al. Ca(2+)-permeable AMPA receptors in mouse olfactory bulb astrocytes. Sci Rep 7, 44817, (2017), DOI: 10.1038/srep44817 (CF488A donkey anti-guinea pig)

Egashira, A., et al. Kid depletion in mouse oocytes associated with multinucleated blastomere formation and inferior embryo development. Anim Sci J 87(8), 1048-1054, (2016), DOI: 10.1111/asj.12530 (CF488A goat anti-rabbit)

Endo, H., et al. Ibuprofen enhances the anticancer activity of cisplatin in lung cancer cells by inhibiting the heat shock protein 70. Cell Death Dis 5, e1027, (2014), DOI: cddis2013550 [pii] 10.1038/cddis.2013.550 (CF488A Annexin V; FC)

DO NOT COPY BIOTIUM SAS

Ersek, B., et al. CD3zeta-Chain Expression of Human T Lymphocytes Is Regulated by TNF via Src-like Adaptor Protein-Dependent Proteasomal Degradation. J Immunol 189(4), 1602, (2012), DOI: DOI:10.4049/jimmunol.1102365 (Mix-n-Stain CF488A; ICC)

Falibene, A., et al. Long-term avoidance memory formation is associated with a transient increase in mushroom body synaptic complexes in leaf-cutting ants. Front Behav Neurosci 9, 84, (2015), DOI: 10.3389/fnbeh.2015.00084 (CF488A goat anti-mouse)

Falibene, A., et al. Daily Thermal Fluctuations Experienced by Pupae via Rhythmic Nursing Behavior Increase Numbers of Mushroom Body Microglomeruli in the Adult Ant Brain. Front Behav Neurosci 10, 73, (2016), DOI: 10.3389/fnbeh.2016.00073 (CF488A goat anti-mouse)

Falter, C. and Voigt, C. A. The Eurotiomycete Apinisia graminicola as the causal agent of a leaf spot disease on the energy crop Miscanthus x giganteus in Northern Germany. European Journal of Plant Pathology 149(4), 797-806, (2017), DOI: 10.1007/s10658-017-1226-5 (CF488A wheat germ agglutinin)

Fang, S., et al. Synthesis, antitumor activity, and mechanism of action of 6-acrylic phenethyl ester-2-pyranone derivatives. Org Biomol Chem 13(16), 4714-4726, (2015), DOI: 10.1039/c5ob00007f (CF488A goat anti-rabbit IF)

Farias, G. G., et al. Imaging the Polarized Sorting of Proteins from the Golgi Complex in Live Neurons. Methods Mol Biol 1496, 13-30, (2016), DOI: 10.1007/978-1-4939-6463-5_2 (CF488A, CF555 & CF640R Mix-n-Stain IF)

Francois, A., et al. The Low-Threshold Calcium Channel Cav3.2 Determines Low-Threshold Mechanoreceptor Function. Cell Rep 10(3), 370-382, (2015), DOI: 10.1016/j.celrep.2014.12.042 (CF488A donkey anti-chicken)

Frangeul, L., et al. A cross-modal genetic framework for the development and plasticity of sensory pathways. Nature 538(7623), 96-98, (2016), DOI: nature19770 [pii] 10.1038/nature19770 CF488A hydrazide

Fu, X., et al. In Vivo Single-Molecule Detection of Nanoparticles for Multiphoton Fluorescence Correlation Spectroscopy to Quantify Cerebral Blood Flow. Nano Lett 20(8), 6135-6141, (2020), DOI: 10.1021/acs.nanolett.0c02280 (CF488A dextran 10K 70K 250K CF568 dextran 10K)

Gan, E. S., et al. Jumonji demethylases moderate precocious flowering at elevated temperature via regulation of FLC in Arabidopsis. Nat Commun 5, 5098, (2014), DOI: ncomms6098 [pii] 10.1038/ncomms6098 (CF488A goat anti-rabbit, CF555 goat anti-mouse; ICC)

Geherin, S. A., et al. IL-10+ Innate-like B Cells Are Part of the Skin Immune System and Require alpha4beta1 Integrin To Migrate between the Peritoneum and Inflamed Skin. J Immunol 196(6), 2514-2525, (2016), DOI: 10.4049/jimmunol.1403246 (CF488A CF594 Mix-n-Stain)

Giuntini, S., et al. Combined roles of human IgG subclass, alternative complement pathway activation, and epitope density in the bactericidal activity of antibodies to meningococcal factor h binding protein. Infect Immun 80(1), 187-194, (2012), DOI: DOI:10.1128/IAI.05956-11 (CF488A goat anti-human IgG; FC)

Hadjiantoniou, S. V., et al. Physical confinement signals regulate the organization of stem cells in three dimensions. J R Soc Interface 13(123), (2016), DOI: 10.1098/rsif.2016.0613 (CF488A ARt)

DOMINIQUE DUTSCHER SAS

Halstead, J. M., et al. TRICK: A Single-Molecule Method for Imaging the First Round of Translation in Living Cells and Animals. Methods Enzymol 572, 123-157, (2016), DOI: 10.1016/bs.mie.2016.02.027 (CF488A anti-GFP)

Hamazaki, N., et al. Gene activation-associated long noncoding RNAs function in mouse preimplantation development. Development 142(5), 910-920, (2015), DOI: 10.1242/dev.116996 (CF488A donkey anti-mouse IF)

Hadassa Y. Holzapfel, and Marc R. Birtwistle. Creating Complex Fluorophore spectra on Antibodies Through Combinatorial Labeling. Transl Sci, 1-10, (2016). (CF405M, CF488A, CF568, CF640R, FRET, MnS)

He, J., et al. Cucurbitacin IIa induces caspase-3-dependent apoptosis and enhances autophagy in lipopolysaccharide-stimulated RAW 264.7 macrophages. Int Immunopharmacol, (2013), DOI: DOI:10.1016/j.intimp.2013.03.013 (CF488A goat anti-mouse IgG, CF568 goat anti-rabbit IgG; ICC)

Higa, M., et al. TRF2 recruits ORC through TRFH domain dimerization. Biochim Biophys Acta Mol Cell Res 1864(1), 191-201, (2017), DOI: 10.1016/j.bbamcr.2016.11.004 (CF488A goat anti-rabbit, CF594 DRRt, CF594 goat anti-mouse)

Hirano, K. and Namihira, M. LSD1 Mediates Neuronal Differentiation of Human Fetal Neural Stem Cells by Controlling the Expression of a Novel Target Gene, HEYL. Stem Cells 34(7), 1872-1882, (2016), DOI: 10.1002/stem.2362 (CF488A, CF568, CF647 donkey secondaries)

Hirtz, M., et al. Click-Chemistry Immobilized 3D-Infused Microarrays in Nanoporous Polymer Substrates. Advanced Materials Interfaces, n/a-n/a, (2016), DOI: 10.1002/admi.201500469 (CF488A Mix-n-Stain)

Ho, A. K., et al. The topology, structure and PE interaction of LITAF underpin a Charcot-Marie-Tooth disease type 1C. BMC Biol 14(1), 109, (2016), DOI: 10.1186/s12915-016-0332-8 (CF488A wheat germ agglutinin)

Hoepflinger, M. C., et al. Molecular and biochemical analysis of the first ARA6 homologue, a RAB5 GTPase, from green algae. J Exp Bot 64(18), 5553-5568, (2013), DOI: ert322 [pii] 10.1093/jxb/ert322 (CF488A goat anti-rabbit; ICC)

Home, P., et al. Altered subcellular localization of transcription factor TEAD4 regulates first mammalian cell lineage commitment. Proc Natl Acad Sci U S A 109(19), 7362-7367, (2012), DOI: DOI:10.1073/pnas.1201595109 (Mix-n-Stain CF488A, Mix-n-Stain CF568; ICC)

Hui, T. K., et al. Ablation of Lrp4 in Schwann Cells Promotes Peripheral Nerve Regeneration in Mice. Biology (Basel) 10(6), (2021), DOI: 10.3390/biology10060452 (CF568 CF488A alpha-bungarotoxin)

Inutsuka, A., et al. Concurrent and robust regulation of feeding behaviors and metabolism by orexin neurons. Neuropharmacology 85, 451-460, (2014), DOI: S0028-3908(14)00237-8 [pii] 10.1016/j.neuropharm.2014.06.015 (CF488 CF594 CF647; IHC)

Inutsuka, A., et al. The integrative role of orexin/hypocretin neurons in nociceptive perception and analgesic regulation. Sci Rep 6, 29480, (2016), DOI: 10.1038/srep29480 (CF488A, CF594 & CF647 secondaries)

Ise, H., et al. Engulfment and clearance of apoptotic cells based on a GlcNAc-binding lectin-like property of surface vimentin. Glycobiology 22(6), 788, (2012), DOI: DOI:10.1093/glycob/cws052 (CF488A goat anti-mouse IgG, CF488A donkey anti-rat IgG, CF555 donkey anti-rabbit IgG; ICC, IHC)

DOMINIQUE DUTSCHER SAS

Ishizuka, Y. and Bramham, C. R. A simple DMSO-based method for cryopreservation of primary hippocampal and cortical neurons. J Neurosci Methods 333, 108578, (2020), DOI: 10.1016/j.jneumeth.2019.108578 (AM1-43, CF488A donkey anti-chicken)

Ito, H., et al. Expression analyses of Phactr1 (phosphatase and actin regulator 1) during mouse brain development. Neurosci Res 128, 50-57, (2018), DOI: 10.1016/j.neures.2017.08.002 (CF488A goat anti-rabbit & CF543 goat anti-mouse)

Jankowska, K. I., et al. Integrins Modulate T Cell Receptor Signaling by Constraining Actin Flow at the Immunological Synapse. Front Immunol 9, 25, (2018), DOI: 10.3389/fimmu.2018.00025 (CF488A Mix-n-Stain, CF405 phalloidin)

Jones, R. A., et al. NMJ-morph reveals principal components of synaptic morphology influencing structure-function relationships at the neuromuscular junction. Open Biol 6(12), (2016), DOI: 10.1098/rsob.160240 (CF488A bungarotoxin)

Kaneda, M., et al. Synaptic localisation of SRF coactivators, MKL1 and MKL2, and their role in dendritic spine morphology. Sci Rep 8(1), 727, (2018), DOI: 10.1038/s41598-017-18905-7 (CF488A goat anti-rabbit, CF488A goat anti-mouse and CF594 GAGp)

Kanno, T., et al. A novel small molecule, N-(4-(2-pyridyl)(1,3-thiazol-2-yl))-2-(2,4,6-trimethylphenoxy) acetamide, selectively protects against oxidative stress-induced cell death by activating the Nrf2-ARE pathway: Therapeutic implications for ALS. Free Radic Biol Med, (2012), DOI: DOI:10.1016/j.freeradbiomed.2012.09.010 (CF488A goat anti-mouse IgG; ICC)

Karagounis, I. V., et al. Repression of the autophagic response sensitises lung cancer cells to radiation and chemotherapy. Br J Cancer 115(3), 312-321, (2016), DOI: 10.1038/bjc.2016.202 (CF488A & CF568 secondaries)

Kasagi, Y., et al. Peritoneal Dissemination Requires an Sp1-Dependent CXCR4/CXCL12 Signaling Axis and Extracellular Matrix-Directed Spheroid Formation. Cancer Res 76(2), 347-357, (2016), DOI: 10.1158/0008-5472.CAN-15-1563 (CF488A donkey anti-goat)

Kawagishi, T., et al. Reverse Genetics for Fusogenic Bat-Borne Orthoreovirus Associated with Acute Respiratory Tract Infections in Humans: Role of Outer Capsid Protein sigmaC in Viral Replication and Pathogenesis. PLoS Pathog 12(2), e1005455, (2016), DOI: 10.1371/journal.ppat.1005455 (CF488A goat anti-mouse)

Kawase, A., et al. Decreased radixin function for ATP-binding cassette transporters in liver in adjuvant-induced arthritis rats. J Pharm Sci 103(12), 4058-4065, (2014), DOI: 10.1002/jps.24210, S0022-3549(15)30300-2 [pii] (CF488A goat anti-rat & CF568 goat anti-mouse)

Kern, F., et al. Nogo-A couples with Apg-1 through interaction and co-ordinate expression under hypoxic and oxidative stress. Biochem J 455(2), 217-227, (2013), DOI: BJ20130579 [pii] 10.1042/BJ20130579 (CF488A GAC; IHC)

Kida, A., et al. Cell surface-fluorescence immunosorbent assay for real-time detection of hybridomas with efficient antibody secretion at the single-cell level. Anal Chem 85(3), 1753-1759, (2013), DOI: DOI:10.1021/ac303067k (CF594 amine; ICC)

Kijani, S., et al. Filter-Dense Multicolor Microscopy. PLoS One 10(3), e0119499, (2015), DOI: 10.1371/journal.pone.0119499 PONE-D-14-20661 [pii] (CF488A, CF543, CF594)

DOMINIQUE DUTSCHER SAS

Kikuchi, K., et al. Rho signaling inhibitor, CCG-1423, inhibits axonal elongation and dendritic complexity of rat cortical neurons. Biochem Biophys Res Commun 492(3), 474-479, (2017), DOI: 10.1016/j.bbrc.2017.08.071 (CF488A goat anti-rabbit)

Kim, H. J. and Selvin, P. R. Fluorescence Imaging with One Nanometer Accuracy. in: SpringerReference, Springer, (2013), (CF633; Fluorescence Imaging with One Nanometer Accuracy (FIONA))

Kiratitanaporn, W., et al. 3D printing a biocompatible elastomer for modeling muscle regeneration after volumetric muscle loss. Biomater Adv 142, 213171, (2022), DOI: 10.1016/j.bioadv.2022.213171 (CF555 GAMs, CF555 GARb, CF488A phalloidin, fluorescence microscopy)

Kishi, J. Y., et al. Light-Seq: light-directed in situ barcoding of biomolecules in fixed cells and tissues for spatially indexed sequencing. Nat Methods 19, 1393-1402, (2022), DOI: 10.1038/s41592-022-01604-1 (CF488A WGA, fluorescence microscopy)

Kiyono, M., et al. Expression of the bacterial heavy metal transporter MerC fused with a plant SNARE, SYP121, in Arabidopsis thaliana increases cadmium accumulation and tolerance. Planta 235(4), 841-850, (2012), DOI: DOI:10.1007/s00425-011-1543-4 (CF488A goat anti-rabbit IgG; IHC)

Klimas, A., et al. Nanoscopic Imaging of Human Tissue Sections via Physical and Isotropic Expansion. J Vis Exp (151), (2019), DOI: 10.3791/60195 (CF488A CF633 goat anti-chicken)

Knighton, N. J., et al. Toward cardiac tissue characterization using machine learning and light-scattering spectroscopy. J Biomed Opt 26, (2021), DOI: 10.1117/1.JBO.26.11.116001 (CF488A WGA, fluorescence microscopy)

Koman, V. B., et al. Atomically Thin 2D Interfaces as Sensors for Molecular Permeability through Cellular Layers and Thin Tissues. Advanced Functional Materials, (2022), DOI: 10.1002/adfm.202109598 (CF488A wheat germ agglutinin)

Komura, K., et al. Dynamic behaviors of vimentin induced by interaction with GlcNAc molecules. Glycobiology 22(12), 1741, (2012), DOI: DOI:10.1093/glycob/cws118 (CF488A goat anti-mouse IgG; ICC)

Kubickova, J., et al. Haloperidol Affects Plasticity of Differentiated NG-108 Cells Through sigma1R/IP3R1 Complex. Cell Mol Neurobiol 38(1), 181-194, (2018), DOI: 10.1007/s10571-017-0524-y (CF488A goat anti-rabbit)

Kumaran, G. K. and Hanukoglu, I. Identification and classification of epithelial cells in nephron segments by actin cytoskeleton patterns. FEBS J 287(6), 1176-1194, (2019), DOI: https://doi.org/10.1111/febs.15088 (CF488A phalloidin & CF555 wheat germ agglutinin)

Kume, K., et al. alpha-Amanitin Restrains Cancer Relapse from Drug-Tolerant Cell Subpopulations via TAF15. Sci Rep 6, 25895, (2016), DOI: 10.1038/srep25895 (CF488A goat anti-mouse)

Kume, K. and Nishizuka, S. S. Colony Lysate Arrays for Proteomic Profiling of Drug-Tolerant Persisters of Cancer Cell. Anal Chem 89(17), 8626-8631, (2017), DOI: 10.1021/acs.analchem.7b01215 (CF488A goat anti-mouse & CF594 goat anti-rabbit)

Lasher, R. A., et al. Electrical stimulation directs engineered cardiac tissue to an age-matched native phenotype. J Tissue Eng 3(1), 2041731412455354, (2012), DOI: DOI:10.1177/2041731412455354 (CF488A wheat germ agglutinin; IHC)

DOMINIQUE DUTSCHER SAS

Lencesova, L., et al. Changes and role of adrenoceptors in PC12 cells after phenylephrine administration and apoptosis induction. Neurochem Int 57(8), 884-892, (2010), DOI: DOI:10.1016/j.neuint.2010.09.007 (CF488A goat anti-rabbit IgG; ICC)

Li, G., et al. Patching of Lipid Rafts by Molecular Self-Assembled Nanofibrils Suppresses Cancer Cell Migration. Chem 2(2), 283-298, (2017), DOI: 10.1016/j.chempr.2017.01.002 (CF488A goat anti-mouse)

Li, W., et al. The Effect of Layer-by-Layer Assembly Coating on the Proliferation and Differentiation of Neural Stem Cells. ACS Appl Mater Interfaces 7(5), 3018-3029, (2015), DOI: 10.1021/am504456t (CF488A Phalloidin)

Li, W., et al. Elevation of brain magnesium prevents and reverses cognitive deficits and synaptic loss in Alzheimer's disease mouse model. J Neurosci 33(19), 8423-8441, (2013), DOI: DOI:10.1523/JNEUROSCI.4610-12.2013 (CF488A goat anti-mouse IgG, CF488A goat anti-rabbit IgG, and CF488A rabbit anti-goat IgG; IHC)

Liedmann, S., et al. Localization of a TORC1-eIF4F translation complex during CD8(+) T cell activation drives divergent cell fate. Mol Cell 82, 2401-2414 e2409, (2022), DOI: 10.1016/j.molcel.2022.04.016 (CF488A DARt, CF568 DAGt, CF568 DARt, super-resolution, STORM)

Lim, A. K., et al. The nuage mediates retrotransposon silencing in mouse primordial ovarian follicles. Development 140(18), 3819-3825, (2013), DOI: dev.099184 [pii] 10.1242/dev.099184 (CF488A Mix-n-Stain; IHC)

Lindberg, O. R., et al. Epidermal growth factor treatment of the adult brain subventricular zone leads to focal microglia/macrophage accumulation and angiogenesis. Stem Cell Reports 2(4), 440-448, (2014), DOI: 10.1016/j.stemcr.2014.02.003, S2213-6711(14)00055-1 [pii] (CF488A donkey anti-mouse CF555 donkey anti-rabbit, donkey anti-goat CF633 donkey anti-goat; IHC)

Lindberg, O. R., et al. EGF-Induced Expansion of Migratory Cells in the Rostral Migratory Stream. PLoS One 7(9), e46380, (2012), DOI: DOI:10.1371/journal.pone.0046380 (CF488A donkey anti-mouse IgG; CF555 donkey anti-goat IgG; CF555 donkey anti-rabbit IgG; CF633 donkey anti-goat IgG; IHC)

Linhoff, M. W., et al. A high-resolution imaging approach to investigate chromatin architecture in complex tissues. Cell 163(1), 246-255, (2015), DOI: S0092-8674(15)01122-8 [pii] 10.1016/j.cell.2015.09.002 (CF488A goat anti-mouse CF488A goat anti-chicken CF647 goat anti-mouse)

Liu, K. P., et al. LC3B-II deacetylation by histone deacetylase 6 is involved in serum-starvation-induced autophagic degradation. Biochem Biophys Res Commun 441(4), 970-975, (2013), DOI: S0006-291X(13)01880-9 [pii] 10.1016/j.bbrc.2013.11.007 (CF488A goat anti-mouse CF568 goat anti-rabbit; ICC)

Locatelli, M., et al. DNA damage reduces heterogeneity and coherence of chromatin motions. Proc Natl Acad Sci U S A 119, e2205166119, (2022), DOI: 10.1073/pnas.2205166119 (CF488A-dUTP)

Loh, L. N., et al. Dissecting Bacterial Cell Wall Entry and Signaling in Eukaryotic Cells: an Actin-Dependent Pathway Parallels Platelet-Activating Factor Receptor-Mediated Endocytosis. MBio 8(1), (2017), DOI: mBio.02030-16 [pii] 10.1128/mBio.02030-16 (CF405M wheat germ agglutinin, CF488A succinimidyl ester, CF640R succinimidyl ester; CF640R SIM)

Loftus, M. S., et al. A Conserved Leucine Zipper Motif in Gammaherpesvirus ORF52 Is Critical for Distinct Microtubule Rearrangements. J Virol 91(17), (2017), DOI: 10.1128/JVI.00304-17 (CF488A Mix-n-Stain)

DO NOT COPY BIOTIUM SAS

Lourbopoulos, A., et al. Changes in thyroid hormone receptors after permanent cerebral ischemia in male rats. J Mol Neurosci 54(1), 78-91, (2014), DOI: 10.1007/s12031-014-0253-3 (CF488A goat anti-rabbit, CF488A donkey anti-rabbit, CF555 goat anti-mouse, CF555 donkey anti-goat, EverBrite; IHC)

Maenohara, S., et al. Role of UHRF1 in de novo DNA methylation in oocytes and maintenance methylation in preimplantation embryos. PLoS Genet 13(10), e1007042, (2017), DOI: 10.1371/journal.pgen.1007042 (CF488A donkey anti-rabbit, CF488A donkey anti-rat and CF594 donkey anti-rabbit)

Mahassni, S. H. and Al-Reemi, R. M. Apoptosis and necrosis of human breast cancer cells by an aqueous extract of garden cress (Lepidium sativum) seeds. Saudi Journal of Biological Sciences 20(2), 131-139, (2013), DOI: DOI: http://dx.doi.org/10.1016/j.sjbs.2012.12.002 (CF488A Annexin V; ICC, FC)

Martineau, L., et al. Lymphoblastoids cell lines - Derived iPSC line from a 26-year-old myotonic dystrophy type 1 patient carrying (CTG)200 expansion in the DMPK gene: CHUQi001-A. Stem Cell Res 26, 103-106, (2018), DOI: 10.1016/j.scr.2017.12.010 (CF488A goat anti-mouse)

Matsuda, K., et al. Granule cells control recovery from classical conditioned fear responses in the zebrafish cerebellum. Sci Rep 7(1), 11865, (2017), DOI: 10.1038/s41598-017-10794-0 (CF488A goat anti-rabbit)

Meadows, M. K., et al. Boronic Acid Mediated Coupling of Catechols and N-Hydroxylamines: A Bioorthogonal Reaction to Label Peptides. Org Lett 19(12), 3179-3182, (2017), DOI: 10.1021/acs.orglett.7b01198 (CF488A aminooxy)

Mercier, L., et al. In vivo imaging of skeletal muscle in mice highlights muscle defects in a model of myotubular myopathy. Intravital 5(1), e1168553, (2016), DOI: 10.1080/21659087.2016.1168553 (CF488A alpha-bungarotoxin, 2-photon)

Miyagishima, S. Y., et al. DipM is required for peptidoglycan hydrolysis during chloroplast division. BMC Plant Biol 14, 57, (2014), DOI: 1471-2229-14-57 [pii] 10.1186/1471-2229-14-57 (CF488A Mix-n-Stain, CF555 Mix-n-Stain; ICC)

Model, M. A. Methods for cell volume measurement. Cytometry A 93(3), 281-296, (2018), DOI: 10.1002/cyto.a.23152 (CF488A 10K Dextran)

Mohammadpour, R., et al. Comparative Endocytosis Mechanisms and Anticancer Effect of HPMA Copolymer- and PAMAM Dendrimer-MTCP Conjugates for Photodynamic Therapy. Macromol Biosci 17(4), (2017), DOI: 10.1002/mabi.201600333 (CF488A wheat germ agglutinin)

Montesinos-Rongen, M., et al. Primary Central Nervous System (CNS) Lymphoma B Cell Receptors Recognize CNS Proteins. J Immunol 195(3), 1312-1319, (2015), DOI: jimmunol.1402341 [pii] 10.4049/jimmunol.1402341 (Mix-n-Stain CF488A)

Morita, S., et al. Targeted DNA demethylation in vivo using dCas9-peptide repeat and scFv-TET1 catalytic domain fusions. Nat Biotechnol 34(10), 1060-1065, (2016), DOI: 10.1038/nbt.3658 (CF488A donkey anti-chicken & CF543 donkey anti-rabbit)

Myler, L. R., et al. Single-molecule imaging reveals the mechanism of Exo1 regulation by single-stranded DNA binding proteins. Proc Natl Acad Sci U S A 113(9), E1170-1179, (2016), DOI: 10.1073/pnas.1516674113 (CF488A anti-biotin)

DOMINIQUE DUTSCHER SAS

Nabeshima, Y., et al. Calpain 1 inhibitor BDA-410 ameliorates alpha-klotho-deficiency phenotypes resembling human aging-related syndromes. Sci Rep 4, 5847, (2014), DOI: srep05847 [pii] 10.1038/srep05847 (CF594 goat anti-rat & CF488 goat anti-chicken; IHC)

Nagata, Y., et al. Interleukin-1beta (IL-1beta)-induced Notch ligand Jagged1 suppresses mitogenic action of IL-1beta on human dystrophic myogenic cells. PLoS One 12(12), e0188821, (2017), DOI: 10.1371/journal.pone.0188821 (CF488A anti-Sheep)

Nahidiazar, L. and Harkes, R.Multicolor Localization-Based Super Resolution Microscopy. Methods Mol Biol 2350, 69-76, (2021), DOI: 10.1007/978-1-0716-1593-5_5 (CF488A, CF680, CF660C, CF514 SMLM)

Nakashima, H., et al. Canonical TGF-beta Signaling Negatively Regulates Neuronal Morphogenesis through TGIF/Smad Complex-Mediated CRMP2 Suppression. J Neurosci 38(20), 4791-4810, (2018), DOI: 10.1523/JNEUROSCI.2423-17.2018 (CF488A, CF555, CF647 secondaries)

Nakashima, H., et al. MeCP2 controls neural stem cell fate specification through miR-199a-mediated inhibition of BMP-Smad signaling. Cell Rep 35(7), 109124, (2021), DOI: 10.1016/j.celrep.2021.109124 (CF488A donkey anti-rabbit CF488A donkey anti-goat CF555 donkey anti-mouse CF555 donkey anti-rabbit CF555 donkey anti-guinea pig CF647 donkey anti-mouse and CF647 donkey anti-rat)

Niikura, K., et al. Endosomal escape efficiency of fusogenic B18 and B55 peptides fused with anti-EGFR single chain Fv as estimated by nuclear translocation. J Biochem 159(1), 123-132, (2016), DOI: 10.1093/jb/mvv083 (CF488A goat anti-mouse)

Nishimura, T., et al. DAAM1 stabilizes epithelial junctions by restraining WAVE complex-dependent lateral membrane motility. J Cell Biol 215(4), 559-573, (2016), DOI: 10.1083/jcb.201603107 (CF488A donkey anti-rat)

Noguchi, H., et al. Expression of DNMT1 in neural stem/precursor cells is critical for survival of newly generated neurons in the adult hippocampus. Neurosci Res 95, 1-11, (2015), DOI: S0168-0102(15)00033-4 [pii] 10.1016/j.neures.2015.01.014 (CF488A donkey anti-mouse, CF543 donkey anti-rabbit, CF568 donkey anti-rat, CF647 donkey anti-goat, CF647 donkey anti-rabbit)

Nomura, R., et al. Azidothymidine-triphosphate impairs mitochondrial dynamics by disrupting the quality control system. Redox Biol 13, 407-417, (2017), DOI: 10.1016/j.redox.2017.06.011 (CF488A goat anti-rabbit)

Oda, H., et al. Plasma microRNAs Are Potential Biomarkers of Acute Rejection After Hindlimb Transplantation in Rats. Transplant Direct 2(11), e108, (2016), DOI: 10.1097/TXD.0000000000000620 (CF488A and CF543 secondaries)

Ohira, M., et al. A novel anti-microtubule agent with carbazole and benzohydrazide structures suppresses tumor cell growth in vivo. Biochim Biophys Acta 1850(9), 1676-1684, (2015), DOI: 10.1016/j.bbagen.2015.04.013 (CF488A goat anti-rabbit, CF594 goat anti-mouse)

Okere, B., et al. In vitro differentiation of human amniotic epithelial cells into insulin-producing 3D spheroids. Int J Immunopathol Pharmacol 28(3), 390-402, (2015), DOI: 10.1177/0394632015588439 (CF488A goat anti-mouse)

Orme, M. H., et al. The unconventional myosin CRINKLED and its mammalian orthologue MYO7A regulate caspases in their signalling roles. Nat Commun 7, 10972, (2016), DOI: 10.1038/ncomms10972 (CF488A donkey anti-mouse, CF633 donkey anti-rabbit & CF633 donkey anti-goat)

DO NOT COPY BIOTIUM

Osteikoetxea, X., et al. Improved characterization of EV preparations based on protein to lipid ratio and lipid properties. PLoS One 10(3), e0121184, (2015), DOI: 10.1371/journal.pone.0121184 PONE-D-14-38407 [pii] (CF488A Mix-n-Stain)

Pang, J., et al. Step-by-step preparation of mouse eye sections for routine histology, immunofluorescence, and RNA in situ hybridization multiplexing. STAR Protoc 2, 100879, (2021), DOI: 10.1016/j.xpro.2021.100879 (CF488A DAMs, CF568 DARb, CF488A DAGt)

Parekh, N. J., et al. Type I interferon-dependent CCL4 is induced by a cGAS/STING pathway that bypasses viral inhibition and protects infected tissue, independent of viral burden. PLoS Pathog 15(10), e1007778, (2019), DOI: 10.1371/journal.ppat.1007778 (CF488A wheat germ agglutinin)

Park, K. S., et al. A crucial requirement for Hedgehog signaling in small cell lung cancer. Nat Med 17(11), 1504-1508, (2011), DOI: DOI:10.1038/nm.2473 (Mix-n-Stain CF488A, Mix-n-Stain CF568, and Mix-n-Stain CF647; ICC)

Petrelli, A., et al. Efficient Conjugation of Oligosaccharides to Polymer Particles through Furan/Maleimide Diels-Alder Reaction: Application to the Capture of Carbohydrate-Binding Proteins. Chembiochem 18(2), 206-212, (2017), DOI: 10.1002/cbic.201600509 (CF488A, CF568 Mix-n-Stain

Peixoto-Neves, D., et al. KV7.1 channel blockade inhibits neonatal renal autoregulation triggered by a step decrease in arterial pressure. Am J Physiol Renal Physiol 322(2), F197-F207, (2022), DOI: 10.1152/ajprenal.00568.2020 (CF488A donkey anti-rabbit & CF555 donkey anti-goat)

Platt, J. L., et al. C3d regulates immune checkpoint blockade and enhances antitumor immunity. JCI Insight 2(9), (2017), DOI: 10.1172/jci.insight.90201 (CF488A donkey anti-rat and CF555 donkey anti-goat)

Polidoro, G., et al. Substance P and the neurokinin-1 receptor expression in dog ileum with and without inflammation. Res Vet Sci 114, 297-307, (2017), DOI: 10.1016/j.rvsc.2017.06.002 (CF488A donkey anti-mouse)

Pons, M., et al. Phosphorylation of filamin A regulates chemokine receptor CCR2 recycling. J Cell Sci 130(2), 490-501, (2017), DOI: 10.1242/jcs.193821 (CF488A, CF568 Mix-n-Stain)

Prapa, E., et al. Effect of Anti-Mullerian hormone (AMH) and bone morphogenetic protein 15 (BMP-15) on steroidogenesis in primary-cultured human luteinizing granulosa cells through Smad5 signalling. J Assist Reprod Genet 32(7), 1079-1088, (2015), DOI: 10.1007/s10815-015-0494-2 (CF488A donkey anti-rabbit & CF594 donkey anti-mouse)

Qian, M., et al. Unraveling of a Neutralization Mechanism by Two Human Antibodies against Conserved Epitopes in the Globular Head of H5 Hemagglutinin. J Virol 87(6), 3571-3577, (2013), DOI: DOI:10.1128/JVI.01292-12 (CF488A goat anti-human IgG; IHC)

Rahman, A., et al. GMAP is an Atg8a-interacting protein that regulates Golgi turnover in Drosophila. Cell Rep 39, 110903, (2022), DOI: 10.1016/j.celrep.2022.110903 (CF488A, CF568 secondaries, fluorescence microscopy)

Raynes, J. K., et al. Coaggregation of kappa-Casein and beta-Lactoglobulin Produces Morphologically Distinct Amyloid Fibrils. Small 13(14), (2017), DOI: 10.1002/smll.201603591 (CF488A maleimide CF647 maleimide)

DOMINIQUE DUTSCHER SAS

Ren, J., et al. Sirt1 Protects Subventricular Zone-Derived Neural Stem Cells from DNA Double-Strand Breaks and Contributes to Olfactory Function Maintenance in Aging Mice. Stem Cells 40, 493-507, (2022), DOI: 10.1093/stmcls/sxac008 (CF488A, CF543, CF633 secondaries. fluorescence microscopy)

Ren, S., et al. Anti-proliferative effect of 23,24-dihydrocucurbitacin F on human prostate cancer cells through induction of actin aggregation and cofilin-actin rod formation. Cancer Chemother Pharmacol 70(3), 415, (2012), DOI: DOI:10.1007/s00280-012-1921-z (CF488A goat anti-mouse, CF568 goat anti-rabbit; ICC)

Ritzenthaler, J. D., et al. Nicotinic Acetylcholine Receptors are Sensors for Ethanol in Lung Fibroblasts. Alcohol Clin Exp Res 37(6), 914, (2013), DOI: DOI:10.1111/acer.12044 (CF488A a-Bungarotoxin; ICC)

Rizzi, F., et al. Polyphenon E(R), a standardized green tea extract, induces endoplasmic reticulum stress, leading to death of immortalized PNT1a cells by anoikis and tumorigenic PC3 by necroptosis. Carcinogenesis 35(4), 828, (2014), DOI: bgt481 [pii] 10.1093/carcin/bgt481 (CF488A goat anti-mouse; IHC)

Ruiz, R., et al. alpha-Synuclein A30P decreases neurodegeneration and increases synaptic vesicle release probability in CSPalpha-null mice. Neuropharmacology 76 Pt A, 106-117, (2014), DOI: S0028-3908(13)00399-7 [pii] 10.1016/j.neuropharm.2013.08.032 (CF488A donkey anti-rabbit & CF488A donkey anti-mouse; IHC)

Russell, D. F., et al. Lectin binding and gel secretion within Lorenzinian electroreceptors of Polyodon. PLoS One 17, e0276854, (2022), DOI: 10.1371/journal.pone.0276854 (CF488A WGA, fluorescence microscopy)

Sadeghinezhad, J., et al. Neurochemistry of myenteric plexus neurons of bank vole (Myodes glareolus) ileum. Res Vet Sci 95(3), 846-853, (2013), DOI: S0034-5288(13)00278-6 [pii] 10.1016/j.rvsc.2013.07.028 (CF488A goat anti-mouse, goat anti-rabbit, goat anti-rat; IHC)

Saito, M., et al. Tctex-1 controls ciliary resorption by regulating branched actin polymerization and endocytosis. EMBO Rep 18(8), 1460-1472, (2017), DOI: 10.15252/embr.201744204 (CF488A anti-chicken)

Sawaguchi, S., et al. O-GlcNAc on NOTCH1 EGF repeats regulates ligand-induced Notch signaling and vascular development in mammals. Elife 6, (2017), DOI: 10.7554/eLife.24419 (CF488A donkey anti-goat, CF640R donkey anti-rat and CF488A streptavidin)

Schafer, N., et al. Complement Regulator FHR-3 Is Elevated either Locally or Systemically in a Selection of Autoimmune Diseases. Front Immunol 7, 542, (2016), DOI: 10.3389/fimmu.2016.00542 (CF488A goat anti-mouse)

Schmidt, C., et al.The Dual Role of a Polyvalent IgM/IgA-Enriched Immunoglobulin Preparation in Activating and Inhibiting the Complement System. Biomedicines 9(7), (2021), DOI: 10.3390/biomedicines9070817 (CF488A DAGt CF568 donkey anti-mouse, western blotting)

Seo, J., et al. PICASSO allows ultra-multiplexed fluorescence imaging of spatially overlapping proteins without reference spectra measurements. Nat Commun 13, 2475, (2022), DOI: 10.1038/s41467-022-30168-z (CF405S, CF405M, CF405L, CF488A, CF568, CF633, CF660R, CF680R)

Sevenich, M., et al. Development of an alpha-synuclein fibril and oligomer specific tracer for diagnosis of Parkinson's disease, dementia with Lewy bodies and multiple system atrophy. Neurochem Int 161, 105422, (2022), DOI: 10.1016/j.neuint.2022.105422 (CF488A SE, CF633 maleimide)

DOMINIQUE DUTSCHER SAS

Sheth, V., et al. Quantifying Intracellular Nanoparticle Distributions with Three-Dimensional Super-Resolution Microscopy. ACS Nano 17, 8376-8392, (2023), DOI: 10.1021/acsnano.2c12808 (CF488A WGA, fluorescence microscopy)

Sheu, J. R., et al. A novel indication of platonin, a therapeutic immunomodulating medicine, on neuroprotection against ischemic stroke in mice. Sci Rep 7, 42277, (2017), DOI: 10.1038/srep42277 (CF488A donkey anti-mouse, CF488A donkey anti-rabbit, CF594 donkey anti-mouse and CF594 donkey anti-rabbit)

Shi, L., et al. Non-thermal plasma induces a stress response in mesothelioma cells resulting in increased endocytosis, lysosome biogenesis and autophagy. Free Radic Biol Med 108, 904-917, (2017), DOI: 10.1016/j.freeradbiomed.2017.04.368 (CF488A & CF568 secondaries)

Shibata, T., et al. Crosslinking of a Peritrophic Matrix Protein Protects Gut Epithelia from Bacterial Exotoxins. PLoS Pathog 11(10), e1005244, (2015), DOI: 10.1371/journal.ppat.1005244 (CF488A goat anti-mouse, CF568 goat anti-mouse and CF568 goat anti-rabbit)

Shiimori, M., et al. A specific set of exon junction complex subunits is required for the nuclear retention of unspliced RNAs in Caenorhabditis elegans. Mol Cell Biol 33(2), 444-456, (2013), DOI: MCB.01298-12 [pii] 10.1128/MCB.01298-12 (CF488A phalloidin; ICC)

Shimizu, K., et al. Three-Dimensional Culture Model of Skeletal Muscle Tissue with Atrophy Induced by Dexamethasone. Bioengineering (Basel) 4(2), (2017), DOI: 10.3390/bioengineering4020056 (CF488A goat anti-rabbit)

Shiozaki, H. M. and Kazama, H. Parallel encoding of recent visual experience and self-motion during navigation in Drosophila. Nat Neurosci 20(10), 1395-1403, (2017), DOI: 10.1038/nn.4628 (CF488A anti-rat, CF633 anti-mouse and CF633 anti-rabbit)

Shuto, T., et al. Increase in receptor activator of nuclear factor kappaB ligand/osteoprotegerin ratio in peri-implant gingiva exposed to Porphyromonas gingivalis lipopolysaccharide. J Dent Sci 11(1), 8-16, (2016), DOI: 10.1016/j.jds.2015.10.005 (CF488A goat anti-rabbit)

Smith, P. L., et al. Neonatal peripheral immune challenge activates microglia and inhibits neurogenesis in the developing murine hippocampus. Dev Neurosci 36(2), 119-131, (2014), DOI: 000359950 [pii] 10.1159/000359950 (CF555 donkey anti-goat, CF488A donkey anti-chicken & CF647 donkey anti-mouse; IHC)

Somiya, M., et al. Intracellular trafficking of bio-nanocapsule-liposome complex: Identification of fusogenic activity in the pre-S1 region of hepatitis B virus surface antigen L protein. J Control Release 212, 10-18, (2015), DOI: 10.1016/j.jconrel.2015.06.012 (CF488A succinimidyl ester)

Steijven, K., et al. Learning performance and brain structure of artificially-reared honey bees fed with different quantities of food. PeerJ 5, e3858, (2017), DOI: 10.7717/peerj.3858 (CF488A goat anti-mouse)

Stein, E., et al. In vitro and in vivo uptake study of Escherichia coli Nissle 1917 bacterial ghosts: cell-based delivery system to target ocular surface diseases. Invest Ophthalmol Vis Sci 54(9), 6326-6333, (2013), DOI: iovs.13-12044 [pii] 10.1167/iovs.13-12044 (CF488A goat anti-rabbit; IHC)

Steinman, M. Q., et al. Hypothalamic vasopressin systems are more sensitive to the long term effects of social defeat in males versus females. Psychoneuroendocrinology 51, 122-134, (2015), DOI: 10.1016/j.psyneuen.2014.09.009 (CF488A donkey anti-guinea pig)

DOMINIQUE DUTSCHER SAS

Sundberg, S. C. and Granseth, B. Cre-expressing neurons in the cortical white matter of Ntsr1-Cre GN220 mice. Neurosci Lett 675, 36-40, (2018), DOI: 10.1016/j.neulet.2018.03.053 (CF488A donkey anti-guinea pig)

Takenaka, N., et al. A critical role of the small GTPase Rac1 in Akt2-mediated GLUT4 translocation in mouse skeletal muscle. FEBS J 281(5), 1493-1504, (2014), DOI: 10.1111/febs.12719 (CF488A, CF543, CF647 goat anti-mouse, goat anti-rabbit, goat anti-rat; ICC)

Takenaka, N., et al. Rac1 Activation Caused by Membrane Translocation of a Guanine Nucleotide Exchange Factor in Akt2-Mediated Insulin Signaling in Mouse Skeletal Muscle. PLoS One 11(5), e0155292, (2016), DOI: 10.1371/journal.pone.0155292 (CF405, CF488A, CF543 & CF647 IHF)

Tanaka, K., et al. A novel acylaminoimidazole derivative, WN1316, alleviates disease progression via suppression of glial inflammation in ALS mouse model. PLoS One 9(1), e87728, (2014), DOI: 10.1371/journal.pone.0087728, PONE-D-13-43248 [pii] (CF488A goat anti-mouse; ICC)

Tapia-Lopez, L. V., et al. Plasma and chemical treatments of zirconia surface for cell response improvement: A comparative study. Materials Letters 303, (2021), DOI: 10.1016/j.matlet.2021.130518 (CF488A phalloidin)

Thiede, B. R. and Corwin, J. T. Permeation of fluorophore-conjugated phalloidin into live hair cells of the inner ear is modulated by P2Y receptors. J Assoc Res Otolaryngol 15(1), 13-30, (2014), DOI: 10.1007/s10162-013-0425-9 (CF488A phalliodin, CF488A amine)

Toth, R., et al. CpG distribution and methylation pattern in porcine parvovirus. PLoS One 8(12), e85986, (2013), DOI: 10.1371/journal.pone.0085986, PONE-D-13-31047 [pii] (CF488A goat anti-rabbit; ICC)

Trofimenko, E., et al. The endocytic pathway taken by cationic substances requires Rab14 but not Rab5 and Rab7. Cell Rep 37, 109945, (2021), DOI: 10.1016/j.celrep.2021.109945 (CF405M, CF488A, CF594, CF647, Mix-n-Stain)

Troidl, K., et al. Actin-binding rho activating protein (Abra) is essential for fluid shear stress-induced arteriogenesis. Arterioscler Thromb Vasc Biol 29(12), 2093-2101, (2009), DOI: DOI:10.1161/ATVBAHA.109.195305 (CF488A goat anti-rabbit IgG; ICC, IHC)

von Walden, F., et al. Mechanical loading induces the expression of a Pol I regulon at the onset of skeletal muscle hypertrophy. Am J Physiol Cell Physiol 302(10), C1523-1530, (2012), DOI: DOI:10.1152/ajpcell.00460.2011 (CF488A goat anti-mouse IgG, CF633 goat anti-rabbit IgG; ICC, IHC)

Voulgaridou, G. P., et al. Aldehyde dehydrogenase 3A1 promotes multi-modality resistance and alters gene expression profile in human breast adenocarcinoma MCF-7 cells. Int J Biochem Cell Biol 77(Pt A), 120-128, (2016), DOI: 10.1016/j.biocel.2016.06.004 (CF488A goat anti-mouse)

Vullo, S., et al. Conformational dynamics and role of the acidic pocket in ASIC pH-dependent gating. Proc Natl Acad Sci U S A 114(14), 3768-3773, (2017), DOI: 10.1073/pnas.1620560114 (CF488A maleimide)

Wang, K., et al. Ultralow-Fouling Zwitterionic Polyurethane-Modified Membranes for Rapid Separation of Plasma from Whole Blood. Langmuir 37(33), 10115-10125, (2021), DOI: 10.1021/acs.langmuir.1c01477 (CF488A wheat germ agglutinin)

Wang, X., et al. Quantitative proteomic analysis of age-related subventricular zone proteins associated with neurodegenerative disease. Sci Rep 6, 37443, (2016), DOI: 10.1038/srep37443 (CF488A & CF543 secondaries)

DOMINIQUE DUTSCHER SAS

Wang, Y., et al. Cucurbitacin IIb exhibits anti-inflammatory activity through modulating multiple cellular behaviors of mouse lymphocytes. PLoS One 9(2), e89751, (2014), DOI: 10.1371/journal.pone.0089751, PONE-D-13-38697 [pii] (CF488A goat anti-mouse, CF568 goat anti-rabbit; ICC)

Watari, K., et al. Tumor-derived interleukin-1 promotes lymphangiogenesis and lymph node metastasis through M2-type macrophages. PLoS One 9(6), e99568, (2014), DOI: 10.1371/journal.pone.0099568, PONE-D-13-45479 [pii] (CF488A donkey anti-rat & CF594 donkey anti-rabbit; IHC)

Wei, Y., et al. Synergistic Entry of Individual Nanoparticles into Mammalian Cells Driven by Free Energy Decline and Regulated by Their Sizes. ACS Nano 16, 5885-5897, (2022), DOI: 10.1021/acsnano.1c11068 (CF488A, CF555, CF647 SE, nanoparticle labeling, fluorescence microscopy)

West, A. B., et al. Differential LRRK2 expression in the cortex, striatum, and substantia nigra in transgenic and nontransgenic rodents. J Comp Neurol 522(11), 2465-2480, (2014), DOI: 10.1002/cne.23583 (CF555 donkey anti-rabbit & CF488A donkey anti-mouse; IHC)

Wieduwild, R., et al. Minimal Peptide Motif for Non-covalent Peptide-Heparin Hydrogels. J Am Chem Soc 135(8), 2919-2922, (2013), DOI: DOI:10.1021/ja312022u (CF488A phalloidin; IHC)

Wienand, K. and Shires, K. The use of MAGE C1 and flow cytometry to determine the malignant cell type in multiple myeloma. PLoS One 10(3), e0120734, (2015), DOI: 10.1371/journal.pone.0120734, PONE-D-14-44112 [pii] (CF488A flow)

Wu, S., et al. AUF1 is recruited to the stress granules induced by coxsackievirus B3. Virus Res 192, 52-61, (2014), DOI: S0168-1702(14)00331-1 [pii] 10.1016/j.virusres.2014.08.003 (CF488A goat anti-rabbit, CF555 goat anti-mouse & CF555 goat anti-rabbit; ICC)

Xu, Y., et al. Arabidopsis MRG domain proteins bridge two histone modifications to elevate expression of flowering genes. Nucleic Acids Res 42(17), 10960-10974, (2014), DOI: 10.1093/nar/gku781 (CF488A goat anti-rabbit & CF555 goat anti-mouse)

Xu, Z., et al. Mucosal immunoglobulins at respiratory surfaces mark an ancient association that predates the emergence of tetrapods. Nat Commun 7, 10728, (2016), DOI: 10.1038/ncomms10728 (CF488A, CF555 & CF640R Mix-n-Stain)

Xu, Z., et al. Teleost skin, an ancient mucosal surface that elicits gut-like immune responses. Proc Natl Acad Sci U S A 110(32), 13097-13102, (2013), DOI: 1304319110 [pii] 10.1073/pnas.1304319110 (CF488A Mix-n-Stain, CF555, CF640R; IHC)

Yamagami, K., et al. Preimplantation embryo-secreted factors modulate maternal gene expression in rat uterus. Cell Tissue Res 364(2), 453-463, (2016), DOI: 10.1007/s00441-015-2336-z (CF488A goat anti-rabbit)

Yamamoto, S., et al. Contribution of calumin to embryogenesis through participation in the endoplasmic reticulum-associated degradation activity. Dev Biol 393(1), 33-43, (2014), DOI: S0012-1606(14)00320-0 [pii] 10.1016/j.ydbio.2014.06.024 (CF488A Mix-n-Stain, CF568 Mix-n-Stain; IHC)

Yamashita, A., et al. Increased metabolite levels of glycolysis and pentose phosphate pathway in rabbit atherosclerotic arteries and hypoxic macrophage. PLoS One 9(1), e86426, (2014), DOI: 10.1371/journal.pone.0086426, PONE-D-13-24660 [pii] (CF488A Mix-n-Stain, CF594 Mix-n-Stain; IHC)

DOMINIQUE DUTSCHER SAS

Yang, J., et al. Transcriptomic profiling of Alternaria longipes invasion in tobacco reveals pathogenesis regulated by AlHK1, a group III histidine kinase. Sci Rep 7(1), 16083, (2017), DOI: 10.1038/s41598-017-16401-6 (CF488A wheat germ agglutinin fungi in plants)

Yang, R., et al. Cellular biophysical dynamics and ion channel activities detected by AFM-based nanorobotic manipulator in insulinoma beta-cells. Nanomedicine 9(5), 636, (2012), DOI: DOI:10.1016/j.nano.2012.10.011 (CF488A phalloidin; ICC)

Yang, W., et al. Regulation of Meristem Morphogenesis by Cell Wall Synthases in Arabidopsis. Curr Biol 26(11), 1404-1415, (2016), DOI: 10.1016/j.cub.2016.04.026 (CF488A & CF568 secondaries)

Yang, Y., et al. Regulation of Viral RNA Synthesis by the V Protein of Parainfluenza Virus 5. J Virol 89(23), 11845-11857, (2015), DOI: 10.1128/JVI.01832-15 (CF488A anti-FLAG)

Yasuda, M., et al. In utero intraocular AAV injection for early gene expression in the developing rodent retina. STAR Protoc 2(3), 100742, (2021), DOI: 10.1016/j.xpro.2021.100742 (CF488A CTB)

Yasuga, H., et al. Fluid interfacial energy drives the emergence of three-dimensional periodic structures in micropillar scaffolds. Nature Physics, (2021), DOI: 10.1038/s41567-021-01204-4 (CF488A GAMs1 and CF488A ConA)

Yi, W., et al. CRISPR-assisted detection of RNA-protein interactions in living cells. Nat Methods 17(7), 685-688, (2020), DOI: 10.1038/s41592-020-0866-0 (CF488A secondary)

Yin, C. and Li, P. Growth Suppression of Glioma Cells Using HDAC6 Inhibitor, Tubacin. Open Med (Wars) 13, 221-226, (2018), DOI: 10.1515/med-2018-0034 (CF488A goat anti-rabbit CF568 goat anti-mouse)

Yoshimura, T., et al. Mouse GTSF1 is an essential factor for secondary piRNA biogenesis. EMBO Rep 19(4), (2018), DOI: 10.15252/embr.201642054 (CF488A succinimidyl ester)

Yuan, L., et al. Crystal structures reveal catalytic and regulatory mechanisms of the dual-specificity ubiquitin/FAT10 E1 enzyme Uba6. Nat Commun 13, 4880, (2022), DOI: 10.1038/s41467-022-32613-5 (CF488A maleimide, enzime kenetics assay)

Zanetti-Domingues, L. C., et al. Hydrophobic fluorescent probes introduce artifacts into single molecule tracking experiments due to non-specific binding. PLoS One 8(9), e74200, (2013), DOI: 10.1371/journal.pone.0074200, PONE-D-13-17594 [pii] (CF488A, CF568, CF633 & CF640R maleimide, TIRF)

Zha, Q. B., et al. Cucurbitacin E Induces Autophagy via Downregulating mTORC1 Signaling and Upregulating AMPK Activity. PLoS One 10(5), e0124355, (2015), DOI: 10.1371/journal.pone.0124355 (CF488A goat anti-mouse & CF568 goat anti-rabbit)

Zhang, M., et al. A high M1/M2 ratio of tumor-associated macrophages is associated with extended survival in ovarian cancer patients. J Ovarian Res 7(1), 19, (2014), DOI: 1757-2215-7-19 [pii], 10.1186/1757-2215-7-19 (CF350, CF488A labeled primaries; IHC)

Zhang, Y., et al. Deep-brain magnetic stimulation promotes adult hippocampal neurogenesis and alleviates stress-related behaviors in mouse models for neuropsychiatric disorders. Mol Brain 7, 11, (2014), DOI: 1756-6606-7-11 [pii] 10.1186/1756-6606-7-11 (CF488A goat anti-mouse & CF555 donkey anti-mouse; IHC)

DOMINIQUE DUTSCHER SAS

Zhang, Y. T., et al. Formation of cofilin-actin rods following cucurbitacin-B-induced actin aggregation depends on slingshot homolog 1-mediated cofilin hyperactivation. J Cell Biochem 114(10), 2415, (2013), DOI: DOI:10.1002/jcb.24587 (CF488A goat anti-mouse, CF568 goat anti-rabbit; ICC)

Zhang, Y. T., et al. VASP activation via the Galpha13/RhoA/PKA pathway mediates cucurbitacin-B-induced actin aggregation and cofilin-actin rod formation. PLoS One 9(4), e93547, (2014), DOI: 10.1371/journal.pone.0093547, PONE-D-13-34310 [pii] (CF488A goat anti-mouse, CF568 goat anti-rabbit; ICC)

Zhou, H. and Liu, G. Regulation of density of functional presynaptic terminals by local energy supply. Mol Brain 8, 42, (2015), DOI: 10.1186/s13041-015-0132-z (CF488A, CF555 & CF640R secondaries, MitoView 633)

Zhu, J. S., et al. Cucurbitacin B induces cell cycle arrest, apoptosis and autophagy associated with G actin reduction and persistent activation of cofilin in Jurkat cells. Pharmacology 89(5-6), 348-346, (2012), DOI: DOI:10.1159/000338757 (CF488A goat anti-mouse, CF568 goat anti-rabbit; ICC)

Zong, G., et al. Total Synthesis and Biological Evaluation of Ipomoeassin F and Its Unnatural 11R-Epimer. J Org Chem 80(18), 9279-9291, (2015), DOI: 10.1021/acs.joc.5b01765 (CF488A Annexin V)

CF®514

Chen, K., et al. Excitation spectral microscopy for highly multiplexed fluorescence imaging and quantitative biosensing. bioRxiv, (2021), DOI: 10.1101/2021.04.13.439576 (CF532 wheat germ agglutinin CF514SE and CF568SE)

Chen, K., et al. Super-multiplexing excitation spectral microscopy with multiple fluorescence bands. Biomed Opt Express 13, 6048-6060, (2022), DOI: 10.1364/BOE.473241 (CF583R, CF620R, CF514, LipidSpot488, super-resolution, Excitation spectral microscopy)

Nahidiazar, L. and Harkes, R. Multicolor Localization-Based Super Resolution Microscopy. Methods Mol Biol 2350, 69-76, (2021), DOI: 10.1007/978-1-0716-1593-5_5 (CF488A, CF680, CF660C, CF514 SMLM)

Stoltzfus, C. R., et al. CytoMAP: A Spatial Analysis Toolbox Reveals Features of Myeloid Cell Organization in Lymphoid Tissues. Cell Rep 31(3), 107523, (2020), DOI: 10.1016/j.celrep.2020.107523 (CF750, CF594, CF514, CF633 Mix-n-Stain)

CF®532

Chen, K., et al. Excitation spectral microscopy for highly multiplexed fluorescence imaging and quantitative biosensing. bioRxiv, (2021), DOI: 10.1101/2021.04.13.439576 (CF532 wheat germ agglutinin CF514SE and CF568SE)

Sainski, A. M., et al. Casp8p41 generated by HIV protease kills CD4 T cells through direct Bak activation. J Cell Biol 207(1), 159, (2014), DOI: jcb.20140505109252014c [pii] 10.1083/jcb.20140505109252014c (CF640R Mix-n-Stain; FC)

CF®543

Ara, A., et al. Mechanism of Enhanced HIV Restriction by Virion Coencapsidated Cytidine Deaminases APOBEC3F and APOBEC3G. J Virol 91(3), (2017), DOI: 10.1128/JVI.02230-16 (CF543 Rabbit anti-V5 & CF640R rabbit anti-human)

DOMINIQUE DUTSCHER SAS

Bonafede, R., et al. ASC-Exosomes Ameliorate the Disease Progression in SOD1(G93A) Murine Model Underlining Their Potential Therapeutic Use in Human ALS. Int J Mol Sci 21(10), (2020), DOI: 10.3390/ijms21103651 (CF543 alpha-bungarotoxin)

Chen, Y., et al. Turtle interacts with borderless in regulating glial extension and axon ensheathment. Mol Brain 10(1), 17, (2017), DOI: 10.1186/s13041-017-0299-6 (CF543 donkey anti-mouse)

Chen, Z. H., et al. Characterization of interstitial Cajal progenitors cells and their changes in Hirschsprung's disease. PLoS One 9(1), e86100, (2014), DOI: 10.1371/journal.pone.0086100, PONE-D-13-26924 [pii] (CF488A donkey anti-rabbit, CF543 biotin anti-goat, CF633 donkey anti-mouse; IHC)

Held, R. G., et al. Synapse and Active Zone Assembly in the Absence of Presynaptic Ca(2+) Channels and Ca(2+) Entry. Neuron 107(4), 667-683 e669, (2020), DOI: 10.1016/j.neuron.2020.05.032 (CF555 donkey anti-mouse 3D STORM)

Ito, H., et al. Expression analyses of Phactr1 (phosphatase and actin regulator 1) during mouse brain development. Neurosci Res 128, 50-57, (2018), DOI: 10.1016/j.neures.2017.08.002 (CF488A goat anti-rabbit & CF543 goat anti-mouse)

Kijani, S., et al. Filter-Dense Multicolor Microscopy. PLoS One 10(3), e0119499, (2015), DOI: 10.1371/journal.pone.0119499, PONE-D-14-20661 [pii] (CF488A, CF543, CF594)

Lannin, T. B., et al. Comparison and optimization of machine learning methods for automated classification of circulating tumor cells. Cytometry A 89(10), 922-931, (2016), DOI: 10.1002/cyto.a.22993 (CF543 pan anti-cytokeratin & CF594 Mix-n-Stain)

Louzada, S., et al. Fluorescence In Situ Hybridization onto DNA Fibres Generated Using Molecular Combing. Fluorescence In Situ Hybridization (FISH). pp. 275-293, (2017), DOI: 10.1007/978-3-662-52959-1_31 (CF543 succinimidyl ester)

Morita, S., et al. Targeted DNA demethylation in vivo using dCas9-peptide repeat and scFv-TET1 catalytic domain fusions. Nat Biotechnol 34(10), 1060-1065, (2016), DOI: 10.1038/nbt.3658 (CF488A donkey anti-chicken & CF543 donkey anti-rabbit)

Noguchi, H., et al. Expression of DNMT1 in neural stem/precursor cells is critical for survival of newly generated neurons in the adult hippocampus. Neurosci Res 95, 1-11, (2015), DOI: S0168-0102(15)00033-4 [pii] 10.1016/j.neures.2015.01.014 (CF488A donkey anti-mouse, CF543 donkey anti-rabbit, CF568 donkey anti-rat, CF647 donkey anti-goat, CF647 donkey anti-rabbit)

Oda, H., et al. Plasma microRNAs Are Potential Biomarkers of Acute Rejection After Hindlimb Transplantation in Rats. Transplant Direct 2(11), e108, (2016), DOI: 10.1097/TXD.0000000000000620 (CF488A and CF543 secondaries)

Ren, J., et al. Sirt1 Protects Subventricular Zone-Derived Neural Stem Cells from DNA Double-Strand Breaks and Contributes to Olfactory Function Maintenance in Aging Mice. Stem Cells 40, 493-507, (2022), DOI: 10.1093/stmcls/sxac008 (CF488A, CF543, CF633 secondaries, fluorescence microscopy)

Takenaka, N., et al. A critical role of the small GTPase Rac1 in Akt2-mediated GLUT4 translocation in mouse skeletal muscle. FEBS J 281(5), 1493-1504, (2014), DOI: 10.1111/febs.12719 (CF488A, CF543, CF647 goat anti-mouse, goat anti-rabbit, goat anti-rat; ICC)

DOMINIQUE DUTSCHER SAS

Takenaka, N., et al. Rac1 Activation Caused by Membrane Translocation of a Guanine Nucleotide Exchange Factor in Akt2-Mediated Insulin Signaling in Mouse Skeletal Muscle. PLoS One 11(5), e0155292, (2016), DOI: 10.1371/journal.pone.0155292 (CF405, CF488A, CF543 & CF647 IHF)

Takenaka, N., et al. Role of the guanine nucleotide exchange factor in Akt2-mediated plasma membrane translocation of GLUT4 in insulin-stimulated skeletal muscle. Cell Signal 26(11), 2460-2469, (2014), DOI: S0898-6568(14)00221-6 [pii] 10.1016/j.cellsig.2014.07.002 (CF350, CF543 & CF647; ICC)

Takeuchi, H., et al. The efficacy of combining a vascularized biogenic conduit and a decellularized nerve graft in the treatment of peripheral nerve defects: An experimental study using the rat sciatic nerve defect model. Microsurgery 42, 254-264, (2022), DOI: 10.1002/micr.30853 (CF488A DARb, CF543 DAMs)

Thege, F. I., et al. Microfluidic immunocapture of circulating pancreatic cells using parallel EpCAM and MUC1 capture: characterization, optimization and downstream analysis. Lab Chip 14(10), 1775-1784, (2014), DOI: 10.1039/c4lc00041b (CF543 succinimidyl ester; fluorescence microscopy)

Wang, X., et al. Quantitative proteomic analysis of age-related subventricular zone proteins associated with neurodegenerative disease. Sci Rep 6, 37443, (2016), DOI: 10.1038/srep37443 (CF488A & CF543 secondaries)

CF®555

Accogli, G., et al. A lectin-based cell microarray approach to analyze the mammalian granulosa cell surface glycosylation profile. Glycoconj J 33(5), 717-724, (2016), DOI: 10.1007/s10719-016-9666-2 10.1007/s10719-016-9666-2 [pii] (CF555 streptavidin)

Alves, A. A., et al. Dynamics of the orphan myosin MyoF over Trypanosoma cruzi life cycle and along the endocytic pathway. Parasitol Int 86, 102444, (2022), DOI: 10.1016/j.parint.2021.102444 (CF555 BSA)

Avital-Shmilovici, M., et al. A Mega-high-throughput Screening Platform for the Discovery of Biologically Relevant Sequence-defined Non-natural polymers. ChemRxiv (2020). DOI: 10.26434/chemrxiv.13106069.v1 (CF555 succinimidyl ester)

Bago, J. R., et al.Therapeutically engineered induced neural stem cells are tumour-homing and inhibit progression of glioblastoma. Nat Commun 7, 10593, (2016), DOI: 10.1038/ncomms10593 (CF555 rabbit anti-goat)

Barboro, P., et al. Androgen receptor activity is affected by both nuclear matrix localization and the phosphorylation status of the heterogeneous nuclear ribonucleoprotein K in anti-androgen-treated LNCaP cells. PLoS One 8(11), e79212, (2013), DOI: 10.1371/journal.pone.0079212 PONE-D-13-18847 [pii] (CF555 donkey anti-mouse, CF633 donkey anti-rabbit; ICC)

Barboro, P., et al. The Role of Nuclear Matrix Proteins Binding to Matrix Attachment Regions (MARs) in Prostate Cancer Cell Differentiation. PLoS One 7(7), e40617, (2012), DOI: DOI:10.1371/journal.pone.0040617 (CF555 goat anti-mouse IgG, CF633 anti-rabbit IgG, CF555 streptavidin; ICC, FISH)

Bekiari, C., et al.Neurogenesis in the septal and temporal part of the adult rat dentate gyrus. Hippocampus 25(4), 511-523, (2015), DOI: 10.1002/hipo.22388 (CF488A goat anti-mouse & CF555 goat anti-rabbit)

BIOTIUM DUTSCHER SAS

Bertok, T., et al. Carboxybetaine Modified Interface for Electrochemical Glycoprofiling of Antibodies Isolated from Human Serum. Langmuir 31, 7148-7157, (2015), DOI: 10.1021/acs.langmuir.5b00944 (CF555 streptavidin, microarray (STED))

Bostrom, M., et al. The hippocampal neurovascular niche during normal development and after irradiation to the juvenile mouse brain. Int J Radiat Biol 90(9), 778-789, (2014), DOI: 10.3109/09553002.2014.931612 (CF555 donkey anti-goat; IHC)

Cantuti-Castelvetri, L., et al.Neuropilin-1 facilitates SARS-CoV-2 cell entry and infectivity. Science 370(6518), 856-860, (2020), DOI: 10.1126/science.abd2985 (CF488A, CF555, CF647)

Cruz, A., and Joseph, S. Interaction of the Influenza A Virus NS1 Protein with the 5'-m7G-mRNA.eIF4E.eIF4G1 Complex. Biochemistry 61, 1485-1494, (2022), DOI: 10.1021/acs.biochem.2c00019 (CF555 hydrazide (STED))

Dai, H. Q., et al. TET-mediated DNA demethylation controls gastrulation by regulating Lefty-Nodal signalling. Nature 538(7626), 528-532, (2016), DOI: 10.1038/nature20095 (CF555 Streptavidin)

Deo, D. I., et al. Biofunctionalization of PEGylated microcapsules for exclusive binding to protein substrates. Biomacromolecules 15(7), 2555-2562, (2014), DOI: 10.1021/bm500412d (CF555 Mix-n-Stain microcapsules; fluorescence microscopy)

Diamantopoulou, A., et al. Denial or receipt of expected reward through maternal contact during the neonatal period differentially affect the development of the rat amygdala and program its function in adulthood in a sex-dimorphic way. Psychoneuroendocrinology 38(9), 1757, (2013), DOI: DOI:10.1016/j.psyneuen.2013.02.012 (Mix-n-Stain CF488A, Mix-N-Stain CF555; IHC)

Farias, G. G., et al. Imaging the Polarized Sorting of Proteins from the Golgi Complex in Live Neurons. Methods Mol Biol 1496, 13-30, (2016), DOI: 10.1007/978-1-4939-6463-5_2 (CF488A, CF555 & CF640R Mix-n-Stain IF)

Gan, E. S., et al. Jumonji demethylases moderate precocious flowering at elevated temperature via regulation of FLC in Arabidopsis. Nat Commun 5, 5098, (2014), DOI: ncomms6098 [pii] 10.1038/ncomms6098 (CF488A goat anti-rabbit, CF555 goat anti-mouse; ICC)

Giannakopoulou, A., et al. Acute inflammation alters adult hippocampal neurogenesis in a multiple sclerosis mouse model. J Neurosci Res 91(7), 890-900, (2013), DOI: DOI:10.1002/jnr.23226 (CF555 streptavidin; TUNEL, IHC)

Gonzaga, A. C. R., et al. Profile of cell proliferation and apoptosis activated by the intrinsic and extrinsic pathways in the prostate of aging rats. Prostate 77(9), 937-948, (2017), DOI: 10.1002/pros.23349 (CF555 goat anti-mouse)

Gregorieff, A., et al. Yap-dependent reprogramming of Lgr5(+) stem cells drives intestinal regeneration and cancer. Nature 526(7575), 715-718, (2015), DOI: 10.1038/nature15382 (CF555 donkey anti-mouse & CF647 donkey anti-rabbit)

He, G. L., et al. Inhibition of HSP90beta by ganetespib blocks the microglial signalling of evoked pro-inflammatory responses to heat shock. Int J Biochem Cell Biol 106, 35-45, (2019), DOI: 10.1016/j.biocel.2018.11.003 (CF633 cytokeratin anti-chicken CF555 donkey anti-mouse)

DOMINIQUE DUTSCHER SAS

He, L., et al. C9orf72 functions in the nucleus to regulate DNA damage repair. Cell Death Differ 30, 716-730, (2023), DOI: 10.1038/s41418-022-01074-0 (CF555 alpha-bungarotoxin, fluorescence microscopy (STED))

Held, R. G., et al. Synapse and Active Zone Assembly in the Absence of Presynaptic Ca(2+) Channels and Ca(2+) Entry. Neuron 107(4), 667-683 e669, (2020), DOI: 10.1016/j.neuron.2020.05.032 (CF555 donkey anti-mouse 3D STORM)

Hu, M., et al. Parkinson's disease-risk protein TMEM175 is a proton-activated proton channel in lysosomes. Cell 185, 2292-2308 e2220, (2022), DOI: 10.1016/j.cell.2022.05.021 (CF555 dextran 10K, fluorescence microscopy (STED))

Ikemoto, H., et al. Hyaluronan-binding peptide for targeting peritoneal carcinomatosis. Tumour Biol 39(5), 1010428317701628, (2017), DOI: 10.1177/1010428317701628 (CF555SE)

Ise, H., et al. Engulfment and clearance of apoptotic cells based on a GlcNAc-binding lectin-like property of surface vimentin. Glycobiology 22(6), 788, (2012), DOI: DOI:10.1093/glycob/cws052 (CF488A goat anti-mouse IgG, CF488A donkey anti-rat IgG, CF555 donkey anti-rabbit IgG; ICC, IHC)

Jiang, L., et al. A bacterial extracellular vesicle-based intranasal vaccine against SARS-CoV-2 protects against disease and elicits neutralizing antibodies to wild-type and Delta variants. bioRxiv, (2022), DOI: 10.1101/2021.06.28.450181 (CF488A SE, CF555 SE, CF647 SE (STED))

Kawashima, Y., et al. Detection of DNA double-strand breaks by pulsed-field gel electrophoresis. Genes Cells 22(1), 84-93, (2017), DOI: 10.1111/gtc.12457 (CF555 donkey anti-rabbit & CF633 donkey anti-mouse)

Kesik, M., et al. A multi-functional fluorescent scaffold as a multi-colour probe: design and application in targeted cell imaging. RSC Advances 5(101), 83361-83367, (2015), DOI: 10.1039/c5ra16600d (CF555 Mix-n-Stain)

Kim, J., et al. Basolateral to Central Amygdala Neural Circuits for Appetitive Behaviors. Neuron 93(6), 1464-1479 e1465, (2017), DOI: 10.1016/j.neuron.2017.02.034 (CF555 streptavidin)

Kiratitanaporn, W., et al. 3D printing a biocompatible elastomer for modeling muscle regeneration after volumetric muscle loss. Biomater Adv 142, 213171, (2022), DOI: 10.1016/j.bioadv.2022.213171 (CF555 GAMs, CF555 GARb, CF488A phalloidin, fluorescence microscopy (STED))

Klimas, A., et al. Magnify is a universal molecular anchoring strategy for expansion microscopy. Nat Biotechnol 41, 858-869, (2023) DOI: 10.1038/s41587-022-01546-1 (CF555, super-resolution, ExM, STED)

Kumaran, G. K. and Hanukoglu, I. Identification and classification of epithelial cells in nephron segments by actin cytoskeleton patterns. FEBS J 287(6), 1176-1194, (2019), DOI: https://doi.org/10.1111/febs.15088 (CF488A phalloidin & CF555 wheat germ agglutinin)

Lehmann, M., et al. Novel organic dyes for multicolor localization-based super-resolution microscopy. J Biophotonics 9(1-2), 161-170, (2016), DOI: 10.1002/jbio.201500119 (CF555, CF568, CF647, CF680, STORM)

Lin, Z. P., et al. Macrophages Actively Transport Nanoparticles in Tumors After Extravasation. ACS Nano 16, 6080-6092, (2022), DOI: 10.1021/acsnano.1c11578 (CF555 GARt, CF647 DARb, 3D microscopy (STED))

DOMINIQUE DUTSCHER SAS

Lindberg, O. R., et al. Epidermal growth factor treatment of the adult brain subventricular zone leads to focal microglia/macrophage accumulation and angiogenesis. Stem Cell Reports 2(4), 440-448, (2014), DOI: 10.1016/j.stemcr.2014.02.003 S2213-6711(14)00055-1 [pii] (CF488A donkey anti-mouse CF555 donkey anti-rabbit,donkey anti-goat CF633 donkey anti-goat; IHC)

Lindberg, O. R., et al. EGF-Induced Expansion of Migratory Cells in the Rostral Migratory Stream. PLoS One 7(9), e46380, (2012), DOI: DOI:10.1371/journal.pone.0046380 (CF488A donkey anti-mouse IgG; CF555 donkey anti-goat IgG; CF555 donkey anti-rabbit IgG; CF633 donkey anti-goat IgG; IHC)

Lourbopoulos, A., et al. Changes in thyroid hormone receptors after permanent cerebral ischemia in male rats. J Mol Neurosci 54(1), 78-91, (2014), DOI: 10.1007/s12031-014-0253-3 (CF488A goat anti-rabbit, CF488A donkey anti-rabbit, CF555 goat anti-mouse, CF555 donkey anti-goat, EverBrite; IHC)

Lozada, A. F., et al. Glutamatergic Synapse Formation is Promoted by alpha7-Containing Nicotinic Acetylcholine Receptors. J Neurosci 32(22), 7651-7661, (2012), DOI: DOI:10.1523/JNEUROSCI.6246-11.2012 (CF555 donkey anti-rabbit, CF633 goat anti-guinea pig; IHC)

Martins-Santos, E., et al. Persistent testicular structural and functional alterations after exposure of adult rats to atrazine. Reprod Toxicol 73, 201-213, (2017), DOI: 10.1016/j.reprotox.2017.08.010 (CF555 goat anti-mouse)

Mikosik, A., et al. Expression of calpain-calpastatin system (CCS) member proteins in human lymphocytes of young and elderly individuals; pilot baseline data for the CALPACENT project. Immun Ageing 10(1), 27, (2013), DOI: DOI:10.1186/1742-4933-10-27 (Mix-n-Stain CF555; FC)

Miyagishima, S. Y., et al. DipM is required for peptidoglycan hydrolysis during chloroplast division. BMC Plant Biol 14, 57, (2014), DOI: 1471-2229-14-57 [pii] 10.1186/1471-2229-14-57 (CF488A Mix-n-Stain, CF555 Mix-n-Stain; ICC)

Nagornykh, A. M., et al. Protocol for chronic hepatitis B virus infection mouse model development by patient-derived orthotopic xenografts. PLoS One 17, e0264266, (2022), DOI: 10.1371/journal.pone.0264266 (CF555, Mix-n-Stain)

Nakashima, H., et al. Canonical TGF-beta Signaling Negatively Regulates Neuronal Morphogenesis through TGIF/Smad Complex-Mediated CRMP2 Suppression. J Neurosci 38(20), 4791-4810, (2018), DOI: 10.1523/JNEUROSCI.2423-17.2018 (CF488A, CF555, CF647 secondaries)

Nakashima, H., et al. MeCP2 controls neural stem cell fate specification through miR-199a-mediated inhibition of BMP-Smad signaling. Cell Rep 35(7), 109124, (2021), DOI: 10.1016/j.celrep.2021.109124 (CF488A donkey anti-rabbit CF488A donkey anti-goat CF555 donkey anti-mouse CF555 donkey anti-rabbit CF555 donkey anti-guinea pig CF647 donkey anti-mouse and CF647 donkey anti-rat)

Okada, S., et al. Localization of heat shock protein 110 in canine mammary gland tumors. Vet Immunol Immunopathol 167(3-4), 139-146, (2015), DOI: 10.1016/j.vetimm.2015.07.012 (CF555 goat anti-rabbit)

Pang, H. B., et al. An endocytosis pathway initiated through neuropilin-1 and regulated by nutrient availability. Nat Commun 5, 4904, (2014), DOI: ncomms5904 [pii] 10.1038/ncomms5904 (CF555 succinimidyl ester; nanoparticles)

Persson, A., et al. Radixin expression in microglia after cortical stroke lesion. Glia 61(5), 790-799, (2013), DOI: DOI:10.1002/glia.22473 (CF555 donkey anti-goat IgG; IHC)

DO NOT DUPLICATE

Peixoto-Neves, D., et al. KV7.1 channel blockade inhibits neonatal renal autoregulation triggered by a step decrease in arterial pressure. Am J Physiol Renal Physiol 322(2), F197-F207, (2022), DOI: 10.1152/ajprenal.00568.2020 (CF488A donkey anti-rabbit & CF555 donkey anti-goat)

Pillai, A. G., et al. Delayed effects of corticosterone on slow after-hyperpolarization potentials in mouse hippocampal versus prefrontal cortical pyramidal neurons. PLoS One 9(6), e99208, (2014), DOI: 10.1371/journal.pone.0099208 PONE-D-14-01195 [pii] (CF555 hydrazide; fluorescence microscopy)

Platt, J. L., et al. C3d regulates immune checkpoint blockade and enhances antitumor immunity. JCI Insight 2(9), (2017), DOI: 10.1172/jci.insight.90201 (CF488A donkey anti-rat and CF555 donkey anti-goat)

Robajac, D., et al. Sensitive glycoprofiling of insulin-like growth factor receptors isolated from colon tissue of patients with colorectal carcinoma using lectin-based protein microarray. Int J Biol Macromol 144, 932-937, (2020), DOI: 10.1016/j.ijbiomac.2019.09.170 (CF555 and CF647 streptavidin)

Rodkin, S., et al. The Localization of p53 in the Crayfish Mechanoreceptor Neurons and Its Role in Axotomy-Induced Death of Satellite Glial Cells Remote from the Axon Transection Site. J Mol Neurosci 70(4), 532-541, (2020), DOI: 10.1007/s12031-019-01453-2 (CF555 goat anti-mouse IgG1)

Salazar-Cavazos, E., et al. Multisite EGFR phosphorylation is regulated by adaptor protein abundances and dimer lifetimes. Mol Biol Cell 31(7), 695-708, (2020), DOI: 10.1091/mbc.E19-09-0548 (CF555 CF640R SIM)

Schultz, I., et al. Pulmonary Insulin-like Growth Factor I Delivery from Trehalose and Silk-Fibroin Microparticles. ACS Biomaterials Science & Engineering 1(2), 119-129, (2015), DOI: 10.1021/ab500101c (CF555 goat anti-rabbit)

Smith, P. L., et al. Neonatal peripheral immune challenge activates microglia and inhibits neurogenesis in the developing murine hippocampus. Dev Neurosci 36(2), 119-131, (2014), DOI: 000359950 [pii] 10.1159/000359950 (CF555 donkey anti-goat, CF488A donkey anti-chicken & CF647 donkey anti-mouse; IHC)

Song, Y., et al. Activation of FOXO3a reverses 5-Fluorouracil resistance in human breast cancer cells. Exp Mol Pathol 105(1), 57-62, (2018), DOI: 10.1016/j.yexmp.2018.05.013 (CF555 goat anti-rabbit)

Starunov, V. V., et al. A metameric origin for the annelid pygidium?. BMC Evol Biol 15, 25, (2015), DOI: 10.1186/s12862-015-0299-z 10.1186/s12862-015-0299-z [pii] (CF633 goat anti-mouse & CF555 goat anti-rabbit)

Sugahara, K. N., et al. Tumor-penetrating iRGD peptide inhibits metastasis. Mol Cancer Ther 14(1), 120-128, (2015), DOI: 10.1158/1535-7163.MCT-14-0366 (CF555 succinimidyl ester)

Sunderic, M., et al. Lectin-based protein microarray analysis of differences in serum alpha-2-macroglobulin glycosylation between patients with colorectal cancer and persons without cancer. Biotechnol Appl Biochem 63(4), 457-464, (2016), DOI: 10.1002/bab.1407 (CF555 streptavidin)

Tai, L. H., et al. Transient stimulation of distinct subpopulations of striatal neurons mimics changes in action value. Nat Neurosci 15(9), 1281-1289, (2012), DOI: DOI:10.1038/nn.3188 (CF555 donkey anti-mouse IgG, CF647 donkey anti-goat IgG; IHC)

DOMINIQUE DUTSCHER SAS

Takakura, M., et al. Circulating tumour cells detected by a novel adenovirus-mediated system may be a potent therapeutic marker in gynaecological cancers. Br J Cancer 107(3), 448, (2012), DOI: DOI:10.1038/bjc.2012.276 (CF555 goat anti-mouse IgG; ICC)

Takeichi, T., et al. The effects of low-dose methamphetamine pretreatment on endoplasmic reticulum stress and methamphetamine neurotoxicity in the rat midbrain. Leg Med (Tokyo) 14(2), 69-77, (2012), DOI: DOI:10.1016/j.legalmed.2011.12.004 (CF555 goat anti-rabbit IgG; IHC)

Theotokis, P., et al. Connexin43 and connexin47 alterations after neural precursor cells transplantation in experimental autoimmune encephalomyelitis. Glia 63(10), 1772-1783, (2015), DOI: 10.1002/glia.22843 (CF555 secondaries)

Uno, T., et al. Characterization of Rab-interacting lysosomal protein in the brain of Bombyx mori. Histochem Cell Biol 141(3), 311-320, (2014), DOI: 10.1007/s00418-013-1160-3 (CF555 donkey anti-mouse; IHC)

Wada, M., et al. Epitope-Dependent Pathogenicity of Antibodies Targeting a Major Bullous Pemphigoid Autoantigen Collagen XVII/BP180. J Invest Dermatol 136(5), 938-946, (2016), DOI: 10.1016/j.jid.2015.11.030 (CF555 Mix-n-Stain time lapse imaging)

Wei, Y., et al. Synergistic Entry of Individual Nanoparticles into Mammalian Cells Driven by Free Energy Decline and Regulated by Their Sizes. ACS Nano 16, 5885-5897, (2022), DOI: 10.1021/acsnano.1c11068 (CF488A, CF555, CF647 SE, nanoparticle labeling, fluorescence microscopy (STED))

West, A. B., et al. Differential LRRK2 expression in the cortex, striatum, and substantia nigra in transgenic and nontransgenic rodents. J Comp Neurol 522(11), 2465-2480, (2014), DOI: 10.1002/cne.23583 (CF555 donkey anti-rabbit & CF488A donkey anti-mouse; IHC)

Willmore, A. M., et al. Targeted silver nanoparticles for ratiometric cell phenotyping. Nanoscale 8(17), 9096-9101, (2016), DOI: 10.1039/c5nr07928d (CF555 succinimidyl ester)

Wu, S., et al. AUF1 is recruited to the stress granules induced by coxsackievirus B3. Virus Res 192, 52-61, (2014), DOI: S0168-1702(14)00331-1 [pii] 10.1016/j.virusres.2014.08.003 (CF488A goat anti-rabbit, CF555 goat anti-mouse & CF555 goat anti-rabbit; ICC)

Wu, S., et al. Protease 2A induces stress granule formation during coxsackievirus B3 and enterovirus 71 infections. Virol J 11, 192, (2014), DOI: 10.1186/s12985-014-0192-1 s12985-014-0192-1 [pii] (CF555 goat anti-mouse & CF555 goat anti-rabbit)

Xu, Y., et al. Arabidopsis MRG domain proteins bridge two histone modifications to elevate expression of flowering genes. Nucleic Acids Res 42(17), 10960-10974, (2014), DOI: 10.1093/nar/gku781 (CF488A goat anti-rabbit & CF555 goat anti-mouse)

Xu, Z., et al. Mucosal immunoglobulins at respiratory surfaces mark an ancient association that predates the emergence of tetrapods. Nat Commun 7, 10728, (2016), DOI: 10.1038/ncomms10728 (CF488A, CF555 & CF640R Mix-n-Stain)

Xu, Z., et al. Teleost skin, an ancient mucosal surface that elicits gut-like immune responses. Proc Natl Acad Sci U S A 110(32), 13097-13102, (2013), DOI: 1304319110 [pii] 10.1073/pnas.1304319110 (CF488A Mix-n-Stain, CF555, CF640R; IHC)

DOMINIQUE DUTSCHER SAS

Yang, Y., et al.Paraoxonase 2 decreases renal reactive oxygen species production, lowers blood pressure, and mediates dopamine D(2) receptor-induced inhibition of NADPH oxidase. Free Radic Biol Med 53(3), 437, (2012), DOI: DOI:10.1016/j.freeradbiomed.2012.05.015 (Mix-n-Stain CF555; IHC)

Yu, L., et al.Gemcitabine eliminates double minute chromosomes from human ovarian cancer cells. PLoS One 8(8), e71988, (2013), DOI: 10.1371/journal.pone.0071988 PONE-D-13-11229 [pii] (CF555 goat anti-mouse; ICC)

Zhang, Y., et al. Deep-brain magnetic stimulation promotes adult hippocampal neurogenesis and alleviates stress-related behaviors in mouse models for neuropsychiatric disorders. Mol Brain 7, 11, (2014), DOI: 1756-6606-7-11 [pii] 10.1186/1756-6606-7-11 (CF488A goat anti-mouse & CF555 donkey anti-mouse; IHC)

Zhou, H. and Liu, G. Regulation of density of functional presynaptic terminals by local energy supply. Mol Brain 8, 42, (2015), DOI: 10.1186/s13041-015-0132-z (CF488A, CF555 & CF640R secondaries, MitoView 633)

CF®568

Ahi, Y. S., et al. Adenoviral E2 IVa2 Protein Interacts with L4 33K Protein and E2 DNA-Binding Protein. J Gen Virol 94(6), 1325, (2013), DOI: DOI:10.1099/vir.0.049346-0 (Mix-n-Stain CF350, Mix-n-Stain CF488A, CF568 goat anti-mouse IgG; ICC)

Almahayni, K., et al. Simple, Economic, and Robust Rail-Based Setup for Super-Resolution Localization Microscopy. J Phys Chem A 127, 4553-4560, (2023), DOI: 10.1021/acs.jpca.3c01351 (CF568, super-resolution, SMLM, TIRF)

Alshafie, W., et al. Regulated resurfacing of a somatostatin receptor storage compartment fine-tunes pituitary secretion. Journal of Cell Biology 219(1), (2020), DOI: 10.1083/jcb.201904054 (CF568 goat anti-rat STORM)

Bartok, A., et al. IP3 receptor isoforms differently regulate ER-mitochondrial contacts and local calcium transfer. Nat Commun 10(1), 3726, (2019), DOI: 10.1038/s41467-019-11646-3 (CF568 goat anti-rabbit STORM)

Bennett, H. W., et al. Novel fibrillar structure in the inversin compartment of primary cilia revealed by 3D single-molecule superresolution microscopy. Mol Biol Cell 31(7), 619-639, (2020), DOI: 10.1091/mbc.E19-09-0499 (CF568 STORM)

Breton-Provencher, V., et al. Principal cell activity induces spine relocation of adult-born interneurons in the olfactory bulb. Nat Commun 7, 12659, (2016), DOI: 10.1038/ncomms12659 (CF568 Mix-n-Stain IF)

Brock, V. J., et al. P2X4 and P2X7 are essential players in basal T cell activity and Ca(2+) signaling milliseconds after T cell activation. Sci Adv 8(5), eabl9770, (2022), DOI: 10.1126/sciadv.abl9770 (CF568)

Catsburg, L. A. E., et al. Dynamics and nanoscale organization of the postsynaptic endocytic zone at excitatory synapses. bioRxiv, (2021), DOI: 10.1101/2021.02.18.431766 (CF568 STED)

Cespedes, P. F., et al. T-cell trans-synaptic vesicles are distinct and carry greater effector content than constitutive extracellular vesicles. Nat Commun 13, 3460, (2022), DOI: 10.1038/s41467-022-31160-3 (CF568, WGA, fluorescence microscopy, TIRF)

DOMINIQUE DUTSCHER SAS

Chen, K., et al. Excitation spectral microscopy for highly multiplexed fluorescence imaging and quantitative biosensing. bioRxiv, (2021), DOI: 10.1101/2021.04.13.439576 (CF532 wheat germ agglutinin CF514 succinimidyl ester and CF568 succinimidyl ester)

Ciapa, B. and Granon, S. Expression of Cyclin-D1 in Astrocytes Varies During Aging. Front Aging Neurosci 10, 104, (2018), DOI: 10.3389/fnagi.2018.00104 (CF568 Mix-n-Stain IF)

Cohen, Y., et al. The yeast p5 type ATPase, spf1, regulates manganese transport into the endoplasmic reticulum. PLoS One 8(12), e85519, (2013), DOI: 10.1371/journal.pone.0085519, PONE-D-13-37918 [pii] (CF568 goat anti-rabbit; ICC)

Deng, C., et al. Impaired dynamic interaction of axonal endoplasmic reticulum and ribosomes contributes to defective stimulus-response in spinal muscular atrophy. Transl Neurodegener 11, 31, (2022)., DOI: 10.1186/s40035-022-00304-2 (CF568 DARb, super-resolution, dSTORM)

Davies, B. S., et al. Assessing mechanisms of GPIHBP1 and lipoprotein lipase movement across endothelial cells. J Lipid Res 53(12), 2690, (2012), DOI: DOI:10.1194/jlr.M031559 (CF568 succinimidyl ester; in vivo injection, IHC)

Engdahl, A. K., et al. Large Field-of-View Super-Resolution Optical Microscopy Based on Planar Polymer Waveguides. ACS Photonics 8(7), 1944-1950, (2021), DOI: 10.1021/acsphotonics.1c00914 (CF568 phalloidin TIRF)

Engdahl, A. K., et al. Switching of Organic Fluorophores by Glycerol-sulfite Interactions for Single-Molecule Super-Resolution Microscopy. ChemPhotoChem 7, (2023), DOI: 10.1002/cptc.202200305 (CF647, CF568, Super-Resolution, dSTORM)

Engel, B. J., et al. Caspase-3 Substrates for Noninvasive Pharmacodynamic Imaging of Apoptosis by PET/CT. Bioconjug Chem 29(9), 3180-3195, (2018), DOI: 10.1021/acs.bioconjchem.8b00514 (CF568 Annexin V)

Fernandez, M. A., et al. High-Dimensional Immunophenotyping with 37-Color Panel Using Full-Spectrum Cytometry. Methods Mol Biol 2386, 43-60, (2022), DOI: 10.1007/978-1-0716-1771-7_4 (CF568)

Fu, X., et al. In Vivo Single-Molecule Detection of Nanoparticles for Multiphoton Fluorescence Correlation Spectroscopy to Quantify Cerebral Blood Flow. Nano Lett 20(8), 6135-6141, (2020), DOI: 10.1021/acs.nanolett.0c02280 (CF488A dextran 10K 70K 250K CF568 dextran 10K)

Futatsuki, T., et al. Involvement of orexin neurons in fasting- and central adenosine-induced hypothermia. Sci Rep 8(1), 2717, (2018), DOI: 10.1038/s41598-018-21252-w (CF568 donkey anti-goat and CF647 donkey anti-goat)

Gao, N., et al. A Role of Lamin A/C in Preventing Neuromuscular Junction Decline in Mice. J Neurosci 40(38), 7203-7215, (2020), DOI: 10.1523/JNEUROSCI.0443-20.2020 (CF568 alpha-bungarotoxin)

Garcia, J. D., et al. Stepwise disassembly of GABAergic synapses during pathogenic excitotoxicity. Cell Rep 37, 110142, (2021), DOI: 10.1016/j.celrep.2021.110142 (CF568 GAMs, TIRF)

Gong, Y.-N., et al. Biological events and molecular signaling following MLKL activation during necroptosis. Cell Cycle, 1-13, (2017), DOI: 10.1080/15384101.2017.1371889 (CF568, CF647 STORM)

DOMINIQUE DUTSCHER SAS

Gorur, A., et al. COPII-coated membranes function as transport carriers of intracellular procollagen I. The Journal of Cell Biology 216(6), 1745-1759, (2017), DOI: 10.1083/jcb.201702135 (CF568, CF680 STORM)

Guo, D., et al. Endosomal trafficking of nanoformulated antiretroviral therapy facilitates drug particle carriage and HIV clearance. J Virol 88(17), 9504-9513, (2014), DOI: JVI.01557-14 [pii] 10.1128/JVI.01557-14 (CF568 succinimidyl ester labeled atazanavir; fluorescence microscopy)

Guo, X., et al. Mitochondrial stress is relayed to the cytosol by an OMA1-DELE1-HRI pathway. Nature 579(7799), 427-432, (2020), DOI: 10.1038/s41586-020-2078-2 (CF568 donkey anti-rabbit CF680 donkey anti-rabbit STORM)

Haas, K. T., et al. Single-molecule localization microscopy reveals molecular transactions during RAD51 filament assembly at cellular DNA damage sites. Nucleic Acids Res, (2018), DOI: 4788348 [pii] 10.1093/nar/gkx1303 (CF568, STORM)

Haas, K. T., et al. Multitarget Immunohistochemistry for Confocal and Super-resolution Imaging of Plant Cell Wall Polysaccharides. Bio Protoc 10(19), e3783, (2020), DOI: 10.21769/BioProtoc.3783 (CF568)

Hadassa Y. Holzapfel, and Marc R. Birtwistle. Creating Complex Fluorophore spectra on Antibodies Through Combinatorial Labeling. Transl Sci, 1-10, (2016). (CF405M, CF488A, CF568, CF640R, FRET, MnS)

Hamel, Y., et al. Compromised mitochondrial quality control triggers lipin1-related rhabdomyolysis. Cell Rep Med 2, 100370, (2021), DOI: 10.1016/j.xcrm.2021.100370 (CF568 CTX, cholera toxin uptake)

Haselmann, H., et al. Human Autoantibodies against the AMPA Receptor Subunit GluA2 Induce Receptor Reorganization and Memory Dysfunction. Neuron 100(1), 91-105 e109, (2018), DOI: 10.1016/j.neuron.2018.07.048 (CF568 goat anti-guinea pig STORM)

Hauser, M., et al. The Spectrin-Actin-Based Periodic Cytoskeleton as a Conserved Nanoscale Scaffold and Ruler of the Neural Stem Cell Lineage. Cell Rep 24(6), 1512-1522, (2018), DOI: 10.1016/j.celrep.2018.07.005 (CF568 STORM)

He, J., et al. Cucurbitacin IIa induces caspase-3-dependent apoptosis and enhances autophagy in lipopolysaccharide-stimulated RAW 264.7 macrophages. Int Immunopharmacol, (2013), DOI: DOI:10.1016/j.intimp.2013.03.013 (CF488A goat anti-mouse IgG, CF568 goat anti-rabbit IgG; ICC)

Heller, J. Exploring Nanoscale Organisation of Synapses with Super-Resolution Microscopy. OM&P 3(2), 48-58, (2017), DOI: doi:10.20388/omp2017.002.0045 (CF568 STORM)

Henneberger, C., et al. LTP Induction Boosts Glutamate Spillover by Driving Withdrawal of Perisynaptic Astroglia. Neuron 108(5), 919-936 e911, (2020), DOI: 10.1016/j.neuron.2020.08.030 (CF568 DAMs 3-color STORM)

Hirano, K. and Namihira, M. LSD1 Mediates Neuronal Differentiation of Human Fetal Neural Stem Cells by Controlling the Expression of a Novel Target Gene, HEYL. Stem Cells 34(7), 1872-1882, (2016), DOI: 10.1002/stem.2362 (CF488A, CF568, CF647 donkey secondaries)

Hofmann, D., et al. A small molecule screen identifies novel inhibitors of mechanosensory nematocyst discharge in Hydra. Sci Rep 11(1), 20627, (2021), DOI: 10.1038/s41598-021-99974-7 (CF568 ARb)

DOMINIQUE DUTSCHER SAS

Home, P., et al. Altered subcellular localization of transcription factor TEAD4 regulates first mammalian cell lineage commitment. Proc Natl Acad Sci U S A 109(19), 7362-7367, (2012), DOI: DOI:10.1073/pnas.1201595109 (Mix-n-Stain CF488A, Mix-n-Stain CF568; ICC)

Hu, B., et al. Orthogonally engineering matrix topography and rigidity to regulate multicellular morphology. Adv Mater 26(33), 5786-5793, (2014), DOI: 10.1002/adma.201402489 (CF568 phalloidin; ICC)

Huang, M. Y., et al. Chemotherapeutic agent CPT-11 eliminates peritoneal resident macrophages by inducing apoptosis. Apoptosis 21(2), 130-142, (2016), DOI: 10.1007/s10495-015-1193-2 (CF568 goat anti-rabbit)

Hui, T. K., et al. Ablation of Lrp4 in Schwann Cells Promotes Peripheral Nerve Regeneration in Mice. Biology (Basel) 10(6), (2021), DOI: 10.3390/biology10060452 (CF568 CF488A alpha-bungarotoxin)

Hui, T., et al. Neuromuscular junction-specific genes screening by deep RNA-seq analysis. Cell Biosci 11(1), 81, (2021), DOI: 10.1186/s13578-021-00590-9 (CF568 bungarotoxin)

Inui, K., et al. Nasal TRPA1 mediates irritant-induced bradypnea in mice. Physiol Rep 4(24), (2016), DOI: 10.14814/phy2.13098 (CF568 donkey anti-guinea pig)

Irie, T. Essential Role of Somatic Kv2 Channels in High-Frequency Firing in Cartwheel Cells of the Dorsal Cochlear Nucleus. eNeuro, (2021), DOI: 10.1523/ENEURO.0515-20.2021 (CF405S IgG2a CF568 IgG2b)

Jaiswal, D. and Brown, J. L. Nanofiber diameter-dependent MAPK activity in osteoblasts. J Biomed Mater Res A 100(11), 2921, (2012), DOI: DOI:10.1002/jbm.a.34234 (CF568 phalloidin; ICC)

J. Kim and M. Wojcik, Y. W., K. Xu, X. Zhang. Oblique-sectional single-molecule microscopy. IEEE Xplore, 1-2, (2018), DOI: 10.1109/IPCon.2018.8527149 (CF568 obSTORM)

Jorgens, D. M., et al. Deep nuclear invaginations are linked to cytoskeletal filaments - integrated bioimaging of epithelial cells in 3D culture. J Cell Sci 130(1), 177-189, (2017), DOI: jcs.190967 [pii] 10.1242/jcs.190967 (CF568 STORM)

Jung, S. J., et al. Novel cerebello-amygdala connections provide missing link between cerebellum and limbic system. (2022), DOI: 10.1101/2022.02.07.479043 (CF568 CTB, confocal microscopy)

Karagounis, I. V., et al. Repression of the autophagic response sensitises lung cancer cells to radiation and chemotherapy. Br J Cancer 115(3), 312-321, (2016), DOI: 10.1038/bjc.2016.202 (CF488A & CF568 secondaries)

Karanasios, E., et al. Autophagy initiation by ULK complex assembly on ER tubulovesicular regions marked by ATG9 vesicles. Nat Commun 7, 12420, (2016), DOI: ncomms12420 [pii] 10.1038/ncomms12420 (CF568 STORM)

Katona, M., et al. Capture at the ER-mitochondrial contacts licenses IP(3) receptors to stimulate local Ca(2+) transfer and oxidative metabolism. Nat Commun 13, 6779, (2022) DOI: 10.1038/s41467-022-34365-8 (CF568 GARb, super-resolution, STORM)

Kawase, A., et al. Decreased radixin function for ATP-binding cassette transporters in liver in adjuvant-induced arthritis rats. J Pharm Sci 103(12), 4058-4065, (2014), DOI: 10.1002/jps.24210, S0022-3549(15)30300-2 [pii] (CF488A goat anti-rat & CF568 goat anti-mouse)

DOMINIQUE DUTSCHER SAS

Kawase, A., et al. Effects of ginsenosides on the expression of cytochrome P450s and transporters involved in cholesterol metabolism. J Nat Med 68(2), 395, (2013), DOI: DOI:10.1007/s11418-013-0791-y (CF568 goat anti-mouse IgG; IHC)

Ketel, K., et al. A phosphoinositide conversion mechanism for exit from endosomes. Nature 529(7586), 408-412, (2016), DOI: 10.1038/nature16516 (CF568 Cholera toxin)

Kim, J. M., et al. Regulation of sclerostin by the SIRT1 stabilization pathway in osteocytes. Cell Death Differ 29, 1625-1638, (2022), DOI: 10.1038/s41418-022-00952-x (CF568 phalloidin)

Köhler, S., et al. The interaction of crossover formation and the dynamic architecture of the synaptonemal complex during meiosis. bioRxiv, (2020), DOI: 10.1101/2020.02.16.947804 (CF568 succinimidyl ester STORM)

Kraus, F., et al. Quantitative 3D structured illumination microscopy of nuclear structures. Nat Protoc 12(5), 1011-1028, (2017), DOI: nprot.2017.020 [pii] 10.1038/nprot.2017.020 (CF568 azide, CF405M azide, SIM)

Krey, J. F., et al. ANKRD24 organizes TRIOBP to reinforce stereocilia insertion points. J Cell Biol 221, (2022), DOI: 10.1083/jcb.202109134 (CF405M phalloidin, CF568 phalloidin, CF568 WGA, Everbrite, fluorescence microscopy)

Kudou, K., et al. The requirement of Mettl3-promoted MyoD mRNA maintenance in proliferative myoblasts for skeletal muscle differentiation. Open Biol 7(9), (2017), DOI: 10.1098/rsob.170119 (CF568 goat anti-mouse)

Lehmann, M., et al. Novel organic dyes for multicolor localization-based super-resolution microscopy. J Biophotonics 9(1-2), 161-170, (2016), DOI: 10.1002/jbio.201500119 (CF555, CF568, CF647, CF680, STORM)

Li, C. G., et al. Berberine augments ATP-induced inflammasome activation in macrophages by enhancing AMPK signaling. Oncotarget 8(1), 95-109, (2017), DOI: 10.18632/oncotarget.13921 (CF568 goat anti-rabbit)

Liedmann, S., et al. Localization of a TORC1-eIF4F translation complex during CD8(+) T cell activation drives divergent cell fate. Mol Cell 82, 2401-2414 e2409, (2022), DOI: 10.1016/j.molcel.2022.04.016 (CF488A DARt, CF568 DAGt, CF568 DARt, super-resolution, STORM)

Lim, A., et al. Two kinesins drive anterograde neuropeptide transport. Mol Biol Cell, (2017), DOI: mbc.E16-12-0820 [pii] 10.1091/mbc.E16-12-0820 (Mix-n-Stain CF568, Direct + indirect IF, CF568 3D SIM)

Liu, K. P., et al. LC3B-II deacetylation by histone deacetylase 6 is involved in serum-starvation-induced autophagic degradation. Biochem Biophys Res Commun 441(4), 970-975, (2013), DOI: S0006-291X(13)01880-9 [pii] 10.1016/j.bbrc.2013.11.007 (CF488A goat anti-mouse CF568 goat anti-rabbit; ICC)

Lukonin, I., et al. Phenotypic landscape of intestinal organoid regeneration. Nature 586(7828), 275-280, (2020), DOI: 10.1038/s41586-020-2776-9 (CF568 Mix-n-Stain)

Luo, F., et al. Neurexins regulate presynaptic GABAB-receptors at central synapses. Nat Commun 12(1), 2380, (2021), DOI: 10.1038/s41467-021-22753-5 (CF568 secondary)

DOMINIQUE DUTSCHER SAS

Lycas, M. D., et al. Nanoscopic dopamine transporter distribution and conformation are inversely regulated by excitatory drive and D2-autoreceptor activity. bioRxiv, (2021), DOI: 10.1101/2021.03.09.434538 (CF568 STORM)

Ma, X., et al. Histone chaperone CAF-1 promotes HIV-1 latency by leading the formation of phase-separated suppressive nuclear bodies. EMBO J 40(10), e106632, (2021), DOI: 10.15252/embj.2020106632 (CF568 donkey anti-rabbit CF568 donkey anti-mouse STORM)

Markaki, Y., et al. (2021). Xist nucleates local protein gradients to propagate silencing across the X chromosome. Cell 184, 6174-6192 e6132, (2021), DOI: 10.1016/j.cell.2021.10.022 (CF568 DARb, CF568 azide, TIRF)

Meitinger, F., et al. TRIM37 prevents formation of condensate-organized ectopic spindle poles to ensure mitotic fidelity. J Cell Biol 220(7), (2021), DOI: 10.1083/jcb.202010180 (CF647 CF568)

Meyer, K., et al. A Predictive 3D Multi-Scale Model of Biliary Fluid Dynamics in the Liver Lobule. Cell Syst 4(3), 277-290 e279, (2017), DOI: 10.1016/j.cels.2017.02.008 (CF568 donkey anti-rat)

Mezache, L., et al. Vascular endothelial growth factor promotes atrial arrhythmias by inducing acute intercalated disk remodeling. Sci Rep 10(1), 20463, (2020), DOI: 10.1038/s41598-020-77562-5 (CF568 2-color STORM)

Michaluk, P., et al. Rapid recycling of glutamate transporters on the astroglial surface. Elife 10, (2021), DOI: 10.7554/eLife.64714 (CF568 DAMs)

Mofarrahi, M., et al. Angiopoietin-1 enhances skeletal muscle regeneration in mice. American Journal of Physiology - Regulatory, Integrative and Comparative Physiology 308(7), R576-R589, (2015), DOI: 10.1152/ajpregu.00267.2014 (CF568 Mix-n-Stain)

Neumann, K., et al. Clec12a is an inhibitory receptor for uric acid crystals that regulates inflammation in response to cell death. Immunity 40(3), 389-399, (2014), DOI: S1074-7613(14)00069-7 [pii] 10.1016/j.immuni.2013.12.015 (CF568 succinimidyl ester; fluorescence microscopy)

Niec, R. E., et al. Lymphatics act as a signaling hub to regulate intestinal stem cell activity. Cell Stem Cell 29, 1067-1082 e1018, (2022), DOI: 10.1016/j.stem.2022.05.007 (CF568, Mix-n-Stain)

Noguchi, H., et al. Expression of DNMT1 in neural stem/precursor cells is critical for survival of newly generated neurons in the adult hippocampus. Neurosci Res 95, 1-11, (2015), DOI: S0168-0102(15)00033-4 [pii] 10.1016/j.neures.2015.01.014 (CF488A donkey anti-mouse, CF543 donkey anti-rabbit, CF568 donkey anti-rat, CF647 donkey anti-goat, CF647 donkey anti-rabbit)

Olasz, F., et al. Immunological and biochemical characterisation of 7ap, a short protein translated from an alternative frame of ORF7 of PRRSV. Acta Vet Hung 64(2), 273-287, (2016), DOI: 10.1556/004.2016.027 (CF568 goat anti-swine & CF594 goat anti-mouse)

Ouyang, D. Y., et al. Autophagy is differentially induced in prostate cancer LNCaP, DU145 and PC-3 cells via distinct splicing profiles of ATG5. Autophagy 9(1), 20-32, (2013), DOI: DOI:10.4161/auto.22397 (CF568 goat anti-rabbit IgG; ICC)

Ouyang, D. Y., et al. Piperine inhibits the proliferation of human prostate cancer cells via induction of cell cycle arrest and autophagy. Food Chem Toxicol 60, 424-430, (2013), DOI: S0278-6915(13)00549-8 [pii] 10.1016/j.fct.2013.08.007 (CF568 goat anti-rabbit; ICC)

BIOTIUM BIOTIUM SAS

Pang, J., et al. Step-by-step preparation of mouse eye sections for routine histology, immunofluorescence, and RNA in situ hybridization multiplexing. STAR Protoc 2, 100879, (2021), DOI: 10.1016/j.xpro.2021.100879 (CF488A DAMs, CF568 DARb, CF488A DAGt)

Park, K. S., et al. A crucial requirement for Hedgehog signaling in small cell lung cancer. Nat Med 17(11), 1504-1508, (2011), DOI: DOI:10.1038/nm.2473 (Mix-n-Stain CF488A, Mix-n-Stain CF568, and Mix-n-Stain CF647; ICC

Petrelli, A., et al. Efficient Conjugation of Oligosaccharides to Polymer Particles through Furan/Maleimide Diels-Alder Reaction: Application to the Capture of Carbohydrate-Binding Proteins. Chembiochem 18(2), 206-212, (2017), DOI: 10.1002/cbic.201600509 (CF488A, CF568 Mix-n-Stain

Poddar, A., et al. Effects of individual base=pairs on in vivo target search and destruction kinetics of small RNA. bioRxiv, (2020), DOI: 10.1101/2020.07.24.215095 (CF568 succinimidyl ester)

Pons, M., et al. Phosphorylation of filamin A regulates chemokine receptor CCR2 recycling. J Cell Sci 130(2), 490-501, (2017), DOI: 10.1242/jcs.193821 (CF488A, CF568 Mix-n-Stain)

Rahman, A., et al. GMAP is an Atg8a-interacting protein that regulates Golgi turnover in Drosophila. Cell Rep 39, 110903, (2022), DOI: 10.1016/j.celrep.2022.110903 (CF488A, CF568 secondaries, fluorescence microscopy)

Rantataro, S., et al. Nanoscale geometry determines mechanical biocompatibility of vertically aligned nanofibers. Acta Biomater 146, 235-247, (2022), DOI: 10.1016/j.actbio.2022.04.032 (CF568 phalloidin)

Ren, S., et al. Anti-proliferative effect of 23,24-dihydrocucurbitacin F on human prostate cancer cells through induction of actin aggregation and cofilin-actin rod formation. Cancer Chemother Pharmacol 70(3), 415, (2012), DOI: DOI:10.1007/s00280-012-1921-z (CF488A goat anti-mouse, CF568 goat anti-rabbit; ICC)

Robertson, T. F., et al. Lymphocyte egress signal sphingosine-1-phosphate promotes ERM-guided, bleb-based migration. J Cell Biol 220, (2021), DOI: 10.1083/jcb.202007182 (CF568, Mix-n-Stain)

Rojas-Sánchez, L., et al. Synthesis and intracellular tracing surface-functionalized calcium phosphate nanoparticles by super-resolution microscopy (STORM). Materialia 12, (2020), DOI: 10.1016/j.mtla.2020.100773 (CF568 wheat germ agglutinin STORM)

Sabbah, S., et al. A retinal code for motion along the gravitational and body axes. Nature 546(7659), 492-497, (2017), DOI: 10.1038/nature22818 (CF568 Cholera Toxin retrograde tracing)

Saliba, D. G., et al. Composition and structure of synaptic ectosomes exporting antigen receptor linked to functional CD40 ligand from helper T-cells. (2019), DOI: 10.1101/600551 (CF568 wheat germ agglutinin STORM)

Samarasinghe, A. E., et al. Eosinophils Promote Antiviral Immunity in Mice Infected with Influenza A Virus. J Immunol 198(8), 3214-3226, (2017), DOI: 10.4049/jimmunol.1600787 (CF568 donkey anti-mouse)

Sando, R., et al. Engineered synaptic tools reveal localized cAMP signaling in synapse assembly. J Cell Biol 221, (2022), DOI: 10.1083/jcb.202109111 (CF568, AMs)

DOMINIQUE DUTSCHER SAS

Sato-Yamada, Y., et al. A SARM1-mitochondrial feedback loop drives neuropathogenesis in a Charcot-Marie-Tooth disease type 2A rat model. J Clin Invest 132, (2022), DOI: 10.1172/JCI161566 (CF568 bungarotoxin, microscopy)

Schmerl, B., et al. The synaptic scaffold protein MPP2 interacts with GABAA receptors at the periphery of the postsynaptic density of glutamatergic synapses. PLoS Biol 20, e3001503, (2022), DOI: 10.1371/journal.pbio.3001503 (CF568 SE, CF680 SE, super-resolution, dSTORM,)

Schmidt, C., et al. The Dual Role of a Polyvalent IgM/IgA-Enriched Immunoglobulin Preparation in Activating and Inhibiting the Complement System. Biomedicines 9(7), (2021), DOI: 10.3390/biomedicines9070817 (CF488A DAGt CF568 DAM WB)

Schmitner, N., et al. Differential Responses of Neural Retina Progenitor Populations to Chronic Hyperglycemia. Cells 10, (2021), DOI: 10.3390/cells10113265 (CF568 PNA)

Seo, J., et al. PICASSO allows ultra-multiplexed fluorescence imaging of spatially overlapping proteins without reference spectra measurements. Nat Commun 13, 2475, (2022), DOI: 10.1038/s41467-022-30168-z (CF405S, CF405M, CF405L, CF488A, CF568, CF633, CF660R, CF680R)

Shi, L., et al. Non-thermal plasma induces a stress response in mesothelioma cells resulting in increased endocytosis, lysosome biogenesis and autophagy. Free Radic Biol Med 108, 904-917, (2017), DOI: 10.1016/j.freeradbiomed.2017.04.368 (CF488A & CF568 secondaries)

Shibata, T., et al. Crosslinking of a Peritrophic Matrix Protein Protects Gut Epithelia from Bacterial Exotoxins. PLoS Pathog 11(10), e1005244, (2015), DOI: 10.1371/journal.ppat.1005244 (CF488A goat anti-mouse, CF568 goat anti-mouse and CF568 goat anti-rabbit)

Shiheido, H., et al. A phthalimide derivative that inhibits centrosomal clustering is effective on multiple myeloma. PLoS One 7(6), e38878, (2012), DOI: DOI:10.1371/journal.pone.0038878 (CF568 anti-rabbit IgG; ICC)

Shimizu, F., et al. Glucose-regulated protein 78 autoantibody associates with blood-brain barrier disruption in neuromyelitis optica. Sci Transl Med 9(397), (2017), DOI: 10.1126/scitranslmed.aai9111 (CF568 Mix-n-Stain)

Sonoda, Y., et al. Applications of cell resealing to reconstitute microRNA loading to extracellular vesicles. Sci Rep 11(1), 2900, (2021), DOI: 10.1038/s41598-021-82452-5 (CF568 Dextran 10K exosomes STORM)

Sørensen, G., et al. Disrupted PDZ-domain binding motif of the dopamine transporter uniquely alters nanoscale distribution, dopamine homeostasis and reward motivation. BioRxiv, (2021), DOI: 10.1101/2021.01.06.425643 (CF568 succinimidyl ester 2-color STORM)

Sullivan, P. M., et al. The ALS/FTLD associated protein C9orf72 associates with SMCR8 and WDR41 to regulate the autophagy-lysosome pathway. Acta Neuropathol Commun 4(1), 51, (2016), DOI: 10.1186/s40478-016-0324-5 (CF568 donkey anti-mouse)

Tashiro, S., et al. Odour-induced analgesia mediated by hypothalamic orexin neurons in mice. Sci Rep 6, 37129, (2016), DOI: 10.1038/srep37129 (CF568 donkey anti-goat)

Turkowyd, B., et al. From single molecules to life: microscopy at the nanoscale. Anal Bioanal Chem 408(25), 6885-6911, (2016), DOI: 10.1007/s00216-016-9781-8, 10.1007/s00216-016-9781-8 [pii] (CF568, CF647, CF660C, CF680 super res review)

DOMINIQUE DUTSCHER SAS

Uchida, T., et al. CUL2-mediated clearance of misfolded TDP-43 is paradoxically affected by VHL in oligodendrocytes in ALS. Sci Rep 6, 19118, (2016), DOI: 10.1038/srep19118 (CF568 goat anti-rabbit)

Uesaka, T., et al. Neuronal Differentiation in Schwann Cell Lineage Underlies Postnatal Neurogenesis in the Enteric Nervous System. J Neurosci 35(27), 9879-9888, (2015), DOI: 10.1523/JNEUROSCI.1239-15.2015 (CF568 & CF640R secondaries)

Varriale, A., et al. On the possibility of ephedrine detection: time-resolved fluorescence resonance energy transfer (FRET)-based approach. Anal Bioanal Chem 408, 6329-6336, (2016), DOI: 10.1007/s00216-016-9738-y (CF568, CF647, FRET)

Wang, H., et al. Functional Hydrogels with Chondroitin Sulfate Release Properties Regulate the Angiogenesis Behaviors of Endothelial Cells. Gels 8, (2022), DOI: 10.3390/gels8050261 (CF568 phalloidin)

Wang, Y., et al. Cucurbitacin IIb exhibits anti-inflammatory activity through modulating multiple cellular behaviors of mouse lymphocytes. PLoS One 9(2), e89751, (2014), DOI: 10.1371/journal.pone.0089751, PONE-D-13-38697 [pii] (CF488A goat anti-mouse, CF568 goat anti-rabbit; ICC)

Watson, J. F., et al. AMPA receptor anchoring at CA1 synapses is determined by N-terminal domain and TARP gamma8 interactions. Nat Commun 12(1), 5083, (2021), DOI: 10.1038/s41467-021-25281-4 (CF568 succinimidyl ester)

Willems, J., and MacGillavry, H. D. A coordinate-based co-localization index to quantify and visualize spatial associations in single-molecule localization microscopy. Sci Rep 12, 4676, (2022), DOI: 10.1038/s41598-022-08746-4 (CF568 secondaries, TIRF)

Wisnovsky, S., et al. Genome-wide CRISPR screens reveal a specific ligand for the glycan-binding immune checkpoint receptor Siglec-7. Proc Natl Acad Sci U S A 118(5), (2021), DOI: 10.1073/pnas.2015024118 (CF568 Mix-n-Stain STORM)

Wolf, K. J., et al. A mode of cell adhesion and migration facilitated by CD44-dependent microtentacles. Proc Natl Acad Sci U S A 117(21), 11432-11443, (2020), DOI: 10.1073/pnas.1914294117 (CF568 STORM)

Wu, L. and Lambert, J. D. A serpin is required for ectomesoderm, a hallmark of spiralian development. Dev Biol 469, 172-181, (2021), DOI: 10.1016/j.ydbio.2020.10.011 (CF568 10KDa Dextran)

Xu, H., et al. Molecular organization of mammalian meiotic chromosome axis revealed by expansion STORM microscopy. Proc Natl Acad Sci U S A 116(37), 18423-18428, (2019), DOI: 10.1073/pnas.1902440116 (CF568 ExSTORM)

Yamamoto, S., et al. Contribution of calumin to embryogenesis through participation in the endoplasmic reticulum-associated degradation activity. Dev Biol 393(1), 33-43, (2014), DOI: S0012-1606(14)00320-0 [pii] 10.1016/j.ydbio.2014.06.024 (CF488A Mix-n-Stain, CF568 Mix-n-Stain; IHC)

Yang, H., et al. Role of the sigma-1 receptor chaperone in rod and cone photoreceptor degenerations in a mouse model of retinitis pigmentosa. Mol Neurodegener 12(1), 68, (2017), DOI: 10.1186/s13024-017-0202-z (CF568 tyramide)

Yan, R., et al. SURF4-induced tubular ERGIC selectively expedites ER-to-Golgi transport. Dev Cell, (2022), DOI: 10.1016/j.devcel.2021.12.018 (CF568 succinimidyl ester)

DOMINIQUE DUTSCHER SAS

Yang, W., et al. Regulation of Meristem Morphogenesis by Cell Wall Synthases in Arabidopsis. Curr Biol 26(11), 1404-1415, (2016), DOI: 10.1016/j.cub.2016.04.026 (CF488A & CF568 secondaries)

Yang, Z., et al. USP18 negatively regulates NF-kappaB signaling by targeting TAK1 and NEMO for deubiquitination through distinct mechanisms. Sci Rep 5, 12738, (2015), DOI: 10.1038/srep12738 (CF568 goat anti-mouse)

Yin, C. and Li, P. Growth Suppression of Glioma Cells Using HDAC6 Inhibitor, Tubacin. Open Med (Wars) 13, 221-226, (2018), DOI: 10.1515/med-2018-0034 (CF488A goat anti-rabbit CF568 goat anti-mouse)

Zanetti-Domingues, L. C., et al. Hydrophobic fluorescent probes introduce artifacts into single molecule tracking experiments due to non-specific binding. PLoS One 8(9), e74200, (2013), DOI: 10.1371/journal.pone.0074200, PONE-D-13-17594 [pii] (CF488A, CF568, CF633 & CF640R maleimide, TIRF)

Zha, Q. B., et al. ATP-Induced Inflammasome Activation and Pyroptosis Is Regulated by AMP-Activated Protein Kinase in Macrophages. Front Immunol 7, 597, (2016), DOI: 10.3389/fimmu.2016.00597 (CF568 goat anti-rabbit)

Zha, Q. B., et al. Cucurbitacin E Induces Autophagy via Downregulating mTORC1 Signaling and Upregulating AMPK Activity. PLoS One 10(5), e0124355, (2015), DOI: 10.1371/journal.pone.0124355 (CF488A goat anti-mouse & CF568 goat anti-rabbit)

Zhang, M., et al. Translocation of interleukin-1beta into a vesicle intermediate in autophagy-mediated secretion. eLife 4, (2015), DOI: 10.7554/eLife.11205 (CF568 STORM)

Zhang, X., et al. Teneurins assemble into presynaptic nanoclusters that promote synapse formation via postsynaptic non-teneurin ligands. Nat Commun 13, 2297, (2022), DOI: 10.1038/s41467-022-29751-1 (CF568 secondary, super-resolution, dSTORM)

Zhang, Y., et al. Endothelial Cell Migration Regulated by Surface Topography of Poly(epsilon-caprolactone) Nanofibers. ACS Biomater Sci Eng 7, 4959-4970, (2021), DOI: 10.1021/acsbiomaterials.1c00951 (CF568, phalloidin)

Zhang, Y. T., et al. Formation of cofilin-actin rods following cucurbitacin-B-induced actin aggregation depends on slingshot homolog 1-mediated cofilin hyperactivation. J Cell Biochem 114(10), 2415, (2013), DOI: DOI:10.1002/jcb.24587 (CF488A goat anti-mouse, CF568 goat anti-rabbit; ICC)

Zhang, Y. T., et al. VASP activation via the Galpha13/RhoA/PKA pathway mediates cucurbitacin-B-induced actin aggregation and cofilin-actin rod formation. PLoS One 9(4), e93547, (2014), DOI: 10.1371/journal.pone.0093547, PONE-D-13-34310 [pii] (CF488A goat anti-mouse, CF568 goat anti-rabbit; ICC)

Zhao, K., et al. Muscle Yap Is a Regulator of Neuromuscular Junction Formation and Regeneration. J Neurosci 37(13), 3465-3477, (2017), DOI: 10.1523/JNEUROSCI.2934-16.2017 (CF568 bungarotoxin)

Zhu, J. S., et al. Cucurbitacin B induces cell cycle arrest, apoptosis and autophagy associated with G actin reduction and persistent activation of cofilin in Jurkat cells. Pharmacology 89(5-6), 348-346, (2012), DOI: DOI:10.1159/000338757 (CF488A goat anti-mouse, CF568 goat anti-rabbit; ICC)

DO NOT DUPLICATE BIOTIUM

CF®583R

Chen, K., et al. Super-multiplexing excitation spectral microscopy with multiple fluorescence bands. Biomed Opt Express 13, 6048-6060, (2022), DOI: 10.1364/BOE.473241 (CF583R, CF620R, CF514, LipidSpot488, super-resolution, Excitation spectral microscopy)

Wang, B., et al. Transforming Rhodamine Dyes for (d)STORM Super-Resolution Microscopy via 1,3-Disubstituted Imidazolium Substitution. Angew Chem Int Ed Engl, e202113612, (2021), DOI: 10.1002/anie.202113612 (CF597R, CF583R, dSTORM)

CF®594

Ahi, Y. S., et al. Functional Interplay Between Murine Leukemia Virus Glycogag, Serinc5, and Surface Glycoprotein Governs Virus Entry, with Opposite Effects on Gammaretroviral and Ebolavirus Glycoproteins. mBio 7(6), (2016), DOI: 10.1128/mBio.01985-16 (CF488A goat anti-rabbit & CF594 donkey anti-mouse)

Akhmetshina, A., et al. Activation of canonical Wnt signalling is required for TGF-beta-mediated fibrosis. Nat Commun 3, 735, (2012), DOI: DOI:10.1038/ncomms1734 (CF488A and CF594 streptavidin; IHC, ICC)

Arul, M., et al. Culture of low passage colorectal cancer cells and demonstration of variation in selected tumour marker expression. Cytotechnology 66(3), 481, (2013), DOI: 10.1007/s10616-013-9600-4 (CF488A Mix-n-Stain, CF594 Mix-n-Stain, CF488A goat anti-mouse; ICC)

Agustinus, A., et al. Epigenetic dysregulation from chromosomal transit in micronuclei. (2022), DOI: 10.1101/2022.01.12.475944 (CF594 tyramide)

Azzedine, H., et al. PLEKHG5 deficiency leads to an intermediate form of autosomal-recessive Charcot-Marie-Tooth disease. Hum Mol Genet 22(20), 4224, (2013), DOI: DOI:10.1093/hmg/ddt274 (CF594 a-bungarotoxin; IHC)

Babu, R., et al. Interphase Chromosome Profiling: A Method for Conventional Banded Chromosome Analysis Using Interphase Nuclei. Arch Pathol Lab Med 142(2), 213-228, (2018), DOI: 10.5858/arpa.2016-0621-OA (CF594 dUTP)

Balez, R., et al. Neuroprotective effects of apigenin against inflammation, neuronal excitability and apoptosis in an induced pluripotent stem cell model of Alzheimer's disease. Sci Rep 6, 31450, (2016), DOI: 10.1038/srep31450 (CF594 Annexin V, NucView primary neurons)

Bauer, S., et al. Functional coupling of human pancreatic islets and liver spheroids on-a-chip: Towards a novel human ex vivo type 2 diabetes model. Sci Rep 7(1), 14620, (2017), DOI: 10.1038/s41598-017-14815-w (CF594 goat anti-guinea pig, CF594 goat anti-mouse and CF594 goat anti-rabbit)

Bernard-Marissal, N., et al. Dysfunction in endoplasmic reticulum-mitochondria crosstalk underlies SIGMAR1 loss of function mediated motor neuron degeneration. Brain 138(Pt 4), 875-890, (2015), DOI: 10.1093/brain/awv008 (CF594 bungarotoxin)

Bielska, E., et al. Pathogen-derived extracellular vesicles mediate virulence in the fatal human pathogen Cryptococcus gattii. Nat Commun 9(1), 1556, (2018), DOI: 10.1038/s41467-018-03991-6 (CF594 goat anti-mouse)

DOMINIQUE DUTSCHER SAS

Boratko, A. and Csortos, C. NHERF2 is crucial in ERM phosphorylation in pulmonary endothelial cells. Cell Commun Signal 11, 99, (2013), DOI: 1478-811X-11-99 [pii] 10.1186/1478-811X-11-99 (CF594 phalloidin; ICC)

Chew, W. L., et al. A multifunctional AAV-CRISPR-Cas9 and its host response. Nat Methods 13(10), 868-874, (2016), DOI: nmeth.3993 [pii] 10.1038/nmeth.3993 (CF633 goat anti-mouse & CF594 goat anti-mouse)

Daly, D. T. and Ariel, M. A novel cerebellar commissure and other myelinated axons in the Purkinje cell layer of a pond turtle (Trachemys scripta elegans). J Comp Neurol 526(17), 2802-2823, (2018), DOI: 10.1002/cne.24528 (CF488A and CF594 10K dextran)

Elting, M. W., et al. Single-molecule fluorescence imaging of processive myosin with enhanced background suppression using linear zero-mode waveguides (ZMWs) and convex lens induced confinement (CLIC). Opt Express 21(1), 1189-1202, (2013), DOI: 248311 [pii] (CF594 anti-GFP; single molecule imaging)

Felix-Ortiz, A. C., et al. BLA to vHPC inputs modulate anxiety-related behaviors. Neuron 79(4), 658-664, (2013), DOI: S0896-6273(13)00532-1 [pii] 10.1016/j.neuron.2013.06.016 (CF594 Streptavidin; IHC)

Feng, X., et al. Receptor-interacting protein 140 attenuates endoplasmic reticulum stress in neurons and protects against cell death. Nat Commun 5, 4487, (2014), DOI: ncomms5487 [pii] 10.1038/ncomms5487 (CF594-dUTP; tunel assay)

Feng, X., et al. beta-arrestin protects neurons by mediating endogenous opioid arrest of inflammatory microglia. Cell Death Differ 21(3), 397-406, (2014), DOI: cdd2013152 [pii] 10.1038/cdd.2013.152 (CF594-dUTP; tunel assay)

Frontera, J. L., et al. Bidirectional control of fear memories by the cerebellum through the ventrolateral periaqueductal grey. (2020), DOI: 10.1101/2020.02.19.956375 (CF594 cholera toxin B)

Galletti, G., et al. Isolation of breast cancer and gastric cancer circulating tumor cells by use of an anti HER2-based microfluidic device. Lab Chip 14(1), 147-156, (2014), DOI: 10.1039/c3lc51039e (CF594 Mix-n-Stain; ICC)

Geherin, S. A., et al. IL-10+ Innate-like B Cells Are Part of the Skin Immune System and Require alpha4beta1 Integrin To Migrate between the Peritoneum and Inflamed Skin. J Immunol 196(6), 2514-2525, (2016), DOI: 10.4049/jimmunol.1403246 (CF488A CF594 Mix-n-Stain)

Grix, T., et al. Bioprinting Perfusion-Enabled Liver Equivalents for Advanced Organ-on-a-Chip Applications. Genes (Basel) 9(4), (2018), DOI: 10.3390/genes9040176 (CF594 goat anti-mouse & CF594 goat anti-rabbit)

Gonzalez Pisfil, M., et al. Stimulated emission depletion microscopy with a single depletion laser using five fluorochromes and fluorescence lifetime phasor separation. Sci Rep 12, 14027, (2022), DOI: 10.1038/s41598-022-17825-5 (CF594 WGA, CF680R DAMs, super-resolution, confocal, FLIM, fluorescence microscopy, 2-Photon)

Harris, M. J., et al.Quantifying persistence in the T-cell signaling network using an optically controllable antigen receptor. Mol Syst Biol 17(5), e10091, (2021), DOI: 10.15252/msb.202010091 (CF594)

Hashimoto, Y. and Tanaka, H. Ongoing replication forks delay nuclear envelope breakdown upon mitotic entry. J Biol Chem, (2020), DOI: 10.1074/jbc.RA120.015142 (CF594 dUTP)

DOMINIQUE DUTSCHER SAS

Higa, M., et al. TRF2 recruits ORC through TRFH domain dimerization. Biochim Biophys Acta Mol Cell Res 1864(1), 191-201, (2017), DOI: 10.1016/j.bbamcr.2016.11.004 (CF488A goat anti-rabbit, CF594 donkey anti-rat, CF594 goat anti-mouse)

Hindul, N. L., et al. Construction of a human hTERT RPE-1 cell line with inducible Cre for editing of endogenous genes. Biol Open 11(2), (2022), DOI: 10.1242/bio.059056 (CF594 goat anti-mouse IgG1)

Holton, A. B., et al.Microfluidic Biopsy Trapping Device for the Real-Time Monitoring of Tumor Microenvironment. PLoS One 12(1), e0169797, (2017), DOI: 10.1371/journal.pone.0169797 (CF594 Annexin V)

Hwang, J., et al. Aptamer-conjugated live human immune cell based biosensors for the accurate detection of C-reactive protein. Sci Rep 6, 34778, (2016), DOI: 10.1038/srep34778 (CF594 Mix-n-Stain)

Hwang, R. D., et al. The neuroprotective effect of human uncoupling protein 2 (hUCP2) requires cAMP-dependent protein kinase in a toxin model of Parkinson's disease. Neurobiol Dis 69, 180-191, (2014), DOI: S0969-9961(14)00150-8 [pii] 10.1016/j.nbd.2014.05.032 (CF594 Annexin V; IHC)

Inutsuka, A., et al. Concurrent and robust regulation of feeding behaviors and metabolism by orexin neurons. Neuropharmacology 85, 451-460, (2014), DOI: S0028-3908(14)00237-8 [pii] 10.1016/j.neuropharm.2014.06.015 (CF488 CF594 CF647; IHC)

Inutsuka, A., et al. The integrative role of orexin/hypocretin neurons in nociceptive perception and analgesic regulation. Sci Rep 6, 29480, (2016), DOI: 10.1038/srep29480 (CF488A, CF594 & CF647 secondaries)

Jalewa, J., et al. Neural circuit interactions between the dorsal raphe nucleus and the lateral hypothalamus: an experimental and computational study. PLoS One 9(2), e88003, (2014), DOI: 10.1371/journal.pone.0088003 PONE-D-13-34080 [pii] (CF594 donkey anti-chicken CF633 donkey anti-guinea pig; IHC)

Jeon, E. J., et al. rgs-CaM Detects and Counteracts Viral RNA Silencing Suppressors in Plant Immune Priming. J Virol 91(19), (2017), DOI: 10.1128/JVI.00761-17 (CF594 goat anti-rabbit)

Kaneda, M., et al. Synaptic localisation of SRF coactivators, MKL1 and MKL2, and their role in dendritic spine morphology. Sci Rep 8(1), 727, (2018), DOI: 10.1038/s41598-017-18905-7 (CF488A goat anti-rabbit, CF488A goat anti-mouse and CF594 goat anti-guinea pig)

Kapoor, N., et al. Human Granuloma In Vitro Model, for TB Dormancy and Resuscitation. PLoS One 8(1), e53657, (2013), DOI: DOI:10.1371/journal.pone.0053657 (CF594 TUNEL Assay Apoptosis Detection Kit; TUNEL assay)

Kijani, S., et al. Filter-Dense Multicolor Microscopy. PLoS One 10(3), e0119499, (2015), DOI: 10.1371/journal.pone.0119499 PONE-D-14-20661 [pii] (CF488A, CF543, CF594)

Koban, R., et al. A novel three-dimensional cell culture method enhances antiviral drug screening in primary human cells. Antiviral Res 150, 20-29, (2018), DOI: 10.1016/j.antiviral.2017.12.005 (CF594 wheat germ agglutinin)

Krolewski, D. M., et al. Quantitative validation of immunofluorescence and lectin staining using reduced CLARITY acrylamide formulations. Brain Struct Funct 223(2), 987-999, (2018), DOI: 10.1007/s00429-017-1583-z (CF594 CF647)

DOMINIQUE DUTSCHER SAS

Kume, K. and Nishizuka, S. S. Colony Lysate Arrays for Proteomic Profiling of Drug-Tolerant Persisters of Cancer Cell. Anal Chem 89(17), 8626-8631, (2017), DOI: 10.1021/acs.analchem.7b01215 (CF488A goat anti-mouse & CF594 goat anti-rabbit)

Lannin, T. B., et al. Comparison and optimization of machine learning methods for automated classification of circulating tumor cells. Cytometry A 89(10), 922-931, (2016), DOI: 10.1002/cyto.a.22993 (CF543 pan anti-cytokeratin & CF594 Mix-n-Stain)

Lavinsky, D., et al. Nondamaging Retinal Laser Therapy: Rationale and Applications to the Macula. Invest Ophthalmol Vis Sci 57(6), 2488-2500, (2016), DOI: 10.1167/iovs.15-18981 (CF594 goat anti-mouse IHF)

Maenohara, S., et al. Role of UHRF1 in de novo DNA methylation in oocytes and maintenance methylation in preimplantation embryos. PLoS Genet 13(10), e1007042, (2017), DOI: 10.1371/journal.pgen.1007042 (CF488A donkey anti-rabbit, CF488A donkey anti-rat and CF594 donkey anti-rabbit)

Moller, R., et al. IgG trafficking in the adult pig small intestine: one- or bidirectional transfer across the enterocyte brush border?. Histochem Cell Biol 147(3), 399-411, (2017), DOI: 10.1007/s00418-016-1492-x (CF594 hydrazide)

Nabeshima, Y., et al. Calpain 1 inhibitor BDA-410 ameliorates alpha-klotho-deficiency phenotypes resembling human aging-related syndromes. Sci Rep 4, 5847, (2014), DOI: srep05847 [pii] 10.1038/srep05847 (CF594 goat anti-rat & CF488 goat anti-chicken; IHC)

Ohira, M., et al. A novel anti-microtubule agent with carbazole and benzohydrazide structures suppresses tumor cell growth in vivo. Biochim Biophys Acta 1850(9), 1676-1684, (2015), DOI: 10.1016/j.bbagen.2015.04.013 (CF488A goat anti-rabbit, CF594 goat anti-mouse)

Olasz, F., et al. Immunological and biochemical characterisation of 7ap, a short protein translated from an alternative frame of ORF7 of PRRSV. Acta Vet Hung 64(2), 273-287, (2016), DOI: 10.1556/004.2016.027 (CF568 goat anti-swine CF594 goat anti-mouse)

Orr, J. S., et al. CC-chemokine receptor 7 (CCR7) deficiency alters adipose tissue leukocyte populations in mice. Physiol Rep 4(18), (2016), DOI: 10.14814/phy2.12971 (CF594 succinimidyl ester)

Perez Bay, A. E., et al. Galectin-4-mediated transcytosis of transferrin receptor. J Cell Sci 127(20), 4457, (2014), DOI: jcs.153437 [pii] 10.1242/jcs.153437 (CF594 succinimidyl ester labeled transferrin; fluorescence microscopy)

Perez Bay, A. E., et al. The kinesin KIF16B mediates apical transcytosis of transferrin receptor in AP-1B-deficient epithelia. EMBO J 32(15), 2125-2139, (2013), DOI: emboj2013130 [pii] 10.1038/emboj.2013.130 (CF594 succinimidyl ester labeled transferrin; fluorescence microscopy)

Pignoloni, B., et al. Distinct Roles for Human Cytomegalovirus Immediate Early Proteins IE1 and IE2 in the Transcriptional Regulation of MICA and PVR/CD155 Expression. J Immunol 197(10), 4066-4078, (2016), DOI: 10.4049/jimmunol.1502527 (CF594 rabbit anti-mouse)

Pontes-Quero, S., et al. Dual ifgMosaic: A Versatile Method for Multispectral and Combinatorial Mosaic Gene-Function Analysis. Cell 170(4), 800-814 e818, (2017), DOI: 10.1016/j.cell.2017.07.031 (CF594 Rabbit anti-RFP)

Prapa, E., et al. Effect of Anti-Mullerian hormone (AMH) and bone morphogenetic protein 15 (BMP-15) on steroidogenesis in primary-cultured human luteinizing granulosa cells through Smad5 signalling. J Assist

DO NOT COPY BIOTIUM

Reprod Genet 32(7), 1079-1088, (2015), DOI: 10.1007/s10815-015-0494-2 (CF488A donkey anti-rabbit & CF594 donkey anti-mouse)

Qu, X., et al. Relative impact of uniaxial alignment vs. form-induced stress on differentiation of human adipose derived stem cells. Biomaterials 34(38), 9812-9818, (2013), DOI: S0142-9612(13)01092-2 [pii] 10.1016/j.biomaterials.2013.09.009 (CF594 goat anti-rabbit; fluorescence microscopy)

Reichhart, N., et al. Rab27a GTPase modulates L-type Ca2+ channel function via interaction with the II-III linker of CaV1.3 subunit. Cell Signal 27(11), 2231-2240, (2015), DOI: 10.1016/j.cellsig.2015.07.023 (CF594 donkey anti-goat)

Sawano, S., et al. A One-Step Immunostaining Method to Visualize Rodent Muscle Fiber Type within a Single Specimen. PLoS One 11(11), e0166080, (2016), DOI: 10.1371/journal.pone.0166080 PONE-D-16-33181 [pii] (CF594 streptavidin)

Sheu, J. R., et al. A novel indication of platonin, a therapeutic immunomodulating medicine, on neuroprotection against ischemic stroke in mice. Sci Rep 7, 42277, (2017), DOI: 10.1038/srep42277 (CF488A donkey anti-mouse, CF488A donkey anti-rabbit, CF594 donkey anti-mouse and CF594 donkey anti-rabbit)

Stoltzfus, C. R., et al. CytoMAP: A Spatial Analysis Toolbox Reveals Features of Myeloid Cell Organization in Lymphoid Tissues. Cell Rep 31(3), 107523, (2020), DOI: 10.1016/j.celrep.2020.107523 (CF750, CF594, CF514, CF633 Mix-n-Stain)

Trofimenko, E., et al. The endocytic pathway taken by cationic substances requires Rab14 but not Rab5 and Rab7. Cell Rep 37, 109945, (2021), DOI: 10.1016/j.celrep.2021.109945 (CF405M, CF488A, CF594, CF647, Mix-n-Stain, fluorescence microscopy)

Trofimenko, E., et al. Identification of a new, Rab14-dependent, endo-lysosomal pathway. bioRxiv, (2021), DOI: 10.1101/2021.03.25.436964 (CF405M, CF594, Mix-n-Stain)

Wagner, M. C., et al. Mechanism of increased clearance of glycated albumin by proximal tubule cells. Am J Physiol Renal Physiol 310(10), F1089-1102, (2016), DOI: 10.1152/ajprenal.00605.2015 (CF594 2-photon)

Wang, Q., et al. The hepatokine TSK maintains myofiber integrity and exercise endurance and contributes to muscle regeneration. JCI Insight, (2022), DOI: 10.1172/jci.insight.154746 (CF594 bungarotoxin)

Wang, X., et al. The somite-secreted factor Maeg promotes zebrafish embryonic angiogenesis. Oncotarget 7, 77749-77763, (2016), DOI: https://doi.org/10.18632/oncotarget.12793 (CF594 donkey anti-rat)

Watari, K., et al. Tumor-derived interleukin-1 promotes lymphangiogenesis and lymph node metastasis through M2-type macrophages. PLoS One 9(6), e99568, (2014), DOI: 10.1371/journal.pone.0099568 PONE-D-13-45479 [pii] (CF488A DARat & CF594 donkey anti-rabbit; IHC)

Yamashita, A., et al. Increased metabolite levels of glycolysis and pentose phosphate pathway in rabbit atherosclerotic arteries and hypoxic macrophage. PLoS One 9(1), e86426, (2014), DOI: 10.1371/journal.pone.0086426 PONE-D-13-24660 [pii] (CF488A Mix-n-Stain, CF594 Mix-n-Stain; IHC)

DOMINIQUE DUTSCHER SAS

Yates, J. L., et al. T Cell-Dependent IgM Memory B Cells Generated during Bacterial Infection Are Required for IgG Responses to Antigen Challenge. J Immunol 191(3), 1240-1249, (2013), DOI: DOI:10.4049/jimmunol.1300062 (PE-CF594 conjugated anti-CD19 (BD Biosciences); IHC)

Yu, C. H., et al. Integrin-matrix clusters form podosome-like adhesions in the absence of traction forces. Cell Rep 5(5), 1456-1468, (2013), DOI: S2211-1247(13)00639-6 [pii] 10.1016/j.celrep.2013.10.040 (CF594 phalloidin; ICC)

Zaichik, S., et al. Development and In Vitro Characterization of Transferrin-Decorated Nanoemulsion Utilizing Hydrophobic Ion Pairing for Targeted Cellular Uptake. Journal of Pharmaceutical Innovation, (2021), DOI: 10.1007/s12247-021-09549-2 (CF594 Transferrin)

CF®597R

Wang, B., et al. Transforming Rhodamine Dyes for (d)STORM Super-Resolution Microscopy via 1,3-Disubstituted Imidazolium Substitution. Angew Chem Int Ed Engl, e202113612, (2021), DOI: 10.1002/anie.202113612 (CF597R, CF583R dSTORM)

CF®620R

Chen, K., et al. Super-multiplexing excitation spectral microscopy with multiple fluorescence bands. Biomed Opt Express 13, 6048-6060, (2022), DOI: 10.1364/BOE.473241 (CF583R, CF620R, CF514, LipidSpot488, super-resolution, Excitation spectral microscopy)

CF®633

Ache, J. M., et al. A direct descending pathway informing locomotor networks about tactile sensor movement. J Neurosci 35(9), 4081-4091, (2015), DOI: 10.1523/JNEUROSCI.3350-14.2015 (CF633 Streptavidin)

Balogh, A., et al. Sex hormone-binding globulin provides a novel entry pathway for estradiol and influences subsequent signaling in lymphocytes via membrane receptor. Sci Rep 9(1), 4, (2019), DOI: 10.1038/s41598-018-36882-3 (CF633 Mix-n-Stain)

Blomeke, L., et al. Quantitative detection of alpha-Synuclein and Tau oligomers and other aggregates by digital single particle counting. NPJ Parkinsons Dis 8, 68, (2022), DOI: 10.1038/s41531-022-00330-x (CF488A SE, CF633 SE, TIRF)

Chew, W. L., et al. A multifunctional AAV-CRISPR-Cas9 and its host response. Nat Methods 13(10), 868-874, (2016), DOI: nmeth.3993 [pii] 10.1038/nmeth.3993 (CF633 goat anti-mouse & CF594 goat anti-mouse)

Cutler, C. P., et al.Aquaporin (AQP) channels in the spiny dogfish, Squalus acanthias II: Localization of AQP3, AQP4 and AQP15 in the kidney. Comp Biochem Physiol B Biochem Mol Biol 258, 110701, (2022), DOI: 10.1016/j.cbpb.2021.110701 (CF633)

Egashira, Y., et al. Spontaneously Recycling Synaptic Vesicles Constitute Readily Releasable Vesicles in Intact Neuromuscular Synapses. J Neurosci 42, 3523-3536, (2022), DOI: 10.1523/JNEUROSCI.2005-21.2022 (CF633 alpha-bungarotoxin, fluorescence microscopy)

DOMINIQUE DUTSCHER SAS

Gaudreau-Lapierre, A., et al. Expansion microscopy-based imaging of nuclear structures in cultured cells. STAR Protocols 2(3), (2021), DOI: 10.1016/j.xpro.2021.100630 (CF633 goat anti-mouse & CF633 goat anti-rabbit)

Grob, R., et al. Rotation of skylight polarization during learning walks is necessary to trigger neuronal plasticity in Cataglyphis ants. Proc Biol Sci 289(1967), 20212499, (2022), DOI: 10.1098/rspb.2021.2499 (CF633 phalloidin)

Huang, T., et al. Simultaneous Multicolor Single-Molecule Tracking with Single-Laser Excitation via Spectral Imaging. Biophys J 114(2), 301-310, (2018), DOI: S0006-3495(17)31242-0 [pii] 10.1016/j.bpj.2017.11.013 (CF633, CF660C, CF680, CF680R STORM)

Jalewa, J., et al. Neural circuit interactions between the dorsal raphe nucleus and the lateral hypothalamus: an experimental and computational study. PLoS One 9(2), e88003, (2014), DOI: 10.1371/journal.pone.0088003 PONE-D-13-34080 [pii] (CF594 donkey anti-chicken CF633 donkey anti guinea-pig; IHC)

Jung, Y., et al. CD45 pre-exclusion from the tips of T cell microvilli prior to antigen recognition. Nat Commun 12(1), 3872, (2021), DOI: 10.1038/s41467-021-23792-8 (CF633)

Kaljas, Y., et al. Human adenosine deaminases ADA1 and ADA2 bind to different subsets of immune cells. Cell Mol Life Sci 74(3), 555-570, (2017), DOI: 10.1007/s00018-016-2357-0 (CF633 succinimidyl ester)

Kawaguchi, S. Y. and Sakaba, T. Fast Ca(2+) Buffer-Dependent Reliable but Plastic Transmission at Small CNS Synapses Revealed by Direct Bouton Recording. Cell Rep 21(12), 3338-3345, (2017), DOI: 10.1016/j.celrep.2017.11.072 (CF633 succinimidyl ester neuronal tracing)

Kawashima, Y., et al. Detection of DNA double-strand breaks by pulsed-field gel electrophoresis. Genes Cells 22(1), 84-93, (2017), DOI: 10.1111/gtc.12457 (CF555 donkey anti-rabbit & CF633 donkey anti-mouse)

Kim, H. J. and Selvin, P. R. Fluorescence Imaging with One Nanometer Accuracy. in: SpringerReference, Springer, (2013), (CF633; Fluorescence Imaging with One Nanometer Accuracy (FIONA))

Klimas, A., et al. Nanoscopic Imaging of Human Tissue Sections via Physical and Isotropic Expansion. J Vis Exp (151), (2019), DOI: 10.3791/60195 (CF488A CF633 goat anti-chicken)

Kohara, K., et al. Cell type-specific genetic and optogenetic tools reveal hippocampal CA2 circuits. Nat Neurosci 17(2), 269-279, (2014), DOI: nn.3614 [pii] 10.1038/nn.3614 (CF633 goat anti-mouse, CF633 goat anti-rabbit, CF633 SA, CF405S goat anti-mouse; IHC)

Kunasegaran, K., et al. Transcriptional repressor Tbx3 is required for the hormone-sensing cell lineage in mammary epithelium. PLoS One 9(10), e110191, (2014), DOI: 10.1371/journal.pone.0110191 (CF633 donkey anti-rat)

Li, T., et al. Magnetic resonance imaging of folic acid-coated magnetite nanoparticles reflects tissue biodistribution of long-acting antiretroviral therapy. Int J Nanomedicine 10, 3779-3790, (2015), DOI: 10.2147/IJN.S83279 (CF633 succinimidyl ester)

DOMINIQUE DUTSCHER SAS

Liang, Y., et al. Biomimetic Tubular Matrix Induces Periodontal Ligament Principal Fiber Formation and Inhibits Osteogenic Differentiation of Periodontal Ligament Stem Cells. ACS Appl Mater Interfaces 14, 36451-36461, (2022), DOI: 10.1021/acsami.2c09420 (CF633 phalloidin, fluorescence microscopy)

Lindberg, O. R., et al. Epidermal growth factor treatment of the adult brain subventricular zone leads to focal microglia/macrophage accumulation and angiogenesis. Stem Cell Reports 2(4), 440-448, (2014), DOI: 10.1016/j.stemcr.2014.02.003 S2213-6711(14)00055-1 [pii] (CF488A donkey anti-mouse CF555 donkey anti-rabbit, donkey anti-goat CF633 donkey anti-goat; IHC)

Lindberg, O. R., et al. EGF-Induced Expansion of Migratory Cells in the Rostral Migratory Stream. PLoS One 7(9), e46380, (2012), DOI: DOI:10.1371/journal.pone.0046380 (CF488A donkey anti-mouse IgG; CF555 donkey anti-goat IgG; CF555 donkey anti-rabbit IgG; CF633 donkey anti-goat IgG; IHC)

Lozada, A. F., et al. Glutamatergic Synapse Formation is Promoted by alpha7-Containing Nicotinic Acetylcholine Receptors. J Neurosci 32(22), 7651-7661, (2012), DOI: DOI:10.1523/JNEUROSCI.6246-11.2012 (CF555 donkey anti-rabbit, CF633 goat anti-guinea pig; IHC)

Lu, K., et al. Progressive stretch enhances growth and maturation of 3D stem-cell-derived myocardium. Theranostics 11(13), 6138-6153, (2021), DOI: 10.7150/thno.54999 (CF633 wheat germ agglutinin)

Ma, L., et al. Cryopreserved dental pulp tissues of exfoliated deciduous teeth is a feasible stem cell resource for regenerative medicine. PLoS One 7(12), e51777, (2012), DOI: DOI:10.1371/journal.pone.0051777 (CF633 secondary antibodies; ICC, IHC)

Martinez-Skinner, A. L., et al. Cellular Responses and Tissue Depots for Nanoformulated Antiretroviral Therapy. PLoS One 10, (2015), DOI: 10.1371/journal.pone.0145966 (CF633 SE)

Miller, S. J. Targeted detection of murine colonic dysplasia in vivo with flexible multispectral scanning fiber endoscopy. Journal of Biomedical Optics 17(2), (2012), DOI: DOI:10.1117/1.JBO.17.2.021103 (CF633 succinimidyl ester-labeled peptide, endoscopy)

Muoio, F., et al. Development of a Biodegradable Microcarrier for the Cultivation of Human Adipose Stem Cells (hASCs) with a Defined Xeno- and Serum-Free Medium. Applied Sciences 11(3), (2021), DOI: 10.3390/app11030925 (CF633)

Okumura, R., et al. Lypd8 promotes the segregation of flagellated microbiota and colonic epithelia. Nature 532(7597), 117-121, (2016), DOI: 10.1038/nature17406 (CF633 succinimidyl ester)

Oliveira, V. E. M., et al. Oxytocin and vasopressin within the ventral and dorsal lateral septum modulate aggression in female rats. Nat Commun 12(1), 2900, (2021), DOI: 10.1038/s41467-021-23064-5 (CF633 streptavidin)

Orme, M. H., et al. The unconventional myosin CRINKLED and its mammalian orthologue MYO7A regulate caspases in their signalling roles. Nat Commun 7, 10972, (2016), DOI: 10.1038/ncomms10972 (CF488A donkey anti-mouse, CF633 donkey anti-rabbit & CF633 donkey anti-goat)

Park, C. E., et al. Super-Resolution Three-Dimensional Imaging of Actin Filaments in Cultured Cells and the Brain via Expansion Microscopy. ACS Nano 14(11), 14999-15010, (2020), DOI: 10.1021/acsnano.0c04915 (CF633 secondary expansion microscopy)

Pena-Hernandez, R., et al. Genome-wide targeting of the epigenetic regulatory protein CTCF to gene promoters by the transcription factor TFII-I. Proc Natl Acad Sci U S A 112(7), E677-686, (2015), DOI: 10.1073/pnas.1416674112 (CF633 Annexin V flow)

DOMINIQUE DUTSCHER SAS

Polackwich, R. J., et al. A Novel 3D Fibril Force Assay Implicates Src in Tumor Cell Force Generation in Collagen Networks. PLoS One 8(3), e58138, (2013), DOI: DOI:10.1371/journal.pone.0058138 (CF633 succinimidyl ester (used to label collagen); 3D Fibril Force Assay, ICC)

Puligujja, P., et al. Macrophage Folate Receptor-Targeted Antiretroviral Therapy Facilitates Drug Entry, Retention, Antiretroviral Activities and Biodistribution for Reduction of Human Immunodeficiency Virus Infections. Nanomedicine 9(8), 1263, (2013), DOI: DOI:10.1016/j.nano.2013.05.003 (CF633 succinimidyl ester nanoparticles; ICC)

Quinn, K. E., et al. Activation of the CXCL12/CXCR4 signaling axis may drive vascularization of the ovine placenta. Domest Anim Endocrinol 47, 11-21, (2014), DOI: S0739-7240(13)00159-8 [pii] 10.1016/j.domaniend.2013.12.004 (CF633 goat anti-rabbit; IHC)

Ren, J., et al. Sirt1 Protects Subventricular Zone-Derived Neural Stem Cells from DNA Double-Strand Breaks and Contributes to Olfactory Function Maintenance in Aging Mice. Stem Cells 40, 493-507, (2022), DOI: 10.1093/stmcls/sxac008 (CF488A, CF543, CF633 secondaries. fluorescence microscopy)

Reed, A. P., et al. Dominant-Negative Effect of a Missense Variant in the TASK-2 (KCNK5) K+ Channel Associated with Balkan Endemic Nephropathy. PLoS One 11(5), e0156456, (2016), DOI: 10.1371/journal.pone.0156456 (CF633 wheat germ agglutinin, xenopus oocytes IF)

Roche, S. L., et al. Loss of glial neurofascin155 delays developmental synapse elimination at the neuromuscular junction. J Neurosci 34(38), 12904-12918, (2014), DOI: 10.1523/JNEUROSCI.1725-14.2014 (CF633 bungarotoxin)

Romero, G., et al. Localized Excitation of Neural Activity via Rapid Magnetothermal Drug Release. Advanced Functional Materials 26(35), 6471-6478, (2016), DOI: 10.1002/adfm.201602189 (CF633 amine)

Roy, D. S., et al. Memory retrieval by activating engram cells in mouse models of early Alzheimer's disease. Nature 531(7595), 508-512, (2016), DOI: 10.1038/nature17172 (CF633 streptavidin)

Schmitt, F., et al. Neuropeptides in the desert ant Cataglyphis fortis: Mass spectrometric analysis, localization, and age-related changes. J Comp Neurol 525(4), 901-918, (2017), DOI: 10.1002/cne.24109 (CF633 goat anti-mouse)

Senatore, A., et al. Neuropeptidergic integration of behavior in Trichoplax adhaerens, an animal without synapses. J Exp Biol 220(Pt 18), 3381-3390, (2017), DOI: 10.1242/jeb.162396 (CF633 succinimidyl ester)

Seo, J., et al. PICASSO: Ultra-multiplexed fluorescence imaging of biomolecules through single-round imaging and blind source unmixing. bioRxiv, (2021), DOI: 10.1101/2021.01.27.428247 (CF633, CF660R, CF680R)

Seo, J., et al. PICASSO allows ultra-multiplexed fluorescence imaging of spatially overlapping proteins without reference spectra measurements. Nat Commun 13, 2475, (2022), DOI: 10.1038/s41467-022-30168-z (CF405S, CF405M, CF405L, CF488A, CF568, CF633, CF660R, CF680R)

Sevenich, M., et al. Development of an alpha-synuclein fibril and oligomer specific tracer for diagnosis of Parkinson's disease, dementia with Lewy bodies and multiple system atrophy. Neurochem Int 161, 105422, (2022), DOI: 10.1016/j.neuint.2022.105422 (CF488A SE, CF633 maleimide)

DOMINIQUE DUTSCHER SAS

Shiozaki, H. M. and Kazama, H. Parallel encoding of recent visual experience and self-motion during navigation in Drosophila. Nat Neurosci 20(10), 1395-1403, (2017), DOI: 10.1038/nn.4628 (CF488A anti-rat, CF633 anti-mouse and CF633 anti-rabbit)

Simonson, P. D., et al. Single-molecule-based super-resolution images in the presence of multiple fluorophores. Nano Lett 11(11), 5090-5096, (2011), DOI: DOI:10.1021/nl203560r (CF633 goat anti-mouse IgG; ICC, gSHRImP)

Starunov, V. V., et al. A metameric origin for the annelid pygidium?. BMC Evol Biol 15, 25, (2015), DOI: 10.1186/s12862-015-0299-z 10.1186/s12862-015-0299-z [pii] (CF633 goat anti-mouse & CF555 goat anti-rabbit)

Stempel, H., et al. Strain-specific Loss of Formyl Peptide Receptor 3 in the Murine Vomeronasal and Immune Systems. J Biol Chem 291(18), 9762-9775, (2016), DOI: 10.1074/jbc.M116.714493 (CF633 donkey anti-rat)

Stoltzfus, C. R., et al. CytoMAP: A Spatial Analysis Toolbox Reveals Features of Myeloid Cell Organization in Lymphoid Tissues. Cell Rep 31(3), 107523, (2020), DOI: 10.1016/j.celrep.2020.107523 (CF750, CF594, CF514, CF633 Mix-n-Stain)

Suwanwongse, K. and Shabarek, N. Clinical features and outcome of HIV/SARS-CoV-2 coinfected patients in The Bronx, New York city. J Med Virol 92(11), 2387-2389, (2020), DOI: 10.1002/jmv.26077 (CF633 goat anti-rabbit)

Tian, T., et al.Dynamics of exosome internalization and trafficking. J Cell Physiol 228(7), 1487-1495, (2013), DOI: 10.1002/jcp.24304 (CF633 goat anti-rabbit; ICC)

Truckenbrodt, S., et al. A practical guide to optimization in X10 expansion microscopy. Nat Protoc 14(3), 832-863, (2019), DOI: 10.1038/s41596-018-0117-3 (CF633 donkey anti-mouse expansion microscopy)

Vlahava, V. M., et al. CD40 ligand exhibits a direct antiviral effect on Herpes Simplex Virus type-1 infection via a PI3K-dependent, autophagy-independent mechanism. Cell Signal 27(6), 1253-1263, (2015), DOI: S0898-6568(15)00078-9 [pii] 10.1016/j.cellsig.2015.03.002 (CF633 FC)

von Walden, F., et al. Mechanical loading induces the expression of a Pol I regulon at the onset of skeletal muscle hypertrophy. Am J Physiol Cell Physiol 302(10), C1523-1530, (2012), DOI: DOI:10.1152/ajpcell.00460.2011 (CF488A goat anti-mouse IgG, CF633 goat anti-rabbit IgG; ICC, IHC)

Wakisaka, N., et al. An Adenosine Receptor for Olfaction in Fish. Curr Biol 27(10), 1437-1447 e1434, (2017), DOI: 10.1016/j.cub.2017.04.014 (CF633 goat anti-mouse)

Wang, H., et al. Cellular nanovesicles with bioorthogonal targeting enhance photodynamic/photothermal therapy in psoriasis. Acta Biomater 134, 674-685, (2021), DOI: 10.1016/j.actbio.2021.07.068 (CF633 succinimidyl ester)

Wang, W., et al. A light- and calcium-gated transcription factor for imaging and manipulating activated neurons. Nat Biotechnol 35(9), 864-871, (2017), DOI: 10.1038/nbt.3909 (CF633 streptavidin)

Witteveldt, J., et al. The influence of viral RNA secondary structure on interactions with innate host cell defences. Nucleic Acids Res 42(5), 3314-3329, (2014), DOI: gkt1291 [pii] 10.1093/nar/gkt1291 (CF633 anti-biotin; ICC)

DOMINIQUE DUTSCHER SAS

Xia, S. H., et al. Cortical and Thalamic Interaction with Amygdala-to-Accumbens Synapses. J Neurosci 40(37), 7119-7132, (2020), DOI: 10.1523/JNEUROSCI.1121-20.2020 (CF633 hydrazide)

Xie, H., et al. TLR4 is involved in the pathogenic effects observed in a murine model of antiphospholipid syndrome. Clin Immunol 160(2), 198-210, (2015), DOI: 10.1016/j.clim.2015.05.017 (CF633 succinimidyl ester)

Yang, X., et al. Dihomo-gamma-linolenic acid inhibits growth of xenograft tumors in mice bearing human pancreatic cancer cells (BxPC-3) transfected with delta-5-desaturase shRNA. Redox Biol 20, 236-246, (2019), DOI: 10.1016/j.redox.2018.10.001 (CF633 goat anti-rabbit CF633 goat anti-mouse)

Yu, Y., et al.Expression, Localization and Functional Activity of the Major Na(+)/H(+) Exchange Isoforms Expressed in the Intestinal Cell Line Caco-2BBe. Cell Physiol Biochem 52(5), 1017-1038, (2019), DOI: 10.33594/000000070 (CF633 wheat germ agglutinin)

Zambon, P., Palani, S., Jadhav, S. S., Gayathri, P., Balasubramanian, M. K. . Genetic Suppression of Defective Profilin by Attenuated Myosin II Reveals a Potential Role for Myosin II in Actin Dynamics in vivo in fission yeast. Mol Biol Cell 31(19), 2107-2114, (2020), DOI: 10.1091/mbc.E20-04-0224 (CF633 phalloidin fission yeast)

Zanetti-Domingues, L. C., et al. Hydrophobic fluorescent probes introduce artifacts into single molecule tracking experiments due to non-specific binding. PLoS One 8(9), e74200, (2013), DOI: 10.1371/journal.pone.0074200 PONE-D-13-17594 [pii] (CF488A, CF568, CF633 & CF640R maleimide, TIRF)

Zhao, Y., et al. Nanoscale imaging of clinical specimens using pathology-optimized expansion microscopy. Nat Biotechnol 35(8), 757-764, (2017), DOI: 10.1038/nbt.3892 (CF633 goat anti-mouse)

Zolnerciks, J. K., et al. The Q loops of the human multidrug resistance transporter ABCB1 are necessary to couple drug binding to the ATP catalytic cycle. FASEB J 28(10), 4335-4346, (2014), DOI: fj.13-245639 [pii] 10.1096/fj.13-245639 (CF633 Mix-n-Stain; ICC)

CF®640R

Adolfsson, K., et al. Ingestion of gallium phosphide nanowires has no adverse effect on Drosophila tissue function. Nanotechnology 24(28), 285101, (2013), DOI: DOI:10.1088/0957-4484/24/28/285101 (CF640R wheat germ agglutinin; ICC)

Aggarwal, N., et al. Secreted osteopontin from CD4(+) T cells limits acute graft-versus-host disease. Cell Rep 37, 110170, (2021), DOI: 10.1016/j.celrep.2021.110170 (CF640R)

Agrawal, A., et al. Manipulation of coacervate droplets with an electric field. Proc Natl Acad Sci U S A 119, e2203483119, (2022), DOI: 10.1073/pnas.2203483119 (CF488A BSA, CF640R BSA, fluorescence microscopy)

Akin, E. J., et al. Single-Molecule Imaging of Nav1.6 on the Surface of Hippocampal Neurons Reveals Somatic Nanoclusters. Biophys J 111(6), 1235-1247, (2016), DOI: 10.1016/j.bpj.2016.08.016 (CF640R in TIRF)

Ara, A., et al. Mechanism of Enhanced HIV Restriction by Virion Coencapsidated Cytidine Deaminases APOBEC3F and APOBEC3G. J Virol 91(3), (2017), DOI: 10.1128/JVI.02230-16 (CF543 Rabbit anti-V5 & CF640R Rabbit anti-HA)

DOMINIQUE DUTSCHER SAS

Bosch, P. J., et al. Evaluation of fluorophores to label SNAP-tag fused proteins for multicolor single-molecule tracking microscopy in live cells. Biophys J 107(4), 803-814, (2014), DOI: S0006-3495(14)00686-9 [pii] 10.1016/j.bpj.2014.06.040 (CF633 succinimidyl ester, CF640R succinimidyl ester; TIRF)

Bazzurro, V., et al. Involvement of GABA(A) receptors containing alpha(6) subtypes in antisecretory factor activity on rat cerebellar granule cells studied by two-photon uncaging. Eur J Neurosci 56, 4505-4513, (2022), DOI: 10.1111/ejn.15775 (CF640R biocytin, fluorescence microscopy, 2-photon)

Bzowska, M., et al. Involvement of cell surface 90 kDa heat shock protein (HSP90) in pattern recognition by human monocyte-derived macrophages. J Leukoc Biol 102(3), 763-774, (2017), DOI: 10.1189/jlb.2MA0117-019R (CF640R anti-biotin)

Dasgupta, P., et al. Rapid assessment of G protein signaling of four opioid receptors using a real-time fluorescence-based membrane potential assay. Eur J Pharmacol 890, 173640, (2021), DOI: 10.1016/j.ejphar.2020.173640 (CF488A Anti-6X His CF640R Anti-FLAG)

De Pace, R., et al. Synaptic Vesicle Precursors and Lysosomes Are Transported by Different Mechanisms in the Axon of Mammalian Neurons. Cell Rep 31(11), 107775, (2020), DOI: 10.1016/j.celrep.2020.107775 (CF640R Mix-n-Stain)

Engel, U. Four-Channel Super-Resolution Imaging by 3-D Structured Illumination. Methods Mol Biol 1663, 79-94, (2017), DOI: 10.1007/978-1-4939-7265-4_7 (CF640R SIM)

Farias, G. G., et al. Feedback-Driven Mechanisms between Microtubules and the Endoplasmic Reticulum Instruct Neuronal Polarity. Neuron 102(1), 184-201 e188, (2019), DOI: 10.1016/j.neuron.2019.01.030 (CF640R Mix-n-Stain)

Farias, G. G., et al. Imaging the Polarized Sorting of Proteins from the Golgi Complex in Live Neurons. Methods Mol Biol 1496, 13-30, (2016), DOI: 10.1007/978-1-4939-6463-5_2 (CF488A, CF555 & CF640R Mix-n-Stain IF)

Forero-Quintero, L. S., et al. Live-cell imaging reveals the spatiotemporal organization of endogenous RNA polymerase II phosphorylation at a single gene. Nat Commun 12(1), 3158, (2021), DOI: 10.1038/s41467-021-23417-0 (CF640R succinimidyl ester)

Gennet, N., et al. FolR1: a novel cell surface marker for isolating midbrain dopamine neural progenitors and nascent dopamine neurons. Sci Rep 6, 32488, (2016), DOI: 10.1038/srep32488 (CF640R Mix-n-Stain FACS)

Gilboa, T., et al. Single-Molecule DNA Methylation Quantification Using Electro-optical Sensing in Solid-State Nanopores. ACS Nano 10(9), 8861-8870, (2016), DOI: 10.1021/acsnano.6b04748 (CF640R succinimidyl ester)

Giraldo-Vela, J. P., et al. Single-cell detection of mRNA expression using nanofountain-probe electroporated molecular beacons. Small 11(20), 2386-2391, (2015), DOI: 10.1002/smll.201401137 (CF640R succinimidyl ester)

Goldsmith, J. R., et al. TNFAIP8 controls murine intestinal stem cell homeostasis and regeneration by regulating microbiome-induced Akt signaling. Nat Commun 11, 2591, (2020), DOI: 10.1038/s41467-020-16379-2 (CF640R WGA, fluorescence microscopy)

DOMINIQUE DUTSCHER SAS

Hadassa Y. Holzapfel, and Marc R. Birtwistle. Creating Complex Fluorophore spectra on Antibodies Through Combinatorial Labeling. Transl Sci, 1-10, (2016). (CF405M, CF488A, CF568, CF640R, FRET, MnS)

Herrera Estrada, L., et al. Bioengineering Bacterially Derived Immunomodulants: A Therapeutic Approach to Inflammatory Bowel Disease. ACS Nano 11(10), 9650-9662, (2017), DOI: 10.1021/acsnano.7b03239 (CF640R transferrin, CF640R BSA and CF640R dextran 10,000 Mt)

Jeffet, J., et al. Multi-modal Single-molecule Imaging with continuously Controlled Spectral-resolution (CoCoS) Microscopy. bioRxiv, (2020), DOI: 10.1101/2020.10.13.330910 (CF640R BCN)

Karwelat, D., et al. A rodent thyroid-liver chip to capture thyroid toxicity on organ function level. ALTEX 40, 83-102, (2023), DOI: 10.14573/altex.2108262 (CF640R)

Keren-Kaplan, T., et al. RUFY3 and RUFY4 are ARL8 effectors that promote coupling of endolysosomes to dynein-dynactin. Nat Commun 13, 1506, (2022), DOI: 10.1038/s41467-022-28952-y (CF640R, Mix-n-Stain)

Kolahi, K. S., et al. Cytotrophoblast, Not Syncytiotrophoblast, Dominates Glycolysis and Oxidative Phosphorylation in Human Term Placenta. Sci Rep 7, 42941, (2017), DOI: 10.1038/srep42941 (CF640R wheat germ agglutinin)

Lee, H. J., et al. ATP synthase inhibitory factor 1 (IF1), a novel myokine, regulates glucose metabolism by AMPK and Akt dual pathways. FASEB J 33(12), 14825-14840, (2019), DOI: 10.1096/fj.201901440RR (CF640R wheat germ agglutinin)

Loh, L. N., et al. Dissecting Bacterial Cell Wall Entry and Signaling in Eukaryotic Cells: an Actin-Dependent Pathway Parallels Platelet-Activating Factor Receptor-Mediated Endocytosis. MBio 8(1), (2017), DOI: mBio.02030-16 [pii] 10.1128/mBio.02030-16 (CF405M wheat germ agglutinin, CF488A succinimidyl ester, CF640R succinimidyl ester; CF640R SIM)

Martin-Fernandez, M. L., et al. A 'pocket guide' to total internal reflection fluorescence. J Microsc 252(1), 16-22, (2013), DOI: 10.1111/jmi.12070 (CF640R; TIRF)

Matsuzaki, T., et al. Generation and characterization of a mouse line carrying Reck-CreERT2 knock-in allele. Genesis 56(4), e23099, (2018), DOI: 10.1002/dvg.23099 (CF640R goat anti-mouse)

Mattiazzi Usaj, M., et al. Systematic genetics and single-cell imaging reveal widespread morphological pleiotropy and cell-to-cell variability. Mol Syst Biol 16(2), e9243, (2020), DOI: 10.15252/msb.20199243 (CF640R wheat germ agglutinin)

Motozono, C., et al. An emerging SARS-CoV-2 mutant evading cellular immunity and increaseing viral infectivity. bioRxiv, (2021), DOI: 10.1101/2021.04.02.438288 (CF640R succinimidyl ester)

Needham, S. R., et al. EGFR oligomerization organizes kinase-active dimers into competent signalling platforms. Nat Commun 7, 13307, (2016), DOI: ncomms13307 [pii] 10.1038/ncomms13307 (CF640R FLImP)

Needham, S. R., et al. Determining the geometry of oligomers of the human epidermal growth factor family on cells with <10 nm resolution. Biochem Soc Trans 43(3), 309-314, (2015), DOI: BST20140318 [pii] 10.1042/BST20140318 (CF640R FLImP)

DOJINDO LABORATORIES

Orosz, L., et al. IL-17A and IL-17F induce autophagy in RAW 264.7 macrophages. Biomed Pharmacother 77, 129-134, (2016), DOI: 10.1016/j.biopha.2015.12.020 (CF640R goat anti-rabbit)

Parreno, J., et al. Microstructural determinants of lens stiffness in rat versus guinea pig lenses. (2021), DOI: 10.1101/2021.02.15.431302 (CF640R wheat germ agglutinin, Hoechst)

Sainski, A. M., et al. Casp8p41 generated by HIV protease kills CD4 T cells through direct Bak activation. J Cell Biol 207(1), 159, (2014), DOI: jcb.20140505109252014c [pii] 10.1083/jcb.20140505109252014c (CF640R Mix-n-Stain; FC)

Salazar-Cavazos, E., et al. Multisite EGFR phosphorylation is regulated by adaptor protein abundances and dimer lifetimes. Mol Biol Cell 31(7), 695-708, (2020), DOI: 10.1091/mbc.E19-09-0548 (CF555 CF640R SIM)

Samec, N., Jovcevska, I., Stojan, J., Zottel, A., Liovic, M., Myers, M. P., Muyldermans, S., Šribar, J., Križaj, I., Komel, R. . Glioblastoma-specific anti-TUFM nanobody for in-vitro immunoimaging and cancer stem cell targeting. Oncotarget 9, 17282-17299, (2018), DOI: https://doi.org/10.18632/oncotarget.24629 (CF640R goat anti-mouse Fab)

Sanmarco, L. M., et al. Gut-licensed IFNgamma(+) NK cells drive LAMP1(+)TRAIL(+) anti-inflammatory astrocytes. Nature 590(7846), 473-479, (2021), DOI: 10.1038/s41586-020-03116-4 (CF640R wheat germ agglutinin)

Sawaguchi, S., et al. O-GlcNAc on NOTCH1 EGF repeats regulates ligand-induced Notch signaling and vascular development in mammals. Elife 6, (2017), DOI: 10.7554/eLife.24419 (CF488A donkey anti-goat, CF640R donkey anti-rat and CF488A streptavidin)

Shapira, S., et al. Selective eradication of cancer cells by delivery of adenovirus-based toxins. Oncotarget 8(24), 28581-38591, (2017), DOI: 10.18632/oncotarget.16934 (CF640R Annexin RedDot2)

Singh, A. K., et al. Structure and Sialyllactose Binding of the Carboxy-Terminal Head Domain of the Fibre from a Siadenovirus, Turkey Adenovirus 3. PLoS One 10(9), e0139339, (2015), DOI: 10.1371/journal.pone.0139339 (CF640R anti-6XHis)

Song, Y., et al. Real-time imaging of single engineered RNA transcripts in living cells using ratiometric bimolecular beacons. J Vis Exp 6(90), e51544, (2014), DOI: 10.3791/51544 (CF640R succinimidyl ester molecular beacons RNA; fluorescence microscopy)

Stasevich, T. J., et al. Quantifying histone and RNA polymerase II post-translational modification dynamics in mother and daughter cells. Methods 70(2-3), 77, (2014), DOI: S1046-2023(14)00260-6 [pii] 10.1016/j.ymeth.2014.08.002 (CF640R succinimidyl ester; live cell imaging)

Tokunaga, M., et al. Hereditary spastic paraplegia protein spartin is an FK506-binding protein identified by mRNA display. Chem Biol 20(7), 935-942, (2013), DOI: S1074-5521(13)00236-6 [pii] 10.1016/j.chembiol.2013.05.011 (CF640R goat anti-mouse; ICC)

Uesaka, T., et al. Neuronal Differentiation in Schwann Cell Lineage Underlies Postnatal Neurogenesis in the Enteric Nervous System. J Neurosci 35(27), 9879-9888, (2015), DOI: 10.1523/JNEUROSCI.1239-15.2015 (CF568 & CF640R secondaries)

Utratna, M., et al. Rapid screening for specific glycosylation and pathogen interactions on a 78 species avian egg white glycoprotein microarray. Sci Rep 7(1), 6477, (2017), DOI: 10.1038/s41598-017-06797-6 (CF640R anti-6X His)

DOMINIQUE DUTSCHER SAS

Valent, A. M., et al. Hyperglycemia and gestational diabetes suppress placental glycolysis and mitochondrial function and alter lipid processing. FASEB J 35(3), e21423, (2021), DOI: 10.1096/fj.202000326RR (CF640R wheat germ agglutinin)

Wang, X., et al. Disrupted Coordination of Hypoglossal Motor Control in a Mouse Model of Pediatric Dysphagia in DiGeorge/22q11.2 Deletion Syndrome. eNeuro 7(5), (2020), DOI: 10.1523/ENEURO.0520-19.2020 (CF640R biocytin)

Webb, S. E., et al. Nanometric molecular separation measurements by single molecule photobleaching. Methods 88, 76-80, (2015), DOI: 10.1016/j.ymeth.2015.05.009 (CF640R succinimidyl ester)

Wu, M., et al. Unbalanced Regulation of alpha7 nAChRs by Ly6h and NACHO Contributes to Neurotoxicity in Alzheimer's Disease. J Neurosci 41(41), 8461-8474, (2021), DOI: 10.1523/JNEUROSCI.0494-21.2021 (CF640R alpha-bungarotoxin)

Xu, Z., et al. Teleost skin, an ancient mucosal surface that elicits gut-like immune responses. Proc Natl Acad Sci U S A 110(32), 13097-13102, (2013), DOI: 1304319110 [pii] 10.1073/pnas.1304319110 (CF488A Mix-n-Stain, CF555, CF640R; IHC)

Yamada, S., et al. Swelling-activated ClC-3 activity regulates prostaglandin E2 release in human OUMS-27 chondrocytes. Biochem Biophys Res Commun 537, 29-35, (2021), DOI: 10.1016/j.bbrc.2020.12.068 (CF640R wheat germ agglutinin)

Yu, Y., et al. Single-phagosome imaging reveals that homotypic fusion impairs phagosome degradative function. Biophys J 121, 459-469, (2022), DOI: 10.1016/j.bpj.2021.12.032 (CF488A CTB, CF640R amine, TIRF)

Zahradnik, J., et al. SARS-CoV-2 variant prediction and antiviral drug design are enabled by RBD in vitro evolution. Nat Microbiol 6(9), 1188-1198, (2021), DOI: 10.1038/s41564-021-00954-4 (CF640R succinimidyl ester)

Zanetti-Domingues, L. C., et al. Determining the geometry of oligomers of the human epidermal growth factor family on cells with 7 nm resolution. Prog Biophys Mol Biol 118(3), 139-152, (2015), DOI: S0079-6107(15)00047-4 [pii] 10.1016/j.pbiomolbio.2015.04.002 (CF640R FLImP)

Zanetti-Domingues, L. C., et al. Hydrophobic fluorescent probes introduce artifacts into single molecule tracking experiments due to non-specific binding. PLoS One 8(9), e74200, (2013), DOI: 10.1371/journal.pone.0074200 PONE-D-13-17594 [pii] (CF488A, CF568, CF633 & CF640R maleimide)

Zhang, R., et al. Structural insight into TPX2-stimulated microtubule assembly. eLife 6, (2017), DOI: 10.7554/eLife.30959

Zhang, X., et al. Quantitative assessment of ratiometric bimolecular beacons as a tool for imaging single engineered RNA transcripts and measuring gene expression in living cells. Nucleic Acids Res 41(15), e152, (2013), DOI: DOI:10.1093/nar/gkt561 (CF640R succinimidyl ester; RNA probes for use in living cells (Ratiometric Bimolecular Beacon (RBMB); ICC)

Zhou, H. and Liu, G. Regulation of density of functional presynaptic terminals by local energy supply. Mol Brain 8, 42, (2015), DOI: 10.1186/s13041-015-0132-z (CF488A, CF555 & CF640R secondaries, MitoView 633)

DOMINIQUE DUTSCHER SAS

Zurla, C., et al. Characterizing mRNA interactions with RNA granules during translation initiation inhibition. PLoS One 6(5), e19727, (2011), DOI: DOI:10.1371/journal.pone.0019727 (CF640R tetravalent RNA imaging probe; FISH)

CF®647

Ahmed, S. M., et al. KIF14 negatively regulates Rap1a-Radil signaling during breast cancer progression. J Cell Biol 199(6), 951-967, (2012), DOI: DOI:10.1083/jcb.201206051 (CF647 phalloidin; ICC)

Amann, R., et al. A new rabies vaccine based on a recombinant Orf virus (Parapoxvirus) expressing the rabies virus glycoprotein. J Virol 87(3), 1618, (2012), DOI: DOI:10.1128/JVI.02470-12 (CF647 phalloidin; ICC)

Barbirou, M., et al. Single Circulating-Tumor-Cell-Targeted Sequencing to Identify Somatic Variants in Liquid Biopsies in Non-Small-Cell Lung Cancer Patients. Current Issues in Molecular Biology 44(2), 750-763, (2022), DOI: 10.3390/cimb44020052 (CF405 succinimidyl ester & CF647 succinimidyl ester)

Belicky, S., et al. Label-free chronopotentiometric glycoprofiling of prostate specific antigen using sialic acid recognizing lectins. Bioelectrochemistry 117, 89-94, (2017), DOI: 10.1016/j.bioelechem.2017.06.005 (CF647 streptavidin)

Bertok, T., et al. Analysis of serum glycome by lectin microarrays for prostate cancer patients - a search for aberrant glycoforms. Glycoconj J 37(6), 703-711, (2020), DOI: 10.1007/s10719-020-09958-4 (CF647 streptavidin)

Cai, L., et al. Optimal Poly(L-lysine) Grafting Density in Hydrogels for Promoting Neural Progenitor Cell Functions. Biomacromolecules 13(5), 1663, (2012), DOI: DOI:10.1021/bm300381d (CF647 goat anti-rabbit IgG; ICC)

Cantuti-Castelvetri, L., et al. Neuropilin-1 facilitates SARS-CoV-2 cell entry and infectivity. Science 370(6518), 856-860, (2020), DOI: 10.1126/science.abd2985 (CF488A, CF555, CF647)

Castellani, S., et al. Nanoparticle delivery of grape seed-derived proanthocyanidins to airway epithelial cells dampens oxidative stress and inflammation. J Transl Med 16(1), 140, (2018), DOI: 10.1186/s12967-018-1509-4 (CF647 Annexin V)

Coustets, M., et al. Development of a near infrared protein nanoprobe targeting Thomsen-Friedenreich antigen for intraoperative detection of submillimeter nodules in an ovarian peritoneal carcinomatosis mouse model. Biomaterials 241, 119908, (2020), DOI: 10.1016/j.biomaterials.2020.119908 (CF647 protein labeling kit)

El Kojok, H., et al. Fluorescence polarization assay to detect the presence of traces of ciprofloxacin. Sci Rep 10(1), 4550, (2020), DOI: 10.1038/s41598-020-61395-3 (CF647 succinimidyl ester toxin-receptor complex labeling)

Engdahl, A. K., et al. (2023). Switching of Organic Fluorophores by Glycerol-sulfite Interactions for Single-Molecule Super-Resolution Microscopy. ChemPhotoChem 7, (2023), DOI: 10.1002/cptc.202200305 (CF647, CF568, Super-Resolution, dSTORM)

Estrada, A. L., et al. Extracellular vesicle secretion is tissue-dependent ex vivo and skeletal muscle myofiber extracellular vesicles reach the circulation in vivo. Am J Physiol Cell Physiol 322, C246-C259, (2022), DOI: 10.1152/ajpcell.00580.2020 (CF647 CD63, extracellular vesicles, imaging immunocapture)

DO NOT COPY BIOTIUM SAS

Futatsuki, T., et al. Involvement of orexin neurons in fasting- and central adenosine-induced hypothermia. Sci Rep 8(1), 2717, (2018), DOI: 10.1038/s41598-018-21252-w (CF568 donkey anti-goat and CF647 donkey anti-goat)

Gabr, M. T. and Gambhir, S. S. Discovery and Optimization of Small-Molecule Ligands for V-Domain Ig Suppressor of T-Cell Activation (VISTA). J Am Chem Soc 142(38), 16194-16198, (2020), DOI: 10.1021/jacs.0c07276 (CF647 unknown)

Gomes de Castro, M. A., et al. Differential organization of tonic and chronic B cell antigen receptors in the plasma membrane. Nat Commun 10(1), 820, (2019), DOI: 10.1038/s41467-019-08677-1 (CF647 maleimide)

Gong, Y.-N., et al. Biological events and molecular signaling following MLKL activation during necroptosis. Cell Cycle, 1-13, (2017), DOI: 10.1080/15384101.2017.1371889 (CF568, CF647 STORM)

Gregorieff, A., et al. Yap-dependent reprogramming of Lgr5(+) stem cells drives intestinal regeneration and cancer. Nature 526(7575), 715-718, (2015), DOI: 10.1038/nature15382 (CF555 donkey anti-mouse & CF647 donkey anti-rabbit)

Hess, D., et al. High-throughput, quantitative enzyme kinetic analysis in microdroplets using stroboscopic epifluorescence imaging. Anal Chem 87(9), 4965-4972, (2015), DOI: 10.1021/acs.analchem.5b00766 (CF647 hydrazide-fluidics tracer)

Hirano, K. and Namihira, M. LSD1 Mediates Neuronal Differentiation of Human Fetal Neural Stem Cells by Controlling the Expression of a Novel Target Gene, HEYL. Stem Cells 34(7), 1872-1882, (2016), DOI: 10.1002/stem.2362 (CF488A, CF568, CF647 donkey secondaries)

Homann, S., et al. A novel rapid and reproducible flow cytometric method for optimization of transfection efficiency in cells. PLoS One 12(9), e0182941, (2017), DOI: 10.1371/journal.pone.0182941 (CF647 Mix-n-Stain)

Huh, D., et al. Microfabrication of human organs-on-chips. Nat Protoc 8(11), 2135-2157, (2013), DOI: nprot.2013.137 [pii] 10.1038/nprot.2013.137 (CF647 phalloidin; ICC)

Inutsuka, A., et al. Concurrent and robust regulation of feeding behaviors and metabolism by orexin neurons. Neuropharmacology 85, 451-460, (2014), DOI: S0028-3908(14)00237-8 [pii] 10.1016/j.neuropharm.2014.06.015 (CF488 CF594 CF647; IHC)

Inutsuka, A., et al. The integrative role of orexin/hypocretin neurons in nociceptive perception and analgesic regulation. Sci Rep 6, 29480, (2016), DOI: 10.1038/srep29480 (CF488A, CF594 & CF647 secondaries)

Jain, D., et al. Prognostic significance of NT5E/CD73 in neuroblastoma and its function in CSC stemness maintenance. Cell Biol Toxicol, (2021), DOI: 10.1007/s10565-021-09658-1 (CF647)

Jiang, L., et al. A bacterial extracellular vesicle-based intranasal vaccine against SARS-CoV-2 protects against disease and elicits neutralizing antibodies to wild-type and Delta variants. bioRxiv, (2022), DOI: 10.1101/2021.06.28.450181 (CF488A SE, CF555 SE, CF647 SE, Single-particle interferometric reflectance imaging sensing)

Kanzaki, H., et al. A-Disintegrin and Metalloproteinase (ADAM) 17 Enzymatically Degrades Interferon-gamma. Sci Rep 6, 32259, (2016), DOI: 10.1038/srep32259 (CF647 succinimidyl ester)

DOMINIQUE DUTSCHER SAS

Kim, H. J. and Ingber, D. E. Gut-on-a-Chip microenvironment induces human intestinal cells to undergo villus differentiation. Integr Biol (Camb) 5(9), 1130, (2013), DOI: DOI:10.1039/c3ib40126j (CF647 phalloidin; ICC)

Kong, D., et al. Prolonged mitosis results in structurally aberrant and over-elongated centrioles. J Cell Biol 219(6), (2020), DOI: 10.1083/jcb.201910019 (CF647 goat anti-rabbit F(ab)2 STORM)

Koo, S. J., et al. Vesicular Synaptobrevin/VAMP2 Levels Guarded by AP180 Control Efficient Neurotransmission. Neuron 88(2), 330-344, (2015), DOI: 10.1016/j.neuron.2015.08.034 (CF647 succinimidyl ester)

Krolewski, D. M., et al. Quantitative validation of immunofluorescence and lectin staining using reduced CLARITY acrylamide formulations. Brain Struct Funct 223(2), 987-999, (2018), DOI: 10.1007/s00429-017-1583-z (CF594 CF647)

Kroll, A. V., et al. Nanoparticulate Delivery of Cancer Cell Membrane Elicits Multiantigenic Antitumor Immunity. Adv Mater 29(47), (2017), DOI: 10.1002/adma.201703969 (CF647 succinimidyl ester)

Lee, K. S., et al. Functional Synaptic Architecture of Callosal Inputs in Mouse Primary Visual Cortex. Neuron 101(3), 421-428 e425, (2019), DOI: 10.1016/j.neuron.2018.12.005 (CF405M CF647 expansion microscopy)

Lehmann, M., et al. Nanoscale coupling of endocytic pit growth and stability. Sci Adv 5(11), eaax5775, (2019), DOI: 10.1126/sciadv.aax5775 (CF647 goat anti-mouse CF680 goat anti-rabbit STORM)

Lehmann, M., et al. Novel organic dyes for multicolor localization-based super-resolution microscopy. J Biophotonics 9(1-2), 161-170, (2016), DOI: 10.1002/jbio.201500119 (CF555, CF568, CF647, CF680, STORM)

Liebel, M., et al. 3D tracking of extracellular vesicles by holographic fluoscence imaging. Sci Adv 6(45), (2020), DOI: 10.1126/sciadv.abc2508 (CF647 amine)

Lin, Z. P., et al. Macrophages Actively Transport Nanoparticles in Tumors After Extravasation. ACS Nano 16, 6080-6092, (2022), DOI: 10.1021/acsnano.1c11578 (CF555 GARt, CF647 DARb, 3D microscopy)

Linhoff, M. W., et al. A high-resolution imaging approach to investigate chromatin architecture in complex tissues. Cell 163(1), 246-255, (2015), DOI: S0092-8674(15)01122-8 [pii] 10.1016/j.cell.2015.09.002 (CF488A GAMs2a CF488A goat anti-chicken CF647 goat anti-mouse)

Liu, T., et al. Quantification of antibody avidities and accurate detection of SARS-CoV-2 antibodies in serum and saliva on plasmonic substrates. Nat Biomed Eng 4, 1188-1196, (2020), DOI: 10.1038/s41551-020-00642-4 (CF647, antibody aviditiy assay, streptavidin)

Marenda, M., et al. Parameter-free molecular super-structures quantification in single-molecule localization microscopy. J Cell Biol 220(5), (2021), DOI: 10.1083/jcb.202010003 (CF647)

Mattsson, L., et al. Modified carbon black as label in a colorimetric on-chip immunoassay for histamine. Sensors and Actuators B: Chemical 246, 1092-1099, (2017), DOI: 10.1016/j.snb.2016.11.141 (CF647 goat anti-rabbit)

Meitinger, F., et al. TRIM37 prevents formation of condensate-organized ectopic spindle poles to ensure mitotic fidelity. J Cell Biol 220(7), (2021), DOI: 10.1083/jcb.202010180 (CF647 CF568)

DOMINIQUE DUTSCHER SAS

Merched, A. J., et al. Specific autoantigens in experimental autoimmunity-associated atherosclerosis. FASEB J 30(6), 2123-2134, (2016), DOI: 10.1096/fj.201500131 (CF647 goat anti-mouse)

Merklinger, E., et al. No Evidence for Spontaneous Lipid Transfer at ER-PM Membrane Contact Sites. J Membr Biol 249(1-2), 41-56, (2016), DOI: 10.1007/s00232-015-9845-2 (CF647 rabbit anti-goat)

Monaghan, C. E., et al. REST corepressors RCOR1 and RCOR2 and the repressor INSM1 regulate the proliferation-differentiation balance in the developing brain. Proc Natl Acad Sci U S A 114(3), E406-E415, (2017), DOI: 10.1073/pnas.1620230114 (CF647 goat anti-mouse & CF647 goat anti-mouse IgG1)

Murao, N., et al. Np95/Uhrf1 regulates tumor suppressor gene expression of neural stem/precursor cells, contributing to neurogenesis in the adult mouse brain. Neurosci Res 143, 31-43, (2019), DOI: 10.1016/j.neures.2018.05.007 (CF Donkey secondaries CF647 goat anti-chicken)

Nakamuta, S., et al. Dual role for DOCK7 in tangential migration of interneuron precursors in the postnatal forebrain. J Cell Biol 216(12), 4313-4330, (2017), DOI: 10.1083/jcb.201704157 (CF647 donkey anti-goat)

Nakashima, H., et al. Canonical TGF-beta Signaling Negatively Regulates Neuronal Morphogenesis through TGIF/Smad Complex-Mediated CRMP2 Suppression. J Neurosci 38(20), 4791-4810, (2018), DOI: 10.1523/JNEUROSCI.2423-17.2018 (CF488A, CF555, CF647 secondaries)

Nakashima, H., et al. MeCP2 controls neural stem cell fate specification through miR-199a-mediated inhibition of BMP-Smad signaling. Cell Rep 35(7), 109124, (2021), DOI: 10.1016/j.celrep.2021.109124 (CF488A donkey anti-rabbit CF488A donkey anti-goat CF555 donkey anti-mouse CF555 donkey anti-rabbit CF555 donkey anti-guinea pig CF647 donkey anti-mouse and CF647 donkey anti-rat)

Noguchi, H., et al. Expression of DNMT1 in neural stem/precursor cells is critical for survival of newly generated neurons in the adult hippocampus. Neurosci Res 95, 1-11, (2015), DOI: S0168-0102(15)00033-4 [pii] 10.1016/j.neures.2015.01.014 (CF488A donkey anti-mouse, CF543 donkey anti-rabbit, CF568 donkey anti-rat, CF647 donkey anti-goat, CF647 donkey anti-rabbit)

Olivier, N., et al. Simple buffers for 3D STORM microscopy. Biomed Opt Express 4(6), 885-899, (2013), DOI: 10.1364/BOE.4.000885 187153 [pii] (CF647; 3D STORM)

Park, K. S., et al. A crucial requirement for Hedgehog signaling in small cell lung cancer. Nat Med 17(11), 1504-1508, (2011), DOI: DOI:10.1038/nm.2473 (Mix-n-Stain CF488A, Mix-n-Stain CF568, and Mix-n-Stain CF647; ICC)

Paz, H., et al. Treatment of B-cell precursor acute lymphoblastic leukemia with the Galectin-1 inhibitor PTX008. J Exp Clin Cancer Res 37(1), 67, (2018), DOI: 10.1186/s13046-018-0721-7 (CF647 Mix-n-Stain)

Pennacchio, A., et al. A novel fluorescence polarization assay for determination of penicillin G in milk. Food Chem 190, 381-385, (2016), DOI: S0308-8146(15)00871-7 [pii] 10.1016/j.foodchem.2015.05.127 (CF647 succinimidyl ester)

Raynes, J. K., et al. Coaggregation of kappa-Casein and beta-Lactoglobulin Produces Morphologically Distinct Amyloid Fibrils. Small 13(14), (2017), DOI: 10.1002/smll.201603591 (CF488A maleimide CF647 maleimide)

Robajac, D., et al. Sensitive glycoprofiling of insulin-like growth factor receptors isolated from colon tissue of patients with colorectal carcinoma using lectin-based protein microarray. Int J Biol Macromol 144, 932-937, (2020), DOI: 10.1016/j.ijbiomac.2019.09.170 (CF555 and CF647 streptavidin)

DOMINIQUE DUTSCHER SAS

Robajac, D., et al. Screening for the best detergent for the isolation of placental membrane proteins. Int J Biol Macromol 102, 431-437, (2017), DOI: 10.1016/j.ijbiomac.2017.04.046 (CF647 streptavidin)

Rohde, J., et al. New Orf virus (Parapoxvirus) recombinant expressing H5 hemagglutinin protects mice against H5N1 and H1N1 influenza A virus. PLoS One 8(12), e83802, (2013), DOI: 10.1371/journal.pone.0083802 PONE-D-13-40047 [pii] (CF647 phalloidin; ICC)

Rohm, M., et al. Data of rational process optimization for the production of a full IgG and its Fab fragment from hybridoma cells. Data Brief 8, 426-435, (2016), DOI: 10.1016/j.dib.2016.05.067 (CF647 Mix-n-Stain)

Sabath, D. E., et al. Clinical Validation of a Circulating Tumor Cell Assay Using Density Centrifugation and Automated Immunofluorescence Microscopy. Am J Clin Pathol 158, 270-276, (2022), DOI: 10.1093/ajcp/aqac040 (CF647 Fluorescence Microscopy)

Samson, A. L., et al. Physicochemical properties that control protein aggregation also determine whether a protein is retained or released from necrotic cells. Open Biol 6(11), (2016), DOI: 10.1098/rsob.160098 (CF647 donkey anti-rabbit)

Santacatterina, F., et al. Pyruvate kinase M2 and the mitochondrial ATPase Inhibitory Factor 1 provide novel biomarkers of dermatomyositis: a metabolic link to oncogenesis. J Transl Med 15(1), 29, (2017), DOI: 10.1186/s12967-017-1136-5 (CF647 goat anti-mouse)

Schuhenn, J., et al. Differential interferon-alpha subtype induced immune signatures are associated with suppression of SARS-CoV-2 infection. Proc Natl Acad Sci U S A 119(8), (2022), DOI: 10.1073/pnas.2111600119 (CF647 phalloidin)

Skindersoe, M. E., et al. A novel and rapid apoptosis assay based on thiol redox status. Cytometry A 81(5), 430, (2012), DOI: DOI:10.1002/cyto.a.22032 (CF647 Annexin V; ICC, FC)

Smith, P. L., et al. Neonatal peripheral immune challenge activates microglia and inhibits neurogenesis in the developing murine hippocampus. Dev Neurosci 36(2), 119-131, (2014), DOI: 000359950 [pii] 10.1159/000359950 (CF555 donkey anti-goat , CF488A donkey anti-chicken & CF647 donkey anti-mouse; IHC)

Tai, L. H., et al. Transient stimulation of distinct subpopulations of striatal neurons mimics changes in action value. Nat Neurosci 15(9), 1281-1289, (2012), DOI: DOI:10.1038/nn.3188 (CF555 donkey anti-mouse IgG, CF647 donkey anti-goat IgG; IHC)

Takenaka, N., et al. A critical role of the small GTPase Rac1 in Akt2-mediated GLUT4 translocation in mouse skeletal muscle. FEBS J 281(5), 1493-1504, (2014), DOI: 10.1111/febs.12719 (CF488A, CF543, CF647 goat anti-mouse, goat anti-rabbit, goat anti-rat; ICC)

Takenaka, N., et al. Rac1 Activation Caused by Membrane Translocation of a Guanine Nucleotide Exchange Factor in Akt2-Mediated Insulin Signaling in Mouse Skeletal Muscle. PLoS One 11(5), e0155292, (2016), DOI: 10.1371/journal.pone.0155292 (CF405, CF488A, CF543 & CF647 IHF)

Takenaka, N., et al. Role of the guanine nucleotide exchange factor in Akt2-mediated plasma membrane translocation of GLUT4 in insulin-stimulated skeletal muscle. Cell Signal 26(11), 2460-2469, (2014), DOI: S0898-6568(14)00221-6 [pii] 10.1016/j.cellsig.2014.07.002 (CF350, CF543 & CF647; ICC)

Trofimenko, E., et al. The endocytic pathway taken by cationic substances requires Rab14 but not Rab5 and Rab7. Cell Rep 37, 109945, (2021), DOI: 10.1016/j.celrep.2021.109945 (CF405M, CF488A, CF594, CF647, Mix-n-Stain, fluorescence microscopy)

DOMINIQUE DUTSCHER SAS

Turkowyd, B., et al. From single molecules to life: microscopy at the nanoscale. Anal Bioanal Chem 408(25), 6885-6911, (2016), DOI: 10.1007/s00216-016-9781-8, 10.1007/s00216-016-9781-8 [pii] (CF568, CF647, CF660C, CF680 super res review)

Varriale, A., et al. A Fluorescence Polarization Assay To Detect Steroid Hormone Traces in Milk. J Agric Food Chem 63(41), 9159-9164, (2015), DOI: 10.1021/acs.jafc.5b03689 (CF647 succinimidyl ester)

Varriale, A., et al. On the possibility of ephedrine detection: time-resolved fluorescence resonance energy transfer (FRET)-based approach. Anal Bioanal Chem 408, 6329-6336, (2016), DOI: 10.1007/s00216-016-9738-y (CF568, CF647, FRET)

Virant, D., et al. Unraveling the kinetochore nanostructure in Schizosaccharomyces pombe using multi-color single-molecule localization microscopy. (2022), DOI: 10.1101/2021.12.01.469981 (CF647, SMLM)

Wang, H. Y., et al. Synthesis and single-molecule imaging reveal stereospecific enhancement of binding kinetics by the antitumour eEF1A antagonist SR-A3. Nat Chem 14, 1443-1450, (2022), DOI: 10.1038/s41557-022-01039-3 (CF647 azide, flow cytometry)

Wei, Y., et al. Synergistic Entry of Individual Nanoparticles into Mammalian Cells Driven by Free Energy Decline and Regulated by Their Sizes. ACS Nano 16, 5885-5897, (2022), DOI: 10.1021/acsnano.1c11068 (CF488A, CF555, CF647 SE, nanoparticle labeling, fluorescence microscopy)

Xu, N., et al. Neonatal Pharmacokinetics and Biodistribution of Polymeric Nanoparticles and Effect of Surfactant. Pharmaceutics 15, (2023), DOI: 10.3390/pharmaceutics15041176 (CF647 SE, in vivo)

Yuan, B., et al. Plasmon-enhanced fluorescence imaging with silicon-based silver chips for protein and nucleic acid assay. Anal Chim Acta 955, 98-107, (2017), DOI: 10.1016/j.aca.2016.11.059 (CF647 streptavidin)

CF®660C

Diekmann, R., et al. Optimizing imaging speed and excitation intensity for single-molecule localization microscopy. Nat Methods 17(9), 909-912, (2020), DOI: 10.1038/s41592-020-0918-5 (CF660C, CF680)

Gu, L., et al. Molecular-scale axial localization by repetitive optical selective exposure. Nat Methods 18(4), 369-373, (2021), DOI: 10.1038/s41592-021-01099-2 (STORM CF660C donkey anti-mouse)

Gwosch, K. C., et al. MINFLUX nanoscopy delivers 3D multicolor nanometer resolution in cells. Nat Methods 17(2), 217-224, (2020), DOI: 10.1038/s41592-019-0688-0 (CF660C succinimidyl ester CF680 wheat germ agglutinin)

Huang, T., et al. Simultaneous Multicolor Single-Molecule Tracking with Single-Laser Excitation via Spectral Imaging. Biophys J 114(2), 301-310, (2018), DOI: S0006-3495(17)31242-0 [pii] 10.1016/j.bpj.2017.11.013 (CF633, CF660C, CF680, CF680R STORM)

Li, Y., et al. Global fitting for high-accuracy multi-channel single-molecule localization. Nat Commun 13, 3133, (2022), DOI: 10.1038/s41467-022-30719-4 (CF660C GARb, CF680 WGA, SMLM, fluorescence microscopy)

Nahidiazar, L. and Harkes, R. Multicolor Localization-Based Super Resolution Microscopy. Methods Mol Biol 2350, 69-76, (2021), DOI: 10.1007/978-1-0716-1593-5_5 (CF488A, CF680, CF660C, CF514 SMLM)

DOMINIQUE DUTSCHER SAS

Pape, J. K., et al. Multicolor 3D MINFLUX nanoscopy of mitochondrial MICOS proteins. Proc Natl Acad Sci U S A 117(34), 20607-20614, (2020), DOI: 10.1073/pnas.2009364117 (CF660C succinimidyl ester CF680 succinimidyl ester)

Turkowyd, B., et al. From single molecules to life: microscopy at the nanoscale. Anal Bioanal Chem 408(25), 6885-6911, (2016), DOI: 10.1007/s00216-016-9781-8 10.1007/s00216-016-9781-8 [pii] (CF568, CF647, CF660C, CF680 super res review)

Wu, W., et al. Tetra-color superresolution microscopy based on excitation spectral demixing. Light Sci Appl 12, 9, (2023), DOI: 10.1038/s41377-022-01054-6 (CF660C, CF680, super-resolution, ExR STORM)

Wu, Y. L., et al. Maximum-likelihood model fitting for quantitative analysis of SMLM data. Nat Methods 20, 139-148, (2023), DOI: 10.1038/s41592-022-01676-z (CF660C, CF680 secondaries, super-resolution, SMLM)

Zhang, Y., et al. Multicolor super-resolution imaging using spectroscopic single-molecule localization microscopy with optimal spectral dispersion. Appl Opt 58(9), 2248-2255, (2019), DOI: 10.1364/AO.58.002248 (CF660C CF680 sSMLM)

Zhang, Y., et al. Nanoscale subcellular architecture revealed by multicolor three-dimensional salvaged fluorescence imaging. Nat Methods 17(2), 225-231, (2020), DOI: 10.1038/s41592-019-0676-4 (CF660C & CF680 single labeled, CF680-wheat germ agglutinin)

Zhang, Y., et al. Minimizing Molecular Misidentification in Imaging Low-Abundance Protein Interactions Using Spectroscopic Single-Molecule Localization Microscopy. Anal Chem 94, 13834-13841, (2022), DOI: 10.1021/acs.analchem.2c02417 (CF660C, CF680 secondaries, super-resolution, SMLM)

Zhang, Z., et al. Ultrahigh-throughput single-molecule spectroscopy and spectrally resolved super-resolution microscopy. Nat Methods 12(10), 935-938, (2015), DOI: nmeth.3528 [pii] 10.1038/nmeth.3528 (CF660C, CF680 STORM)

CF®660R

Civitci, F., et al. Fast and multiplexed superresolution imaging with DNA-PAINT-ERS. Nat Commun 11(1), 4339, (2020), DOI: 10.1038/s41467-020-18181-6 (CF660R SMLM)

Gorham, J. B., et al. Visualization of microbe-dietary remnant interactions in digesta from pigs, by fluorescence in situ hybridization and staining methods; effects of a dietary arabinoxylan-rich wheat fraction. Food Hydrocolloids 52, 952-962, (2016), DOI: http://dx.doi.org/10.1016/j.foodhyd.2015.09.011 (660R, Mix-n-Stain)

Heidarsson, P. O., et al. Disordered Proteins Enable Histone Chaperoning on the Nucleosome. (2020), DOI: 10.1101/2020.04.17.046243 (CF660R FRET)

MacDonald, A. B. Lyme ELISA seronegative patients with borrelia antibody coated borrelia microbes in their blood. Med Clin Res 7, (2022), ISSN: 2577 - 8005 (CF405S, CF660R, Mix-n-Stain)

Seo, J., et al. PICASSO: Ultra-multiplexed fluorescence imaging of biomolecules through single-round imaging and blind source unmixing. bioRxiv, (2021), DOI: 10.1101/2021.01.27.428247 (CF633, CF660R, CF680R)

DOMINIQUE DUTSCHER SAS

Seo, J., et al. PICASSO allows ultra-multiplexed fluorescence imaging of spatially overlapping proteins without reference spectra measurements. Nat Commun 13, 2475, (2022), DOI: 10.1038/s41467-022-30168-z (CF405S, CF405M, CF405L, CF488A, CF568, CF633, CF660R, CF680R)

Shirasaki, Y., et al. Real-time single-cell imaging of protein secretion. Sci Rep 4, 4736, (2014), DOI: srep04736 [pii] 10.1038/srep04736 (CF660R; TIRF)

Schubert, J., et al. Two-colour single-molecule photoinduced electron transfer fluorescence imaging microscopy of chaperone dynamics. Nat Commun 12, 6964, (2021), DOI: 10.1038/s41467-021-27286-5 (CF660R maleimide, PET)

CF®680

Avelar, G. M., et al. A rhodopsin-guanylyl cyclase gene fusion functions in visual perception in a fungus. Curr Biol 24(11), 1234-1240, (2014), DOI: S0960-9822(14)00409-6 [pii] 10.1016/j.cub.2014.04.009 (CF680; WB; LI-COR Odyssey)

Bonnaud, E. M., et al. Borna disease virus phosphoprotein modulates epigenetic signaling in neurons to control viral replication. J Virol 89(11), 5996-6008, (2015), DOI: 10.1128/JVI.00454-15 (CF680 & CF770 WB)

Cho, H., et al. Study of osteoarthritis treatment with anti-inflammatory drugs: cyclooxygenase-2 inhibitor and steroids. Biomed Res Int 2015, 595273, (2015), DOI: 10.1155/2015/595273 (CF680SE in vivo)

Diekmann, R., et al. Optimizing imaging speed and excitation intensity for single-molecule localization microscopy. Nat Methods 17(9), 909-912, (2020), DOI: 10.1038/s41592-020-0918-5 (CF660C, CF680)

Ducheix, S., et al. Dietary oleic acid regulates hepatic lipogenesis through a liver X receptor-dependent signaling. PLoS One 12(7), e0181393, (2017), DOI: 10.1371/journal.pone.0181393 (CF680 & CF770 secondaries WB)

Frank, C. L., et al. Regulation of chromatin accessibility and Zic binding at enhancers in the developing cerebellum. Nat Neurosci 18(5), 647-656, (2015), DOI: 10.1038/nn.3995 (CF680 goat anti-mouse & CF770 goat anti-rabbit WB)

Fruh, S. M., et al. Molecular architecture of native fibronectin fibrils. Nat Commun 6, 7275, (2015), DOI: ncomms8275 [pii] 10.1038/ncomms8275 (CF680 STORM)

Gauthier, T., et al. Deoxynivalenol impairs the immune functions of neutrophils. Mol Nutr Food Res 57(6), 1026, (2013), DOI: DOI:10.1002/mnfr.201200755 (CF680 goat anti-rabbit IgG, CF770 goat anti-rabbit IgG; WB; LI-COR Odyssey)

Glebov, O. O., et al. Nanoscale Structural Plasticity of the Active Zone Matrix Modulates Presynaptic Function. Cell Rep 18(11), 2715-2728, (2017), DOI: S2211-1247(17)30279-6 [pii] 10.1016/j.celrep.2017.02.064 (CF680 STORM)

Gon, S., et al. Fit alphabeta T-cell receptor suppresses leukemogenesis of Pten-deficient thymocytes. Haematologica 103(6), 999-1007, (2018), DOI: 10.3324/haematol.2018.188359 (CF680 goat anti-mouse and CF770 goat anti-rabbit WB)

Gorur, A., et al. COPII-coated membranes function as transport carriers of intracellular procollagen I. The Journal of Cell Biology 216(6), 1745-1759, (2017), DOI: 10.1083/jcb.201702135 (CF568, CF680 STORM)

DOMINIQUE DUTSCHER SAS

Graber, T. E., et al. UPF1 Governs Synaptic Plasticity through Association with a STAU2 RNA Granule. J Neurosci 37(38), 9116-9131, (2017), DOI: 10.1523/JNEUROSCI.0088-17.2017 (CF680 & CF770 secondaries WB)

Guo, X., et al. Mitochondrial stress is relayed to the cytosol by an OMA1-DELE1-HRI pathway. Nature 579(7799), 427-432, (2020), DOI: 10.1038/s41586-020-2078-2 (CF568 donkey anti-rabbit CF680 donkey anti-rabbit STORM)

Gwosch, K. C., et al. MINFLUX nanoscopy delivers 3D multicolor nanometer resolution in cells. Nat Methods 17(2), 217-224, (2020), DOI: 10.1038/s41592-019-0688-0 (CF660C succinimidyl ester CF680 wheat germ agglutinin)

Hapuarachchige, S., et al. Bioorthogonal two-component drug delivery in HER2(+) breast cancer mouse models. Sci Rep 6, 24298, (2016), DOI: 10.1038/srep24298 (CF680 succinimidyl ester & CF750 succinimidyl ester, in vivo)

Hilbers, F. S., et al. Functional Analysis of Missense Variants in the Putative Breast Cancer Susceptibility Gene XRCC2. Hum Mutat 37(9), 914-925, (2016), DOI: 10.1002/humu.23019 (CF680 goat anti-rabbit & CF770 goat anti-mouse WB)

Hoess, P., et al. Dual-Color and 3D Super-Resolution Microscopy of Multi-protein Assemblies. Methods Mol Biol 1764, 237-251, (2018), DOI: 10.1007/978-1-4939-7759-8_14 (CF680 goat anti-rabbit 2-color STORM)

Huang, T., et al. Simultaneous Multicolor Single-Molecule Tracking with Single-Laser Excitation via Spectral Imaging. Biophys J 114(2), 301-310, (2018), DOI: S0006-3495(17)31242-0 [pii] 10.1016/j.bpj.2017.11.013 (CF633, CF660C, CF680, CF680R STORM)

Jing, H., et al. Combination treatment with hypofractionated radiotherapy plus IL-2/anti-IL-2 complexes and its theranostic evaluation. J Immunother Cancer 7(1), 55, (2019), DOI: 10.1186/s40425-019-0537-9 (CF680 VivoBrite)

Klevanski, M., et al. Automated highly multiplexed super-resolution imaging of protein nano-architecture in cells and tissues. Nat Commun 11(1), 1552, (2020), DOI: 10.1038/s41467-020-15362-1 (CF680 multi-round STORM)

Kohler, C., et al. Extracytoplasmic function (ECF) sigma factor sigmaF is involved in Caulobacter crescentus response to heavy metal stress. BMC Microbiol 12, 210, (2012), DOI: DOI:10.1186/1471-2180-12-210 (CF680 goat anti-rabbit IgG; WB; LI-COR Odyssey)

Lee, S., et al. Localization of near-infrared labeled antibodies to the central nervous system in experimental autoimmune encephalomyelitis. PLoS One 14(2), e0212357, (2019), DOI: 10.1371/journal.pone.0212357 (CF680 in vivo)

Lehmann, M., et al. Nanoscale coupling of endocytic pit growth and stability. Sci Adv 5(11), eaax5775, (2019), DOI: 10.1126/sciadv.aax5775 (CF647 goat anti-mouse CF680 goat anti-rabbit STORM)

Lehmann, M., et al. Novel organic dyes for multicolor localization-based super-resolution microscopy. J Biophotonics 9(1-2), 161-170, (2016), DOI: 10.1002/jbio.201500119 (CF555, CF568, CF647, CF680, STORM)

DOMINIQUE DUTSCHER SAS

Li, C. G., et al. Berberine augments ATP-induced inflammasome activation in macrophages by enhancing AMPK signaling. Oncotarget 8(1), 95-109, (2017), DOI: 10.18632/oncotarget.13921 (CF568 goat anti-rabbit)

Li, Y., et al. Global fitting for high-accuracy multi-channel single-molecule localization. Nat Commun 13, 3133, (2022), DOI: 10.1038/s41467-022-30719-4 (CF660C GARb, CF680 WGA, SMLM, fluorescence microscopy)

Nahidiazar, L. and Harkes, R. Multicolor Localization-Based Super Resolution Microscopy. Methods Mol Biol 2350, 69-76, (2021), DOI: 10.1007/978-1-0716-1593-5_5 (CF488A, CF680, CF660C, CF514 SMLM)

Najimi, M., et al. Human liver mesenchymal stem/progenitor cells inhibit hepatic stellate cell activation: in vitro and in vivo evaluation. Stem Cell Res Ther 8(1), 131, (2017), DOI: 10.1186/s13287-017-0575-5 (CF680 donkey anti-rabbit & CF790 donkey anti-mouse WB)

Newman, Z. L., et al. Determinants of synapse diversity revealed by super-resolution quantal transmission and active zone imaging. Nat Commun 13, 229, (2022), DOI: 10.1038/s41467-021-27815-2 (CF680 SE STORM)

Oliveira, A. F. and Yasuda, R. Neurofibromin is the major ras inactivator in dendritic spines. J Neurosci 34(3), 776-783, (2014), DOI: 34/3/776 [pii] 10.1523/JNEUROSCI.3096-13.2014 (CF680 goat anti-mouse, CF770 goat anti-rabbit; WB; LI-COR Odyssey)

Ottenheijm, C. A., et al. Deleting exon 55 from the nebulin gene induces severe muscle weakness in a mouse model for nemaline myopathy. Brain 136(Pt 6), 1718-1731, (2013), DOI: awt113 [pii] 10.1093/brain/awt113 (CF680 goat anti-rabbit; WB; LI-COR Odyssey)

Pape, J. K., et al. Multicolor 3D MINFLUX nanoscopy of mitochondrial MICOS proteins. Proc Natl Acad Sci U S A 117(34), 20607-20614, (2020), DOI: 10.1073/pnas.2009364117 (CF660C succinimidyl ester CF680 succinimidyl ester)

Platonova, E., et al. A simple method for GFP- and RFP-based dual color single-molecule localization microscopy. ACS Chem Biol 10(6), 1411-1416, (2015), DOI: 10.1021/acschembio.5b00046 (CF680 STORM)

Platonova, E., et al. Single-molecule microscopy of molecules tagged with GFP or RFP derivatives in mammalian cells using nanobody binders. Methods 88, 89-97, (2015), DOI: http://dx.doi.org/10.1016/j.ymeth.2015.06.018 (CF680 STORM)

Rashid, F. M., et al. HI-NESS: a family of genetically encoded DNA labels based on a bacterial nucleoid-associated protein. Nucleic Acids Res 50, e10, (2022), DOI: 10.1093/nar/gkab993 (CF680 GARb, CF770 GAMs)

Rojas-Sánchez, L., et al. Synthesis and intracellular tracing surface-functionalized calcium phosphate nanoparticles by super-resolution microscopy (STORM). Materialia 12, (2020), DOI: 10.1016/j.mtla.2020.100773 (CF568 wheat germ agglutinin STORM)

Rother, M. B., et al. The Human Thymus Is Enriched for Autoreactive B Cells. J Immunol 197(2), 441-448, (2016), DOI: 10.4049/jimmunol.1501992 (CF680 GAHu & CF770 goat anti-mouse WB)

Salvador-Gallego, R., et al. Bax assembly into rings and arcs in apoptotic mitochondria is linked to membrane pores. EMBO J 35(4), 389-401, (2016), DOI: 10.15252/embj.201593384 (CF680 goat anti-mouse STORM)

DOMINIQUE DUTSCHER SAS

Sarveswaran, K., et al. Synthetic Capillaries to Control Microscopic Blood Flow. Sci Rep 6, 21885, (2016), DOI: 10.1038/srep21885 (CF680 succinimidyl ester IF)

Schimmel, J., et al. Mutational signatures of non-homologous and polymerase theta-mediated end-joining in embryonic stem cells. EMBO J 36(24), 3634-3649, (2017), DOI: 10.15252/embj.201796948 (CF680 goat anti-rabbit & CF770 GARMs WB)

Shrestha, R. L., et al. Aurora-B kinase pathway controls the lateral to end-on conversion of kinetochore-microtubule attachments in human cells. Nat Commun 8(1), 150, (2017), DOI: 10.1038/s41467-017-00209-z 10.1038/s41467-017-00209-z [pii] (CF680 DaHu STORM)

Schmerl, B., et al. The synaptic scaffold protein MPP2 interacts with GABAA receptors at the periphery of the postsynaptic density of glutamatergic synapses. PLoS Biol 20, e3001503, (2022), DOI: 10.1371/journal.pbio.3001503 (CF568 SE, CF680 SE, super-resolution, dSTORM,)

Sun, Y., et al. Single tumor imaging with multiple antibodies targeting different antigens. Biotechniques 52(4), 1-3, (2012), DOI: DOI:10.2144/000113855 (XenoLight CF680, XenoLight CF770; in vivo imaging; PerkinElmer IVIS Lumina)

Titova, E. and Obenaus, A. Immunological Response to Experimental Intracerebral Hemorrhage: Morphological Assessments. In: Chen, J., et al. (Eds.), Animal Models of Acute Neurological Injuries II. Humana Press, pp. 625-652, (2012), DOI: DOI:10.1007/978-1-61779-576-3_48 (CF680 and CF770 secondary antibody conjugates; IHC in floating brain sections; LI-COR Odyssey)

Titova, E. M., et al. The late phase of post-stroke neurorepair in aged rats is reflected by MRI-based measures. Neuroscience, (2014), DOI: S0306-4522(14)00770-2 [pii] 10.1016/j.neuroscience.2014.09.028 (CF680 goat anti-mouse & CF770 goat anti-rat; IHC; LI-COR Odyssey)

Thiele, J. C., et al. Isotropic three-dimensional dual-color super-resolution microscopy with metal-induced energy transfer. Science Advances 8, eabo2506, (2022), DOI: 10.1126/sciadv.abo2506 (CF680 SE, MIET-dSTORM, super-resolution microscopy)

Turkowyd, B., et al. From single molecules to life: microscopy at the nanoscale. Anal Bioanal Chem 408(25), 6885-6911, (2016), DOI: 10.1007/s00216-016-9781-8, 10.1007/s00216-016-9781-8 [pii] (CF568, CF647, CF660C, CF680 super res review)

van den Heuvel, D., et al. A CSB-PAF1C axis restores processive transcription elongation after DNA damage repair. Nat Commun 12(1), 1342, (2021), DOI: 10.1038/s41467-021-21520-w (CF680 goat anti-rabbit CF770 goat anti-mouse WB Odyssey)

van der Weegen, Y., et al. The sequential and cooperative action of CSB, CSA, and UVSSA targets the TFIIH complex to DNA damage-stalled RNA polymerase II. bioRxiv, (2019), DOI: 10.1101/707216 (CF680 donkey anti-goat CF680 goat anti-rabbit CF770 goat anti-mouse WB)

Venkataramani, V., et al. SuReSim: simulating localization microscopy experiments from ground truth models. Nat Methods 13(4), 319-321, (2016), DOI: nmeth.3775 [pii] 10.1038/nmeth.3775

Winterflood, C. M., et al. Dual-color 3D superresolution microscopy by combined spectral-demixing and biplane imaging. Biophys J 109(1), 3-6, (2015), DOI: S0006-3495(15)00538-X [pii] 10.1016/j.bpj.2015.05.026 (CF680 3D SMLM)

DOMINIQUE DUTSCHER SAS

Wu, C. L., et al. Interplay between Cell Migration and Neurite Outgrowth Determines SH2B1beta-Enhanced Neurite Regeneration of Differentiated PC12 Cells. PLoS One 7(4), e34999, (2012), DOI: DOI:10.1371/journal.pone.0034999 (CF680 goat anti-mouse IgG; WB; LI-COR Odyssey)

Wu, W., et al. Tetra-color superresolution microscopy based on excitation spectral demixing. Light Sci Appl 12, 9, (2023), DOI: 10.1038/s41377-022-01054-6 (CF660C, CF680, super-resolution, ExR STORM)

Wu, Y. L., et al. Maximum-likelihood model fitting for quantitative analysis of SMLM data. Nat Methods 20, 139-148, (2023), DOI: 10.1038/s41592-022-01676-z (CF660C, CF680 secondaries, super-resolution, SMLM)

Zhang, Y., et al. Multicolor super-resolution imaging using spectroscopic single-molecule localization microscopy with optimal spectral dispersion. Appl Opt 58(9), 2248-2255, (2019), DOI: 10.1364/AO.58.002248 (CF660C CF680 sSMLM)

Zhang, Y., et al. Nanoscale subcellular architecture revealed by multicolor three-dimensional salvaged fluorescence imaging. Nat Methods 17(2), 225-231, (2020), DOI: 10.1038/s41592-019-0676-4 (CF660C & CF680 single labeled, CF680-wheat germ agglutinin)

Zhang, Y., et al. Minimizing Molecular Misidentification in Imaging Low-Abundance Protein Interactions Using Spectroscopic Single-Molecule Localization Microscopy. Anal Chem 94, 13834-13841, (2022), DOI: 10.1021/acs.analchem.2c02417 (CF660C, CF680 secondaries, super-resolution, SMLM)

Zhang, Z., et al. Ultrahigh-throughput single-molecule spectroscopy and spectrally resolved super-resolution microscopy. Nat Methods 12(10), 935-938, (2015), DOI: nmeth.3528 [pii] 10.1038/nmeth.3528 (CF660C, CF680 STORM)

Zijlstra, N., et al. Rapid Microfluidic Dilution for Single-Molecule Spectroscopy of Low-Affinity Biomolecular Complexes. Angew Chem Int Ed Engl 56(25), 7126-7129, (2017), DOI: 10.1002/anie.201702439 (CF680 3 color FRET)

CF®680R

Conley, G. M., et al. Jamming and overpacking fuzzy microgels: Deformation, interpenetration, and compression. Sci Adv 3(10), e1700969, (2017), DOI: 10.1126/sciadv.1700969 1700969 [pii] (CF680R, STORM)

Gao, F., et al. Ultrasmall [(64)Cu]Cu nanoclusters for targeting orthotopic lung tumors using accurate positron emission tomography imaging. ACS Nano 9(5), 4976-4986, (2015), DOI: 10.1021/nn507130k (CF680R)

Gonzalez Pisfil, M., et al. Stimulated emission depletion microscopy with a single depletion laser using five fluorochromes and fluorescence lifetime phasor separation. Sci Rep 12, 14027, (2022), DOI: 10.1038/s41598-022-17825-5 (CF594 WGA, CF680R DAMs, super-resolution, confocal, FLIM, fluorescence microscopy, 2-Photon)

Gorlitz, F., et al. A STED Microscope Designed for Routine Biomedical Applications. Progress In Electromagnetics Research 147, 57-68, (2014), DOI: http://dx.doi.org/10.2528/PIER14042708 (CF680R STED)

Gourbeyre, P., et al.Pattern recognition receptors in the gut: analysis of their expression along the intestinal tract and the crypt/villus axis. Physiol Rep 3(2), (2015), DOI: 10.14814/phy2.12225 (CF680R goat anti-rabbit)

DOMINIQUE DUTSCHER SAS

Harmsen, S., et al. A dual-modal PET/near infrared fluorescent nanotag for long-term immune cell tracking. Biomaterials 269, 120630, (2021), DOI: 10.1016/j.biomaterials.2020.120630 (CF680R maleimide)

Huang, T., et al. Simultaneous Multicolor Single-Molecule Tracking with Single-Laser Excitation via Spectral Imaging. Biophys J 114(2), 301-310, (2018), DOI: S0006-3495(17)31242-0 [pii] 10.1016/j.bpj.2017.11.013 (CF680R STORM)

Konig, I., et al. Impact of incell and invitro crowding on the conformations and dynamics of an intrinsically disordered protein. Angew Chem Int Ed Engl 60(19), 10724-10729, (2021), DOI: 10.1002/anie.202016804 (CF680R maleimide) (FCF680R)

Konig, I., et al. Single-molecule spectroscopy of protein conformational dynamics in live eukaryotic cells. Nat Methods 12(8), 773-779, (2015), DOI: nmeth.3475 [pii] 10.1038/nmeth.3475 (CF680R single molecule spectroscopy)

Moran, I., et al. Memory B cells are reactivated in subcapsular proliferative foci of lymph nodes. Nat Commun 9(1), 3372, (2018), DOI: 10.1038/s41467-018-05772-7 (CF680R 2-photon)

Seo, J., et al. PICASSO: Ultra-multiplexed fluorescence imaging of biomolecules through single-round imaging and blind source unmixing. bioRxiv, (2021), DOI: 10.1101/2021.01.27.428247 (CF633, CF660R, CF680R)

Seo, J., et al. PICASSO allows ultra-multiplexed fluorescence imaging of spatially overlapping proteins without reference spectra measurements. Nat Commun 13, 2475, (2022), DOI: 10.1038/s41467-022-30168-z (CF405S, CF405M, CF405L, CF488A, CF568, CF633, CF660R, CF680R)

Sun, X., et al. Longitudinal monitoring of tumor antiangiogenic therapy with near-infrared fluorophore-labeled agents targeted to integrin alphavbeta3 and vascular endothelial growth factor. Eur J Nucl Med Mol Imaging 41(7), 1428-1439, (2014), DOI: 10.1007/s00259-014-2702-1 (Xenolight CF680 CF770; in vivo imaging)

Valdoz, J. C., et al. Soluble ECM promotes organotypic formation in lung alveolar model. Biomaterials 283, 121464, (2022), DOI: 10.1016/j.biomaterials.2022.121464 (CF680R streptavidin, fluorescence microscopy, 3D culture matrigel)

Winter, F. R., et al. Multicolour nanoscopy of fixed and living cells with a single STED beam and hyperspectral detection. Sci Rep 7, 46492, (2017), DOI: srep46492 [pii] 10.1038/srep46492 (CF680R STED)

Yamashiro, S. and Watanabe, N. An Infrared Actin Probe for Deep-Cell Electroporation-Based Single-Molecule Speckle (eSiMS) Microscopy. Sensors (Basel) 17(7), (2017), DOI: 10.3390/s17071545 (CF680R succinimidyl ester, CF750 succinimidyl ester & CF770 succinimidyl ester)

Yu, C. H., et al. Integrin-beta3 clusters recruit clathrin-mediated endocytic machinery in the absence of traction force. Nat Commun 6, 8672, (2015), DOI: 10.1038/ncomms9672 (CF680R maleimide and CF405 phalloidin)

CF®750

Alawieh, A., et al. Modulation of post-stroke degenerative and regenerative processes and subacute protection by site-targeted inhibition of the alternative pathway of complement. Journal of

DOMINIQUE DUTSCHER SAS

Neuroinflammation 12(1), 1-15, (2015), DOI: 10.1186/s12974-015-0464-8 (CF750 succinimidyl ester in vivo)

Aredo, B., et al. Differences in the distribution, phenotype and gene expression of subretinal microglia/macrophages in C57BL/6N (Crb1 rd8/rd8) versus C57BL6/J (Crb1 wt/wt) mice. J Neuroinflammation 12, 6, (2015), DOI: 10.1186/s12974-014-0221-4, s12974-014-0221-4 [pii] (CF750 donkey anti-rabbit)

Cai, H., et al. Positron Emission Tomography Imaging of Platelet-Derived Growth Factor Receptor beta in Colorectal Tumor Xenograft Using Zirconium-89 Labeled Dimeric Affibody Molecule. Mol Pharm 16(5), 1950-1957, (2019), DOI: 10.1021/acs.molpharmaceut.8b01317 (CF750SE in vivo)

Chen, X. and Zhang, W. Diamond nanostructures for drug delivery, bioimaging, and biosensing. Chem Soc Rev 46(3), 734-760, (2017), DOI: 10.1039/c6cs00109b (CF750SE in vivo)

Darniot, M., et al. RNA interference in vitro and in vivo using DsiRNA targeting the nucleocapsid N mRNA of human metapneumovirus. Antiviral Res 93(3), 364-373, (2012), DOI: DOI:10.1016/j.antiviral.2012.01.004 (CF750 succinimidyl ester (to label siRNA); in vivo imaging; Visen Medical FMT 2500 imaging system)

Fan, Q., et al. Biological evaluation of 131I- and CF750-labeled Dmab(scFv)-Fc antibodies for xenograft imaging of CD25-positive tumors. Biomed Res Int 2014, 459676, (2014), DOI: 10.1155/2014/459676 (CF750; in vivo imaging; Caliper IVIS)

Guo, K., et al. Engineering the first chimeric antibody in targeting intracellular PRL-3 oncoprotein for cancer therapy in mice. Oncotarget 3(2), 158-171, (2012), (XenoLight CF750 NIR Fluorescent Labeling Kit; in vivo imaging; PerkinElmer IVIS Spectrum imaging system)

Hapuarachchige, S., et al. Bioorthogonal two-component drug delivery in HER2(+) breast cancer mouse models. Sci Rep 6, 24298, (2016), DOI: 10.1038/srep24298 (CF680 succinimidyl ester & CF750 succinimidyl ester, in vivo)

Hashimoto, Y., et al. Claudin-targeted drug development using anti-claudin monoclonal antibodies to treat hepatitis and cancer. Ann N Y Acad Sci 1397(1), 5-16, (2017), DOI: 10.1111/nyas.13337 (CF750SE)

Herz, C., et al. The isothiocyanate erucin abrogates telomerase in hepatocellular carcinoma cells in vitro and in an orthotopic xenograft tumour model of HCC. J Cell Mol Med, (2014), DOI: 10.1111/jcmm.12412 (Xenolight CF750; in vivo imaging; Bruker Image Station)

Ito, A., et al. New whole-body multimodality imaging of gastric cancer peritoneal metastasis combining fluorescence imaging with ICG-labeled antibody and MRI in mice. Gastric Cancer 17(3), 497-507, (2014), DOI: 10.1007/s10120-013-0316-0 (Xenolight CF750; in vivo imaging; IVIS Lumina II)

Kimbrough, C. W., et al. Orthotopic pancreatic tumors detected by optoacoustic tomography using Syndecan-1. J Surg Res 193(1), 246-254, (2015), DOI: 10.1016/j.jss.2014.06.045 (CF750SE)

Li, X., et al. Development of an anti-claudin-3 and -4 bispecific monoclonal antibody for cancer diagnosis and therapy. J Pharmacol Exp Ther 351(1), 206-213, (2014), DOI: jpet.114.216911 [pii] 10.1124/jpet.114.216911 (Xenolight CF750; in vivo imaging)

Li, X., et al. Tissue distribution and safety evaluation of a claudin-targeting molecule, the C-terminal fragment of Clostridium perfringens enterotoxin. Eur J Pharm Sci 52, 132-137, (2014), DOI: S0928-0987(13)00425-9 [pii] 10.1016/j.ejps.2013.10.018 (Xenolight CF750; FC, in vivo imaging)

DUNIQUE DUTSCHER SAS

Matsuo, H., et al. Engineered hepatitis B virus surface antigen L protein particles for in vivo active targeting of splenic dendritic cells. Int J Nanomedicine 7, 3341-3350, (2012), DOI: DOI:10.2147/IJN.S32813 (CF750 succinimidyl ester; bionanocapsules (BNCs); in vivo imaging; Olympus OV-100 imaging system)

Moore, L., et al. Diamond-Lipid Hybrids Enhance Chemotherapeutic Tolerance and Mediate Tumor Regression. Adv Mater 25(26), 3532, (2013), DOI: DOI:10.1002/adma.201300343 (XenoLight CF750 in Nanodiamond-lipid hybrid particles (NDLPs); in vivo imaging; PerkinElmer IVIS Spectrum imaging system)

Stoltzfus, C. R., et al. CytoMAP: A Spatial Analysis Toolbox Reveals Features of Myeloid Cell Organization in Lymphoid Tissues. Cell Rep 31(3), 107523, (2020), DOI: 10.1016/j.celrep.2020.107523 (CF750, CF594, CF514, CF633 Mix-n-Stain)

Sun, X., et al. Longitudinal monitoring of tumor antiangiogenic therapy with near-infrared fluorophore-labeled agents targeted to integrin alphavbeta3 and vascular endothelial growth factor. Eur J Nucl Med Mol Imaging 41(7), 1428-1439, (2014), DOI: 10.1007/s00259-014-2702-1 (Xenolight CF680 CF770; in vivo imaging)

Wei, D., et al. CF750-A33scFv-Fc-Based Optical Imaging of Subcutaneous and Orthotopic Xenografts of GPA33-Positive Colorectal Cancer in Mice. BioMed Research International 2015, 11, (2015), DOI: 10.1155/2015/505183 (CF750 succinimidyl ester in vivo)

Wu, J., et al. Optical time-stretch microscopy at visible wavelengths. Frontiers in Optics, (2016), DOI: https://doi.org/10.1364/FIO.2016.FF2A.3 (CF750 succinimidyl ester)

Yamashiro, S. and Watanabe, N. An Infrared Actin Probe for Deep-Cell Electroporation-Based Single-Molecule Speckle (eSiMS) Microscopy. Sensors (Basel) 17(7), (2017), DOI: 10.3390/s17071545 (CF680R succinimidyl ester, CF750 succinimidyl ester & CF770 succinimidyl ester)

Zeiderman, M. R., et al. Targeting of BRAF resistant melanoma via extracellular matrix metalloproteinase inducer receptor. J Surg Res 190(1), 111-118, (2014), DOI: S0022-4804(14)00165-6 [pii] 10.1016/j.jss.2014.02.021 (CF750 succinimidyl ester; in vivo imaging, FC)

Zhang, Y., et al. One-Shot Immunomodulatory Nanodiamond Agents for Cancer Immunotherapy. Adv Mater 28(14), 2699-2708, (2016), DOI: 10.1002/adma.201506232 (CF750SE in vivo)

CF®770

Abe, S., et al. A novel targeting therapy of malignant mesothelioma using anti-podoplanin antibody. J Immunol 190(12), 6239-6249, (2013), DOI: DOI:10.4049/jimmunol.1300448 (XenoLight CF770; in vivo imaging; PerkinElmer IVIS Spectrum imaging system)

Ait-Belgnaoui, A., et al. Probiotic gut effect prevents the chronic psychological stress-induced brain activity abnormality in mice. Neurogastroenterol Motil 26(4), 510-520, (2014), DOI: 10.1111/nmo.12295 (CF770; WB; LI-COR Odyssey)

Alfonso-Loeches, S., et al. Toll-like receptor 4 participates in the myelin disruptions associated with chronic alcohol abuse. Glia 60(6), 948-964, (2012), DOI: DOI:10.1002/glia.22327 (XenoLight CF770; in vivo imaging (mouse brain); PerkinElmer IVIS 200 imaging system)

DOMINIQUE DUTSCHER SAS

Alfonso-Loeches, S., et al. Gender differences in alcohol-induced neurotoxicity and brain damage. Toxicology 311(1-2), 27, (2013), DOI: DOI:10.1016/j.tox.2013.03.001 (XenoLight CF770; in vivo imaging (mouse brain); PerkinElmer IVIS 200 imaging system)

Alfonso-Loeches, S., et al. Ethanol-Induced TLR4/NLRP3 Neuroinflammatory Response in Microglial Cells Promotes Leukocyte Infiltration Across the BBB. Neurochem Res 41(1-2), 193-209, (2016), DOI: 10.1007/s11064-015-1760-5 (CF770 neg con in vivo imaging)

Andriamihaja, M., et al. The deleterious metabolic and genotoxic effects of the bacterial metabolite p-cresol on colonic epithelial cells. Free Radical Biology and Medicine 85, 219-227, (2015), DOI: http://dx.doi.org/10.1016/j.freeradbiomed.2015.04.004 (CF770 RedDot1 in cell western)

Annahazi, A., et al. Luminal Cysteine-Proteases Degrade Colonic Tight Junction Structure and Are Responsible for Abdominal Pain in Constipation-Predominant IBS. Am J Gastroenterol 108(8), 1392, (2013), DOI: DOI:10.1038/ajg.2013.152 (CF770 goat anti-rabbit IgG; WB; LI-COR Odyssey)

Audebert, M., et al. Comparative potency approach based on H2AX assay for estimating the genotoxicity of polycyclic aromatic hydrocarbons. Toxicol Appl Pharmacol 260(1), 58, (2012), DOI: DOI:10.1016/j.taap.2012.01.022 (CF770 goat anti-rabbit IgG; ICW; LI-COR Odyssey)

Azhdarinia, A., et al. Dual-labeling strategies for nuclear and fluorescence molecular imaging: a review and analysis. Mol Imaging Biol 14(3), 261-276, (2012), DOI: 10.1007/s11307-011-0528-9 (CF770, CF790; in vivo imaging)

Babelova, A., et al. Activation of Rac-1 and RhoA contributes to podocyte injury in chronic kidney disease. PLoS One 8(11), e80328, (2013), DOI: 10.1371/journal.pone.0080328, PONE-D-13-15419 [pii] (CF770 goat anti-rabbit; WB; LI-COR Odyssey)

Beaumont, M., et al. Detrimental effects for colonocytes of an increased exposure to luminal hydrogen sulfide: The adaptive response. Free Radic Biol Med 93, 155-164, (2016), DOI: S0891-5849(16)00042-3 [pii] 10.1016/j.freeradbiomed.2016.01.028 (CF770 goat anti-rabbit, RedDot2 ICW)

Bonnaud, E. M., et al. Borna disease virus phosphoprotein modulates epigenetic signaling in neurons to control viral replication. J Virol 89(11), 5996-6008, (2015), DOI: 10.1128/JVI.00454-15 (CF680 & CF770 WB)

Budin, C., et al. Versicolorin A enhances the genotoxicity of aflatoxin B1 in human liver cells by inducing the transactivation of the Ah-receptor. Food Chem Toxicol 153, 112258, (2021), DOI: 10.1016/j.fct.2021.112258 (CF770 goat anti-rat RedDot2)

Chevereau, M., et al. Role of human sulfotransferase 1A1 and N-acetyltransferase 2 in the metabolic activation of 16 heterocyclic amines and related heterocyclics to genotoxicants in recombinant V79 cells. Arch Toxicol 91(9), 3175-3184, (2017), DOI: 10.1007/s00204-017-1935-8 (CF770 secondary RedDot ICW)

Comor, L., et al. Joining the in vitro immunization of alpaca lymphocytes and phage display: rapid and cost effective pipeline for sdAb synthesis. Microb Cell Fact 16(1), 13, (2017), DOI: 10.1186/s12934-017-0630-z (CF770 anti-GFP)

Dabek, M., et al. Intracolonic infusion of fecal supernatants from ulcerative colitis patients triggers altered permeability and inflammation in mice: role of cathepsin G and protease-activated receptor-4. Inflamm Bowel Dis 17(6), 1409-1414, (2011), DOI: DOI:10.1002/ibd.21454 (CF770 goat anti-rabbit IgG; WB; LI-COR Odyssey)

DOMINIQUE DUTSCHER SAS

Degrelle, S. A., et al. Annexin-A5 organized in 2D-network at the plasmalemma eases human trophoblast fusion. Sci Rep 7, 42173, (2017), DOI: 10.1038/srep42173 (CF770 AnnexinV blot overlay)

Ducheix, S., et al. Dietary oleic acid regulates hepatic lipogenesis through a liver X receptor-dependent signaling. PLoS One 12(7), e0181393, (2017), DOI: 10.1371/journal.pone.0181393 (CF680 & CF770 secondaries WB)

Frank, C. L., et al. Regulation of chromatin accessibility and Zic binding at enhancers in the developing cerebellum. Nat Neurosci 18(5), 647-656, (2015), DOI: 10.1038/nn.3995 (CF680 goat anti-mouse & CF770 goat anit-rabbit WB)

Gauthier, T., et al. Deoxynivalenol impairs the immune functions of neutrophils. Mol Nutr Food Res 57(6), 1026, (2013), DOI: DOI:10.1002/mnfr.201200755 (CF680 goat anti-rabbit IgG, CF770 goat anti-rabbit IgG; WB; LI-COR Odyssey)

Gon, S., et al. Fit alphabeta T-cell receptor suppresses leukemogenesis of Pten-deficient thymocytes. Haematologica 103(6), 999-1007, (2018), DOI: 10.3324/haematol.2018.188359 (CF680 goat anti-mouse and CF770 goat anti-rabbit WB)

Graber, T. E., et al. UPF1 Governs Synaptic Plasticity through Association with a STAU2 RNA Granule. J Neurosci 37(38), 9116-9131, (2017), DOI: 10.1523/JNEUROSCI.0088-17.2017 (CF680 & CF770 secondaries WB)

Hilbers, F. S., et al. Functional Analysis of Missense Variants in the Putative Breast Cancer Susceptibility Gene XRCC2. Hum Mutat 37(9), 914-925, (2016), DOI: 10.1002/humu.23019 (CF680 goat anti-rabbit & CF770 goat anti-mouse WB)

Huc, L., et al. Low concentrations of bisphenol A induce lipid accumulation mediated by the production of reactive oxygen species in the mitochondria of HepG2 cells. Toxicol In Vitro 26(5), 709-717, (2012), DOI: DOI:10.1016/j.tiv.2012.03.017 (CF770 goat anti-mouse IgG; WB; LI-COR Odyssey)

Jamin, E. L., et al. Combined Genotoxic Effects of a Polycyclic Aromatic Hydrocarbon (B(a)P) and an Heterocyclic Amine (PhIP) in Relation to Colorectal Carcinogenesis. PLoS One 8(3), e58591, (2013), DOI: DOI:10.1371/journal.pone.0058591 (CF770 goat anti-rabbit IgG; ICW; LI-COR Odyssey)

Khoury, L., et al. Validation of high-throughput genotoxicity assay screening using gammaH2AX in-cell western assay on HepG2 cells. Environ Mol Mutagen 54(9), 737-746, (2013), DOI: 10.1002/em.21817 (CF770; ICW)

Khoury, L., et al. Evaluation of four human cell lines with distinct biotransformation properties for genotoxic screening. Mutagenesis 31(1), 83-96, (2016), DOI: 10.1093/mutage/gev058 (CF770 goat anti-rabbit, RedDot2, ICW)

Kim, J. Y., et al. Efficacy of gastro-retentive forms of ecabet sodium in the treatment of gastric ulcer in rats. Arch Pharm Res 37(8), 1053-1062, (2014), DOI: 10.1007/s12272-013-0278-0 (CF770; in vivo imaging)

Lai, S. R., et al. In vitro anti-tubulin effects of mebendazole and fenbendazole on canine glioma cells. Vet Comp Oncol 15(4), 1445-1454, (2017), DOI: 10.1111/vco.12288 (CF770 goat anti-mouse WB)

Leskoske, K. Modulation of TOR Complex 2 signaling and maintenance of plasma membrane homeostasis in Saccharomyces cerevisiae. in: Graduate Division, PhD in Molecular and Cell Biology, UC Berkeley, 106, (2017), (CF770 goat anti-mouse WB)

DOMINIQUE DUTSCHER SAS

Leskoske, K. L., Roelants, F. M., Martinez Marshall, M. N., Hill, J. M., Thorner, J. . The stress-sensing TORC2 complex activates yeast AGC-family protein kinase Ypk1 at multiple novel sites. Genetics 207(1), 179-195, (2017), DOI: https://doi.org/10.1534/genetics.117.1124 (CF770 goat anti-mouse)

Liang, Y., et al. The lymphoid lineage-specific actin-uncapping protein Rltpr is essential for costimulation via CD28 and the development of regulatory T cells. Nat Immunol 14(8), 858-866, (2013), DOI: ni.2634 [pii] 10.1038/ni.2634 (CF770; WB)

Lucioli, J., et al. The food contaminant deoxynivalenol activates the mitogen activated protein kinases in the intestine: Interest of ex vivo models as an alternative to in vivo experiments. Toxicon 66, 31, (2013), DOI: DOI:10.1016/j.toxicon.2013.01.024 (CF770 goat anti-mouse IgG, CF770 goat anti-rabbit IgG; WB; LI-COR Odyssey)

Martinez Marshall, M. N., et al. Analysis of the roles of phosphatidylinositol-4,5-bisphosphate and individual subunits in assembly, localization, and function of Saccharomyces cerevisiae target of rapamycin complex 2. Mol Biol Cell 30(12), 1555-1574, (2019), DOI: 10.1091/mbc.E18-10-0682 (CF770 goat anti-mouse WB)

Martinsen, A., et al. Rho kinase regulation of vasopressin-induced calcium entry in vascular smooth muscle cell: Comparison between rat isolated aorta and cultured aortic cells. Cell Calcium 52(6), 413, (2012), DOI: DOI:10.1016/j.ceca.2012.07.002 (CF770 goat anti-mouse IgG, CF770 goat anti-rabbit IgG; WB; LI-COR Odyssey)

Mazzocco, C., et al. In vivo imaging of prostate cancer using an anti-PSMA scFv fragment as a probe. Sci Rep 6, 23314, (2016), DOI: 10.1038/srep23314 (XenoLite CF770)

Moussa, L., et al. A new soy germ fermented ingredient displays estrogenic and protease inhibitor activities able to prevent irritable bowel syndrome-like symptoms in stressed female rats. Clin Nutr 32(1), 51, (2012), DOI: DOI:10.1016/j.clnu.2012.05.021 (CF770 anti-rabbit IgG; WB; LI-COR Odyssey)

Nebot-Vivinus, M., et al. Multispecies probiotic protects gut barrier function in experimental models. World J Gastroenterol 20(22), 6832-6843, (2014), DOI: 10.3748/wjg.v20.i22.6832 (CF770 goat anti-rabbit WB Licor)

Nguyen, T. M. D., et al. Inhibition by fluoxetine of LH-stimulated cyclic AMP synthesis in tumor Leydig cells partly involves AMPK activation. PLoS One 14(6), e0217519, (2019), DOI: 10.1371/journal.pone.0217519 (CF770 anti-rabbit WB)

Norris, J. D., et al. Androgen receptor antagonism drives cytochrome P450 17A1 inhibitor efficacy in prostate cancer. J Clin Invest 127(6), 2326-2338, (2017), DOI: 10.1172/JCI87328 (CF770 goat anti-rabbit In Cell Western)

Oliveira, A. F. and Yasuda, R. Neurofibromin is the major ras inactivator in dendritic spines. J Neurosci 34(3), 776-783, (2014), DOI: 34/3/776 [pii] 10.1523/JNEUROSCI.3096-13.2014 (CF680 goat anti-mouse, CF770 goat anti-rabbit; WB; LI-COR Odyssey)

Olivier, I., et al. Is Crohn's creeping fat an adipose tissue?. Inflamm Bowel Dis 17(3), 747-757, (2011), DOI: DOI:10.1002/ibd.21413 (CF770 goat anti-rabbit IgG; WB; LI-COR Odyssey)

Pollock, J. A., et al. Inhibiting androgen receptor nuclear entry in castration-resistant prostate cancer. Nat Chem Biol 12(10), 795-801, (2016), DOI: 10.1038/nchembio.2131 (CF770 goat anti-rabbit In Cell Western)

DOMINIQUE DUTSCHER SAS

Pons, B. J., et al. Cell transfection of purified cytolethal distending toxin B subunits allows comparing their nuclease activity while plasmid degradation assay does not. PLoS One 14(3), e0214313, (2019), DOI: 10.1371/journal.pone.0214313 (CF770 goat anti-mouse WB)

Pulzova, L., et al. Identification of B-cell epitopes of Borrelia burgdorferi outer surface protein C by screening a phage-displayed gene fragment library. Microbiol Immunol 60(10), 669-677, (2016), DOI: 10.1111/1348-0421.12438 (CF770SE)

Rashid, F. M., et al. HI-NESS: a family of genetically encoded DNA labels based on a bacterial nucleoid-associated protein. Nucleic Acids Res 50, e10, (2022), DOI: 10.1093/nar/gkab993 (CF680 GARb, CF770 GAMs)

Rother, M. B., et al. The Human Thymus Is Enriched for Autoreactive B Cells. J Immunol 197(2), 441-448, (2016), DOI: 10.4049/jimmunol.1501992 (CF680 GAHu & CF770 goat anti-mouse WB)

Schimmel, J., et al. Mutational signatures of non-homologous and polymerase theta-mediated end-joining in embryonic stem cells. EMBO J 36(24), 3634-3649, (2017), DOI: 10.15252/embj.201796948 (CF680 goat anti-rabbit & CF770 goat anti-mouse WB)

Suemizu, H., et al. A versatile technique for the in vivo imaging of human tumor xenografts using near-infrared fluorochrome-conjugated macromolecule probes. PLoS One 8(12), e82708, (2013), DOI: 10.1371/journal.pone.0082708 PONE-D-13-13248 [pii] (Xenolight CF770; in vivo imaging)

Sun, Y., et al. Single tumor imaging with multiple antibodies targeting different antigens. Biotechniques 52(4), 1-3, (2012), DOI: DOI:10.2144/000113855 (XenoLight CF680, XenoLight CF770; in vivo imaging; PerkinElmer IVIS Lumina)

Theumer, M. G., et al. Genotoxicity of aflatoxins and their precursors in human cells. Toxicol Lett 287, 100-107, (2018), DOI: 10.1016/j.toxlet.2018.02.007 (CF770 & RedDot ICW)

Titova, E. and Obenaus, A. Immunological Response to Experimental Intracerebral Hemorrhage: Morphological Assessments. In: Chen, J., et al. (Eds.), Animal Models of Acute Neurological Injuries II. Humana Press, pp. 625-652, (2012), DOI: DOI:10.1007/978-1-61779-576-3_48 (CF680 and CF770 secondary antibody conjugates; IHC in floating brain sections; LI-COR Odyssey)

Titova, E. M., et al. The late phase of post-stroke neurorepair in aged rats is reflected by MRI-based measures. Neuroscience, (2014), DOI: S0306-4522(14)00770-2 [pii] 10.1016/j.neuroscience.2014.09.028 (CF680 goat anti-mouse, CF770 goat anti-rat; IHC; LI-COR Odyssey)

van den Heuvel, D., et al. A CSB-PAF1C axis restores processive transcription elongation after DNA damage repair. Nat Commun 12(1), 1342, (2021), DOI: 10.1038/s41467-021-21520-w (CF680 goat anti-rabbit CF770 goat anti-mouse WB Odyssey)

van der Weegen, Y., et al. The sequential and cooperative action of CSB, CSA, and UVSSA targets the TFIIH complex to DNA damage-stalled RNA polymerase II. bioRxiv, (2019), DOI: 10.1101/707216 (CF680 donkey anti-goat CF680 goat anti-rabbit CF770 goat anti-mouse WB)

Yamashiro, S. and Watanabe, N. An Infrared Actin Probe for Deep-Cell Electroporation-Based Single-Molecule Speckle (eSiMS) Microscopy. Sensors (Basel) 17(7), (2017), DOI: 10.3390/s17071545 (CF680R succinimidyl ester, CF750 succinimidyl ester, CF770 succinimidyl ester)

DOMINIQUE DUTSCHER SAS

CF®790

Azhdarinia, A., et al. Dual-labeling strategies for nuclear and fluorescence molecular imaging: a review and analysis. Mol Imaging Biol 14(3), 261-276, (2012), DOI: 10.1007/s11307-011-0528-9 (CF770, CF790; in vivo imaging)

Ghosh, S. C., et al. Multimodal chelation platform for near-infrared fluorescence/nuclear imaging. J Med Chem 56(2), 406-416, (2013), DOI: 10.1021/jm300906g (CF790 in vivo imaging)

Najimi, M., et al. Human liver mesenchymal stem/progenitor cells inhibit hepatic stellate cell activation: in vitro and in vivo evaluation. Stem Cell Res Ther 8(1), 131, (2017), DOI: 10.1186/s13287-017-0575-5 (CF680 donkey anti-rabbit & CF790 donkey anti-mouse WB)

Takeyama, H., et al. A novel endoscopic fluorescent clip visible with near-infrared imaging during laparoscopic surgery in a porcine model. Surg Endosc 28(6), 1984-1990, (2014), DOI: 10.1007/s00464-014-3423-z (CF790; in vivo imaging)

CF® Dye References by Application

CF® Dye Mix-n-Stain™ Antibody Labeling Kits

Ahi, Y. S., et al. Adenoviral E2 IVa2 Protein Interacts with L4 33K Protein and E2 DNA-Binding Protein. J Gen Virol 94(6), 1325, (2013), DOI: DOI:10.1099/vir.0.049346-0 (Mix-n-Stain CF350, Mix-n-Stain CF488A, CF568 goat anti-mouse IgG; ICC)

Anderson, M. S., et al. Maturation and vesicle-mediated egress of primate gammaherpesvirus rhesus monkey rhadinovirus require inner tegument protein ORF52. J Virol 88(16), 9111-9128, (2014), DOI: JVI.01502-14 [pii] 10.1128/JVI.01502-14 (CF488A Mix n Stain; ICC)

Aravindan, S., et al. Polyphenols from marine brown algae target radiotherapy-coordinated EMT and stemness-maintenance in residual pancreatic cancer. Stem Cell Res Ther 6, 182, (2015), DOI: 10.1186/s13287-015-0173-3 (Mix-n-Stain CF488A)

Arul, M., et al. Culture of low passage colorectal cancer cells and demonstration of variation in selected tumour marker expression. Cytotechnology 66(3), 481, (2013), DOI: 10.1007/s10616-013-9600-4 (CF488A Mix-n-Stain, CF594 Mix-n-Stain, CF488A goat anti-mouse; ICC)

Balogh, A., et al. Sex hormone-binding globulin provides a novel entry pathway for estradiol and influences subsequent signaling in lymphocytes via membrane receptor. Sci Rep 9(1), 4, (2019), DOI: 10.1038/s41598-018-36882-3 (CF633 Mix-n-Stain)

Bolduc, J. F., et al. Epigenetic Metabolite Acetate Inhibits Class I/II Histone Deacetylases, Promotes Histone Acetylation, and Increases HIV-1 Integration in CD4(+) T Cells. J Virol 91(16), (2017), DOI: 10.1128/JVI.01943-16 (CF4505M Mix-n-Stain flow)

Breton-Provencher, V., et al. Principal cell activity induces spine relocation of adult-born interneurons in the olfactory bulb. Nat Commun 7, 12659, (2016), DOI: 10.1038/ncomms12659 (CF568 Mix-n-Stain IF)

Ciapa, B. and Granon, S. Expression of Cyclin-D1 in Astrocytes Varies During Aging. Front Aging Neurosci 10, 104, (2018), DOI: 10.3389/fnagi.2018.00104 (CF568 Mix-n-Stain IF)

PROPRIÉTÉ BIOTIUM, BIOTIUM, INC. ET BIOTIUM SAS

Darvish-Damavandi, M., et al. Towards the development of an enzyme replacement therapy for the metabolic disorder propionic acidemia. Mol Genet Metab Rep 8, 51-60, (2016), DOI: 10.1016/j.ymgmr.2016.06.009 S2214-4269(16)30048-9 [pii] (CF488A Mix-n-Stain)

De Pace, R., et al. Synaptic Vesicle Precursors and Lysosomes Are Transported by Different Mechanisms in the Axon of Mammalian Neurons. Cell Rep 31(11), 107775, (2020), DOI: 10.1016/j.celrep.2020.107775 (CF640R Mix-n-Stain)

Deo, D. I., et al. Biofunctionalization of PEGylated microcapsules for exclusive binding to protein substrates. Biomacromolecules 15(7), 2555-2562, (2014), DOI: 10.1021/bm500412d (CF555 Mix-n-Stain microcapsules; fluorescence microscopy)

Diamantopoulou, A., et al. Denial or receipt of expected reward through maternal contact during the neonatal period differentially affect the development of the rat amygdala and program its function in adulthood in a sex-dimorphic way. Psychoneuroendocrinology 38(9), 1757, (2013), DOI: DOI:10.1016/j.psyneuen.2013.02.012 (Mix-n-Stain CF488A, Mix-N-Stain CF555; IHC)

Donskow-Lysoniewska, K., et al. Heligmosmoides polygyrus fourth stages induce protection against DSS-induced colitis and change opioid expression in the intestine. Parasite Immunol 34(11), 536, (2012), DOI: DOI:10.1111/pim.12003 (Mix-n-Stain CF488A; IHC)

Ersek, B., et al. CD3zeta-Chain Expression of Human T Lymphocytes Is Regulated by TNF via Src-like Adaptor Protein-Dependent Proteasomal Degradation. J Immunol 189(4), 1602, (2012), DOI: DOI:10.4049/jimmunol.1102365 (Mix-n-Stain CF488A; ICC)

Farias, G. G., et al. Feedback-Driven Mechanisms between Microtubules and the Endoplasmic Reticulum Instruct Neuronal Polarity. Neuron 102(1), 184-201 e188, (2019), DOI: 10.1016/j.neuron.2019.01.030 (CF640R Mix-n-Stain)

Farias, G. G., et al. Imaging the Polarized Sorting of Proteins from the Golgi Complex in Live Neurons. Methods Mol Biol 1496, 13-30, (2016), DOI: 10.1007/978-1-4939-6463-5_2 (CF488A, CF555 & CF640R Mix-n-Stain IF)

Galletti, G., et al. Isolation of breast cancer and gastric cancer circulating tumor cells by use of an anti HER2-based microfluidic device. Lab Chip 14(1), 147-156, (2014), DOI: 10.1039/c3lc51039e (CF594 Mix-n-Stain; ICC)

Geherin, S. A., et al. IL-10+ Innate-like B Cells Are Part of the Skin Immune System and Require alpha4beta1 Integrin To Migrate between the Peritoneum and Inflamed Skin. J Immunol 196(6), 2514-2525, (2016), DOI: 10.4049/jimmunol.1403246 (CF488A CF594 Mix-n-Stain)

Gennet, N., et al. FolR1: a novel cell surface marker for isolating midbrain dopamine neural progenitors and nascent dopamine neurons. Sci Rep 6, 32488, (2016), DOI: 10.1038/srep32488 (CF640R Mix-n-Stain FACS)

Gorham, J. B., et al. Visualization of microbe-dietary remnant interactions in digesta from pigs, by fluorescence in situ hybridization and staining methods; effects of a dietary arabinoxylan-rich wheat fraction. Food Hydrocolloids 52, 952-962, (2016), DOI: http://dx.doi.org/10.1016/j.foodhyd.2015.09.011 (660R, Mix-n-Stain)

Hadassa Y. Holzapfel, and Marc R. Birtwistle. Creating Complex Fluorophore spectra on Antibodies Through Combinatorial Labeling. Transl Sci, 1-10, (2016). (CF405M, CF488A, CF568, CF640R, FRET, MnS)

DOMINIQUE DUTSCHER SAS

Hirtz, M., et al. Click-Chemistry Immobilized 3D-Infused Microarrays in Nanoporous Polymer Substrates. Advanced Materials Interfaces, n/a-n/a, (2016), DOI: 10.1002/admi.201500469 (CF488A Mix-n-Stain)

Homann, S., et al. A novel rapid and reproducible flow cytometric method for optimization of transfection efficiency in cells. PLoS One 12(9), e0182941, (2017), DOI: 10.1371/journal.pone.0182941 (CF647 Mix-n-Stain)

Home, P., et al. Altered subcellular localization of transcription factor TEAD4 regulates first mammalian cell lineage commitment. Proc Natl Acad Sci U S A 109(19), 7362-7367, (2012), DOI: DOI:10.1073/pnas.1201595109 (Mix-n-Stain CF488A, Mix-n-Stain CF568; ICC)

Hwang, J., et al. Aptamer-conjugated live human immune cell based biosensors for the accurate detection of C-reactive protein. Sci Rep 6, 34778, (2016), DOI: 10.1038/srep34778 (CF594 Mix-n-Stain)

Hwang, J., et al. Aptamer-conjugated live human immune cell based biosensors for the accurate detection of C-reactive protein. Sci Rep 6, 34778, (2016), DOI: 10.1038/srep34778 (CF594 Mix-n-Stain)

Jankowska, K. I., et al. Integrins Modulate T Cell Receptor Signaling by Constraining Actin Flow at the Immunological Synapse. Front Immunol 9, 25, (2018), DOI: 10.3389/fimmu.2018.00025 (CF488A Mix-n-Stain, CF405 phalloidin)

Keren-Kaplan, T., et al. RUFY3 and RUFY4 are ARL8 effectors that promote coupling of endolysosomes to dynein-dynactin. Nat Commun 13, 1506, (2022), DOI: 10.1038/s41467-022-28952-y (CF640R, Mix-n-Stain)

Kesik, M., et al. A multi-functional fluorescent scaffold as a multi-colour probe: design and application in targeted cell imaging. RSC Advances 5(101), 83361-83367, (2015), DOI: 10.1039/c5ra16600d (CF555 Mix-n-Stain)

Lim, A., et al. Two kinesins drive anterograde neuropeptide transport. Mol Biol Cell, (2017), DOI: mbc.E16-12-0820 [pii] 10.1091/mbc.E16-12-0820 (Mix-n-Stain CF568, Direct + indirect IF, CF568 3D SIM)

Lim, A. K., et al. The nuage mediates retrotransposon silencing in mouse primordial ovarian follicles. Development 140(18), 3819-3825, (2013), DOI: dev.099184 [pii] 10.1242/dev.099184 (CF488A Mix-n-Stain; IHC)

Lin, T.-B., et al. Melatonin relieves neuropathic allodynia through spinal MT2-enhanced PP2Ac and downstream HDAC4 shuttling-dependent epigenetic modification of hmgb1 transcription. Journal of Pineal Research, n/a-n/a, (2016), DOI: 10.1111/jpi.12307 (CF Dyes Mix-n-Stain)

Loftus, M. S., et al. A Conserved Leucine Zipper Motif in Gammaherpesvirus ORF52 Is Critical for Distinct Microtubule Rearrangements. J Virol 91(17), (2017), DOI: 10.1128/JVI.00304-17 (CF488A Mix-n-Stain)

Lukonin, I., et al. Phenotypic landscape of intestinal organoid regeneration. Nature 586(7828), 275-280, (2020), DOI: 10.1038/s41586-020-2776-9 (CF568 Mix-n-Stain)

MacDonald, A. B. Lyme ELISA seronegative patients with borrelia antibody coated borrelia microbes in their blood. Med Clin Res 7, (2022), ISSN: 2577 - 8005 (CF405S, CF660R, Mix-n-Stain)

Mikosik, A., et al. Expression of calpain-calpastatin system (CCS) member proteins in human lymphocytes of young and elderly individuals; pilot baseline data for the CALPACENT project. Immun Ageing 10(1), 27, (2013), DOI: DOI:10.1186/1742-4933-10-27 (Mix-n-Stain CF555; FC)

DOMINIQUE DUTSCHER SAS

Miyagishima, S. Y., et al. DipM is required for peptidoglycan hydrolysis during chloroplast division. BMC Plant Biol 14, 57, (2014), DOI: 1471-2229-14-57 [pii] 10.1186/1471-2229-14-57 (CF488A Mix-n-Stain, CF555 Mix-n-Stain; ICC)

Mofarrahi, M., et al. Angiopoietin-1 enhances skeletal muscle regeneration in mice. American Journal of Physiology - Regulatory, Integrative and Comparative Physiology 308(7), R576-R589, (2015), DOI: 10.1152/ajpregu.00267.2014 (CF568 Mix-n-Stain)

Montesinos-Rongen, M., et al. Primary Central Nervous System (CNS) Lymphoma B Cell Receptors Recognize CNS Proteins. J Immunol 195(3), 1312-1319, (2015), DOI: jimmunol.1402341 [pii] 10.4049/jimmunol.1402341 (Mix-n-Stain CF488A)

Nagornykh, A. M., et al. Protocol for chronic hepatitis B virus infection mouse model development by patient-derived orthotopic xenografts. PLoS One 17, e0264266, (2022), DOI: 10.1371/journal.pone.0264266 (CF555, Mix-n-Stain)

Niec, R. E., et al. Lymphatics act as a signaling hub to regulate intestinal stem cell activity. Cell Stem Cell 29, 1067-1082 e1018, (2022), DOI: 10.1016/j.stem.2022.05.007 (CF568, Mix-n-Stain)

Park, K. S., et al. A crucial requirement for Hedgehog signaling in small cell lung cancer. Nat Med 17(11), 1504-1508, (2011), DOI: DOI:10.1038/nm.2473 (Mix-n-Stain CF488A, Mix-n-Stain CF568, and Mix-n-Stain CF647; ICC)

Paz, H., et al. Treatment of B-cell precursor acute lymphoblastic leukemia with the Galectin-1 inhibitor PTX008. J Exp Clin Cancer Res 37(1), 67, (2018), DOI: 10.1186/s13046-018-0721-7 (CF647 Mix-n-Stain)

Petrelli, A., et al. Efficient Conjugation of Oligosaccharides to Polymer Particles through Furan/Maleimide Diels-Alder Reaction: Application to the Capture of Carbohydrate-Binding Proteins. Chembiochem 18(2), 206-212, (2017), DOI: 10.1002/cbic.201600509 (CF488A, CF568 Mix-n-Stain)

Pons, M., et al. Phosphorylation of filamin A regulates chemokine receptor CCR2 recycling. J Cell Sci 130(2), 490-501, (2017), DOI: 10.1242/jcs.193821 (CF488A, CF568 Mix-n-Stain)

Robertson, T. F., et al. Lymphocyte egress signal sphingosine-1-phosphate promotes ERM-guided, bleb-based migration. J Cell Biol 220, (2021), DOI: 10.1083/jcb.202007182 (CF568, Mix-n-Stain)

Rohm, M., et al. Data of rational process optimization for the production of a full IgG and its Fab fragment from hybridoma cells. Data Brief 8, 426-435, (2016), DOI: 10.1016/j.dib.2016.05.067 (CF647 Mix-n-Stain)

Ruger, M., et al. Species-specific viability analysis of Pseudomonas aeruginosa, Burkholderia cepacia and Staphylococcus aureus in mixed culture by flow cytometry. BMC Microbiol 14, 56, (2014), DOI: 1471-2180-14-56 [pii] 10.1186/1471-2180-14-56 (CF405S Mix-n-Stain; FC)

Ruger, M., et al. A flow cytometric method for viability assessment of Staphylococcus aureus and Burkholderia cepacia in mixed culture. Cytometry A 81(12), 1055, (2012), DOI: DOI:10.1002/cyto.a.22219 (CF405S Mix-n-Stain labeling of wheat germ agglutinin; FC)

Sainski, A. M., et al. Casp8p41 generated by HIV protease kills CD4 T cells through direct Bak activation. J Cell Biol 207(1), 159, (2014), DOI: jcb.20140505109252014c [pii] 10.1083/jcb.20140505109252014c (CF640R Mix-n-Stain; FC)

DOMINIQUE DUTSCHER SAS

Shimizu, F., et al. Glucose-regulated protein 78 autoantibody associates with blood-brain barrier disruption in neuromyelitis optica. Sci Transl Med 9(397), (2017), DOI: 10.1126/scitranslmed.aai9111 (CF568 Mix-n-Stain)

Stoltzfus, C. R., et al. CytoMAP: A Spatial Analysis Toolbox Reveals Features of Myeloid Cell Organization in Lymphoid Tissues. Cell Rep 31(3), 107523, (2020), DOI: 10.1016/j.celrep.2020.107523 (CF750, CF594, CF514, CF633 Mix-n-Stain)

Trofimenko, E., et al. The endocytic pathway taken by cationic substances requires Rab14 but not Rab5 and Rab7. Cell Rep 37, 109945, (2021), DOI: 10.1016/j.celrep.2021.109945 (CF405M, CF488A, CF594, CF647, Mix-n-Stain)

Trofimenko, E., et al. Identification of a new, Rab14-dependent, endo-lysosomal pathway. bioRxiv, (2021), DOI: 10.1101/2021.03.25.436964 (CF405M, CF594, Mix-n-Stain)

Tschumper, R. C., et al. Molecular analysis of immunoglobulin genes reveals frequent clonal relatedness in double monoclonal gammopathies. Blood Cancer J 3, e112, (2013), DOI: DOI:10.1038/bcj.2013.12 (Mix-n-Stain CF350; ICC)

Wada, M., et al. Epitope-Dependent Pathogenicity of Antibodies Targeting a Major Bullous Pemphigoid Autoantigen Collagen XVII/BP180. J Invest Dermatol 136(5), 938-946, (2016), DOI: 10.1016/j.jid.2015.11.030 (CF555 Mix-n-Stain time lapse imaging)

Wisnovsky, S., et al. Genome-wide CRISPR screens reveal a specific ligand for the glycan-binding immune checkpoint receptor Siglec-7. Proc Natl Acad Sci U S A 118(5), (2021), DOI: 10.1073/pnas.2015024118 (CF568 Mix-n-Stain STORM)

Xu, Z., et al. Mucosal immunoglobulins at respiratory surfaces mark an ancient association that predates the emergence of tetrapods. Nat Commun 7, 10728, (2016), DOI: 10.1038/ncomms10728 (CF488A, CF555 & CF640R Mix-n-Stain)

Xu, Z., et al. Teleost skin, an ancient mucosal surface that elicits gut-like immune responses. Proc Natl Acad Sci U S A 110(32), 13097-13102, (2013), DOI: 1304319110 [pii] 10.1073/pnas.1304319110 (CF488A Mix-n-Stain, CF555, CF640R; IHC)

Yamamoto, S., et al. Contribution of calumin to embryogenesis through participation in the endoplasmic reticulum-associated degradation activity. Dev Biol 393(1), 33-43, (2014), DOI: S0012-1606(14)00320-0 [pii] 10.1016/j.ydbio.2014.06.024 (CF488A Mix-n-Stain, CF568 Mix-n-Stain; IHC)

Yamashita, A., et al. Increased metabolite levels of glycolysis and pentose phosphate pathway in rabbit atherosclerotic arteries and hypoxic macrophage. PLoS One 9(1), e86426, (2014), DOI: 10.1371/journal.pone.0086426 PONE-D-13-24660 [pii] (CF488A Mix-n-Stain, CF594 Mix-n-Stain; IHC)

Yang, Y., et al. Paraoxonase 2 decreases renal reactive oxygen species production, lowers blood pressure, and mediates dopamine D(2) receptor-induced inhibition of NADPH oxidase. Free Radic Biol Med 53(3), 437, (2012), DOI: DOI:10.1016/j.freeradbiomed.2012.05.015 (Mix-n-Stain CF555; IHC)

Zolnerciks, J. K., et al. The Q loops of the human multidrug resistance transporter ABCB1 are necessary to couple drug binding to the ATP catalytic cycle. FASEB J 28(10), 4335-4346, (2014), DOI: fj.13-245639 [pii] 10.1096/fj.13-245639 (CF633 Mix-n-Stain; ICC)

DOMINIQUE DUTSCHER SAS

Flow Cytometry

Bolduc, J. F., et al. Epigenetic Metabolite Acetate Inhibits Class I/II Histone Deacetylases, Promotes Histone Acetylation, and Increases HIV-1 Integration in CD4(+) T Cells. J Virol 91(16), (2017), DOI: 10.1128/JVI.01943-16 (CF4505M Mix-n-Stain flow)

Endo, H., et al. Ibuprofen enhances the anticancer activity of cisplatin in lung cancer cells by inhibiting the heat shock protein 70. Cell Death Dis 5, e1027, (2014), DOI: cddis2013550 [pii] 10.1038/cddis.2013.550 (CF488A Annexin V; FC)

Gautam, N., et al. Preclinical Pharmacokinetics and Tissue Distribution of Long-Acting Nanoformulated Antiretroviral Therapy. Antimicrob Agents Chemother 57(7), 3110, (2013), DOI: DOI:10.1128/AAC.00267-13 (CF633 succinimidyl ester; nanoparticles; ICC; FC)

Gielen, P. R., et al.Connexin43 confers Temozolomide resistance in human glioma cells by modulating the mitochondrial apoptosis pathway. Neuropharmacology, (2013), DOI: DOI:10.1016/j.neuropharm.2013.05.002 (CF405M Annexin V; FC)

Giuntini, S., et al. Combined roles of human IgG subclass, alternative complement pathway activation, and epitope density in the bactericidal activity of antibodies to meningococcal factor h binding protein. Infect Immun 80(1), 187-194, (2012), DOI: DOI:10.1128/IAI.05956-11 (CF488A goat anti-human IgG; FC)

Hwang, J., et al. Aptamer-conjugated live human immune cell based biosensors for the accurate detection of C-reactive protein. Sci Rep 6, 34778, (2016), DOI: 10.1038/srep34778 (CF594 Mix-n-Stain)

Kesik, M., et al. A multi-functional fluorescent scaffold as a multi-colour probe: design and application in targeted cell imaging. RSC Advances 5(101), 83361-83367, (2015), DOI: 10.1039/c5ra16600d (CF555 Mix-n-Stain)

Li, X., et al. Tissue distribution and safety evaluation of a claudin-targeting molecule, the C-terminal fragment of Clostridium perfringens enterotoxin. Eur J Pharm Sci 52, 132-137, (2014), DOI: S0928-0987(13)00425-9 [pii] 10.1016/j.ejps.2013.10.018 (Xenolight CF750; FC, in vivo imaging)

Mahassni, S. H. and Al-Reemi, R. M. Apoptosis and necrosis of human breast cancer cells by an aqueous extract of garden cress (Lepidium sativum) seeds. Saudi Journal of Biological Sciences 20(2), 131-139, (2013), DOI: DOI: http://dx.doi.org/10.1016/j.sjbs.2012.12.002 (CF488A Annexin V; ICC, FC)

McCausland, M., et al. With great power comes great responsibility: high-dimensional spectral flow cytometry to support clinical trials. Bioanalysis 13, 1597-1616, (2021), DOI: 10.4155/bio-2021-0201 (Spectral flow)

Mikosik, A., et al. Expression of calpain-calpastatin system (CCS) member proteins in human lymphocytes of young and elderly individuals; pilot baseline data for the CALPACENT project. Immun Ageing 10(1), 27, (2013), DOI: DOI:10.1186/1742-4933-10-27 (Mix-n-Stain CF555; FC)

Pena-Hernandez, R., et al. Genome-wide targeting of the epigenetic regulatory protein CTCF to gene promoters by the transcription factor TFII-I. Proc Natl Acad Sci U S A 112(7), E677-686, (2015), DOI: 10.1073/pnas.1416674112 (CF633 Annexin V flow)

Ruger, M., et al. Species-specific viability analysis of Pseudomonas aeruginosa, Burkholderia cepacia and Staphylococcus aureus in mixed culture by flow cytometry. BMC Microbiol 14, 56, (2014), DOI: 1471-2180-14-56 [pii] 10.1186/1471-2180-14-56 (CF405S Mix-n-Stain; FC)

BIONIQUE DUTSCHER SAS

Ruger, M., et al. A flow cytometric method for viability assessment of Staphylococcus aureus and Burkholderia cepacia in mixed culture. Cytometry A 81(12), 1055, (2012), DOI: DOI:10.1002/cyto.a.22219 (CF405S Mix-n-Stain labeling of wheat germ agglutinin; FC)

Sainski, A. M., et al. Casp8p41 generated by HIV protease kills CD4 T cells through direct Bak activation. J Cell Biol 207(1), 159, (2014), DOI: jcb.20140505109252014c [pii] 10.1083/jcb.20140505109252014c (CF640R Mix-n-Stain; FC)

Skindersoe, M. E., et al. A novel and rapid apoptosis assay based on thiol redox status. Cytometry A 81(5), 430, (2012), DOI: DOI:10.1002/cyto.a.22032 (CF647 Annexin V; ICC, FC)

Sutherland, D. R., et al. High-sensitivity 5-, 6-, and 7-color PNH WBC assays for both Canto II and Navios platforms. Cytometry B Clin Cytom 94(4), 637-651, (2018), DOI: 10.1002/cyto.b.21626 (CF405M succinimidyl ester flow)

Vlahava, V. M., et al. CD40 ligand exhibits a direct antiviral effect on Herpes Simplex Virus type-1 infection via a PI3K-dependent, autophagy-independent mechanism. Cell Signal 27(6), 1253-1263, (2015), DOI: S0898-6568(15)00078-9 [pii] 10.1016/j.cellsig.2015.03.002 (CF633 FC)

Wang, H. Y., et al. Synthesis and single-molecule imaging reveal stereospecific enhancement of binding kinetics by the antitumour eEF1A antagonist SR-A3. Nat Chem 14, 1443-1450, (2022), DOI: 10.1038/s41557-022-01039-3 (CF647 azide, flow cytometry)

Zeiderman, M. R., et al. Targeting of BRAF resistant melanoma via extracellular matrix metalloproteinase inducer receptor. J Surg Res 190(1), 111-118, (2014), DOI: S0022-4804(14)00165-6 [pii] 10.1016/j.jss.2014.02.021 (CF750 succinimidyl ester; in vivo imaging, FC)

Western Blotting

Ait-Belgnaoui, A., et al. Probiotic gut effect prevents the chronic psychological stress-induced brain activity abnormality in mice. Neurogastroenterol Motil 26(4), 510-520, (2014), DOI: 10.1111/nmo.12295 (CF770; WB; LI-COR Odyssey)

Andriamihaja, M., et al. The deleterious metabolic and genotoxic effects of the bacterial metabolite p-cresol on colonic epithelial cells. Free Radical Biology and Medicine 85, 219-227, (2015), DOI: http://dx.doi.org/10.1016/j.freeradbiomed.2015.04.004 (CF770 RedDot1 in cell western)

Annahazi, A., et al. Luminal Cysteine-Proteases Degrade Colonic Tight Junction Structure and Are Responsible for Abdominal Pain in Constipation-Predominant IBS. Am J Gastroenterol 108(8), 1392, (2013), DOI: DOI:10.1038/ajg.2013.152 (CF770 goat anti-rabbit IgG; WB; LI-COR Odyssey)

Audebert, M., et al. Comparative potency approach based on H2AX assay for estimating the genotoxicity of polycyclic aromatic hydrocarbons. Toxicol Appl Pharmacol 260(1), 58, (2012), DOI: DOI:10.1016/j.taap.2012.01.022 (CF770 goat anti-rabbit IgG; ICW; LI-COR Odyssey)

Avelar, G. M., et al. A rhodopsin-guanylyl cyclase gene fusion functions in visual perception in a fungus. Curr Biol 24(11), 1234-1240, (2014), DOI: S0960-9822(14)00409-6 [pii] 10.1016/j.cub.2014.04.009 (CF680; WB; LI-COR Odyssey)

Babelova, A., et al. Activation of Rac-1 and RhoA contributes to podocyte injury in chronic kidney disease. PLoS One 8(11), e80328, (2013), DOI: 10.1371/journal.pone.0080328 PONE-D-13-15419 [pii] (CF770 goat anti-rabbit; WB; LI-COR Odyssey)

BOUNDLE DUTSCHER SAS

Dabek, M., et al. Intracolonic infusion of fecal supernatants from ulcerative colitis patients triggers altered permeability and inflammation in mice: role of cathepsin G and protease-activated receptor-4. Inflamm Bowel Dis 17(6), 1409-1414, (2011), DOI: DOI:10.1002/ibd.21454 (CF770 goat anti-rabbit IgG; WB; LI-COR Odyssey)

Ducheix, S., et al. Dietary oleic acid regulates hepatic lipogenesis through a liver X receptor-dependent signaling. PLoS One 12(7), e0181393, (2017), DOI: 10.1371/journal.pone.0181393 (CF680 & CF770 secondaries WB)

Gauthier, T., et al. Deoxynivalenol impairs the immune functions of neutrophils. Mol Nutr Food Res 57(6), 1026, (2013), DOI: DOI:10.1002/mnfr.201200755 (CF680 goat anti-rabbit IgG, CF770 goat anti-rabbit IgG; WB; LI-COR Odyssey)

Gon, S., et al. Fit alphabeta T-cell receptor suppresses leukemogenesis of Pten-deficient thymocytes. Haematologica 103(6), 999-1007, (2018), DOI: 10.3324/haematol.2018.188359 (CF680 goat anti-mouse and CF770 goat anti-rabbit WB)

Graber, T. E., et al. UPF1 Governs Synaptic Plasticity through Association with a STAU2 RNA Granule. J Neurosci 37(38), 9116-9131, (2017), DOI: 10.1523/JNEUROSCI.0088-17.2017 (CF680 & CF770 secondaries WB)

Hilbers, F. S., et al. Functional Analysis of Missense Variants in the Putative Breast Cancer Susceptibility Gene XRCC2. Hum Mutat 37(9), 914-925, (2016), DOI: 10.1002/humu.23019 (CF680 goat anti-rabbit & CF770 goat anti-mouse WB)

Huc, L., et al. Low concentrations of bisphenol A induce lipid accumulation mediated by the production of reactive oxygen species in the mitochondria of HepG2 cells. Toxicol In Vitro 26(5), 709-717, (2012), DOI: DOI:10.1016/j.tiv.2012.03.017 (CF770 goat anti-mouse IgG; WB; LI-COR Odyssey)

Jamin, E. L., et al. Combined Genotoxic Effects of a Polycyclic Aromatic Hydrocarbon (B(a)P) and an Heterocyclic Amine (PhIP) in Relation to Colorectal Carcinogenesis. PLoS One 8(3), e58591, (2013), DOI: DOI:10.1371/journal.pone.0058591 (CF770 goat anti-rabbit IgG; ICW; LI-COR Odyssey)

Kohler, C., et al. Extracytoplasmic function (ECF) sigma factor sigmaF is involved in Caulobacter crescentus response to heavy metal stress. BMC Microbiol 12, 210, (2012), DOI: DOI:10.1186/1471-2180-12-210 (CF680 goat anti-rabbit IgG; WB; LI-COR Odyssey)

Lai, S. R., et al. In vitro anti-tubulin effects of mebendazole and fenbendazole on canine glioma cells. Vet Comp Oncol 15(4), 1445-1454, (2017), DOI: 10.1111/vco.12288 (CF770 goat anti-mouse WB)

Leskoske, K. Modulation of TOR Complex 2 signaling and maintenance of plasma membrane homeostasis in Saccharomyces cerevisiae. in: Graduate Division, PhD in Molecular and Cell Biology, UC Berkeley, 106, (2017), (CF770 goat anti-mouse WB)

Liang, Y., et al. The lymphoid lineage-specific actin-uncapping protein Rltpr is essential for costimulation via CD28 and the development of regulatory T cells. Nat Immunol 14(8), 858-866, (2013), DOI: ni.2634 [pii] 10.1038/ni.2634 (CF770; WB)

Lucioli, J., et al. The food contaminant deoxynivalenol activates the mitogen activated protein kinases in the intestine: Interest of ex vivo models as an alternative to in vivo experiments. Toxicon 66, 31, (2013), DOI: DOI:10.1016/j.toxicon.2013.01.024 (CF770 goat anti-mouse IgG, CF770 goat anti-rabbit IgG; WB; LI-COR Odyssey)

DOMINIQUE DUTSCHER SAS

Martinez Marshall, M. N., et al. Analysis of the roles of phosphatidylinositol-4,5-bisphosphate and individual subunits in assembly, localization, and function of Saccharomyces cerevisiae target of rapamycin complex 2. Mol Biol Cell 30(12), 1555-1574, (2019), DOI: 10.1091/mbc.E18-10-0682 (CF770 goat anti-mouse WB)

Martinsen, A., et al. Rho kinase regulation of vasopressin-induced calcium entry in vascular smooth muscle cell: Comparison between rat isolated aorta and cultured aortic cells. Cell Calcium 52(6), 413, (2012), DOI: DOI:10.1016/j.ceca.2012.07.002 (CF770 goat anti-mouse IgG, CF770 goat anti-rabbit IgG; WB; LI-COR Odyssey)

Moussa, L., et al. A new soy germ fermented ingredient displays estrogenic and protease inhibitor activities able to prevent irritable bowel syndrome-like symptoms in stressed female rats. Clin Nutr 32(1), 51, (2012), DOI: DOI:10.1016/j.clnu.2012.05.021 (CF770 anti-rabbit IgG; WB; LI-COR Odyssey)

Najimi, M., et al. Human liver mesenchymal stem/progenitor cells inhibit hepatic stellate cell activation: in vitro and in vivo evaluation. Stem Cell Res Ther 8(1), 131, (2017), DOI: 10.1186/s13287-017-0575-5 (CF680 donkey anti-rabbit & CF790 donkey anti-mouse WB)

Nguyen, T. M. D., et al. Inhibition by fluoxetine of LH-stimulated cyclic AMP synthesis in tumor Leydig cells partly involves AMPK activation. PLoS One 14(6), e0217519, (2019), DOI: 10.1371/journal.pone.0217519 (CF770 anti-rabbit WB)

Oliveira, A. F. and Yasuda, R. Neurofibromin is the major ras inactivator in dendritic spines. J Neurosci 34(3), 776-783, (2014), DOI: 34/3/776 [pii] 10.1523/JNEUROSCI.3096-13.2014 (CF680 goat anti-mouse, CF770 goat anti-rabbit; WB; LI-COR Odyssey)

Olivier, I., et al. Is Crohn's creeping fat an adipose tissue?. Inflamm Bowel Dis 17(3), 747-757, (2011), DOI: DOI:10.1002/ibd.21413 (CF770 goat anti-rabbit IgG; WB; LI-COR Odyssey)

Ottenheijm, C. A., et al. Deleting exon 55 from the nebulin gene induces severe muscle weakness in a mouse model for nemaline myopathy. Brain 136(Pt 6), 1718-1731, (2013), DOI: awt113 [pii] 10.1093/brain/awt113 (CF680 goat anti-rabbit; WB; LI-COR Odyssey)

Pons, B. J., et al. Cell transfection of purified cytolethal distending toxin B subunits allows comparing their nuclease activity while plasmid degradation assay does not. PLoS One 14(3), e0214313, (2019), DOI: 10.1371/journal.pone.0214313 (CF770 goat anti-mouse WB)

Rother, M. B., et al. The Human Thymus Is Enriched for Autoreactive B Cells. J Immunol 197(2), 441-448, (2016), DOI: 10.4049/jimmunol.1501992 (CF680 goat anti-human & CF770 goat anti-mouse WB)

Schimmel, J., et al. Mutational signatures of non-homologous and polymerase theta-mediated end-joining in embryonic stem cells. EMBO J 36(24), 3634-3649, (2017), DOI: 10.15252/embj.201796948 (CF680 goat anti-rabbit & CF770 goat anti-mouse WB)

Schmidt, C., et al.The Dual Role of a Polyvalent IgM/IgA-Enriched Immunoglobulin Preparation in Activating and Inhibiting the Complement System. Biomedicines 9(7), (2021), DOI: 10.3390/biomedicines9070817 (CF488A DAGt CF568 donkey anti-mouse, western blotting)

Titova, E. and Obenaus, A. Immunological Response to Experimental Intracerebral Hemorrhage: Morphological Assessments. In: Chen, J., et al. (Eds.), Animal Models of Acute Neurological Injuries II. Humana Press, pp. 625-652, (2012), DOI: DOI:10.1007/978-1-61779-576-3_48 (CF680- and CF770-secondary antibody conjugates; IHC in floating brain sections; LI-COR Odyssey)

DOMINIQUE DUTSCHER SAS

Titova, E. M., et al. The late phase of post-stroke neurorepair in aged rats is reflected by MRI-based measures. Neuroscience, (2014), DOI: S0306-4522(14)00770-2 [pii] 10.1016/j.neuroscience.2014.09.028 (CF680 goat anti-mouse & CF770 goat anti-rat; IHC; LI-COR Odyssey)

van den Heuvel, D., et al. A CSB-PAF1C axis restores processive transcription elongation after DNA damage repair. Nat Commun 12(1), 1342, (2021), DOI: 10.1038/s41467-021-21520-w (CF680 goat anti-rabbit CF770 goat anti-mouse WB Odyssey)

van der Weegen, Y., et al. The sequential and cooperative action of CSB, CSA, and UVSSA targets the TFIIH complex to DNA damage-stalled RNA polymerase II. bioRxiv, (2019), DOI: 10.1101/707216 (CF680 donkey anti-goat CF680 goat anti-rabbit CF770 goat anti-mouse WB)

Wu, C. L., et al. Interplay between Cell Migration and Neurite Outgrowth Determines SH2B1beta-Enhanced Neurite Regeneration of Differentiated PC12 Cells. PLoS One 7(4), e34999, (2012), DOI: DOI:10.1371/journal.pone.0034999 (CF680 goat anti-mouse IgG; WB; LI-COR Odyssey)

In-Cell Western®

Andriamihaja, M., et al. The deleterious metabolic and genotoxic effects of the bacterial metabolite p-cresol on colonic epithelial cells. Free Radical Biology and Medicine 85, 219-227, (2015), DOI: http://dx.doi.org/10.1016/j.freeradbiomed.2015.04.004 (CF770 RedDot1 in cell western)

Audebert, M., et al. Comparative potency approach based on H2AX assay for estimating the genotoxicity of polycyclic aromatic hydrocarbons. Toxicol Appl Pharmacol 260(1), 58, (2012), DOI: DOI:10.1016/j.taap.2012.01.022 (CF770 goat anti-rabbit IgG; ICW; LI-COR Odyssey)

Chevereau, M., et al. Role of human sulfotransferase 1A1 and N-acetyltransferase 2 in the metabolic activation of 16 heterocyclic amines and related heterocyclics to genotoxicants in recombinant V79 cells. Arch Toxicol 91(9), 3175-3184, (2017), DOI: 10.1007/s00204-017-1935-8 (CF770 secondary RedDot ICW)

Jamin, E. L., et al. Combined Genotoxic Effects of a Polycyclic Aromatic Hydrocarbon (B(a)P) and an Heterocyclic Amine (PhIP) in Relation to Colorectal Carcinogenesis. PLoS One 8(3), e58591, (2013), DOI: DOI:10.1371/journal.pone.0058591 (CF770 goat anti-rabbit IgG; ICW; LI-COR Odyssey)

Khoury, L., et al. Validation of high-throughput genotoxicity assay screening using gammaH2AX in-cell western assay on HepG2 cells. Environ Mol Mutagen 54(9), 737-746, (2013), DOI: 10.1002/em.21817 (CF770; ICW)

Khoury, L., et al. Evaluation of four human cell lines with distinct biotransformation properties for genotoxic screening. Mutagenesis 31(1), 83-96, (2016), DOI: 10.1093/mutage/gev058 (CF770 goat anti-rabbit, RedDot2, ICW)

Miyagishima, S. Y., et al. DipM is required for peptidoglycan hydrolysis during chloroplast division. BMC Plant Biol 14, 57, (2014), DOI: 1471-2229-14-57 [pii] 10.1186/1471-2229-14-57 (CF488A Mix-n-Stain, CF555 Mix-n-Stain; ICC)

Norris, J. D., et al. Androgen receptor antagonism drives cytochrome P450 17A1 inhibitor efficacy in prostate cancer. J Clin Invest 127(6), 2326-2338, (2017), DOI: 10.1172/JCI87328 (CF770 goat anti-rabbit In Cell Western)

DO NOT PUBLISH DUPLICATE

Pollock, J. A., et al. Inhibiting androgen receptor nuclear entry in castration-resistant prostate cancer. Nat Chem Biol 12(10), 795-801, (2016), DOI: 10.1038/nchembio.2131 (CF770 goat anti-rabbit In Cell Western)

Theumer, M. G., et al. Genotoxicity of aflatoxins and their precursors in human cells. Toxicol Lett 287, 100-107, (2018), DOI: 10.1016/j.toxlet.2018.02.007 (CF770 & RedDot ICW)

In Vivo Imaging

Abe, S., et al. A novel targeting therapy of malignant mesothelioma using anti-podoplanin antibody. J Immunol 190(12), 6239-6249, (2013), DOI: DOI:10.4049/jimmunol.1300448 (XenoLight CF770; in vivo imaging; PerkinElmer IVIS Spectrum imaging system)

Alawieh, A., et al. Modulation of post-stroke degenerative and regenerative processes and subacute protection by site-targeted inhibition of the alternative pathway of complement. Journal of Neuroinflammation 12(1), 1-15, (2015), DOI: 10.1186/s12974-015-0464-8 (CF750 succinimidyl ester in vivo)

Alfonso-Loeches, S., et al. Toll-like receptor 4 participates in the myelin disruptions associated with chronic alcohol abuse. Glia 60(6), 948-964, (2012), DOI: DOI:10.1002/glia.22327 (XenoLight CF770; in vivo imaging (mouse brain); PerkinElmer IVIS 200 imaging system)

Alfonso-Loeches, S., et al. Gender differences in alcohol-induced neurotoxicity and brain damage. Toxicology 311(1-2), 27, (2013), DOI: DOI:10.1016/j.tox.2013.03.001 (XenoLight CF770; in vivo imaging (mouse brain); PerkinElmer IVIS 200 imaging system)

Alfonso-Loeches, S., et al. Ethanol-Induced TLR4/NLRP3 Neuroinflammatory Response in Microglial Cells Promotes Leukocyte Infiltration Across the BBB. Neurochem Res 41(1-2), 193-209, (2016), DOI: 10.1007/s11064-015-1760-5 (CF770 neg con in vivo imaging)

Azhdarinia, A., et al. Dual-labeling strategies for nuclear and fluorescence molecular imaging: a review and analysis. Mol Imaging Biol 14(3), 261-276, (2012), DOI: 10.1007/s11307-011-0528-9 (CF770, CF790; in vivo imaging)

Cai, H., et al. Positron Emission Tomography Imaging of Platelet-Derived Growth Factor Receptor beta in Colorectal Tumor Xenograft Using Zirconium-89 Labeled Dimeric Affibody Molecule. Mol Pharm 16(5), 1950-1957, (2019), DOI: 10.1021/acs.molpharmaceut.8b01317 (CF750 succinimidyl ester in vivo)

Chen, X. and Zhang, W. Diamond nanostructures for drug delivery, bioimaging, and biosensing. Chem Soc Rev 46(3), 734-760, (2017), DOI: 10.1039/c6cs00109b (CF750 succinimidyl ester in vivo)

Cho, H., et al. Study of osteoarthritis treatment with anti-inflammatory drugs: cyclooxygenase-2 inhibitor and steroids. Biomed Res Int 2015, 595273, (2015), DOI: 10.1155/2015/595273 (CF680 succinimidyl ester in vivo)

Darniot, M., et al. RNA interference in vitro and in vivo using DsiRNA targeting the nucleocapsid N mRNA of human metapneumovirus. Antiviral Res 93(3), 364-373, (2012), DOI: DOI:10.1016/j.antiviral.2012.01.004 (CF750 succinimidyl ester (to label siRNA); in vivo imaging; Visen Medical FMT 2500 imaging system)

Davies, B. S., et al. Assessing mechanisms of GPIHBP1 and lipoprotein lipase movement across endothelial cells. J Lipid Res 53(12), 2690, (2012), DOI: DOI:10.1194/jlr.M031559 (CF568 succinimidyl ester; in vivo injection, IHC)

DOMINIQUE DUTSCHER SAS

Fan, Q., et al. Biological evaluation of 131I- and CF750-labeled Dmab(scFv)-Fc antibodies for xenograft imaging of CD25-positive tumors. Biomed Res Int 2014, 459676, (2014), DOI: 10.1155/2014/459676 (CF750; in vivo imaging; Caliper IVIS)

Guo, K., et al. Engineering the first chimeric antibody in targeting intracellular PRL-3 oncoprotein for cancer therapy in mice. Oncotarget 3(2), 158-171, (2012), (XenoLight CF750 NIR Fluorescent Labeling Kit; in vivo imaging; PerkinElmer IVIS Spectrum imaging system)

Hapuarachchige, S., et al. Bioorthogonal two-component drug delivery in HER2(+) breast cancer mouse models. Sci Rep 6, 24298, (2016), DOI: 10.1038/srep24298 (CF680 succinimidyl ester & CF750 succinimidyl ester, in vivo)

Herz, C., et al. The isothiocyanate erucin abrogates telomerase in hepatocellular carcinoma cells in vitro and in an orthotopic xenograft tumour model of HCC. J Cell Mol Med, (2014), DOI: 10.1111/jcmm.12412 (Xenolight CF750; in vivo imaging; Bruker Image Station)

Ito, A., et al. New whole-body multimodality imaging of gastric cancer peritoneal metastasis combining fluorescence imaging with ICG-labeled antibody and MRI in mice. Gastric Cancer 17(3), 497-507, (2014), DOI: 10.1007/s10120-013-0316-0 (Xenolight CF750; in vivo imaging; IVIS Lumina II)

Kim, J. Y., et al. Efficacy of gastro-retentive forms of ecabet sodium in the treatment of gastric ulcer in rats. Arch Pharm Res 37(8), 1053-1062, (2014), DOI: 10.1007/s12272-013-0278-0 (CF770; in vivo imaging)

Lee, S., et al. Localization of near-infrared labeled antibodies to the central nervous system in experimental autoimmune encephalomyelitis. PLoS One 14(2), e0212357, (2019), DOI: 10.1371/journal.pone.0212357 (CF680 in vivo)

Li, X., et al. Development of an anti-claudin-3 and -4 bispecific monoclonal antibody for cancer diagnosis and therapy. J Pharmacol Exp Ther 351(1), 206-213, (2014), DOI: jpet.114.216911 [pii] 10.1124/jpet.114.216911 (Xenolight CF750; in vivo imaging)

Li, X., et al. Tissue distribution and safety evaluation of a claudin-targeting molecule, the C-terminal fragment of Clostridium perfringens enterotoxin. Eur J Pharm Sci 52, 132-137, (2014), DOI: S0928-0987(13)00425-9 [pii] 10.1016/j.ejps.2013.10.018 (Xenolight CF750; FC, in vivo imaging)

Ma, X., et al. Histone chaperone CAF-1 promotes HIV-1 latency by leading the formation of phase-separated suppressive nuclear bodies. EMBO J 40(10), e106632, (2021), DOI: 10.15252/embj.2020106632 (CF568 donkey anti-rabbit CF568 donkey anti-mouse STORM)

Matsuo, H., et al. Engineered hepatitis B virus surface antigen L protein particles for in vivo active targeting of splenic dendritic cells. Int J Nanomedicine 7, 3341-3350, (2012), DOI: DOI:10.2147/IJN.S32813 (CF750 succinimidyl ester; bionanocapsules (BNCs); in vivo imaging; Olympus OV-100 imaging system)

Moore, L., et al. Diamond-Lipid Hybrids Enhance Chemotherapeutic Tolerance and Mediate Tumor Regression. Adv Mater 25(26), 3532, (2013), DOI: DOI:10.1002/adma.201300343 (XenoLight CF750 in Nanodiamond-lipid hybrid particles (NDLPs); in vivo imaging; PerkinElmer IVIS Spectrum imaging system)

Stasevich, T. J., et al. Quantifying histone and RNA polymerase II post-translational modification dynamics in mother and daughter cells. Methods 70(2-3), 77, (2014), DOI: S1046-2023(14)00260-6 [pii] 10.1016/j.ymeth.2014.08.002 (CF640R succinimidyl ester; live cell imaging)

DOMINIQUE DUTSCHER SAS

Suemizu, H., et al. A versatile technique for the in vivo imaging of human tumor xenografts using near-infrared fluorochrome-conjugated macromolecule probes. PLoS One 8(12), e82708, (2013), DOI: 10.1371/journal.pone.0082708 PONE-D-13-13248 [pii] (Xenolight CF770; in vivo imaging)

Sun, X., et al. Longitudinal monitoring of tumor antiangiogenic therapy with near-infrared fluorophore-labeled agents targeted to integrin alphavbeta3 and vascular endothelial growth factor. Eur J Nucl Med Mol Imaging 41(7), 1428-1439, (2014), DOI: 10.1007/s00259-014-2702-1 (Xenolight CF680 CF770; in vivo imaging)

Sun, Y., et al. Single tumor imaging with multiple antibodies targeting different antigens. Biotechniques 52(4), 1-3, (2012), DOI: DOI:10.2144/000113855 (XenoLight CF680, XenoLight CF770; in vivo imaging; PerkinElmer IVIS Lumina)

Takeyama, H., et al. A novel endoscopic fluorescent clip visible with near-infrared imaging during laparoscopic surgery in a porcine model. Surg Endosc 28(6), 1984-1990, (2014), DOI: 10.1007/s00464-014-3423-z (CF790; in vivo imaging)

Wei, D., et al. CF750-A33scFv-Fc-Based Optical Imaging of Subcutaneous and Orthotopic Xenografts of GPA33-Positive Colorectal Cancer in Mice. BioMed Research International 2015, 11, (2015), DOI: 10.1155/2015/505183 (CF750 succinimidyl ester in vivo)

Xu, N., et al. Neonatal Pharmacokinetics and Biodistribution of Polymeric Nanoparticles and Effect of Surfactant. Pharmaceutics 15, (2023), DOI: 10.3390/pharmaceutics15041176 (CF647 SE, in vivo)

Zeiderman, M. R., et al. Targeting of BRAF resistant melanoma via extracellular matrix metalloproteinase inducer receptor. J Surg Res 190(1), 111-118, (2014), DOI: S0022-4804(14)00165-6 [pii] 10.1016/j.jss.2014.02.021 (CF750 succinimidyl ester; in vivo imaging, FC)

Zhang, Y., et al. One-Shot Immunomodulatory Nanodiamond Agents for Cancer Immunotherapy. Adv Mater 28(14), 2699-2708, (2016), DOI: 10.1002/adma.201506232 (CF750 succinimidyl ester in vivo)

Super-Resolution Microscopy

Alshafie, W., et al. Regulated resurfacing of a somatostatin receptor storage compartment fine-tunes pituitary secretion. Journal of Cell Biology 219(1), (2020), DOI: 10.1083/jcb.201904054 (CF568 goat anti-rat STORM)

Angelov, B. and Angelova, A. Nanoscale clustering of the neurotrophin receptor TrkB revealed by super-resolution STED microscopy. Nanoscale 9(28), 9797-9804, (2017), DOI: 10.1039/c7nr03454g (CF488A STED)

Bartok, A., et al. IP3 receptor isoforms differently regulate ER-mitochondrial contacts and local calcium transfer. Nat Commun 10(1), 3726, (2019), DOI: 10.1038/s41467-019-11646-3 (CF568 goat anti-rabbit STORM)

Bennett, H. W., et al. Novel fibrillar structure in the inversin compartment of primary cilia revealed by 3D single-molecule superresolution microscopy. Mol Biol Cell 31(7), 619-639, (2020), DOI: 10.1091/mbc.E19-09-0499 (CF568 STORM)

Catsburg, L. A. E., et al. Dynamics and nanoscale organization of the postsynaptic endocytic zone at excitatory synapses. bioRxiv, (2021), DOI: 10.1101/2021.02.18.431766 (CF568 STED)

DOMINIQUE DUTSCHER SAS

Civitci, F., et al. Fast and multiplexed superresolution imaging with DNA-PAINT-ERS. Nat Commun 11(1), 4339, (2020), DOI: 10.1038/s41467-020-18181-6 (CF660R SMLM)

Conley, G. M., et al. Jamming and overpacking fuzzy microgels: Deformation, interpenetration, and compression. Sci Adv 3(10), e1700969, (2017), DOI: 10.1126/sciadv.1700969 [pii] (CF680R, STORM)

Demmerle, J., et al. Strategic and practical guidelines for successful structured illumination microscopy. Nat Protoc 12(5), 988-1010, (2017), DOI: nprot.2017.019 [pii] 10.1038/nprot.2017.019 (CF405S and CF405M SIM)

Engel, U. Four-Channel Super-Resolution Imaging by 3-D Structured Illumination. Methods Mol Biol 1663, 79-94, (2017), DOI: 10.1007/978-1-4939-7265-4_7 (CF640R SIM)

Essig, K., et al. Roquin Suppresses the PI3K-mTOR Signaling Pathway to Inhibit T Helper Cell Differentiation and Conversion of Treg to Tfr Cells. Immunity, (2017), DOI: 10.1016/j.immuni.2017.11.008 (CF405S, SIM)

Fruh, S. M., et al. Molecular architecture of native fibronectin fibrils. Nat Commun 6, 7275, (2015), DOI: ncomms8275 [pii] 10.1038/ncomms8275 (CF680 STORM)

Gao, R., et al. Cortical column and whole-brain imaging with molecular contrast and nanoscale resolution. Science 363(6424), (2019), DOI: 10.1126/science.aau8302 (CF633 donkey anti-mouse CF633 goat anti-mouse expansion microscopy)

Gaudreau-Lapierre, A., et al. Expansion microscopy-based imaging of nuclear structures in cultured cells. STAR Protocols 2(3), (2021), DOI: 10.1016/j.xpro.2021.100630 (CF633 goat anti-mouse & CF633 goat anti-rabbit)

Glebov, O. O., et al. Nanoscale Structural Plasticity of the Active Zone Matrix Modulates Presynaptic Function. Cell Rep 18(11), 2715-2728, (2017), DOI: S2211-1247(17)30279-6 [pii] 10.1016/j.celrep.2017.02.064 (CF680 STORM)

Gomes de Castro, M. A., et al. Differential organization of tonic and chronic B cell antigen receptors in the plasma membrane. Nat Commun 10(1), 820, (2019), DOI: 10.1038/s41467-019-08677-1 (CF647 maleimide STORM)

Gong, Y.-N., et al. Biological events and molecular signaling following MLKL activation during necroptosis. Cell Cycle, 1-13, (2017), DOI: 10.1080/15384101.2017.1371889 (CF568, CF647 STORM)

Gorlitz, F., et al. A STED Microscope Designed for Routine Biomedical Applications. Progress In Electromagnetics Research 147, 57-68, (2014), DOI: http://dx.doi.org/10.2528/PIER14042708 (CF680R STED)

Gorur, A., et al. COPII-coated membranes function as transport carriers of intracellular procollagen I. The Journal of Cell Biology 216(6), 1745-1759, (2017), DOI: 10.1083/jcb.201702135 (CF568, CF680 STORM)

Guo, X., et al. Mitochondrial stress is relayed to the cytosol by an OMA1-DELE1-HRI pathway. Nature 579(7799), 427-432, (2020), DOI: 10.1038/s41586-020-2078-2 (CF568 donkey anti-rabbit CF680 donkey anti-rabbit STORM)

Gu, L., et al. Molecular-scale axial localization by repetitive optical selective exposure. Nat Methods 18(4), 369-373, (2021), DOI: 10.1038/s41592-021-01099-2 (STORM CF660C donkey anti-mouse)

DOMINIQUE DUTSCHER SAS

Haas, K. T., et al. Multitarget Immunohistochemistry for Confocal and Super-resolution Imaging of Plant Cell Wall Polysaccharides. Bio Protoc 10(19), e3783, (2020), DOI: 10.21769/BioProtoc.3783 (CF568)

Haas, K. T., et al. Single-molecule localization microscopy reveals molecular transactions during RAD51 filament assembly at cellular DNA damage sites. Nucleic Acids Res, (2018), DOI: 4788348 [pii] 10.1093/nar/gkx1303 (CF568, STORM)

Haselmann, H., et al. Human Autoantibodies against the AMPA Receptor Subunit GluA2 Induce Receptor Reorganization and Memory Dysfunction. Neuron 100(1), 91-105 e109, (2018), DOI: 10.1016/j.neuron.2018.07.048 (CF568 goat anti-guinea pig STORM)

Hauser, M., et al. The Spectrin-Actin-Based Periodic Cytoskeleton as a Conserved Nanoscale Scaffold and Ruler of the Neural Stem Cell Lineage. Cell Rep 24(6), 1512-1522, (2018), DOI: 10.1016/j.celrep.2018.07.005 (CF568 STORM)

Held, R. G., et al. Synapse and Active Zone Assembly in the Absence of Presynaptic Ca(2+) Channels and Ca(2+) Entry. Neuron 107(4), 667-683 e669, (2020), DOI: 10.1016/j.neuron.2020.05.032 (CF555 donkey anti-mouse 3D STORM)

Heller, J. Exploring Nanoscale Organisation of Synapses with Super-Resolution Microscopy. OM&P 3(2), 48-58, (2017), DOI: doi:10.20388/omp2017.002.0045 (CF568 STORM)

Henneberger, C., et al. LTP Induction Boosts Glutamate Spillover by Driving Withdrawal of Perisynaptic Astroglia. Neuron 108(5), 919-936 e911, (2020), DOI: 10.1016/j.neuron.2020.08.030 (CF568 DAMs 3-color STORM)

Hoess, P., et al. Dual-Color and 3D Super-Resolution Microscopy of Multi-protein Assemblies. Methods Mol Biol 1764, 237-251, (2018), DOI: 10.1007/978-1-4939-7759-8_14 (CF680 goat anti-rabbit 2-color STORM)

Huang, T., et al. Simultaneous Multicolor Single-Molecule Tracking with Single-Laser Excitation via Spectral Imaging. Biophys J 114(2), 301-310, (2018), DOI: S0006-3495(17)31242-0 [pii] 10.1016/j.bpj.2017.11.013 (CF633, CF660C, CF680, CF680R STORM)

J. Kim and M. Wojcik, Y. W., K. Xu, X. Zhang. Oblique-sectional single-molecule microscopy. IEEE Xplore, 1-2, (2018), DOI: 10.1109/IPCon.2018.8527149 (CF568 obSTORM)

Jorgens, D. M., et al. Deep nuclear invaginations are linked to cytoskeletal filaments - integrated bioimaging of epithelial cells in 3D culture. J Cell Sci 130(1), 177-189, (2017), DOI: jcs.190967 [pii] 10.1242/jcs.190967 (CF568 STORM)

Karanasios, E., et al. Autophagy initiation by ULK complex assembly on ER tubulovesicular regions marked by ATG9 vesicles. Nat Commun 7, 12420, (2016), DOI: ncomms12420 [pii] 10.1038/ncomms12420 (CF568 STORM)

Kim, H. J. and Selvin, P. R. Fluorescence Imaging with One Nanometer Accuracy. in: SpringerReference, Springer, (2013), (CF633; Fluorescence Imaging with One Nanometer Accuracy (FIONA))

Klevanski, M., et al. Automated highly multiplexed super-resolution imaging of protein nano-architecture in cells and tissues. Nat Commun 11(1), 1552, (2020), DOI: 10.1038/s41467-020-15362-1 (CF680 multi-round STORM)

BIOTIUM DUTSCHER SAS

Köhler, S., et al. The interaction of crossover formation and the dynamic architecture of the synaptonemal complex during meiosis. bioRxiv, (2020), DOI: 10.1101/2020.02.16.947804 (CF568 succinimidyl ester STORM)

Kong, D., et al. Prolonged mitosis results in structurally aberrant and over-elongated centrioles. J Cell Biol 219(6), (2020), DOI: 10.1083/jcb.201910019 (CF647 goat anti-rabbit F(ab)2 STORM)

Konig, I., et al. Single-molecule spectroscopy of protein conformational dynamics in live eukaryotic cells. Nat Methods 12(8), 773-779, (2015), DOI: nmeth.3475 [pii] 10.1038/nmeth.3475 (CF680R single molecule spectroscopy)

Kraus, F., et al. Quantitative 3D structured illumination microscopy of nuclear structures. Nat Protoc 12(5), 1011-1028, (2017), DOI: nprot.2017.020 [pii] 10.1038/nprot.2017.020 (CF568 azide, CF405M azide, SIM)

Lee, K. S., et al. Functional Synaptic Architecture of Callosal Inputs in Mouse Primary Visual Cortex. Neuron 101(3), 421-428 e425, (2019), DOI: 10.1016/j.neuron.2018.12.005 (CF405M CF647 expansion microscopy)

Lehmann, M., et al. Nanoscale coupling of endocytic pit growth and stability. Sci Adv 5(11), eaax5775, (2019), DOI: 10.1126/sciadv.aax5775 (CF647 goat anti-mouse CF680 goat anti-rabbit STORM)

Lehmann, M., et al. Novel organic dyes for multicolor localization-based super-resolution microscopy. J Biophotonics 9(1-2), 161-170, (2016), DOI: 10.1002/jbio.201500119 (CF555, CF568, CF647, CF680, STORM)

Lim, A., et al. Two kinesins drive anterograde neuropeptide transport. Mol Biol Cell, (2017), DOI: mbc.E16-12-0820 [pii] 10.1091/mbc.E16-12-0820 (Mix-n-Stain CF568, Direct + indirect IF, CF568 3D SIM)

Lycas, M. D., et al. Nanoscopic dopamine transporter distribution and conformation are inversely regulated by excitatory drive and D2-autoreceptor activity. bioRxiv, (2021), DOI: 10.1101/2021.03.09.434538 (CF568 STORM)

Marenda, M., et al. Parameter-free molecular super-structures quantification in single-molecule localization microscopy. J Cell Biol 220(5), (2021), DOI: 10.1083/jcb.202010003 (CF647 STORM)

Markaki, Y., et al. Fluorescence In Situ Hybridization Applications for Super-Resolution 3D Structured Illumination Microscopy. Methods Mol Biol 950, 43-64, (2013), DOI: DOI:10.1007/978-1-62703-137-0_4 (CF405M secondary antibodies; super resolution microscopy (3D-SIM); 3D-FISH)

Ma, X., et al. Histone chaperone CAF-1 promotes HIV-1 latency by leading the formation of phase-separated suppressive nuclear bodies. EMBO J 40(10), e106632, (2021), DOI: 10.15252/embj.2020106632 (CF568 donkey anti-rabbit CF568 donkey anti-mouse STORM)

Meitinger, F., et al. TRIM37 prevents formation of condensate-organized ectopic spindle poles to ensure mitotic fidelity. J Cell Biol 220(7), (2021), DOI: 10.1083/jcb.202010180 (CF647 CF568)

Mezache, L., et al. Vascular endothelial growth factor promotes atrial arrhythmias by inducing acute intercalated disk remodeling. Sci Rep 10(1), 20463, (2020), DOI: 10.1038/s41598-020-77562-5 (CF568 2-color STORM)

DOMINIQUE DUTSCHER SAS

Miron, E., et al. In Vivo and In Situ Replication Labeling Methods for Super-resolution Structured Illumination Microscopy of Chromosome Territories and Chromatin Domains. Methods Mol Biol 1431, 127-140, (2016), DOI: 10.1007/978-1-4939-3631-1_10 (CF405M SIM)

Nahidiazar, L. and Harkes, R. Multicolor Localization-Based Super Resolution Microscopy. Methods Mol Biol 2350, 69-76, (2021), DOI: 10.1007/978-1-0716-1593-5_5 (CF488A, CF680, CF660C, CF514 SMLM)

Needham, S. R., et al. EGFR oligomerization organizes kinase-active dimers into competent signalling platforms. Nat Commun 7, 13307, (2016), DOI: ncomms13307 [pii] 10.1038/ncomms13307 (CF640R FLImP)

Needham, S. R., et al. Determining the geometry of oligomers of the human epidermal growth factor family on cells with <10 nm resolution. Biochem Soc Trans 43(3), 309-314, (2015), DOI: BST20140318 [pii] 10.1042/BST20140318 (CF640R FLImP)

Ohgomori, T., et al. Differential activation of neuronal and glial STAT3 in the spinal cord of the SOD1G93A mouse model of amyotrophic lateral sclerosis. Eur J Neurosci 46(4), 2001-2014, (2017), DOI: 10.1111/ejn.13650 (CF405 streptavidin SIM)

Olivier, N., et al. Simple buffers for 3D STORM microscopy. Biomed Opt Express 4(6), 885-899, (2013), DOI: 10.1364/BOE.4.000885187153 [pii] (CF647; Super Resolution Microscopy)

Park, C. E., et al. Super-Resolution Three-Dimensional Imaging of Actin Filaments in Cultured Cells and the Brain via Expansion Microscopy. ACS Nano 14(11), 14999-15010, (2020), DOI: 10.1021/acsnano.0c04915 (CF633 secondary expansion microscopy)

Platonova, E., et al. A simple method for GFP- and RFP-based dual color single-molecule localization microscopy. ACS Chem Biol 10(6), 1411-1416, (2015), DOI: 10.1021/acschembio.5b00046 (CF680 STORM)

Platonova, E., et al. Single-molecule microscopy of molecules tagged with GFP or RFP derivatives in mammalian cells using nanobody binders. Methods 88, 89-97, (2015), DOI: http://dx.doi.org/10.1016/j.ymeth.2015.06.018 (CF680 STORM)

Rojas-Sánchez, L., et al. Synthesis and intracellular tracing surface-functionalized calcium phosphate nanoparticles by super-resolution microscopy (STORM). Materialia 12, (2020), DOI: 10.1016/j.mtla.2020.100773 (CF568 wheat germ agglutinin STORM)

Salazar-Cavazos, E., et al. Multisite EGFR phosphorylation is regulated by adaptor protein abundances and dimer lifetimes. Mol Biol Cell 31(7), 695-708, (2020), DOI: 10.1091/mbc.E19-09-0548 (CF555 CF640R SIM)

Saliba, D. G., et al. Composition and structure of synaptic ectosomes exporting antigen receptor linked to functional CD40 ligand from helper T-cells.. (2019), DOI: 10.1101/600551 (CF568 wheat germ agglutinin STORM)

Salvador-Gallego, R., et al. Bax assembly into rings and arcs in apoptotic mitochondria is linked to membrane pores. EMBO J 35(4), 389-401, (2016), DOI: 10.15252/embj.201593384 (CF680 goat anti-mouse STORM)

Schneider, K., et al. Dissection of cell cycle-dependent dynamics of Dnmt1 by FRAP and diffusion-coupled modeling. Nucleic Acids Res 41(9), 4860-4876, (2013), DOI: gkt191 [pii] 10.1093/nar/gkt191 (CF405S goat anti-mouse; FRAP)

DOMINIQUE DUTSCHER SAS

Shrestha, R. L., et al. Aurora-B kinase pathway controls the lateral to end-on conversion of kinetochore-microtubule attachments in human cells. Nat Commun 8(1), 150, (2017), DOI: 10.1038/s41467-017-00209-z [pii] (CF680 donkey anti-human STORM)

Simonson, P. D., et al. Single-molecule-based super-resolution images in the presence of multiple fluorophores. Nano Lett 11(11), 5090-5096, (2011), DOI: DOI:10.1021/nl203560r (CF633 goat anti-mouse IgG; ICC, gSHRImP)

Sonoda, Y., et al. Applications of cell resealing to reconstitute microRNA loading to extracellular vesicles. Sci Rep 11(1), 2900, (2021), DOI: 10.1038/s41598-021-82452-5 (CF568 Dextran 10K exosomes STORM)

Sørensen, G., et al. Disrupted PDZ-domain binding motif of the dopamine transporter uniquely alters nanoscale distribution, dopamine homeostasis and reward motivation. BioRxiv, (2021), DOI: 10.1101/2021.01.06.425643 (CF568 succinimidyl ester 2-color STORM)

Turkowyd, B., et al. From single molecules to life: microscopy at the nanoscale. Anal Bioanal Chem 408(25), 6885-6911, (2016), DOI: 10.1007/s00216-016-9781-8 [pii] (CF568, CF647, CF660C, CF680 super res review)

Wang, B., et al. Transforming Rhodamine Dyes for (d)STORM Super-Resolution Microscopy via 1,3-Disubstituted Imidazolium Substitution. Angew Chem Int Ed Engl, e202113612, (2021), DOI: 10.1002/anie.202113612 (CF597R, CF583R dSTORM)

Watson, J. F., et al. AMPA receptor anchoring at CA1 synapses is determined by N-terminal domain and TARP gamma8 interactions. Nat Commun 12(1), 5083, (2021), DOI: 10.1038/s41467-021-25281-4 (CF568 succinimidyl ester STORM)

Winter, F. R., et al. Multicolour nanoscopy of fixed and living cells with a single STED beam and hyperspectral detection. Sci Rep 7, 46492, (2017), DOI: srep46492 [pii] 10.1038/srep46492 (CF680R STED)

Wisnovsky, S., et al. Genome-wide CRISPR screens reveal a specific ligand for the glycan-binding immune checkpoint receptor Siglec-7. Proc Natl Acad Sci U S A 118(5), (2021), DOI: 10.1073/pnas.2015024118 (CF568 Mix-n-Stain STORM)

Xu, H., et al. Molecular organization of mammalian meiotic chromosome axis revealed by expansion STORM microscopy. Proc Natl Acad Sci U S A 116(37), 18423-18428, (2019), DOI: 10.1073/pnas.1902440116 (CF568 ExSTORM)

Zanetti-Domingues, L. C., et al. Determining the geometry of oligomers of the human epidermal growth factor family on cells with 7 nm resolution. Prog Biophys Mol Biol 118(3), 139-152, (2015), DOI: S0079-6107(15)00047-4 [pii] 10.1016/j.pbiomolbio.2015.04.002 (CF640R FLImP)

Zhang, M., et al. Translocation of interleukin-1beta into a vesicle intermediate in autophagy-mediated secretion. eLife 4, (2015), DOI: 10.7554/eLife.11205 (CF568 STORM)

Zhang, R., et al. The mechanisms of dynamin-actin interaction. bioRxiv, (2019), DOI: 10.1101/586461 (CF405M goat anti-rabbit, STED)

Zhang, Y., et al. Multicolor super-resolution imaging using spectroscopic single-molecule localization microscopy with optimal spectral dispersion. Appl Opt 58(9), 2248-2255, (2019), DOI: 10.1364/AO.58.002248 (CF660C CF680 sSMLM)

DOMINIQUE DUTSCHER SAS

Zhang, Z., et al. Ultrahigh-throughput single-molecule spectroscopy and spectrally resolved super-resolution microscopy. Nat Methods 12(10), 935-938, (2015), DOI: nmeth.3528 [pii] 10.1038/nmeth.3528 (CF660C, CF680 STORM)

TIRF Microscopy

Akin, E. J., et al. Single-Molecule Imaging of Nav1.6 on the Surface of Hippocampal Neurons Reveals Somatic Nanoclusters. Biophys J 111(6), 1235-1247, (2016), DOI: 10.1016/j.bpj.2016.08.016 (CF640R in TIRF)

Almahayni, K., et al. Simple, Economic, and Robust Rail-Based Setup for Super-Resolution Localization Microscopy. J Phys Chem A 127, 4553-4560, (2023), DOI: 10.1021/acs.jpca.3c01351 (CF568, super-resolution, SMLM, TIRF)

Blomeke, L., et al. Quantitative detection of alpha-Synuclein and Tau oligomers and other aggregates by digital single particle counting. NPJ Parkinsons Dis 8, 68, (2022), DOI: 10.1038/s41531-022-00330-x (CF488A SE, CF633 SE, TIRF)

Bosch, P. et al. (2014). Evaluation of fluorophores to label SNAP-tag fused proteins for multicolor single-molecule tracking microscopy in live cells. Biophys J 107, 803-814. 10.1016/j.bpj.2014.06.040 (CF633 succinimidyl ester, CF640R succinimidyl ester; TIRF)

Cespedes, P. F., et al. T-cell trans-synaptic vesicles are distinct and carry greater effector content than constitutive extracellular vesicles. Nat Commun 13, 3460, (2022), DOI: 10.1038/s41467-022-31160-3 (CF568, WGA, fluorescence microscopy, TIRF)

Engdahl, A. K., et al. Large Field-of-View Super-Resolution Optical Microscopy Based on Planar Polymer Waveguides. ACS Photonics 8(7), 1944-1950, (2021), DOI: 10.1021/acsphotonics.1c00914 (CF568 phalloidin TIRF)

Garcia, J. D., et al. Stepwise disassembly of GABAergic synapses during pathogenic excitotoxicity. Cell Rep 37, 110142, (2021), DOI: 10.1016/j.celrep.2021.110142 (CF568 GAMs, TIRF)

Markaki, Y., et al. Xist nucleates local protein gradients to propagate silencing across the X chromosome. Cell 184, 6174-6192 e6132, (2021), DOI: 10.1016/j.cell.2021.10.022 (CF568 DARb, CF568 azide, TIRF)

Martin-Fernandez, M. et al. (2013). A 'pocket guide' to total internal reflection fluorescence. J Microsc 252, 16-22. 10.1111/jmi.12070 (CF640R; TIRF)

Shirasaki, Y., et al. (2014). Real-time single-cell imaging of protein secretion. Sci Rep 4, 4736. 10.1038/srep04736 (CF660R; TIRF)

Sorensen, G., et al. Disruption of the PDZ domain-binding motif of the dopamine transporter uniquely alters nanoscale distribution, dopamine homeostasis, and reward motivation. J Biol Chem 297, 101361, (2021), DOI: 10.1016/j.jbc.2021.101361 (CF568SE, TIRF)

Willems, J., and MacGillavry, H. D. A coordinate-based co-localization index to quantify and visualize spatial associations in single-molecule localization microscopy. Sci Rep 12, 4676, (2022), DOI: 10.1038/s41598-022-08746-4 (CF568 secondaries, TIRF)

Yu, Y., et al. Single-phagosome imaging reveals that homotypic fusion impairs phagosome degradative function. Biophys J 121, 459-469, (2022), DOI: 10.1016/j.bpj.2021.12.032 (CF488A CTB, CF640R amine, TIRF)

DOMINIQUE DUTSCHER SAS

Zanetti-Domingues, L. C., et al. Hydrophobic fluorescent probes introduce artifacts into single molecule tracking experiments due to non-specific binding. PLoS One 8(9), e74200, (2013), DOI: 10.1371/journal.pone.0074200, PONE-D-13-17594 [pii] (CF488A, CF568, CF633 & CF640R maleimide, TIRF)

Zhang, R., et al. Structural insight into TPX2-stimulated microtubule assembly. eLife 6, (2017), DOI: 10.7554/eLife.30959 (CF640R TIRFM)

Fluorescence Polarization Assay

Antolín-Urbaneja, J. et al. (2013). Compact and cost effective instrument for detecting drug precursors in different environments based on fluorescence polarization. Paper presented at: Optical Sensors 2013 (Prague, Czech Republic, Proc SPIE). DOI:10.1117/12.2017257 (CF488A succinimidyl ester; fluorescence polarization assay)

Di Giovanni, S.,Varriale, et al. (2012). Determination of benzyl methyl ketone - a commonly used precursor in amphetamine manufacture. Analytical Methods 4, 3558-3564. DOI:10.1039/c2ay25772f (CF488A succinimidyl ester; fluorescence polarization assay)

Pennacchio, A, et al. (2016). A novel fluorescence polarization assay for determination of penicillin G in milk. Food Chemistry 190: 381-385. (CF647 succinimidyl ester; fluorescence polarization assay)

Varriale, A, et al. (2015). A Fluorescence Polarization Assay To Detect Steroid Hormone Traces in Milk. Journal of Agricultural and Food Chemistry 63: 9159-9164. (CF647 succinimidyl ester; fluorescence polarization assay)

2-Photon Microscopy

Bazzurro, V., et al. Involvement of GABA(A) receptors containing alpha(6) subtypes in antisecretory factor activity on rat cerebellar granule cells studied by two-photon uncaging. Eur J Neurosci 56, 4505-4513, (2022), DOI: 10.1111/ejn.15775 (CF640R biocytin, fluorescence microscopy, 2-photon)

Gonzalez Pisfil, M., et al. (2022). Stimulated emission depletion microscopy with a single depletion laser using five fluorochromes and fluorescence lifetime phasor separation. Sci Rep 12, 14027, (2022), DOI: 10.1038/s41598-022-17825-5 (CF594 WGA, CF680R DAMs, super-resolution, confocal, FLIM, fluorescence microscopy, 2-Photon)

Kim, Y. R., et al. Neutrophils Return to Bloodstream Through the Brain Blood Vessel After Crosstalk With Microglia During LPS-Induced Neuroinflammation. Front Cell Dev Biol 8, 613733, (2020), DOI: 10.3389/fcell.2020.613733 (CF405M wheat-germ agglutinin, 2-photon)

Mercier, L., et al. In vivo imaging of skeletal muscle in mice highlights muscle defects in a model of myotubular myopathy. Intravital 5(1), e1168553, (2016), DOI: 10.1080/21659087.2016.1168553 (CF488A alpha-bungarotoxin, 2-photon)

Moran, I., et al. Memory B cells are reactivated in subcapsular proliferative foci of lymph nodes. Nat Commun 9(1), 3372, (2018), DOI: 10.1038/s41467-018-05772-7 (CF680R 2-photon)

Wagner, M. C., et al. Mechanism of increased clearance of glycated albumin by proximal tubule cells. Am J Physiol Renal Physiol 310(10), F1089-1102, (2016), DOI: 10.1152/ajprenal.00605.2015 (CF594 2-photon)

DO NOT COPY DUTSCHER SAS