Mix-n-Stain™ Selected References

Abbreviations: IF: Immunofluorescence Microscopy; FC: Flow Cytometry; SR: Super Resolution Imaging

Click on the blue link to see journal article

Ahi, Y. S.,Vemula, S. V.,Hassan, A. O.,Costakes, G.,Stauffacher, C., and Mittal, S. K. (2015). Adenoviral L4 33K forms ring-like oligomers and stimulates ATPase activity of IVa2: implications in viral genome packaging. Front Microbiol 6, 318. 10.3389/fmicb.2015.00318 (*Mix-n-Stain™ CF®350, Mix-n-Stain™ CF®488A; IF*)

Ahi, Y. S.,Vemula, S. V., and Mittal, S. K. (2013). Adenoviral E2 IVa2 Protein Interacts with L4 33K Protein and E2 DNA-Binding Protein. J Gen Virol. DOI:10.1099/vir.0.049346-0 (*Mix-n-Stain™ CF®350, Mix-n-Stain™ CF®488A; IF*)

Anderson, M. S.,Loftus, M. S., and Kedes, D. H. (2014). Maturation and vesicle-mediated egress of primate gammaherpesvirus rhesus monkey rhadinovirus require inner tegument protein ORF52. J Virol 88, 9111-9128. 10.1128/JVI.01502-14 (*Mix n Stain™ CF®488A; IF*)

Arul, M.,Roslani, A. C.,Ng, C. L., and Cheah, S. H. (2013). Culture of low passage colorectal cancer cells and demonstration of variation in selected tumour marker expression. Cytotechnology. 10.1007/s10616-013-9600-4 (*Mix n Stain™ CF®488A, Mix n Stain™ CF®594; IF*)

Bolduc, J. F.,Hany, L.,Barat, C.,Ouellet, M., and Tremblay, M. J. (2017). Epigenetic Metabolite Acetate Inhibits Class I/II Histone Deacetylases, Promotes Histone Acetylation, and Increases HIV-1 Integration in CD4(+) T Cells. J Virol 91. 10.1128/JVI.01943-16 (*Mix n Stain™ CF®405M; FC*)

Breton-Provencher, V.,Bakhshetyan, K.,Hardy, D.,Bammann, R. R.,Cavarretta, F.,Snapyan, M.,Cote, D.,Migliore, M., and Saghatelyan, A. (2016). Principal cell activity induces spine relocation of adult-born interneurons in the olfactory bulb. Nat Commun 7, 12659. 10.1038/ncomms12659 (*Mix-n-Stain™ CF®568; IF*)

Ciapa, B., and Granon, S. (2018). Expression of Cyclin-D1 in Astrocytes Varies During Aging. Front Aging Neurosci 10, 104. 10.3389/fnagi.2018.00104 (*Mix-n-Stain™CF®568; IF*)

Darvish-Damavandi, M.,Ho, H. K., and Kang, T. S. (2016). Towards the development of an enzyme replacement therapy for the metabolic disorder propionic acidemia. Mol Genet Metab Rep 8, 51-60. 10.1016/j.ymgmr.2016.06.009 (*Mix-n-Stain™ CF®488A; IF*)

de la Puente, P.,Luderer, M. J.,Federico, C.,Jin, A.,Gilson, R. C.,Egbulefu, C.,Alhallak, K.,Shah, S.,Muz, B.,Sun, J., et al. (2018). Enhancing proteasome-inhibitory activity and specificity of bortezomib by CD38 targeted nanoparticles in multiple myeloma. J Control Release 270, 158-176. 10.1016/j.jconrel.2017.11.045 (*Mix-n-Stain™ biotin*)

Deo, D. I.,Gautrot, J. E.,Sukhorukov, G. B., and Wang, W. (2014). Biofunctionalization of PEGylated microcapsules for exclusive binding to protein substrates. Biomacromolecules 15, 2555-2562. 10.1021/bm500412d (Mix-n-Stain™ *CF®555; IF*)

Diamantopoulou, A.,Raftogianni, A.,Stamatakis, A.,Tzanoulinou, S.,Oitzl, M. S., and Stylianopoulou, F. (2013). Denial or receipt of expected reward through maternal contact during the neonatal period differentially affect the development of the rat amygdala and program its function in adulthood in a

DOMINIQUE DUTSCHER SAS

sex-dimorphic way. Psychoneuroendocrinology. DOI:10.1016/j.psyneuen.2013.02.012 (*Mix-n-Stain™ CF®488A, Mix-n-Stain™ CF®555; IF*)

Donskow-Lysoniewska, K.,Majewski, P.,Brodaczewska, K.,Jozwicka, K., and Doligalska, M. (2012). Heligmosmoides polygyrus fourth stages induce protection against DSS- induced colitis and change opioid expression in the intestine. Parasite Immunol. DOI:10.1111/pim.12003 (*Mix-n-Stain™ CF®488A; IF*)

Ersek, B.,Molnar, V.,Balogh, A.,Matko, J.,Cope, A. P.,Buzas, E. I.,Falus, A., and Nagy, G. (2012). CD3zeta-Chain Expression of Human T Lymphocytes Is Regulated by TNF via Src-like Adaptor Protein-Dependent Proteasomal Degradation. J Immunol. DOI:10.4049/jimmunol.1102365 (*Mix-n-Stain™ CF®488A; IF*)

Farias, G. G.,Britt, D. J., and Bonifacino, J. S. (2016). Imaging the Polarized Sorting of Proteins from the Golgi Complex in Live Neurons. Methods Mol Biol 1496, 13-30. 10.1007/978-1-4939-6463-5_2 (*Mix-n-Stain™ CF®488A, Mix-n-Stain™ CF®555, Mix-n-Stain™ CF®640R; IF*)

Galletti, G.,Sung, M. S.,Vahdat, L. T.,Shah, M. A.,Santana, S. M.,Altavilla, G.,Kirby, B. J., and Giannakakou, P. (2014). Isolation of breast cancer and gastric cancer circulating tumor cells by use of an anti HER2-based microfluidic device. Lab Chip 14, 147-156. 10.1039/c3lc51039e (*Mix-n-Stain™ CF®594; IF*)

Geherin, S. A.,Gomez, D.,Glabman, R. A.,Ruthel, G.,Hamann, A., and Debes, G. F. (2016). IL-10+ Innate-like B Cells Are Part of the Skin Immune System and Require alpha4beta1 Integrin To Migrate between the Peritoneum and Inflamed Skin. J Immunol 196, 2514-2525. 10.4049/jimmunol.1403246 (*Mix-n-Stain™ CF®488A, Mix-n-Stain™ CF®594; IF*)

Gennet, N.,Tamburini, C.,Nan, X., and Li, M. (2016). FolR1: a novel cell surface marker for isolating midbrain dopamine neural progenitors and nascent dopamine neurons. 10.1038/srep32488 (*Mix-n-Stain™ CF®640R; FC*)

Gilman, M.S.A., Furmanova-Hollenstein, P., Pascual, G. et al. (2019). Transient opening of trimeric prefusion RSV F proteins. Nat Commun 10, 2105. https://doi.org/10.1038/s41467-019-09807-5 (*Mix-n-Stain™ CF®647; FC)*

Gonzalez, A., Gaines, M., Gallegos, L. Y., Guevara, R., and Gomez, F. A. (2018). Enzyme-linked immunosorbent assays (ELISA) based on thread, paper, and fabric. Electrophoresis 39, 476-484. 10.1002/elps.201700354 (*Mix-n-Stain™ biotin*)

Gorham, J.B., Williams, B.A., Gidley, M.J., and Mikkelsen, D. (2016). Visualization of microbe-dietary remnant interactions in digesta from pigs, by fluorescence in situ hybridization and staining methods; effects of a dietary arabinoxylan-rich wheat fraction. *Food Hydrocolloids 52*, 952-962. (*Mix-n-Stain™ CF®660R labeling of enzyme*)

Grzelak, C.A.,Sigglekow, N.D., Tirnitz-Parker, J.E., Hamson, E.J., Warren, A., Maneck, B., Chen, J., Patkunanathan, B., Boland, J., Cheng, R., et al. (2017). Widespread GLI expression but limited canonical hedgehog signaling restricted to the ductular reaction in human chronic liver disease. PLoS One 12, e0171480. 10.1371/journal.pone.0171480 (*Mix-n-Stain™ CF®488A; IF*)

Guardia C.M., De Pace R., Sen A., Saric A., Jarnik M., Kolin D.A., et al. (2019) Reversible association with motor proteins (RAMP): A streptavidin-based method to manipulate organelle

DOMINIQUE DUTSCHER SAS

positioning. PLoS Biol 17(5), e3000279. https://doi.org/10.1371/journal.pbio.3000279 *(Mix-n-Stain™ CF®640R; IF of live neurons)*

Hirtz, M., Feng, W., Fuchs, H., and Levkin, P.A. (2016). Click-Chemistry Immobilized 3D-Infused Microarrays in Nanoporous Polymer Substrates. *Advanced Materials Interfaces*. DOI: 10.1002/admi.201500469 (*Mix-n-Stain™ CF®488A; microarray*)

Homann, S.,Hofmann, C.,Gorin, A. M.,Nguyen, H. C. X.,Huynh, D.,Hamid, P.,Maithel, N.,Yacoubian, V.,Mu, W.,Kossyvakis, A., et al. (2017). A novel rapid and reproducible flow cytometric method for optimization of transfection efficiency in cells. PLoS One 12, e0182941. 10.1371/journal.pone.0182941 (*Mix-n-Stain™ CF®647; FC*)

Home, P.,Saha, B.,Ray, S.,Dutta, D.,Gunewardena, S.,Yoo, B.,Pal, A.,Vivian, J. L.,Larson, M.,Petroff, M., et al. (2012). Altered subcellular localization of transcription factor TEAD4 regulates first mammalian cell lineage commitment. Proc Natl Acad Sci U S A 109, 7362-7367. DOI:10.1073/pnas.1201595109 (*Mix-n-Stain™ CF®488A, Mix-n-Stain™ CF®568; IF*)

Hwang, J.,Seo, Y.,Jo, Y.,Son, J., and Choi, J. (2016). Aptamer-conjugated live human immune cell based biosensors for the accurate detection of C-reactive protein. Sci Rep 6, 34778. 10.1038/srep34778 (*Mix-n-Stain™ CF®594; IF*)

Iwamoto, T.,Okamoto, A.,Ishinaga, H.,Shimizu, K.,Gayle, A. A.,Arai, N.,Takeuchi, K., and Okuda, M. (2016). A novel approach to predict cetuximab-induced hypersensitivity reaction: detection of drug-specific IgE on basophils. Cancer Med 5, 1004-1012. 10.1002/cam4.658 (*Mix-n-Stain™ CF®405S; FC*)

Jankowska, K. I.,Williamson, E. K.,Roy, N. H.,Blumenthal, D.,Chandra, V.,Baumgart, T., and Burkhardt, J. K. (2018). Integrins Modulate T Cell Receptor Signaling by Constraining Actin Flow at the Immunological Synapse. Front Immunol 9, 25. 10.3389/fimmu.2018.00025 (*Mix-n-Stain™ CF®488A; IF*)

Joo, E.J., Wasik, B.R., Parrish, C., et al. (2018). Pre-B acute lymphoblastic leukemia expresses cell surface nucleolin as a 9-O-acetylated sialoglycoprotein. Sci Rep 8, 17174. https://doi.org/10.1038/s41598-018-33873-2. (*Mix-n-Stain™ CF®647; FC*)

Kesik, M., Demir, B, Barlas, F.B., Geyik, C., Cevher, S.C., Odaci Demirkol, D., Timur, S., Cirpan, A., and Toppare, L. (2015). A multi-functional fluorescent scaffold as a multi-colour probe: design and application in targeted cell imaging. *RSC Advances 5*: 83361-83367. *(Mix-n-Stain™ CF®555; FC)*

Kotov D.I., Mitchell J.S., Pengo T., Ruedl C., Way S.S., Langlois R.A., Fife B.T., Jenkins M.K. (2019). TCR Affinity Biases Th Cell Differentiation by Regulating CD25, Eef1e1, and Gbp2. J Immunol 202(9), 2535-2545. doi: 10.4049/jimmunol.1801609 *(Mix-n-Stain™ CF®405L, CF®514, CF®555; IF with spectral imaging/linear unmixing)*

Lim, A., Rechtsteiner, A., and Saxton, W. M. (2017). Two kinesins drive anterograde neuropeptide transport. Mol Biol Cell 28, 3542-3553. 10.1091/mbc.E16-12-0820 (*Mix-n-Stain™ CF®568; IF; SR*)

Lim, A. K.,Lorthongpanich, C.,Chew, T. G.,Tan, C. W.,Shue, Y. T.,Balu, S.,Gounko, N.,Kuramochi-Miyagawa, S.,Matzuk, M. M.,Chuma, S., et al. (2013). The nuage mediates retrotransposon silencing in mouse primordial ovarian follicles. Development 140, 3819-3825. 10.1242/dev.099184 (Mix-n-Stain™ *CF®488A; IF*)

DOMINIQUE DUTSCHER SAS

Lin, T-B., Hsieh, M-C., Lai, C-Y., Cheng, J-K., Wang, H-H., Chau, Y-P., Chen, G-D., and Peng, H-Y. (2016). Melatonin relieves neuropathic allodynia through spinal MT2-enhanced PP2Ac and downstream HDAC4 shuttling-dependent epigenetic modification of hmgb1 transcription. *Journal of Pineal Research* DOI: 10.1111/jpi.12307 *(Mix-n-Stain™; IF)*

Loftus, M. S.,Verville, N., and Kedes, D. H. (2017). A Conserved Leucine Zipper Motif in Gammaherpesvirus ORF52 Is Critical for Distinct Microtubule Rearrangements. J Virol 91. 10.1128/JVI.00304-17 (*Mix-n-Stain™ CF®488A; IF*)

Mikosik, A.,Foerster, J.,Jasiulewicz, A.,Frackowiak, J.,Colonna-Romano, G.,Bulati, M.,Buffa, S.,Martorana, A.,Caruso, C.,Bryl, E., et al. (2013). Expression of calpain-calpastatin system (CCS) member proteins in human lymphocytes of young and elderly individuals; pilot baseline data for the CALPACENT project. Immun Ageing 10, 27. DOI:10.1186/1742-4933-10-27 (*Mix-n-Stain™ CF®555; FC*)

Miyagishima, S. Y.,Kabeya, Y.,Sugita, C.,Sugita, M., and Fujiwara, T. (2014). DipM is required for peptidoglycan hydrolysis during chloroplast division. BMC Plant Biol 14, 57. 10.1186/1471-2229-14-57 (Mix-n-Stain™ *CF®488A, Mix-n-Stain™ CF®555; IF*)

Mofarrahi, M, McClung, JM, Kontos, CD, Davis, EC, Tappuni, B, Moroz, N, Pickett, AE, Huck, L, Harel, S, Danialou, G*, et al.* (2015). Angiopoietin-1 enhances skeletal muscle regeneration in mice. *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology 308*: R576-R589 (*Mix-n-Stain™ CF®568; IF*)

Montesinos-Rongen, M., Purschke, F.G., Brunn, A., May, C., Nordhoff, E., Marcus, K., and Deckert, M. (2015). Primary Central Nervous System (CNS) Lymphoma B Cell Receptors Recognize CNS Proteins. *J Immunol 195*: 1312-1319. *(Mix-n-Stain™ CF®488A; IF)*

Okumura, R.,Kurakawa, T.,Nakano, T.,Kayama, H.,Kinoshita, M.,Motooka, D.,Gotoh, K.,Kimura, T.,Kamiyama, N.,Kusu, T., et al. (2016). Lypd8 promotes the segregation of flagellated microbiota and colonic epithelia. Nature 532, 117-121. 10.1038/nature17406 (*Mix-n-Stain™ CF®633; IF*)

Oliveira, B.M., Rasteiro, A.M., Correia, A. et al. (2019). T cells in mesenteric and subcutaneous adipose tissue of Holstein-Friesian cows. Sci Rep 9, 3413. https://doi.org/10.1038/s41598-019-39938-0 (*Mix-n-Stain™ CF®405M; FC*)

Osteikoetxea, X., Balogh, A., Szabó-Taylor, K., Németh, A., Szabó, T.G., Pálóczi, K., Sódar, B., Kittel, Á., György, B., Pállinger, É*., et al.* (2015). Improved Characterization of EV Preparations Based on Protein to Lipid Ratio and Lipid Properties. *PLoS One 10*: e0121184 (*Mix-n-Stain™ CF®488A; FC*)

Park, K. S.,Martelotto, L. G.,Peifer, M.,Sos, M. L.,Karnezis, A. N.,Mahjoub, M. R.,Bernard, K.,Conklin, J. F.,Szczepny, A.,Yuan, J., et al. (2011). A crucial requirement for Hedgehog signaling in small cell lung cancer. Nat Med 17, 1504-1508. DOI:10.1038/nm.2473 (*Mix-n-Stain™ CF®488A, Mix-n-Stain™ CF®568, Mix-n-Stain™ CF®647; IF*)

Paz, H.,Joo, E. J.,Chou, C. H.,Fei, F.,Mayo, K. H.,Abdel-Azim, H.,Ghazarian, H.,Groffen, J., and Heisterkamp, N. (2018). Treatment of B-cell precursor acute lymphoblastic leukemia with the Galectin-1 inhibitor PTX008. J Exp Clin Cancer Res 37, 67. 10.1186/s13046-018-0721-7 (*Mix-n-Stain™ CF®647; FC*)

Petrelli, A.,Samain, E.,Pradeau, S.,Halila, S., and Fort, S. (2016). Efficient Conjugation of Oligosaccharides to Polymer Particles by Furan/Maleimide Diels-Alder Reaction: Application to the

DOMINIQUE DUTSCHER SAS

Capture of Carbohydrate-Binding Proteins. Chembiochem. 10.1002/cbic.201600509 (*Mix-n-Stain™ CF®488A, Mix-n-Stain™ CF®568; IF*)

Pons, M.,Izquierdo, I.,Andreu-Carbo, M.,Garrido, G.,Planaguma, J.,Muriel, O.,Del Pozo, M. A.,Geli, M. I., and Aragay, A. M. (2017). Phosphorylation of filamin A regulates chemokine receptor CCR2 recycling. J Cell Sci 130, 490-501. 10.1242/jcs.193821 (*Mix-n-Stain™ CF®488A, Mix-n-Stain™ CF®568; FC*)

Rohm, M.,Handl, A.,Konig, M.,Mavoungou, C.,Handrick, R., and Schindowski, K. (2016). Data of rational process optimization for the production of a full IgG and its Fab fragment from hybridoma cells. Data Brief 8, 426-435. 10.1016/j.dib.2016.05.067 (*Mix-n-Stain™ CF®647; FC*)

Ruger, M.,Ackermann, M., and Reichl, U. (2014). Species-specific viability analysis of Pseudomonas aeruginosa, Burkholderia cepacia and Staphylococcus aureus in mixed culture by flow cytometry. BMC Microbiol 14, 56.
10.1186/1471-2180-14-56 (*CF®405S Mix-n-Stain™; FC*)

Ruger, M.,Bensch, G.,Tungler, R., and Reichl, U. (2012). A flow cytometric method for viability assessment of Staphylococcus aureus and Burkholderia cepacia in mixed culture. Cytometry A. DOI:10.1002/cyto.a.22219 (*CF®405S Mix-n-Stain™ labeling of wheat germ agglutinin; FC*)

Sainski, A. M.,Dai, H.,Natesampillai, S.,Pang, Y. P.,Bren, G. D.,Cummins, N. W.,Correia, C.,Meng, X. W.,Tarara, J. E.,Ramirez-Alvarado, M., et al. (2014). Casp8p41 generated by HIV protease kills CD4 T cells through direct Bak activation. J Cell Biol 207, 159. 10.1083/jcb.20140505109252014c (*Mix-n-Stain™ CF®640R; FC*)

Shi, Y. Z.,Xiong, S.,Zhang, Y.,Chin, L. K.,Chen, Y.,Zhang, J. B.,Zhang, T. H.,Ser, W.,Larson, A.,Hoi, L. S., et al. (2018). Sculpting nanoparticle dynamics for single-bacteria-level screening and direct binding-efficiency measurement. Nat Commun 9, 815. 10.1038/s41467-018-03156-5 (*Mix-n-Stain™ biotin; antibody affinity measurement*)

Shimizu, F.,Schaller, K. L.,Owens, G. P.,Cotleur, A. C.,Kellner, D.,Takeshita, Y.,Obermeier, B.,Kryzer, T. J.,Sano, Y.,Kanda, T., et al. (2017). Glucose-regulated protein 78 autoantibody associates with blood-brain barrier disruption in neuromyelitis optica. Science Translational Med 9(397), eaai911. 10.1126/scitranslmed.aai9111 (*Mix-n-Stain™ CF®568; IF*)

Thege, F.I., Gruber, C.N., Cardle, I.I., Cong, S.H., Lannin, T.B., Kirby, B.J. (2019). Anti-EGFR capture mitigates EMT- and chemoresistance-associated heterogeneity in a resistance-profiling CTC platform. Analytical Biochemistry 577, 26-33. doi:
https://doi.org/10.1016/j.ab.2019.02.003 (*Mix-n-Stain™ CF®568, CF®640R; IF, FC*)

Trivedi, P., Palomba, F., Niedzialkowska, E. et al. (2019). The inner centromere is a biomolecular condensate scaffolded by the chromosomal passenger complex. Nat Cell Biol 21, 1127–1137.
https://doi.org/10.1038/s41556-019-0376-4 (*Mix-n-Stain™ CF®555; labeling of purified centromere proteins*)

Tschumper, R. C.,Dispenzieri, A.,Abraham, R. S.,Henderson, K. J., and Jelinek, D. F. (2013). Molecular analysis of immunoglobulin genes reveals frequent clonal relatedness in double monoclonal gammopathies. Blood Cancer J 3, e112. DOI:10.1038/bcj.2013.12 (*Mix-n-Stain™ CF®350; IF*)

DOMINIQUE DUTSCHER SAS

Wada, M.,Nishie, W.,Ujiie, H.,Izumi, K.,Iwata, H.,Natsuga, K.,Nakamura, H.,Kitagawa, Y., and Shimizu, H. (2016). Epitope-Dependent Pathogenicity of Antibodies Targeting a Major Bullous Pemphigoid Autoantigen Collagen XVII/BP180. J Invest Dermatol 136, 938-946. 10.1016/j.jid.2015.11.030 (*Mix-n-Stain™ CF®555; IF*)

Wienand, K., and Shires, K. (2015). The Use of MAGE C1 and Flow Cytometry to Determine the Malignant Cell Type in Multiple Myeloma. PLoS ONE 10(3), e0120734. doi:10.1371/journal.pone.0120734 (*Mix-n-Stain™ CF®488A; FC*)

Xu, Z.,Parra, D.,Gomez, D.,Salinas, I.,Zhang, Y. A.,von Gersdorff Jorgensen, L.,Heinecke, R. D.,Buchmann, K.,LaPatra, S., and Sunyer, J. O. (2013). Teleost skin, an ancient mucosal surface that elicits gut-like immune responses. Proc Natl Acad Sci U S A 110, 13097-13102. 10.1073/pnas.1304319110 (*Mix-n-Stain™ CF®488A, Mix-n-Stain™ CF®555, Mix-n-Stain™ CF®640R; IF*)

Xu, Z.,Takizawa, F.,Parra, D.,Gomez, D.,von Gersdorff Jorgensen, L.,LaPatra, S. E., and Sunyer, J. O. (2016). Mucosal immunoglobulins at respiratory surfaces mark an ancient association that predates the emergence of tetrapods. Nat Commun 7, 10728. 10.1038/ncomms10728 (*Mix-n-Stain™ CF®488A, Mix-n-Stain™ CF®555, Mix-n-Stain™ CF®640R; IF*)

Yamamoto, S.,Yamazaki, T.,Komazaki, S.,Yamashita, T.,Osaki, M.,Matsubayashi, M.,Kidoya, H.,Takakura, N.,Yamazaki, D., and Kakizawa, S. (2014). Contribution of calumin to embryogenesis through participation in the endoplasmic reticulum-associated degradation activity. Dev Biol 393, 33-43. 10.1016/j.ydbio.2014.06.024 (*Mix-n-Stain™ CF®488A, Mix-n-Stain™ CF®568; IF*)

Yamashita, A.,Zhao, Y.,Matsuura, Y.,Yamasaki, K.,Moriguchi-Goto, S.,Sugita, C.,Iwakiri, T.,Okuyama, N.,Koshimoto, C.,Kawai, K., et al. (2014). Increased metabolite levels of glycolysis and pentose phosphate pathway in rabbit atherosclerotic arteries and hypoxic macrophage. PLoS One 9, e86426. 10.1371/journal.pone.0086426 (*Mix-n-Stain™ CF®488A, Mix-n-Stain™ CF®594; IF*)

Yang, Y.,Zhang, Y.,Cuevas-Gonzalez, S.,Villar, V. A.,Escano, C.,Asico, L.,Yu, P.,Grandy, D. K.,Felder, R. A.,Armando, I., et al. (2012). Paraoxonase 2 decreases renal reactive oxygen species production, lowers blood pressure, and mediates dopamine D(2) receptor-induced inhibition of NADPH oxidase. Free Radic Biol Med. DOI:10.1016/j.freeradbiomed.2012.05.015 (*Mix-n-Stain™ CF®555; IF*)

Yang, S.,Yang, Y.,Yu, P.,Yang, J.,Jiang, X.,Villar, V. A.,Sibley, D. R.,Jose, P. A., and Zeng, C. (2015). Dopamine D1 and D5 receptors differentially regulate oxidative stress through paraoxonase 2 in kidney cells. Free Radic Res 49, 397-410. 10.3109/10715762.2015.1006215 (*Mix-n-Stain™ CF®488A; IF*)

Zolnerciks, J. K.,Akkaya, B. G.,Snippe, M.,Chiba, P.,Seelig, A., and Linton, K. J. (2014). The Q loops of the human multidrug resistance transporter ABCB1 are necessary to couple drug binding to the ATP catalytic cycle. FASEB J 28, 4335-4346. 10.1096/fj.13-245639 (*Mix-n-Stain™ CF®633; IF*)

DOWNLOADED BY SHER SAS