MPH1865

DECLARATION DE CONFORMITE A LA REGLEMENTATION RELATIVE AUX MATERIAUX ET OBJETS AU CONTACT DES DENREES ALIMENTAIRES

1. Identité de l'exploitant qui établit la déclaration
Madame / Monsieur : Pierre MIRIBEL
Fonction : Directeur général
Nom et adresse de la Société : MP hygiene, 119 Rue de Soras, 07430 Davézieux, France
2. Identité de l'exploitant qui fabrique ou importe le matériau et/ou l'objet faisant l'objet de la déclaration (si différent)
Nom et adresse de la Société : MP hygiene, 119 Rue de Soras, 07430 Davézieux, France
Préciser : • Fabricant ☑Importateur :

Gant latex à usage unique, non poudré

Référence	Taille
07GL0707U	S (6-7)
07GL0708U	M (7-8)
07GL0709U	L (8-9)
07GL0710U	XL (9-10)

Appartient à la famille de matériaux CAOUTCHOUC.
Je déclare que ces matériaux ont été déclarés conforme à la Règlementation (CE) N°1935/2004 du 27 octobre 2004 concernant les matériaux et objets destinés à entrer en contact avec les denrées alimentaires.
Règlement (CE) n° 2023/2006 concernant les bonnes pratiques de fabrication des matériaux et objets destinés à entrer en contact avec des denrées alimentaires, garantissant que ces matériaux sont fabriqués conformément à des normes strictes d'hygiène et de qualité. Résolution du Conseil de l'Europe AP (2004) 4 relatives en caoutchouc à entrer en contact avec les denrées alimentaires
Arrêté du 5 août 2020 relatifs relatives aux matériaux et objet en caoutchouc destinés à être mis au contact des denrées alimentaires.

Overall Migration Limit according to Regulation (EU) No. 10/2011: Simulants	Testing Condition	Commission Regulation (EU) 10/2011 Requirement for Overall Migration Content (mg/dm²)
10% Ethanol	40°C, 2 hours	<10
20% Ethanol	40°C, 2 hours	<10
50% Ethanol	40°C, 2 hours	<10
Olive Oil	40°C, 2 hours	<10

Par conséquent ce matériau et/ou l'objet référencé ci-dessus est destiné au contact alimentaire dans la condition suivante :
Au contact tous aliments (2h, 40°C)
Condition de stockage :
Le matériau doit être stocké dans un environnement frais et sec avec une température 10-40°C, pour éviter lumière directe du soleil. Ne pas mélanger avec quoi que ce soit de toxique, nocif, odorant.

Cette déclaration est valide uniquement pour le matériau ou l'objet tel que livré (emballage vide), et tant qu'il n'y a pas de modification réglementaire ou de changement susceptible d'entraîner une modification de l'inertie du matériau ou de l'article.
En toute hypothèse, la conformité s'entend sous réserve du respect des conditions de stockage, de manutention et d'utilisation prenant en compte les caractéristiques particulières du matériau ou objet, conditions telles que prévues par les usages ou les codes professionnels.
En cas de changement des caractéristiques du produit emballé, de sa composition ou de sa destination, ainsi que dans le cas d'une modification des conditions de mise en œuvre du matériau ou de l'objet, la personne destinataire de la présente déclaration doit s'assurer de la compatibilité contenant/contenu dont il assume alors seul la responsabilité.

Validité de la déclaration fabricant : du 09/12/2025 au 08/12/2027

Fait à Davézieux le 09/12/2025

MP hygiene SAS - Site de Davézieux
119 rue de Soras - 07430 DAVEZIEUX - France
Tél. +33 (0)4 75 33 75 00 - Fax +33 (0)4 75 33 37 38
contact@mphygiene.com - www.mphygiene.com
Siret 301 276 127 00017 - TVA FR 47 301 276 127 - APE 1722Z
MIRIBEL Pierre

Issued to:

MP Hygiene
119 Rue de Soras
07430 Davézieux
France

Notified Body: 2777

SATRA customer number: P0130

EU Type-Examination Certificate

Certificate number: 2777/10906-04/E16-01

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category III product.

Product reference:
Natural: S 6/7 – XL 9/10
07GL0707U – 07GL0708U
07GL0709U – 07GL0710U

Description:
Latex examination polymer powder free gloves in Natural colour.

Sizes:
S 6/7
M 7/8
L 8/9
XL 9/10

Classification:

EN ISO 374-1:2016+A1:2018 /Type B	Level	EN ISO 374-4:2019
40% Sodium Hydroxide (K)	6	-43.5%
65% Nitric Acid (M)	1	57.0%
30% Hydrogen Peroxide (P)	1	-1.9%
40% Hydrofluoric Acid (S)	3	X
37% Formaldehyde (T)	3	-28.3%

EN ISO 374-5:2016	Level
Resistance to Bacteria and Fungi	Pass
Resistance to Viruses	Pass

Standards/Technical specifications applied:
EN ISO 21420:2020; EN ISO 374-1:2016+A1:2018; EN ISO 374-5:2016

Technical reports/Approval documents:
SATRA: SPC0229275/1443 Issue 5, SPC0229275/1443/SMcD-Final-Issue 3, SPC0234310/1518/1 Issue 3, CHM0266051/1802/LC/A, CHM0266051/1802/LC/B, CHM0266051/1802/LC/C, CHM0266051/1802/SPT, CHM0276738/1841/JH/B/Issue 2, SPC0276572/1841, CHM0276738/1841/JH/C-Issue 2, CHM0279961/1902/JG/A, CHM0279961/1902/JG/B, CHM0338494/2239/8
TUV: 7191118865-CHM15-03A-RC_CR1

Signed on behalf of SATRA: Kayleigh Aylward

Kayleigh Aylward

Date of issue: 27/11/2024
Expiry date: 21/06/2028

TERMS AND CONDITIONS

The following conditions apply in addition to SATRA's standard terms and conditions of business and those given in the current certification agreement. This certificate has been issued in accordance with Annex V (Module B) of the applicable legislation (see note 11).

Please note:

1. Where the product is classified as category III then CE or UKCA Marking of production is reliant on current compliance with module C2 or Module D of the applicable legislation (See note 11). (Except that specifically produced to fit an individual user).
2. Full details of the scope of the certification and product(s) certified are contained within the manufacturer's technical documentation.
3. Where a translation of this certificate exists, the English language version shall be considered as the authoritative text.
4. Certification is limited to production undertaken at the sites listed in the manufacturer's technical documentation.
5. Ongoing manufactured product shall be consistent with the product(s) certified and listed on this certificate and an EU or UKCA declaration of product conformity shall be made available in accordance with the applicable legislation (See note 11).
6. The Manufacturer shall inform SATRA of any changes to the certified product or technical documentation.
7. Where results obtained during type testing are within the budget of uncertainty when compared to the pass requirement, classification, or performance level, then it is the responsibility of the manufacturer to ensure that the factory production control and manufacturing tolerances are such that the product placed on the market meets with the stated requirements, classifications or performance levels.
8. This certificate shall be kept together with the relevant technical documentation in a safe place by the client named on this certificate. Production of this certificate and other documentation may be required by a representative of the EC member state, or UK government.
9. This certificate relates only to the condition of the testable items at the time of the certification procedure and is subject to the expiry date shown.
10. SATRA reserves the right to withdraw this certificate if it is found that a condition of manufacture, design, materials, or packaging have been changed and therefore no longer comply with the requirements of the applicable legislation (See note 11).
11. These terms and conditions shall apply to the requirements set out in Regulation (EU) 2016/425 of the European Parliament and of the council of 9th March 2016 on personal protective equipment or to UK legislation relating to UKCA Marking as defined within the issued certificate.