

Printing date 14.06.2022 Version number 38 Revision: 14.06.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Molecular formula: H2 O4 S · Structure formula: H2 S O4 · Trade name: sulfuric acid · SDS number: CH0015

· CAS Number: 7664-93-9

• EC number: 231-639-5

• Index number: 016-020-00-8

· Application of the substance / the mixture Chemicals products for laboratory

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

CARLO ERBA REAGENTS

Chaussée du Vexin

Parc d'Affaires des Portes - BP616 27106 VAL DE REUIL Cedex Téléphone: +33 (0)2 32 09 20 00 Télécopie: +33 (0)2 32 09 20 20

· Further information obtainable from:

Q.A / Normative

email: MSDS\_CER-SDS@cer.dgroup.it
• 1.4 Emergency telephone number:

Ireland - Tel: 00 353 1 8092568 - 00 353 1 8379964 (24h/24)

EU Tel : 112

National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week)

Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

## SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



· Signal word Danger



Printing date 14.06.2022 Version number 38 Revision: 14.06.2022

Trade name: sulfuric acid

(Contd. of page 1)

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P280 Wear protective gloves / eye protection / face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER/doctor.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description

CAS: 7664-93-9 sulfuric acid

- · Identification number(s)
- · EC number: 231-639-5
- · Index number: 016-020-00-8

## SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Remove immediately any clothing soiled by the product and wash with plenty of water. The rescuer has to be equipped with individual protection

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly. Wash contaminated clothing before reuse. Seek immediate medical advice.

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Drink plenty of water and provide fresh air.

Call for a doctor immediately.

Rinse out mouth and then drink plenty of water.

- · Information for doctor: Show the doctor this Material Safety Data Sheet.
- $\cdot \textit{4.2 Most important symptoms and effects, both acute and delayed} \ \textit{No further relevant information available}.$
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 3)



Printing date 14.06.2022 Version number 38 Revision: 14.06.2022

Trade name: sulfuric acid

(Contd. of page 2)

- · For safety reasons unsuitable extinguishing agents: Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture Sulfur Oxides (SOx)
- 5.3 Advice for firefighters
- · Protective equipment: Do not inhale gases in case or fire or combustion.
- · Additional information Keep receptacles cool with water spray.

## SECTION 6: Accidental release measures

## · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

· 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Dilute with plenty of water after collecting the liquid.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Collect the liquid with vacuum in a suitable container and absorb the remainder with a porous material (diatomite, acid binders, universal binders, etc).

Ensure adequate ventilation.

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

When diluting always pour product into water and not vice versa.

- · Information about fire and explosion protection: The product is not flammable.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Provide acid-resistant floor.

Provide floor trough without outlet.

Use only receptacles specifically permitted for this substance/product.

· Information about storage in one common storage facility:

Do not store together with alkalis (caustic solutions).

- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

# SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)



Printing date 14.06.2022 Version number 38 Revision: 14.06.2022

Trade name: sulfuric acid

(Contd. of page 3)

	(Contd. of page 3)
· Ingredients with limit vo	ues that require monitoring at the workplace:
CAS: 7664-93-9 sulfuri	ıcid
WEL Long-term value:	
*mist: defined as t	practic fraction
· DNELs	
Inhalative DNEL (work	s-local effects Acute) 0.1 mg/m3
DNEL (work	s-local chronic effects) 0.05 mg/m3
· PNECs	
PNEC (Fresh water)	2.5 mg/l
PNEC (Freshwater sedin	(nt) 0.002 mg/kg
PNEC (Marine water)	0.25  mg/l
PNEC (Seawater sedime	0.002  mg/l

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Avoid contact with the eyes and skin.

- · Respiratory protection:
- · Recommended filter device for short term use: Combination filter E-P2
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/the preparation/the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

### Rubber gloves

### · Material of gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Butyl rubber, BR

Recommended thickness of the material:  $\geq 0.5$  mm

### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

### · For the permanent contact gloves made of the following materials are suitable:

Fluorocarbon rubber (Viton)

Recommended thickness of the material:  $\geq 0.4$  mm

### · Not suitable are gloves made of the following materials:

Natural rubber, NR

Chloroprene rubber, CR

Nitrile rubber, NBR



Printing date 14.06.2022 Version number 38 Revision: 14.06.2022

Trade name: sulfuric acid

(Contd. of page 4)

### PVC gloves

· Eye protection:



Tightly sealed goggles

· Body protection:

Acid resistant protective clothing

Use protective suit.

Apron

· Limitation and supervision of exposure into the environment

In case of unintended release of the product: See section 6 of the Safety Data Sheet.

· Risk management measures Keep good industrial hygiene.

## SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

Molecular weight 98.07 g

· Appearance:

Form: Viscous liquid
Colour: Colourless
Odour: Odourless
Odour threshold: Not determined.

• **pH-value:** <1

· Change in condition

Melting point/freezing point:
Initial boiling point and boiling range: 295-315 °C

Flash point:
Flammability (solid, gas):
Decomposition temperature:
Auto-ignition temperature:
Not determined.
Not determined.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

 Lower:
 Not determined.

 Upper:
 Not determined.

 · Vapour pressure at 20 °C:
 < 0.0001 hPa</th>

 · Vapour pressure (2) at 55 °C:
 0.01 hPa

 · Density at 20 °C:
 1.84 g/cm³

Bulk density: 1,841 kg/m³
 Relative density Not determined.
 Vapour density Not determined.
 Evaporation rate Not determined.

· Solubility in / Miscibility with

water: Fully miscible.

• organic solvents: Miscible with many organic solvents.

Partition coefficient: n-octanol/water: -2.19997

· Viscosity:

Dynamic at 20 °C: 23 mPas Kinematic: Not determined.

(Contd. on page 6)



Printing date 14.06.2022 Version number 38 Revision: 14.06.2022

Trade name: sulfuric acid

(Contd. of page 5)

· 9.2 Other information

No further relevant information available.

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** See 10.3
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions

Reacts with various metals.

When diluting, always add acid to water, never vice versa.

Reacts violently with water.

Reacts dangerously with alkali (lyes) or amines in bulk.

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Metals
- · 10.6 Hazardous decomposition products: In case of fire: Sulfur oxides (SOx)

# SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

Oral | LD50 | 2,140 mg/kg (rat)

- Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

Causes serious eve damage.

- · Ingestion: It can be harmfull if swallowed.
- · Inhalation:

Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Other information (about experimental toxicology): No further relevant information available.
- · Target organ information
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

EC50/48h >100 mg/l (Daphnia) (OECD 202)

(Contd. on page 7)



Printing date 14.06.2022 Version number 38 Revision: 14.06.2022

Trade name: sulfuric acid

(Contd. of page 6)

LC50/96h | 16 mg/l (fishes)

- · 12.2 Persistence and degradability No further relevant information available.
- Method

LC50

· Ecological information Not available

>100 mg/l (algae) (72h)

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Local effects: may change the environmental pH endangering the aquatic life.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Reutilise if possible or contact a waste processors for recycling or safe disposal.

· Uncleaned packaging:

The containers and packaging materials contaminated with dangerous substances or preparations, have the same treatment of products.

Directive 94/62/EC of the European Parliament and the Council of 20 December 1994 on packaging and packaging waste.

· Recommendation:

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

Decompose with care.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR/RID, IMDG, IATA	UN1830	
· 14.2 UN proper shipping name · ADR/RID · IMDG · IATA	1830 SULPHURIC ACID SULPHURIC ACID Sulphuric acid	

(Contd. on page 8)



Printing date 14.06.2022 Version number 38 Revision: 14.06.2022

Trade name: sulfuric acid

(Contd. of page 7) · 14.3 Transport hazard class(es) · ADR/RID 8 (C1) Corrosive substances. · Class · Label · IMDG, IATA 8 Corrosive substances. ·Label 8 · 14.4 Packing group II· ADR/RID, IMDG, IATA 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Warning: Corrosive substances. · Hazard identification number (Kemler code): 80 · EMS Number: F-A,S-B· Segregation groups Strong acids · Stowage Category SW15 For metal drums, stowage category B. · Stowage Code SG36 Stow "separated from" SGG18-alkalis. · Segregation Code SG49 Stow "separated from" SGG6-cyanides · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. · Transport/Additional information: E2· Excepted quantities (EQ): 1L· Limited quantities (LQ) Code: E2 · Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · Transport category E· Tunnel restriction code · Limited quantities (LQ) 1L· Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml UN 1830 SULPHURIC ACID, 8, II · UN "Model Regulation":



Printing date 14.06.2022 Version number 38 Revision: 14.06.2022

Trade name: sulfuric acid

(Contd. of page 8)

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · SARA Section 355 (extremely hazardous substances) Substance is listed.
- · SARA Section 313 (specific toxic chemical listings) Substance is listed.
- · Prop 65 Chemicals known to cause cancer Substance is not listed.
- · Chemical safety assessment
- · Named dangerous substances ANNEX I Substance is not listed.
- · National regulations:
- · Waterhazard class: Water hazard class 1 (Assessment by list): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: O.A./Normative

#### · Abbreviations and acronvms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

RCR: Risk Characterisation Ratio

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

IMO : International Maritime Oragnization

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

### · Sources

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006, UK REACH, in latest valid version.

Regulation (EC)  $N^{\circ}$  1272/2008 of the European Parliament and of the Council of 16 December 2008, GB CLP, in the latest valid version.

Globally Harmonized System, GHS

ADR/RID, IMDG, IATA

PubChem: an open chemistry database at the National Institutes of Health (NIH)

ECHA: European CHemicals Agency

GESTIS: Information system on hazardous substances of the German Social Accident Insurance

\* Data compared to the previous version altered. .

CD



Printing date 14.06.2022 Version number 38 Revision: 14.06.2022

Trade name: sulfuric acid

(Contd. of page 9)

# Annex: Exposure scenario 1

- · Short title of the exposure scenario
- · Sector of Use Industrial use.
- · Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC4 Chemical production where opportunity for exposure arises

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

- · Environmental release category ERC1 Manufacture of the substance
- Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

· Conditions of use

Customary application according to section 1.

According to directions for use.

- · Duration and frequency 8hrs (full working shift).
- · Worker 8hrs (full working shift).
- · Environment

The product may not be released into the aquatic environment without pre-treatment (biological purification plant).

· Physical parameters

The data on the physical - chemical properties in the Exposure Scenario is based on the properties of the preparation.

- · Physical state Viscous liquid
- · Concentration of the substance in the mixture The substance is main component.
- · Used amount per time or activity 1200000 tons per year
- Other operational conditions Observe the general safety regulations when handling chemicals.
- · Other operational conditions affecting environmental exposure

No special measures required.

Observe section 6 of the Safety Data Sheet (Accidental release measures).

· Other operational conditions affecting worker exposure

Avoid contact with eyes.

Avoid contact with the skin.

Respiratory protection is required in work areas with inadequate ventilation and during spraying application.

- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures

Keep good industrial hygiene.

Ensure that activities are executed by specialists or authorised personnel only.

Deploy only trained chemical workers.

Provide sufficient washing facilities.

Persons, who tend to skin diseases or other hypersensitivity reactions of the skin, should not handle the product.

· Technical protective measures

Only handle and refill product in closed systems or under local exhaust.

Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 11)



Printing date 14.06.2022 Version number 38 Revision: 14.06.2022

Trade name: sulfuric acid

(Contd. of page 10)

### · Personal protective measures

Avoid contact with the skin.

Avoid contact with the eyes.

Acid resistant protective clothing

Use protective suit.

Apron

Tightly sealed goggles

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Protective gloves

Rubber gloves

Tightly sealed goggles

 ${\it The usual precautionary measures are to be adhered to when handling chemicals.}$ 

Detailed measures on hand protection according to Safety Data Sheet, section 8.

#### · Environmental protection measures

#### ·Water

Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.

Do not allow to reach sewage system.

- · Soil Prevent contamination of soil.
- · Notes In case of unintended release of the product: See section 6 of the Safety Data Sheet.

## · Disposal measures

Disposal must be made according to official regulations.

Ensure that waste is collected and contained.

Ensure that all wastewater is collected and treated in a wastewater treatment plant.

#### · Disposal procedures

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- Environment The highest environmental exposure to be expected for surface waters is 0 mg/L.
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users

Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.

GR

(Contd. on page 12)



Printing date 14.06.2022 Version number 38 Revision: 14.06.2022

Trade name: sulfuric acid

(Contd. of page 11)

## Annex: Exposure scenario 2

- · Short title of the exposure scenario Chemicals products for laboratory
- · Sector of Use Industrial use.
- · Process category PROC15 Use as laboratory reagent
- · Environmental release category

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

ERC8b Widespread use of reactive processing aid (no inclusion into or onto article, indoor)

· Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

· Conditions of use

Customary application according to section 1.

According to directions for use.

- · Duration and frequency 8hrs (full working shift).
- · Worker 8hrs (full working shift).
- · Physical parameters

The data on the physical - chemical properties in the Exposure Scenario is based on the properties of the preparation.

- · Physical state Fluid
- · Concentration of the substance in the mixture Raw material.
- · Used amount per time or activity 5000 tons per year
- Other operational conditions Observe the general safety regulations when handling chemicals.
- · Other operational conditions affecting environmental exposure

No special measures required.

Observe section 6 of the Safety Data Sheet (Accidental release measures).

· Other operational conditions affecting worker exposure

Avoid direct contact with the chemical /product / preparation by organisational measures.

Avoid contact with eyes.

Avoid contact with the skin.

- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures

Keep good industrial hygiene.

Ensure that activities are executed by specialists or authorised personnel only.

Persons, who tend to skin diseases or other hypersensitivity reactions of the skin, should not handle the product.

Provide sufficient washing facilities.

## · Technical protective measures

When diluting always pour product into water and not vice versa.

Ensure good ventilation/exhaustion at the workplace.

### · Personal protective measures

Avoid contact with the skin.

Avoid contact with the eyes.

*Tightly sealed goggles* 

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Protective gloves

Rubber gloves

Avoid direct contact with the chemical/the product/the preparation by organisational measures.

Protective work clothing

In case of pouring big amounts or disconnecting pipes.

Apron

Tightly sealed goggles

(Contd. on page 13)



Printing date 14.06.2022 Version number 38 Revision: 14.06.2022

Trade name: sulfuric acid

(Contd. of page 12)

The usual precautionary measures are to be adhered to when handling chemicals. Detailed measures on hand protection according to Safety Data Sheet, section 8.

- · Environmental protection measures
- · Water

Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.

- · Notes In case of unintended release of the product: See section 6 of the Safety Data Sheet.
- · Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users

Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.

GB

(Contd. on page 14)



Printing date 14.06.2022 Version number 38 Revision: 14.06.2022

Trade name: sulfuric acid

(Contd. of page 13)

## Annex: Exposure scenario 3

- · Short title of the exposure scenario Formulation or re-packing
- · Sector of Use Industrial use.
- · Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC5 Mixing or blending in batch processes

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

- · Environmental release category ERC2 Formulation into mixture
- Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

· Conditions of use

Customary application according to section 1.

According to directions for use.

- · Duration and frequency 8hrs (full working shift).
- · Worker 8hrs (full working shift).
- · Physical parameters

The data on the physical - chemical properties in the Exposure Scenario is based on the properties of the preparation.

- · Physical state Fluid
- · Concentration of the substance in the mixture Raw material.
- · Used amount per time or activity 300000 tons per year
- Other operational conditions Observe the general safety regulations when handling chemicals.
- · Other operational conditions affecting environmental exposure

Observe section 6 of the Safety Data Sheet (Accidental release measures).

· Other operational conditions affecting worker exposure

Avoid contact with eyes.

Avoid contact with the skin.

- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures

Keep good industrial hygiene.

Ensure that activities are executed by specialists or authorised personnel only.

Persons, who tend to skin diseases or other hypersensitivity reactions of the skin, should not handle the product.

Provide sufficient washing facilities.

### · Technical protective measures

No special measures required.

Ensure good ventilation/exhaustion at the workplace.

## · Personal protective measures

Avoid contact with the skin.

Avoid contact with the eyes.

Tightly sealed goggles

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Protective gloves

Rubber gloves

(Contd. on page 15)



Printing date 14.06.2022 Version number 38 Revision: 14.06.2022

Trade name: sulfuric acid

(Contd. of page 14)

Avoid direct contact with the chemical/ the product/ the preparation by organisational measures.

Protective work clothing

In case of pouring big amounts or disconnecting pipes.

Apron

Tightly sealed goggles

The usual precautionary measures are to be adhered to when handling chemicals.

Detailed measures on hand protection according to Safety Data Sheet, section 8.

### · Environmental protection measures

### · Water

Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.

- · Notes In case of unintended release of the product: See section 6 of the Safety Data Sheet.
- · Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- Guidance for downstream users

Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.

- G

(Contd. on page 16)



Printing date 14.06.2022 Version number 38 Revision: 14.06.2022

Trade name: sulfuric acid

(Contd. of page 15)

# Annex: Exposure scenario 4

- · Short title of the exposure scenario
- · Sector of Use

Industrial use.

SU14 Manufacture of basic metals, including alloys

SU15 Manufacture of fabricated metal products, except machinery and equipment

SU17 General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment

### · Product category

PC14 Metal surface treatment products

PC20 Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents

### · Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC13 Treatment of articles by dipping and pouring

### · Environmental release category

ERC5 Use at industrial site leading to inclusion into/onto article

ERC6b Use of reactive processing aid at industrial site (no inclusion into or onto article)

## · Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use Customary application according to section 1.
- · Duration and frequency 5 workdays/week.
- · Physical parameters

The data on the physical - chemical properties in the Exposure Scenario is based on the properties of the preparation.

- · Physical state Fluid
- · Concentration of the substance in the mixture Raw material.
- · Used amount per time or activity 50-200 tons per year
- Other operational conditions Observe the general safety regulations when handling chemicals.
- · Other operational conditions affecting environmental exposure

Observe section 6 of the Safety Data Sheet (Accidental release measures).

### · Other operational conditions affecting worker exposure

Avoid contact with eyes.

Avoid contact with the skin.

- · Risk management measures
- · Worker protection
- · Organisational protective measures

Keep good industrial hygiene.

Ensure that activities are executed by specialists or authorised personnel only.

Persons, who tend to skin diseases or other hypersensitivity reactions of the skin, should not handle the product.

Provide sufficient washing facilities.

· Technical protective measures Ensure good ventilation/exhaustion at the workplace.

### · Personal protective measures

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the skin.

Avoid contact with the eyes.

Detailed measures on hand protection according to Safety Data Sheet, section 8.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Protective gloves

(Contd. on page 17)



Printing date 14.06.2022 Version number 38 Revision: 14.06.2022

Trade name: sulfuric acid

(Contd. of page 16)

Rubber gloves

Avoid direct contact with the chemical/ the product/ the preparation by organisational measures.

Protective work clothing

Acid resistant protective clothing

Apron

Tightly sealed goggles

- · Environmental protection measures
- · Air Exhaust air is introduced into the adsorption tower.
- ·Water

Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.

- · Notes In case of unintended release of the product: See section 6 of the Safety Data Sheet.
- · Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Worker (dermal) RCR 0.00000019
- · Worker (inhalation) RCR 0.18
- · Environment

RCR 0.039

The estimation of environmental exposure was carried out in accordance with EUSES.

· Guidance for downstream users

Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.

-GB