

## Dimethyl sulfoxide

41640-1L

Version 1.5

Revision Date 17.12.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name : Dimethyl sulfoxide  
SDS-number : 000000020242  
Type of product : Substance  
Remarks : Document according to Art. 32 of Regulation (EC) 1907/2006.  
In accordance to the Article 14 (1) of the REACH Regulation (EC) No 1907/2006, exposure estimation and risk characterisation is not required.

Chemical name : Dimethyl sulfoxide  
CAS-No. : 67-68-5  
REACH Registration Number : no data available

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Laboratory chemicals  
Uses advised against : none

#### 1.3. Details of the supplier of the safety data sheet

Company	: Honeywell International Inc. 115 Tabor Road 07950-2546 Morris Plains USA	Honeywell International, Inc. 115 Tabor Road Morris Plains, NJ 07950-2546 USA
---------	---	--

Telephone :  
For further information, please contact: : [SafetyDataSheet@Honeywell.com](mailto:SafetyDataSheet@Honeywell.com)

#### 1.4. Emergency telephone number

## Dimethyl sulfoxide

41640-1L

Version 1.5

Revision Date 17.12.2022

Emergency telephone : +1-703-527-3887 (ChemTrec-Transport)  
number : +1-303-389-1414 (Medical)  
Country based Poison : see chapter 15.1  
Control Center

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### REGULATION (EC) No 1272/2008

Not a hazardous substance or mixture.

#### 2.2. Label elements

##### REGULATION (EC) No 1272/2008

Not a hazardous substance or mixture.

#### 2.3. Other hazards

Can be absorbed through skin. Results of PBT and vPvB assessment, see chapter 12.5.

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Chemical name	CAS-No. Index-No. REACH Registration Number EC-No.	Classification 1272/2008	Concentration	Remarks
Dimethyl sulfoxide	67-68-5 200-664-3		100 %	N.C.*

N.C.\* - Non-hazardous substance - for information only

#### 3.2. Mixture

## Dimethyl sulfoxide

41640-1L

Version 1.5

Revision Date 17.12.2022

Not applicable

Occupational Exposure Limit(s), if available, are listed in Section 8.  
For the full text of the H-Statements mentioned in this Section, see Section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

*General advice:*

First aider needs to protect himself. Move out of dangerous area. Take off immediately all contaminated clothing.

*Inhalation:*

If breathed in, move person into fresh air. If symptoms persist, call a physician.

*Skin contact:*

After contact with skin, wash immediately with plenty of soap and water. If symptoms persist, call a physician.

*Eye contact:*

Rinse thoroughly with plenty of water, also under the eyelids. Protect unharmed eye. If eye irritation persists, consult a physician.

*Ingestion:*

Rinse mouth with water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

See Section 11 for more detailed information on health effects and symptoms.

## Dimethyl sulfoxide

41640-1L

Version 1.5

Revision Date 17.12.2022

---

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

*Suitable extinguishing media:*

Water spray  
Foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry powder

*Extinguishing media which shall not be used for safety reasons:*

High volume water jet

#### 5.2. Special hazards arising from the substance or mixture

In case of fire hazardous decomposition products may be produced such as:  
carbon oxides (CO, CO<sub>2</sub> ).  
Sulphur oxides

#### 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

---

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

#### 6.2. Environmental precautions

Do not let product enter drains.

#### 6.3. Methods and materials for containment and cleaning up

Soak up with inert absorbent material.  
Pick for disposal in tightly closed containers

#### 6.4. Reference to other sections

For personal protection see section 8.

## Dimethyl sulfoxide

41640-1L

Version 1.5

Revision Date 17.12.2022

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

*Advice on safe handling:*

Keep container tightly closed. Exhaust ventilation at the object is necessary.

*Advice on protection against fire and explosion:*

The product is flammable but not readily ignited. Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air. Keep away from heat and sources of ignition.

*Hygiene measures:*

Take off all contaminated clothing immediately. Wash hands before breaks and at the end of workday. Recommended preventive skin protection

#### 7.2. Conditions for safe storage, including any incompatibilities

*Further information on storage conditions:*

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep under nitrogen.

*Advice on common storage:*

Do not store together with: Strong oxidizing agents Strong acids

#### 7.3. Specific end use(s)

no additional data available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

##### DNEL/ PNEC-Values

Component	End-use/impact	Exposure duration	Value	Exposure routes	Remarks
Dimethyl sulfoxide	Workers /		484 mg/m <sup>3</sup>	Inhalation	

## Dimethyl sulfoxide

41640-1L

Version 1.5

Revision Date 17.12.2022

	Long-term systemic effects				
Dimethyl sulfoxide	Workers / Long-term local effects		265 mg/m3	Inhalation	
Dimethyl sulfoxide	Workers / Long-term systemic effects		200mg/kg bw/d	Skin contact	
Dimethyl sulfoxide	Consumers / Long-term systemic effects		120 mg/m3	Inhalation	
Dimethyl sulfoxide	Consumers / Long-term local effects		47 mg/m3	Inhalation	
Dimethyl sulfoxide	Consumers / Long-term systemic effects		100mg/kg bw/d	Skin contact	
Dimethyl sulfoxide	Consumers / Long-term systemic effects		60mg/kg bw/d	Ingestion	

Component	Environmental compartment / Value	Remarks
Dimethyl sulfoxide	Fresh water: 17 mg/l	Assessment factor: 1000
Dimethyl sulfoxide	Marine water: 1,7 mg/l	Assessment factor: 10000
Dimethyl sulfoxide	Sewage treatment plant: 11 mg/l	
Dimethyl sulfoxide	Fresh water sediment: 13,4 mg/kg dw	
Dimethyl sulfoxide	Soil: 3,02 mg/kg dw	

## Dimethyl sulfoxide

41640-1L

Version 1.5

Revision Date 17.12.2022

### 8.2. Exposure controls

#### Occupational exposure controls

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345.

Do not breathe vapours/dust.

#### Personal protective equipment

##### *Respiratory protection:*

In the case of vapour formation use a respirator with an approved filter.

##### *Hand protection:*

Glove material: Natural Latex

Break through time: > 480 min

Glove thickness: 1 mm

Combi-Latex 395

Gloves must be inspected prior to use.

Replace when worn.

Remarks:Supplementary note: The specifications are based on information and tests from similar substances by analogy.

Due to varying conditions ( e.g.temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374.

Since actual conditions of practical use often deviate from standardised conditions according EN 374 the glove manufacturer recommends to use the chemical protective glove in practice not longer than 50% of the recommended permeation time.

Manufacturer´s directions for use should be observed because of great diversity of types .

Suitable gloves tested according EN 374 are supplied e.g. from KCL GmbH, D-36124 Eichenzell, Vertrieb@kcl.de

##### *Eye protection:*

Safety glasses with side-shields

##### *Skin and body protection:*

Protective suit

## Dimethyl sulfoxide

41640-1L

Version 1.5

Revision Date 17.12.2022

### Environmental exposure controls

Handle in accordance with local environmental regulations and good industrial practices.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: liquid
Colour	: colourless
Odour	: characteristic
molecular weight	: 78,13 g/mol
Freezing point	: 18,5 °C
Boiling point/boiling range	: 189 °C
Upper explosion limit	: 28,5 %(V)
Lower explosion limit	: 2,6 %(V)
Flash point	: 87 °C Method: closed cup
Auto-ignition temperature	: ca.300 °C
Decomposition temperature	: > 190 °C Slow decomposition possible. Stable under normal conditions.
pH	: Not applicable
Auto-ignition temperature	: ca. 300 °C
Viscosity, kinematic	: No data available
Water solubility	: completely soluble
Solubility in other solvents	: Soluble in most organic solvents



## Dimethyl sulfoxide

41640-1L

Version 1.5

Revision Date 17.12.2022

---

Partition coefficient: n-  
octanol/water : log Pow -1,35

Vapour pressure : 0,56 hPa  
at 20 °C

Vapour pressure : 4 hPa  
at 50 °C

Vapour pressure : 20 hPa  
at 80 °C

Vapour pressure : 49 hPa  
at 100 °C

Density : 1,104 g/cm<sup>3</sup>  
at 20 °C

Relative vapour density : 2,7

### 9.2 Other Information

The product is hygroscopic.  
Evaporation rate : No data available

Viscosity, dynamic : 2,14 mPa.s  
at 20 °C

---

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions.

### 10.2. Chemical stability

> 190 °C  
Slow decomposition possible.  
Stable under normal conditions.

## Dimethyl sulfoxide

41640-1L

Version 1.5

Revision Date 17.12.2022

### 10.3. Possibility of hazardous reactions

Vapours may form explosive mixture with air.

### 10.4. Conditions to avoid

Protect from frost, heat and sunlight.  
Protect from moisture.

### 10.5. Incompatible materials

Strong acids and oxidizing agents  
Halogenated compounds

### 10.6. Hazardous decomposition products

Sulphur oxides  
Carbon oxides  
Formaldehyde

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### *Acute oral toxicity:*

Species: Rat  
Value: 28.500 mg/kg  
Method: OECD Test Guideline 401

#### *Acute dermal toxicity:*

LD50  
Species: Rat  
Value: 40.000 mg/kg  
Method: No information available.

#### *Acute inhalation toxicity:*

LC0  
Species: Rat  
Value: > 5,33 mg/l  
Exposure time: 4 h  
Method: OECD Test Guideline 403

#### *Skin irritation:*

## Dimethyl sulfoxide

41640-1L

Version 1.5

Revision Date 17.12.2022

---

Species: Rabbit  
Result: Mild skin irritation  
Method: OECD Test Guideline 404

*Eye irritation:*

Species: Rabbit  
Result: Mild eye irritation  
Method: OECD Test Guideline 405

*Respiratory or skin sensitisation:*

Species: Guinea pig  
Result: Does not cause skin sensitisation.  
Method: OECD Test Guideline 406

*Germ cell mutagenicity:*

Test Method: reverse mutation assay  
Cell type: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Result: negative  
Method: OECD Test Guideline 471

*Aspiration hazard:*

No data available

### 11.2. Information on other hazards

Endocrine disrupting properties  
No data available

*Other information:*

Experience in use: irritates eyes, skin and respiratory tract

---

## SECTION 12: Ecological information

### 12.1. Toxicity

*Toxicity to fish:*

LC50  
Species: Danio rerio (zebra fish)  
Value: > 25.000 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

## Dimethyl sulfoxide

41640-1L

Version 1.5

Revision Date 17.12.2022

### *Toxicity to aquatic plants:*

EC50

Species: Pseudokirchneriella subcapitata (green algae)

Value: 17.000 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

### *Toxicity to Microorganisms:*

EC50

Species: activated sludge

Value: 10 - 100 mg/l

Exposure time: 30 min

Method: ISO 8192

### *Toxicity to aquatic invertebrates:*

EC50

Species: Daphnia magna (Water flea)

Value: 24.600 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

## **12.2. Persistence and degradability**

### *Biodegradability:*

Biodegradation: 31 %

Exposure time: 28 d

Result: Not readily biodegradable.

Method: OECD 301 D

## **12.3. Bioaccumulative potential**

No data available

## **12.4. Mobility in soil**

No data available

## **12.5. Results of PBT and vPvB assessment**

No data available

## **12.6. Endocrine disrupting properties**

## Dimethyl sulfoxide

41640-1L

Version 1.5

Revision Date 17.12.2022

No data available

### 12.7. Other adverse effects

Do not flush into surface water or sanitary sewer system.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

*Product:*

Dispose according to legal requirements.

*Packaging:*

Legal requirements are to be considered in regard of reuse or disposal of used packaging materials

*Further information:*

Provisions relating to waste:

EC Directive 2006/12/EC; 2008/98/EEC

Regulation No. 1013/2006

For personal protection see section 8.

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID:Not dangerous goods    IMDG:Not dangerous goods    IATA:Not dangerous goods

### 14.2 UN proper shipping name

ADR/RID:Not dangerous goods

IMDG:Not dangerous goods

IATA:Not dangerous goods

### 14.3 Transport hazard class(es)

### 14.4 Packaging group

### 14.5 Environmental hazards

ADR/RID:no

Marine pollutant: no

### 14.6 Special precautions for user

No data available

### 14.7 Maritime transport in bulk according to IMO instruments

## Dimethyl sulfoxide

41640-1L

Version 1.5

Revision Date 17.12.2022

No data available

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Basis	Value	Remarks
Directive 2012/18/EC		Not applicable
Substances of very high concern (SVHC)		This product does not contain substances of very high concern according to Regulation (EC) No Article 57 above the respective regulatory 1907/2006 (REACH), concentration limit of $\geq 0.1$ % (w/w).

#### Poison Control Center

Country	Phone Number
Austria	+4314064343
Belgium	070 245245
Bulgaria	(+)35929154233
Croatia	(+3851)23-48-342
Cyprus	+357 2240 5611
Czech Republic	+420224919293; +420224915402
Denmark	82121212
Estonia	16662; (+372)6269390
Finland	9471977
France	+33(0)145425959
Greece	+30 210 779 3777
Hungary	(+36-80)201-199
Iceland	5432222
Ireland	+353(1)8092166

Country	Phone Number
Liechtenstein	+41 442515151
Lithuania	+370532362052
Luxembourg	070245245; (+352)80002-5500
Malta	+356 2395 2000
Netherlands	030-2748888
Norway	22591300
Poland	+48 42 25 38 400
Portugal	800250250
Romania	+40 21 318 3606
Slovakia (NTIC)	+421 2 54 774 166
Slovenia	+386 1 400 6051
Spain	+34915620420 112 (begär Gifinformation);+46104566786
Sweden	
Switzerland	145

## Dimethyl sulfoxide

41640-1L

Version 1.5

Revision Date 17.12.2022

Italy	0382 24444	United Kingdom	(+44) 844 892 0111
Germany	Berlin : 030/19240		
	Bonn : 0228/19240		
	Erfurt : 0361/730730		
	Freiburg : 0761/19240		
	Göttingen : 0551/19240		
	Homburg : 06841/19240		
	Mainz : 06131/19240		
Munich : 089/19240			
Latvia	+37167042473		

### Other inventory information

US. Toxic Substances Control Act  
On TSCA Inventory

Australia. Inventory of Industrial Chemicals (AIIC), as amended  
On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)  
All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List  
On the inventory, or in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI)  
On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS)  
On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC)  
On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand  
On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI)  
On the inventory, or in compliance with the inventory

## Dimethyl sulfoxide

41640-1L

Version 1.5

Revision Date 17.12.2022

---

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

---

### SECTION 16: Other information

#### Further information

All directives and regulations refer to amended versions.  
Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

#### Abbreviations:

EC European Community  
CAS Chemical Abstracts Service  
DNEL Derived no effect level  
PNEC Predicted no effect level  
vPvB Very persistent and very bioaccumulative substance  
PBT Persistent, bioaccumulative und toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.  
This information should not constitute a guarantee for any specific product properties.

---