

# Corning® Filtration Systems

The Smart Choice for Cell Culture Filtration


CORNING



# Corning® Filtration Systems: Low Liquid Retention with Superior Performance

## The Smart Choice for Filtration

- ▶ Corning's vacuum filtration systems use a square filter membrane support system that increases filtration rates
- ▶ Features a low profile filter support that results in the lowest hold-up volume (liquid retention) of all major brands
- ▶ Environmentally friendly square design means virtually no wasted membrane compared to circular designs
- ▶ Higher capacity polyethersulfone (PES) membranes maximize throughput
- ▶ Printed pore size, membrane, and part number are printed on funnel
- ▶ Angled vacuum hose adapter for unit stability
- ▶ Glass fiber prefilters sold separately



A 2014 internal benchmarking study\* demonstrated that Corning low retention filtration systems lost less than 5 mL compared to other commonly used filtration systems, which lost up to 11 mL. Over time, the loss of media and other reagents can add up significantly.

\*1L Filtration System Benchmark Average Liquid Retention (n = 6).




Corning® 500 mL filtration system with funnel and a 1,000 mL receiver bottle (Cat. No. 431097)

# Selecting the Best Filtration System for Your Application



Vacuum Filtration Systems



Bottle Top Vacuum Filters



Tube Top Vacuum Systems

## Step 1: Match your application with the best pore size.

| Application  | Pore Size (µm) | Membrane        |
|--|----------------|-----------------|
| Mycoplasma removal                                   | 0.1            | PES             |
| Sterilization and ultracleaning of aqueous solutions | 0.20 to 0.22   | PES, CA, CN, NY |
| Clarification of solutions                           | 0.45           | CA              |

CA = cellulose acetate, PES = polyethersulfone, CN = cellulose nitrate, NY = nylon.

## Step 2: Select the best membrane to optimize flow rate and throughput.

|                                      | Polyethersulfone | Cellulose Acetate | Cellulose Nitrate | Nylon                     |
|--------------------------------------|------------------|-------------------|-------------------|---------------------------|
| Flow rates for medium with 10% serum | Best             | Very good         | Good              | Poor                      |
| Wetting agents                       | No               | Yes               | Yes               | No, naturally hydrophilic |
| Protein binding                      | Very low         | Very low          | Very high         | Low to moderate           |
| DNA binding                          | Very low         | Very low          | High              | Very high                 |
| Chemical resistance                  | Low              | Low               | Low               | Moderate to high          |

## Step 3: Choose the right capacity.

| Vacuum Filter Description   | Membrane Dimensions (mm) | Effective Filter Area (cm <sup>2</sup> ) | Expected Throughput (mL) |
|---|--------------------------|--|--------------------------|
| 150 mL Bottle Top Filters<br>150 mL Filtration Systems<br>150 mL Tube Top Filters | 42 x 42                  | 13.6                                     | 100 - 500                |
| 250 mL Filtration Systems   | 49.5 x 49.5              | 19.6                                     | 200 - 750                |
| 500 mL Bottle Top Filters<br>500 mL Filtration Systems                            | 63 x 63                  | 33.2                                     | 300 - 1,500              |
| 1,000 mL Bottle Top Filters<br>1,000 mL Filtration Systems                        | 79 x 79                  | 54.5                                     | 500 - 3,000              |

## Corning's comprehensive cell culture product portfolio includes media.

- ▶ Classic media
- ▶ Buffered salt solutions
- ▶ Serum-free and specialty media
- ▶ Human and animal sera
- ▶ Cell culture reagents
- ▶ WFI-quality water
- ▶ Flexible packaging systems
- ▶ Custom media and packaging solutions

Visit [www.corning.com/lifesciences](http://www.corning.com/lifesciences) or contact your local Corning Account Manager to learn about our comprehensive range of cell culture consumables, including vessels, surfaces, and media.



# Corning® Filtration Systems Ordering Information

## Vacuum Filtration Systems

| Cat. No.  | Membrane | Funnel/Bottle Volume (mL) | Pore Size (µm) | Qty/Cs |
|---|----------|---------------------------|----------------|--------|
| <b>150 mL Capacity, 42 mm Square Membrane</b>   |          |                           |                |        |
| 431153  | PES      | 150/150                   | 0.22           | 12     |
| 431154  | CA       | 150/150                   | 0.22           | 12     |
| 431155  | CA       | 150/150                   | 0.45           | 12     |
| <b>250 mL Capacity, 49.5 mm Square Membrane</b> |          |                           |                |        |
| 430756  | CN       | 250/250                   | 0.22           | 12     |
| 430767  | CA       | 250/250                   | 0.22           | 12     |
| 430768  | CA       | 250/250                   | 0.45           | 12     |
| 430771  | NY       | 250/250                   | 0.2            | 12     |
| 431096  | PES      | 250/250                   | 0.22           | 12     |
| <b>500 mL Capacity, 63 mm Square Membrane</b>   |          |                           |                |        |
| 430758  | CN       | 500/500                   | 0.22           | 12     |
| 430769  | CA       | 500/500                   | 0.22           | 12     |
| 430770  | CA       | 500/500                   | 0.45           | 12     |
| 430773  | NY       | 500/500                   | 0.2            | 12     |
| 431097  | PES      | 500/500                   | 0.22           | 12     |
| 431475  | PES      | 500/500                   | 0.1            | 12     |
| <b>1,000 mL Capacity, 79 mm Square Membrane</b> |          |                           |                |        |
| 430186  | CN       | 1,000/1,000               | 0.22           | 12     |
| 430515  | NY       | 1,000/1,000               | 0.2            | 12     |
| 430516  | CA       | 1,000/1,000               | 0.45           | 12     |
| 430517  | CA       | 1,000/1,000               | 0.22           | 12     |
| 431098  | PES      | 1,000/1,000               | 0.22           | 12     |
| 431205*   | CA       | 500*/1,000                | 0.22           | 12     |
| 431206*   | CA       | 500*/1,000                | 0.45           | 12     |
| 431474  | PES      | 1,000/1,000               | 0.1            | 12     |

\*500 mL funnel with 63 mm membrane.

## Storage Bottles

### Easy Grip Style

| Cat. No. | Volume (mL) | Neck Size (mm) | Qty/Pk | Qty/Cs |
|----------|-------------|----------------|--------|--------|
| 431175   | 150         | 45             | 2      | 24     |
| 430281   | 250         | 45             | 2      | 24     |
| 430282   | 500         | 45             | 2      | 24     |
| 430518   | 1,000       | 45             | 2      | 24     |

**Warranty/Disclaimer:** Unless otherwise specified, all products are for research use only. Not intended for use in diagnostic or therapeutic procedures. Corning Life Sciences makes no claims regarding the performance of these products for clinical or diagnostic applications.

For additional product or technical information, and a complete listing of our International Offices and Distributors, please visit [www.corning.com/lifesciences](http://www.corning.com/lifesciences) or call 800.492.1110. Outside the United States, please call +1.978.442.2200 or contact your local Corning sales office listed below.

### Corning Incorporated Life Sciences

836 North St.  
Building 300, Suite 3401  
Tewksbury, MA 01876  
t 800.492.1110  
t 978.442.2200  
f 978.442.2476

[www.corning.com/lifesciences](http://www.corning.com/lifesciences)

### Worldwide Support Offices

**ASIA/PACIFIC**  
**Australia/New Zealand**  
t 0402-794-347

**China**  
t 86 21 2215 2888  
f 86 21 6215 2988

**India**  
t 91 124 4604000  
f 91 124 4604099

**Japan**  
t 81 3-3586 1996  
f 81 3-3586 1291

**Korea**  
t 82 2-796-9500  
f 82 2-796-9300

**Singapore**  
t 65 6733-6511  
f 65 6861-2913

**Taiwan**  
t 886 2-2716-0338  
f 886 2-2516-7500

### EUROPE

**France**  
t 0800 916 882  
f 0800 918 636

**Germany**  
t 0800 101 1153  
f 0800 101 2427

**The Netherlands**  
t 31 20 655 79 28  
f 31 20 659 76 73

**United Kingdom**  
t 0800 376 8660  
f 0800 279 1117

### All Other European Countries

t 31 (0) 20 659 60 51  
f 31 (0) 20 659 76 73

### LATIN AMERICA

**Brasil**  
t (55-11) 3089-7419  
f (55-11) 3167-0700

**Mexico**  
t (52-81) 8158-8400  
f (52-81) 8313-8589

## Bottle Top Vacuum Filters

| Cat. No.  | Membrane | Volume (mL) | Neck Size (mm) | Pore Size (µm) | Qty/Cs |
|---|----------|-------------|----------------|----------------|--------|
| <b>150 mL Capacity, 42 mm Square Membrane</b>   |          |             |                |                |        |
| 430624  | CA       | 150         | 33             | 0.22           | 48     |
| 430625  | CA       | 150         | 33             | 0.45           | 48     |
| 430626  | CA       | 150         | 45             | 0.22           | 48     |
| 430627  | CA       | 150         | 45             | 0.45           | 48     |
| 431160  | PES      | 150         | 33             | 0.22           | 48     |
| 431161  | PES      | 150         | 45             | 0.22           | 48     |
| <b>500 mL Capacity, 63 mm Square Membrane</b>   |          |             |                |                |        |
| 430049  | NY       | 500         | 45             | 0.2            | 12     |
| 430512  | CA       | 500         | 33             | 0.45           | 12     |
| 430513  | CA       | 500         | 45             | 0.22           | 12     |
| 430514  | CA       | 500         | 45             | 0.45           | 12     |
| 430521  | CA       | 500         | 33             | 0.22           | 12     |
| 431117  | PES      | 500         | 33             | 0.22           | 12     |
| 431118  | PES      | 500         | 45             | 0.22           | 12     |
| <b>1,000 mL Capacity, 79 mm Square Membrane</b> |          |             |                |                |        |
| 430015  | CA       | 1,000       | 45             | 0.22           | 12     |
| 431174  | PES      | 1,000       | 45             | 0.22           | 12     |

## 150 mL Tube Top Vacuum Filters

| Cat. No. | Membrane | Funnel Size/<br>Tube Size (mL) | Pore Size (µm) | Qty/Cs |
|----------|----------|--------------------------------|----------------|--------|
| 430314   | CA       | 150/50                         | 0.45           | 12     |
| 430320   | CA       | 150/50                         | 0.22           | 12     |

## Corning Glass Fiber Prefilters

| Cat. No. | Shape          | Filter Funnel (mL) | Qty/Cs |
|----------|----------------|--------------------|--------|
| 431410   | 42 mm square   | 150                | 100    |
| 431411   | 49.5 mm square | 250                | 100    |
| 431412   | 63 mm square   | 500                | 100    |
| 431413   | 79 mm square   | 1000               | 100    |

For use with filtration systems or bottle top filters.