Corning Incorporated
Life Sciences

Registered ISO 9001

# Product description

Catalog Number 432333

Product Description: Corning® Octogonal PET Bottle 500mL Graduated, 31mm IATA-Validated Screw Cap

Sterile, Pre-assembled, 12/Tray, 24/Case

## **Component Materials:**

Bottle - PET, clear, non-cytotoxic, non-hemolytic, meets USP, Class VI requirements for plastic containers and closures

 Cap - HDPE, natural, non-cytotoxic, non-hemolytic, meets USP, Class VI requirements for plastic containers and closures.

#### Attributes:

Capacity - 500 mL; Tolerance: ±50 mL at any mark

Product Dimensions - 173 mm Height (with cap locked); 171 mm Height (w/o cap); 74 mm Width;

42 mm Cap OD; 31.7 mm Neck ID

#### Autoclaving:

This product is not suitable for autoclaving.

# **Heating / Cooling:**

This product is designed for use at temperatures ranging from -40°C to 50°C.

### **Special Features:**

The product is supplied with the cap in place but not locked.

This product is manufactured in an environment maintained to the standards of a Class 100 clean room.

#### Sterilization:

This product is sterilized using an irradiation method compliant with the requirements of ANSI/AAMI/ISO 11137 to achieve a Sterility Assurance Level (SAL) of 10<sup>-6</sup>.

## Leakproof:

With a torque value of 2,5N.m (22lb.in), this product meets IATA Packaging Instruction 650 requirements to ensure leakproof performance during air transport conditions; however, this is not designed for packaging and transport of UN3373 Biological and Infectious Substances.

# Pyrogens:

This product is evaluated for pyrogens according to USP 31 and meets the requirements for classification as non-pyrogenic. Results less than 0.1 EU/mL.

#### **Expiration Statement:**

This product is defined to have and expiration date of 3 years from the date of manufacture.

Rev No: 1