

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing 27.11.2023

version number 20 (replaces version 19)

Revision: 27.11.2023

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**\*1.1 Product identifier**

**\*Trade name:** PLATINUM COBALT COLOUR 250

**\*Article number:** HAZ250

**\*Registration number**

A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

**\*UFI:** VF91-80GG-X00N-DDW1

**\*1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**\*Application of the substance / the mixture** Laboratory Chemicals

**\*1.3 Details of the supplier of the safety data sheet**

**\*Manufacturer/Supplier:**

Reagecon Diagnostics Ltd.

Shannon Free Zone,

Shannon,

Co. Clare,

Ireland.

Tel +353 61 472622

Fax +353 61 472642

**\*Further information obtainable by contacting:** [sds@reagecon.ie](mailto:sds@reagecon.ie)

**\*1.4 Emergency telephone number:**

National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week)

Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

For Hazardous Materials [or Dangerous Goods] Incident

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC

For Ireland call +(353)-19014670

For Outside Ireland call +1 703-741-5970 / 1-800-424-9300 CCN849800

**SECTION 2: Hazards identification**

**\*2.1 Classification of the substance or mixture**

**\*Classification according to Regulation (EC) No 1272/2008**



GHS08 health hazard

Carc. 1B

H350i May cause cancer by inhalation.



GHS05 corrosion

Eye Dam. 1

H318 Causes serious eye damage.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

**\*2.2 Label elements**

**\*Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing 27.11.2023

version number 20 (replaces version 19)

Revision: 27.11.2023

Trade name: **PLATINUM COBALT COLOUR 250**

(Contd. of page 1)

**\*Hazard pictograms**

GHS05 GHS08

**\*Signal word** Danger**\*Hazard-determining components of labelling:**

hydrochloric acid 37%

cobalt dichloride

**\*Hazard statements**

H318 Causes serious eye damage.

H350i May cause cancer by inhalation.

H412 Harmful to aquatic life with long lasting effects.

**\*Precautionary statements**

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**\*2.3 Other hazards****\*Results of PBT and vPvB assessment****\*PBT:** Not applicable.**\*vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****\*3.2 Mixtures****\*Description:** Mixture of substances listed below with nonhazardous additions.**\*Dangerous components:**

CAS: 7647-01-0 EINECS: 231-595-7 Reg.nr.: 01-2119484862-27-0107	hydrochloric acid 37% ⚠ Acute Tox. 3, H311; ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ STOT SE 3, H335 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; C ≥ 10 %	≥3-<10%
CAS: 7646-79-9 EINECS: 231-589-4	cobalt dichloride ⚠ Resp. Sens. 1, H334; Muta. 2, H341; Carc. 1B, H350i; Repr. 1B, H360F; ⚠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10); ⚠ Acute Tox. 4, H302; Skin Sens. 1, H317 Specific concentration limit: Carc. 1B; H350i: C ≥ 0.01 %	0.05%

**\*Additional information:** For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing 27.11.2023

version number 20 (replaces version 19)

Revision: 27.11.2023

**Trade name: PLATINUM COBALT COLOUR 250**

(Contd. of page 2)

**SECTION 4: First aid measures****\*4.1 Description of first aid measures****\*General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

**\*After inhalation:**

Provide fresh air, warmth and rest. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Obtain medical attention if any discomfort continues.

In case of unconsciousness place patient stably in side position for transportation.

**\*After skin contact:**

Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if any discomfort continues.

**\*After eye contact:**

Promptly wash eyes with plenty of water for up to 15 minutes. Open eyes wide apart and rinse well to remove any contact lenses. Do not remove contact lenses by hand. Get medical attention. Continue to rinse.

**\*After swallowing:**

Do not induce vomiting; call for medical help immediately. Rinse mouth thoroughly with water and give large amounts of water to drink. Never give anything by mouth to an unconscious person.

**\*4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

**\*4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures****\*5.1 Extinguishing media****\*Suitable extinguishing agents:**

Indications shall be given whether any extinguishing media are inappropriate for a particular situation involving the substance or mixture

Use fire extinguishing methods suitable to surrounding conditions.

**\*5.2 Special hazards arising from the substance or mixture** No further relevant information available.

**\*5.3 Advice for firefighters**

**\*Protective equipment:** Mount respiratory protective device.

**SECTION 6: Accidental release measures****\*6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment as described in Section 8 below. Keep unprotected persons away.

**\*6.2 Environmental precautions:** Dilute with plenty of water.

**\*6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

**\*6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage****\*7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing 27.11.2023

version number 20 (replaces version 19)

Revision: 27.11.2023

Trade name: **PLATINUM COBALT COLOUR 250**

(Contd. of page 3)

Open and handle receptacle with care.

Prevent formation of aerosols.

**\*Information about fire - and explosion protection:** Keep respiratory protective device available.**\*7.2 Conditions for safe storage, including any incompatibilities****\*Storage:****\*Requirements to be met by storerooms and receptacles:** No special requirements.**\*Information about storage in one common storage facility:** Not required.**\*Further information about storage conditions:** Keep receptacle tightly sealed.**\*7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### \*8.1 Control parameters

**\*Ingredients with limit values that require monitoring at the workplace:****CAS: 7646-79-9 cobalt dichloride**

OEL (Ireland)	Long-term value: 0.02 mg/m <sup>3</sup> as Co; Sens.
PEL (USA)	Long-term value: 0.1* mg/m <sup>3</sup> as Co; *for metal dust and fume
REL (USA)	Long-term value: 0.05 mg/m <sup>3</sup> as Co; metal dust & fume
TLV (USA)	Long-term value: 0.02* mg/m <sup>3</sup> as Co, A3; *inhalable; DSEN; RSEN; BEI

**\*Additional information:** The lists valid during the making were used as basis.

### \*8.2 Exposure controls

**\*Appropriate engineering controls** No further data; see item 7.**\*Individual protection measures, such as personal protective equipment****\*General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

**\*Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Where risk assessment shows air-purifying respirators are appropriate use a respirator with multi-purpose combination (US) or type ABEK (EN14387) respirator cartridges as back up to engineering controls. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**\*Hand protection**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Always ensure that gloves are inspected before use.

Selection of protective gloves must include consideration of the penetration times along with rates of diffusion and degradation. The selected glove should comply with the specifications of EU Directive 89/686/EEC and the standard EN374 derived from it.

(Contd. on page 5)

IE

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing 27.11.2023

version number 20 (replaces version 19)

Revision: 27.11.2023

**Trade name: PLATINUM COBALT COLOUR 250**

(Contd. of page 4)

**\*Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

**Full contact**

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

**Splash contact**

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

**\*Penetration time of glove material**

In the absence of data above, the exact break through time has to be sourced from the manufacturer of the protective gloves and has to be observed.

**\*Eye/face protection**

Tightly sealed goggles: Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU)

## SECTION 9: Physical and chemical properties

**\*9.1 Information on basic physical and chemical properties****\*General Information****\*Physical state**

Liquid

**\*Colour:**

According to product specification

**\*Odour:**

Characteristic

**\*Odour threshold:**

Not determined.

**\*Melting point/freezing point:**

0 °C

**\*Boiling point or initial boiling point and boiling range**

100 °C

**\*Flammability**

Not applicable.

**\*Lower and upper explosion limit****\*Lower:**

Not determined.

**\*Upper:**

Not determined.

**\*Flash point:**

Not applicable.

**\*Decomposition temperature:**

Not determined.

**\*pH**

Not determined.

**\*Viscosity:****\*Kinematic viscosity**

Not determined.

**\*Dynamic:**

Not determined.

**\*Solubility****\*water:**

Fully miscible.

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing 27.11.2023

version number 20 (replaces version 19)

Revision: 27.11.2023

Trade name: **PLATINUM COBALT COLOUR 250**

(Contd. of page 5)

*Partition coefficient n-octanol/water (log value)	Not determined.
*Vapour pressure at 20 °C:	23 hPa
*Density and/or relative density	
*Density at 20 °C:	1.00388 g/cm <sup>3</sup>
*Relative density	Not determined.
*Vapour density	Not determined.

**\*9.2 Other information**

*Appearance:	
*Form:	Liquid
*Important information on protection of health and environment, and on safety.	
*Auto-ignition temperature:	Product is not selfigniting.
*Explosive properties:	Product does not present an explosion hazard.
*Change in condition	
*Evaporation rate	Not determined.

**\*Information with regard to physical hazard classes**

*Explosives	Void
*Flammable gases	Void
*Aerosols	Void
*Oxidising gases	Void
*Gases under pressure	Void
*Flammable liquids	Void
*Flammable solids	Void
*Self-reactive substances and mixtures	Void
*Pyrophoric liquids	Void
*Pyrophoric solids	Void
*Self-heating substances and mixtures	Void
*Substances and mixtures, which emit flammable gases in contact with water	Void
*Oxidising liquids	Void
*Oxidising solids	Void
*Organic peroxides	Void
*Corrosive to metals	Void
*Desensitised explosives	Void

**SECTION 10: Stability and reactivity**

- \*10.1 Reactivity No further relevant information available.
- \*10.2 Chemical stability
- \*Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- \*10.3 Possibility of hazardous reactions No dangerous reactions known.
- \*10.4 Conditions to avoid No further relevant information available.
- \*10.5 Incompatible materials: No further relevant information available.
- \*10.6 Hazardous decomposition products: No dangerous decomposition products known.

**SECTION 11: Toxicological information**

- \*11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- \*Acute toxicity Based on available data, the classification criteria are not met.

**\*LD/LC50 values relevant for classification:**

CAS: 7647-01-0 hydrochloric acid 37%

Dermal LD50 900 mg/kg (rabbit)

- \*Skin corrosion/irritation Based on available data, the classification criteria are not met.

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing 27.11.2023

version number 20 (replaces version 19)

Revision: 27.11.2023

Trade name: **PLATINUM COBALT COLOUR 250**

(Contd. of page 6)

- \***Serious eye damage/irritation** Causes serious eye damage.
- \***Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- \***Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- \***Carcinogenicity** May cause cancer by inhalation.
- \***Reproductive toxicity** Based on available data, the classification criteria are not met.
- \***STOT-single exposure** Based on available data, the classification criteria are not met.
- \***STOT-repeated exposure** Based on available data, the classification criteria are not met.
- \***Aspiration hazard** Based on available data, the classification criteria are not met.
- \***11.2 Information on other hazards**

\***Endocrine disrupting properties**

None of the ingredients is listed.

\* **SECTION 12: Ecological information**

- \***12.1 Toxicity**
- \***Aquatic toxicity:** No further relevant information available.
- \***12.2 Persistence and degradability** No further relevant information available.
- \***12.3 Bioaccumulative potential** No further relevant information available.
- \***12.4 Mobility in soil** No further relevant information available.
- \***12.5 Results of PBT and vPvB assessment**
- \***PBT:** Not applicable.
- \***vPvB:** Not applicable.
- \***12.6 Endocrine disrupting properties**  
The product does not contain substances with endocrine disrupting properties.
- \***12.7 Other adverse effects**
- \***Additional ecological information:**
- \***General notes:**  
Not hazardous for water.  
Must not reach sewage water or drainage ditch undiluted or unneutralised.

\* **SECTION 13: Disposal considerations**

- \***13.1 Waste treatment methods**
  - \***Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
  - \***European waste catalogue**
- |      |                |
|------|----------------|
| HP6  | Acute Toxicity |
| HP8  | Corrosive      |
| HP14 | Ecotoxic       |
- \***Uncleaned packaging:**
  - \***Recommendation:** Disposal must be made according to official regulations.
  - \***Recommended cleansing agents:** Water, if necessary together with cleansing agents.

\* **SECTION 14: Transport information**

- \***14.1 UN number or ID number**
- \***ADR, IMDG, IATA** UN3264
- \***14.2 UN proper shipping name**

(Contd. on page 8)

IE

**Safety data sheet**  
according to 1907/2006/EC, Article 31


Printing 27.11.2023

version number 20 (replaces version 19)

Revision: 27.11.2023

**Trade name: PLATINUM COBALT COLOUR 250**

(Contd. of page 7)

*ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. 1760 CORROSIVE LIQUID, N.O.S. (HYDROCHLORIC ACID)
*IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
*14.3 Transport hazard class(es)	
*ADR, IMDG, IATA	
	
*Class	8 Corrosive substances.
*Label	8
*14.4 Packing group	III
*ADR, IMDG, IATA	
*14.5 Environmental hazards:	
*Marine pollutant:	No
*14.6 Special precautions for user	Warning: Corrosive substances.
*Hazard identification number (Kemler code):	80
*EMS Number:	F-A,S-B
*Segregation groups	(SGG1) Acids
*Stowage Category	A
*Stowage Code	SW2 Clear of living quarters.
*14.7 Maritime transport in bulk according to IMO instruments	
Not applicable.	
*Transport/Additional information:	
-----	
*ADR	
*Limited quantities (LQ)	5L
*Transport category	3
*Tunnel restriction code	E
*UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. 8, III

**SECTION 15: Regulatory information**

\*15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

\*Directive 2012/18/EU

\*Named dangerous substances - ANNEX I None of the ingredients is listed.

\*REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 28

\*DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

\*REGULATION (EU) 2019/1148

\*Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

\*Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 9)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing 27.11.2023

version number 20 (replaces version 19)

Revision: 27.11.2023

**Trade name: PLATINUM COBALT COLOUR 250**

(Contd. of page 8)

**\*Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

**\*Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

**\*National regulations:****\*Waterhazard class:** Generally not hazardous for water.**\*15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

**\*Relevant Phrases:**

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H341 Suspected of causing genetic defects.

H350i May cause cancer by inhalation.

H360F May damage fertility.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

**\*Department issuing SDS:** Health and Safety**\*Contact:** sds@reagecon.ie**\*Date of previous version:** 12.07.2019**\*Version number of previous version:** 19**\*Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

REACH (Registration, Evaluation, Authorisation and restriction of Chemicals)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Resp. Sens. 1: Respiratory sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Muta. 2: Germ cell mutagenicity – Category 2

Carc. 1B: Carcinogenicity – Category 1B

Repr. 1B: Reproductive toxicity – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

(Contd. on page 10)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing 27.11.2023

version number 20 (replaces version 19)

Revision: 27.11.2023

**Trade name: PLATINUM COBALT COLOUR 250**

*Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3*  
**\*NO**

(Contd. of page 9)

IE