

Printing 21.11.2023 version number 1 Revision: 21.11.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

\*1.1 Product identifier

\*Trade name: TURBIFORM<sup>™</sup> STABLE FORMAZIN TURBIDITY STANDARD 1NTU

\*Article number: RSTFMZ105

\*Registration number

A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

\*1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

\*Application of the substance / the mixture Laboratory Chemicals

## \*1.3 Details of the supplier of the safety data sheet

## \*Manufacturer/Supplier:

Reagecon Diagnostics Ltd.

Shannon Free Zone,

Shannon,

Co. Clare,

Ireland.

Tel +353 61 472622

Fax +353 61 472642

\*Further information obtainable by contacting: sds@reagecon.ie

#### \*1.4 Emergency telephone number:

National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week) Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

For Hazardous Materials [or Dangerous Goods] Incident

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC

For Ireland call +(353)-19014670

For Outside Ireland call +1 703-741-5970 / 1-800-424-9300 CCN849800

## SECTION 2: Hazards identification

\*2.1 Classification of the substance or mixture

\*Classification according to Regulation (EC) No 1272/2008



Skin Sens. 1 H317 May cause an allergic skin reaction.

#### \*2.2 Label elements

#### \*Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

\*Hazard pictograms



\*Signal word Warning

#### \*Hazard-determining components of labelling:

methenamine

#### \*Hazard statements

H317 May cause an allergic skin reaction.

### \*Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray. P261



Printing 21.11.2023 version number 1 Revision: 21.11.2023

Trade name: TURBIFORM<sup>TM</sup> STABLE FORMAZIN TURBIDITY STANDARD 1NTU

(Contd. of page 1)

P280 Wear protective gloves.

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### \*Additional information:

Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9.

#### \*2.3 Other hazards

#### \*Results of PBT and vPvB assessment

\*PBT: Not applicable. \*vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

#### \*3.2 Mixtures

\*Description: Mixture of substances listed below with nonhazardous additions.

#### \*Dangerous components:

## SECTION 4: First aid measures

#### \*4.1 Description of first aid measures

#### \*After inhalation:

Provide fresh air, warmth and rest. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Obtain medical attention.

In case of unconsciousness place patient stably in side position for transportation.

#### \*After skin contact:

Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if any discomfort continues.

#### \*After eve contact:

Promptly wash eyes with plenty of water for up to 15 minutes. Open eyes wide apart and rinse well to remove any contact lenses. Do not remove contact lenses by hand. Continue to rinse. Get medical attention if symptoms persist.

- \*After swallowing: If symptoms persist consult doctor.
- \*4,2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- \*4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

#### \*5.1 Extinguishing media

#### \*Suitable extinguishing agents:

Indications shall be given whether any extinguishing media are inappropriate for a particular situation involving the substance or mixture

*Use fire extinguishing methods suitable to surrounding conditions.* 

\*5.2 Special hazards arising from the substance or mixture No further relevant information available.

#### \*5.3 Advice for firefighters

#### \*Protective equipment:

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers



Printing 21.11.2023 version number 1 Revision: 21.11.2023

Trade name: TURBIFORM<sup>TM</sup> STABLE FORMAZIN TURBIDITY STANDARD 1NTU

(Contd. of page 2)

#### **SECTION 6: Accidental release measures**

#### \*6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment as described in Section 8 below. Keep unprotected persons away.

\*6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

#### \*6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

#### \*6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

#### \*7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

\*Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.

#### \*7.2 Conditions for safe storage, including any incompatibilities

- \*Storage:
- \*Requirements to be met by storerooms and receptacles: No special requirements.
- \*Information about storage in one common storage facility: Not required.
- \*Further information about storage conditions: None.
- \*7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

#### \*8.1 Control parameters

#### \*Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

\*Additional information: The lists valid during the making were used as basis.

#### \*8.2 Exposure controls

\*Appropriate engineering controls No further data; see item 7.

\*Individual protection measures, such as personal protective equipment

#### \*General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

#### \*Respiratory protection:

*Not required.* 

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Where risk assessment shows air-purifying respirators are appropriate use a respirator with multi-purpose combination (US) or type ABEK (EN14387) respirator cartridges as back up to engineering controls. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

(Contd. on page 4)



Printing 21.11.2023 version number 1 Revision: 21.11.2023

Trade name: TURBIFORMIM STABLE FORMAZIN TURBIDITY STANDARD 1NTU

(Contd. of page 3)

### \*Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Always ensure that gloves are inspected before use.

Selection of protective gloves must include consideration of the penetration times along with rates of diffusion and degradation. The selected glove should comply with the specifications of EU Directive 89/686/EEC and the standard EN374 derived from it.

#### \*Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/ EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### \*Penetration time of glove material

In the absence of data above, the exact break through time has to be sourced from the manufacturer of the protective gloves and has to be observed.

#### \*Eve/face protection



Goggles recommended during refilling: Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU)

## SECTION 9: Physical and chemical properties

\*9.1 Information on basic physical and chemical properties

\*General Information

\*Physical state Liquid

\*Colour: According to product specification

\*Odour: Characteristic
\*Odour threshold: Not determined.
\*Melting point/freezing point: Undetermined.

\*Boiling point or initial boiling point and boiling

range 100 °C

\*Flammability Not applicable.

(Contd. on page 5)



Printing 21.11.2023 version number 1 Revision: 21.11.2023

Trade name: TURBIFORM<sup>TM</sup> STABLE FORMAZIN TURBIDITY STANDARD 1NTU

	(Contd. of page
*Lower and upper explosion limit	
*Lower:	Not determined.
*Upper:	Not determined.
*Flash point:	250 °C
*Decomposition temperature:	Not determined.
*рН	Not determined.
*Viscosity:	
*Kinematic viscosity	Not determined.
*Dynamic:	Not determined.
*Solubility	
*water:	Not miscible or difficult to mix.
*Partition coefficient n-octanol/water (log value)	Not determined.
*Vapour pressure at 20 °C:	23 hPa
*Density and/or relative density	
*Density at 20 °C:	$1.0217  \text{g/cm}^3$
*Relative density	Not determined.
*Vapour density	Not determined.
· · · · · · · · · · · · · · · · · · ·	
*9.2 Other information	
*Appearance:	ī · · · 1
*Form:	Liquid
*Important information on protection of health an	nd
environment, and on safety.	D 1
*Auto-ignition temperature:	Product is not selfigniting.
*Explosive properties:	Product does not present an explosion hazard.
*Change in condition	
*Evaporation rate	Not determined.
*Information with regard to physical hazard classe	es ·
*Explosives	Void
*Flammable gases	Void
*Aerosols	Void
*Oxidising gases	Void
*Gases under pressure	Void
*Flammable liquids	Void
*Flammable solids	Void
*Self-reactive substances and mixtures	Void
*Pyrophoric liquids	Void
*Pyrophoric solids	Void
*Self-heating substances and mixtures	Void
*Substances and mixtures, which emit flammable	,
gases in contact with water	Void
*Oxidising liquids	Void
*Oxidising solids	Void
	Void Void
*Organic peroxides *Compaging to motols	
*Corrosive to metals	Void

## SECTION 10: Stability and reactivity

- \*10.1 Reactivity No further relevant information available.
- \*10.2 Chemical stability

\*Desensitised explosives

\*Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Void

- \*10.3 Possibility of hazardous reactions No dangerous reactions known.
- \*10.4 Conditions to avoid No further relevant information available.
- \*10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)



Printing 21.11.2023 version number 1 Revision: 21.11.2023

Trade name: TURBIFORMIM STABLE FORMAZIN TURBIDITY STANDARD 1NTU

(Contd. of page 5)

\*10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

- \*11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- \*Respiratory or skin sensitisation May cause an allergic skin reaction.
- \*11.2 Information on other hazards
- \*Endocrine disrupting properties

None of the ingredients is listed.

## SECTION 12: Ecological information

- \*12.1 Toxicity
- \*Aquatic toxicity: No further relevant information available.
- \*12.2 Persistence and degradability No further relevant information available.
- \*12.3 Bioaccumulative potential No further relevant information available.
- \*12.4 Mobility in soil No further relevant information available.
- \*12.5 Results of PBT and vPvB assessment
- \***PBT:** Not applicable.
- \*vPvB: Not applicable.
- \*12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- \*12.7 Other adverse effects
- \*Additional ecological information:
- \*General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## SECTION 13: Disposal considerations

- \*13.1 Waste treatment methods
- \*Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- \*Uncleaned packaging:
- \*Recommendation: Disposal must be made according to official regulations.

*14.1 UN number or ID number *ADR, IMDG, IATA	Void	
*14.2 UN proper shipping name *ADR, IMDG, IATA	Void	
*14.3 Transport hazard class(es)	v Oiu	
*ADR, IMDG, IATA *Class	Void	
*14.4 Packing group *ADR, IMDG, IATA	Void	
*14.5 Environmental hazards:	Not applicable.	

(Contd. on page 7)



Printing 21.11.2023 version number 1 Revision: 21.11.2023

Trade name: TURBIFORM<sup>TM</sup> STABLE FORMAZIN TURBIDITY STANDARD 1NTU

\*14.6 Special precautions for user

\*14.7 Maritime transport in bulk according to IMO instruments

\*UN "Model Regulation":

Void

## SECTION 15: Regulatory information

- \*15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- \*Directive 2012/18/EU
- \*Named dangerous substances ANNEX I None of the ingredients is listed.
- \*National regulations:
- \*Breakdown regulations:

Class	Share in %
Wasser	93.9
I	5.0

<sup>\*</sup>Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### \*Relevant Phrases:

H228 Flammable solid.

H317 May cause an allergic skin reaction.

- \*Department issuing SDS: Health and Safety
- \*Contact: sds@reagecon.ie
- \*Abbreviations and acronyms:

UK REACH (Registration, Evaluation, Authorisation and restriction of Chemicals)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Sol. 2: Flammable solids - Category 2

Skin Sens. 1: Skin sensitisation – Category 1

GR -

<sup>\*15.2</sup> Chemical safety assessment: A Chemical Safety Assessment has not been carried out.