

Printing 16.11.2023 version number 30 Revision: 16.11.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

*1.1 Product identifier

*Trade name: RUBIDIUM AAS STANDARD SOLUTION 1000mg/L Rb in 2% HNO₃

*Article number: AARBH
*Registration number

A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

*1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

*Application of the substance / the mixture Laboratory Chemicals

*1.3 Details of the supplier of the safety data sheet

*Manufacturer/Supplier:

Reagecon Diagnostics Ltd.

Shannon Free Zone,

Shannon.

Co. Clare,

Ireland.

Tel +353 61 472622

Fax +353 61 472642

*Further information obtainable by contacting: sds@reagecon.ie

*1.4 Emergency telephone number:

National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week)

Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

For Hazardous Materials [or Dangerous Goods] Incident

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC

For Ireland call +(353)-19014670

For Outside Ireland call +1 703-741-5970 / 1-800-424-9300 CCN849800

SECTION 2: Hazards identification

*2.1 Classification of the substance or mixture

*Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

*2.2 Label elements

*Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

*Hazard pictograms



*Signal word Warning

*Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

(Contd. on page 2)



Printing 16.11.2023 version number 30 Revision: 16.11.2023

Trade name: RUBIDIUM AAS STANDARD SOLUTION

1000mg/L Rb in 2% HNO3

(Contd. of page 1)

≥1-≤2.5%

*Precautionary statements

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P337+P313 If eye irritation persists: Get medical advice/attention.

*2.3 Other hazards

*Results of PBT and vPvB assessment

*PBT: Not applicable. *vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

*3.2 Mixtures

*Description: Mixture of substances listed below with nonhazardous additions.

*Dangerous components:

CAS: 7697-37-2 EINECS: 231-714-2 nitric acid

EUH071

🕲 Ox. Liq. 2, H272; ⊗ Acute Tox. 1, H330; 📀 Skin Corr. 1A, H314,

Specific concentration limits: Ox. Liq. 2; H272: C ≥ 99 %

Ox. Liq. 3; H272: 70 % \leq C < 99 %

SECTION 4: First aid measures

*4.1 Description of first aid measures

*After inhalation: In case of unconsciousness place patient stably in side position for transportation.

*After skin contact:

Rinse with warm water.

Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if any discomfort continues.

*After eye contact:

Promptly wash eyes with plenty of water for up to 15 minutes. Open eyes wide apart and rinse well to remove any contact lenses. Do not remove contact lenses by hand. Continue to rinse.. If symptoms persist, consult a doctor.

*After swallowing:

Do not induce vomiting; call for medical help immediately. Rinse mouth thoroughly with water and give large amounts of water to drink. Never give anything by mouth to an unconscious person.

*4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

*4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

*5.1 Extinguishing media

*Suitable extinguishing agents:

Indications shall be given whether any extinguishing media are inappropriate for a particular situation involving the substance or mixture

Use fire extinguishing methods suitable to surrounding conditions.

*5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)



Printing 16.11.2023 version number 30 Revision: 16.11.2023

Trade name: RUBIDIUM AAS STANDARD SOLUTION

1000mg/L Rb in 2% HNO3

(Contd. of page 2)

*5.3 Advice for firefighters

*Protective equipment:

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers

SECTION 6: Accidental release measures

*6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment as described in Section 8 below. Keep unprotected persons away.

*6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

*6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

*6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

*7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

*Information about fire - and explosion protection: No special measures required.

*7.2 Conditions for safe storage, including any incompatibilities

*Storage:

*Requirements to be met by storerooms and receptacles: No special requirements.

*Information about storage in one common storage facility: Not required.

*Further information about storage conditions: Keep receptacle tightly sealed.

*7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

*8.1 Control parameters

*Ingredients with limit values that require monitoring at the workplace:

CAS: 7697-37-2 nitric acid

WEL Short-term value: 2.6 mg/m³, 1 ppm

*Additional information: The lists valid during the making were used as basis.

*8.2 Exposure controls

*Appropriate engineering controls No further data; see item 7.

*Individual protection measures, such as personal protective equipment

*General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

*Respiratory protection:

Not required.

(Contd. on page 4)



Printing 16.11.2023 version number 30 Revision: 16.11.2023

Trade name: RUBIDIUM AAS STANDARD SOLUTION

1000mg/L Rb in 2% HNO3

(Contd. of page 3)

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Where risk assessment shows air-purifying respirators are appropriate use a respirator with multi-purpose combination (US) or type ABEK (EN14387) respirator cartridges as back up to engineering controls. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

*Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Always ensure that gloves are inspected before use.

Selection of protective gloves must include consideration of the penetration times along with rates of diffusion and degradation. The selected glove should comply with the specifications of EU Directive 89/686/EEC and the standard EN374 derived from it.

*Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/ EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

*Penetration time of glove material

In the absence of data above, the exact break through time has to be sourced from the manufacturer of the protective gloves and has to be observed.

*Eye/face protection



Tightly sealed goggles: Use equipment for eye protection tested and approved under appropriate government standards

such as NIOSH (US) or EN 166(EU)

SECTION 9: Physical and chemical properties

*9.1 Information on basic physical and chemical properties

*General Information

*Physical state Liquid
*Colour: Colourless

(Contd. on page 5)



Printing 16.11.2023 version number 30 Revision: 16.11.2023

Trade name: RUBIDIUM AAS STANDARD SOLUTION 1000mg/L Rb in 2% HNO₃

	(Contd. of page
*Odour:	Characteristic
*Odour threshold:	Not determined.
*Melting point/freezing point:	$0~^{\circ}C$
*Boiling point or initial boiling point and boiling	
range	83 °C
*Flammability	Not applicable.
*Lower and upper explosion limit	
*Lower:	Not determined.
*Upper:	Not determined.
*Flash point:	Not applicable.
*Decomposition temperature:	Not determined.
*pH	Not determined.
*Viscosity:	
*Kinematic viscosity	Not determined.
*Dynamic:	Not determined.
*Solubility	
*water:	Fully miscible.
*Partition coefficient n-octanol/water (log value)	Not determined.
*Vapour pressure at 20 °C:	23 hPa
*Density and/or relative density	
*Density at 20 °C:	1.5719 g/cm^3
*Relative density	Not determined.
*Vapour density	Not determined.
*Form: *Important information on protection of health an environment, and on safety.	Liquid d
*Auto-ignition temperature:	Product is not selfigniting.
*Explosive properties:	Product does not present an explosion hazard.
*Change in condition	r
*Evaporation rate	Not determined.
*	_
*Information with regard to physical hazard classe *Explosives	Void
*Flammable gases	Void
*Aerosols	Void
*Oxidising gases	Void
*Gases under pressure	Void
*Flammable liquids	Void
*Flammable solids	Void
*Self-reactive substances and mixtures	Void
*Pyrophoric liquids	Void
*Pyrophoric solids	Void
*Self-heating substances and mixtures	Void
*Substances and mixtures, which emit flammable	
gases in contact with water	Void
and the constitute france	Void
*Oxidising liquids	, 0 +0+
*Oxidising liquids *Oxidising solids	Void
*Oxidising solids	Void Void
	Void Void Void



Printing 16.11.2023 version number 30 Revision: 16.11.2023

Trade name: RUBIDIUM AAS STANDARD SOLUTION

1000mg/L Rb in 2% HNO3

(Contd. of page 5)

SECTION 10: Stability and reactivity

- *10.1 Reactivity No further relevant information available.
- *10.2 Chemical stability
- *Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- *10.3 Possibility of hazardous reactions No dangerous reactions known.
- *10.4 Conditions to avoid No further relevant information available.
- *10.5 Incompatible materials: No further relevant information available.
- *10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- *11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- *Skin corrosion/irritation Causes skin irritation.
- *Serious eye damage/irritation Causes serious eye irritation.
- *11.2 Information on other hazards
- *Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- *12.1 Toxicity
- *Aquatic toxicity: No further relevant information available.
- *12.2 Persistence and degradability No further relevant information available.
- *12.3 Bioaccumulative potential No further relevant information available.
- *12.4 Mobility in soil No further relevant information available.
- *12.5 Results of PBT and vPvB assessment
- *PBT: Not applicable.
- *vPvB: Not applicable.
- *12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- *12.7 Other adverse effects
- *Additional ecological information:
- *General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

- *13.1 Waste treatment methods
- *Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- *Uncleaned packaging:
- *Recommendation: Disposal must be made according to official regulations.
- *Recommended cleansing agents: Water, if necessary together with cleansing agents.

GB



Printing 16.11.2023 version number 30 Revision: 16.11.2023

Trade name: RUBIDIUM AAS STANDARD SOLUTION

1000mg/L Rb in 2% HNO3

(Contd. of page 6)

*14.1 UN number or ID number	
*ADR, IMDG, IATA	UN1760
*14.2 UN proper shipping name	
*ADR	1760 CORROSIVE LIQUID, N.O.S. (NITRIC ACID)
WILLIAM C. T. C.	1760 CORROSIVE LIQUID, N.O.S. (NITRIC ACID)
*IMDG, IATA	CORROSIVE LIQUID, N.O.S. (NITRIC ACID)
*14.3 Transport hazard class(es)	
*ADR, IMDG, IATA	
, , , , , , , , , , , , , , , , , , ,	
w/	
*Class	8 Corrosive substances.
*Label	8
*14.4 Packing group	
*ADR, IMDĞ, İATA	III
*14.5 Environmental hazards:	
*Marine pollutant:	No
*14.6 Special precautions for user	Warning: Corrosive substances.
*Hazard identification number (Kemler code):	80
*EMS Number:	F-A,S-B
*Segregation groups	(SGG1) Acids, (SGG7) heavy metals and their sal
	(including their organometallic compounds)
*Stowage Category	A CHARLES AND CARREST AND CARR
*Stowage Code	SW2 Clear of living quarters.
*14.7 Maritime transport in bulk according to IM	
instruments	Not applicable.
*Transport/Additional information:	
*ADR	
*Limited quantities (LQ)	5L
*Transport category	3
*Tunnel restriction code	E
*UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (NITRIC ACID
<u> </u>	8. III

SECTION 15: Regulatory information

- *15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- *Directive 2012/18/EU
- *Named dangerous substances ANNEX I None of the ingredients is listed.
- *National regulations:
- *Waterhazard class: Water hazard class 3 (Self-assessment):extremely hazardous for water.
- *15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



Printing 16.11.2023 version number 30 Revision: 16.11.2023

Trade name: RUBIDIUM AAS STANDARD SOLUTION

1000mg/L Rb in 2% HNO3

(Contd. of page 7)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

*Relevant Phrases:

H272 May intensify fire; oxidiser.

H314 Causes severe skin burns and eye damage.

H330 Fatal if inhaled.

EUH071 Corrosive to the respiratory tract.

*Department issuing SDS: Health and Safety

*Contact: sds@reagecon.ie

*Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

UK REACH (Registration, Evaluation, Authorisation and restriction of Chemicals)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Liq. 2: Oxidizing liquids - Category 2

Acute Tox. 1: Acute toxicity - Category 1

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2