

btinfo@biotium.com http://www.biotium.com/

SAFETY DATA SHEET

Date Revised: November 24, 2015

1. PRODUCT AND COMPANY IDENTIFICATION

 Product Name:
 RedDot2, 200X in DMSO

 Catalog Number:
 40061, 40061-1, 40061-T

 Unit Size:
 250uL, 1mL, 25uL

Manufacturer/Supplier: Biotium, Inc.

46117 Landing Parkway, Fremont, CA 94538, USA Phone: 1-510-265-1027, Fax: 1-510-265-1352

Web: http://www.biotium.com

2. HAZARDS IDENTIFICATION

Classification according to Regulation (EC) No 1272/2008[CLP]

None

Labelling according to Regulation (EC) No 1272/2008[CLP]

Hazard pictogram

None

Signal word None

Hazard statements

None

Precautionary statements

None

HMIS Classification

Health hazard: 0 Flammability: 2 Physical hazards: 0 NFPA Rating Health hazard: 0

Fire: 2

Reactivity Hazard: 0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Name	CAS No.	EC No.	Index No.	Weight %	Classification according to 67/548/EEC	Classification according to regulation (EC)No1278/2008
Dimethylsulfoxide	67-68-5	200-664- 3	-	>99%		-



btinfo@biotium.com http://www.biotium.com/

4. FIRST- AID MEASURES

General advice

Remove affected clothing and launder before reuse.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration and seek medical care.

In case of skin contact

Wash off with soap and plenty of water. If irritation persists, seek medical care.

In case of eye contact

Flush eyes with water for 15 minutes. If irritation persists, seek medical care.

If swallowed

Do NOT induce vomiting. Rinse mouth with water. Seek medical care.

5. FIREFIGHTING MEASURES

Suitable extinguishing media

carbon dioxide, dry chemical extinguishers, foam extinguishers or water.

Special protective equipment for firefighters

Burning produces poisonous gases, sulfur oxides. Wear self contained breathing apparatus for firefighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Avoid breathing vapors, mist or gas. Remove all sources of ignition.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Contain spillage. Soak up spilled substance with inert absorbent material. . Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid inhalation of vapor or mist.

Avoid direct contact with substance.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Store at 4 °C.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Substance Dimethylsulfoxide

CAS no. 67-68-5

I	country	Austria	Belgium	Denmark	European	France	Germany
					Union		

SDS Page 2 of 12



btinfo@biotium.com http://www.biotium.com/

Limit value,8hou	160mg/m3 urs	-	160mg/m3	-	-	160mg/m3
Limit value), -	-	320mg/m3	-	-	320mg/m3
short term						

country	Hungary	Italy	Poland	Spain	Sweden	Netherland	Switzerland
						S	
Limit value,8hours	-	-	-	-	150mg/m3	-	160mg/m3
Limit value,	-	-	-	-	500mg/m3	-	320mg/m3
short term							_

country	United Kinadom	USA- NIOSH	USA- OSHA	Australia	Canada	Japan	South Korea
Limit value,8hours	-	-	-	-	-	-	-
Limit value, short term	-	-	-	-	-	-	-

Personal protective equipment

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Respiratory protection

Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Eye protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Chemical Name	RedDot2, 200X in DMSO
Appearance	Blue liquid
Odor	No data available
Odor threshold	No data available
pН	No data available
Melting point/freezing point	No data available
Boiling point	No data available
Flash point	No data available
Evaporate rate	No data available
Flammability	No data available
Explosive limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	No data available
Solubility	Soluble in water
Partition coefficient:n-octanol/water	No data available

SDS PSF008



btinfo@biotium.com http://www.biotium.com/

Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

No data available

Conditions to avoid

Heat, flames and sparks.

Materials to avoid

No data available

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, sulfur oxides Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity DMSO

Oral LD50 rat - 14,500 mg/kg

Inhalation LC50 Inhalation - rat - 4 h - 40250 ppm

Dermal LD50 rabbit - > 5,000 mg/kg

Other information on acute toxicity no data available

Skin corrosion/irritation no data available

Serious eye damage/eye irritationno data available Respiratory or skin sensitization no data available

Germ cell mutagenicity Salmonella typhimurium assay (Ames test): negative (+/- activation),

DMSO is used as a neutral solvent in the Ames mutagen test

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity Experiments have shown reproductive toxicity effects on laboratory animals (Dimethyl sulfoxide)

Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available



btinfo@biotium.com http://www.biotium.com/

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

Aspiration hazard

May cause respiratory irritation

Potential health effects

Inhalation May be harmful if inhaled. May cause respiratory tract irritation.

Ingestion May be harmful if swallowed.

Skin May be harmful if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation.

Additional Information

RTECS: PV6210000 (DMSO)

12. ECOLOGICAL INFORMATION

Toxicity DMSO The LC50(96hrs) for ten species of fish range from 32500 to 43000ppm

Persistence and degradability no information available

Biodegradation Dimethyl sulfoxide: biodegradation: 90% (28d).

Mobility in soil no information available

Results of PBT and vPvB assessment no information available

Other adverse effects no information available Addditional information no information available

13. DISPOSAL CONSIDERATIONS

Do not dispose product directly into sewage. Consult local state or national regulation for proper disposal.

14. TRANSPORT INFORMATION

IATA, IMDG, DOT (US) not dangerous good during transportation

UN number None

UN proper shipping name
Transport hazard class
Packing group
Environmental hazards
Special precaution for user
None
none

15. REGULATION INFORTMATION

US Federal Regulations

Us Toxic Substances Control Act (TSCA): Not listed

SARA 302: No chemicals were found . SARA 313: No chemicals were found.

SARA 311/312 Hazards: DMSO: fire hazard, chronic health hazard

Acute Health Hazard: Yes Chronic Health Hazard: No

Fire Hazard: Yes

Sudden Release of Pressure Hazard: No

Reactive Hazard: No



btinfo@biotium.com http://www.biotium.com/

Page **6** of **12**

16. OTHER INFORMATION

Classification according to Regulation (EC) Nr. 1272/2008

Prepared by: Regulatory Department

Biotium Inc.

Version no.

Reason for revision Applications of CLP labeling requirements for DMSO.

The information provided above is believed to be correct to our best knowledge, but does not purport to be all inclusive, and shall be used only as a guide. This material is sold for research purposes only and is not required to appear on the TSCA inventory. It is not intended for food, drug, household, agricultural or cosmetic use. Its use must be supervised by a technically qualified individual experienced in handling potentially hazardous chemicals. Biotium shall not be held liable for any damage resulting from handling or contact with the above product.



btinfo@biotium.com http://www.biotium.com/

SAFETY DATA SHEET

Date Revised: November 24, 2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: NucView 488 Caspase-3 Substrate, 0.2 mM in DMSO

Catalog Number: 99925 Unit Size: 250 uL Manufacturer/Supplier: Biotium, Inc.

46117 Landing Parkway, Fremont, CA 94538, USA Phone: 1-510-265-1027, Fax: 1-510-265-1352

Web: http://www.biotium.com

2. HAZARDS IDENTIFICATION

Classification according to Regulation (EC) No 1272/2008[CLP]

None

Labelling according to Regulation (EC) No 1272/2008[CLP]

Hazard pictogram

None

Signal word None Hazard statements None

Precautionary statements None

HMIS Classification

Health hazard: 0 Flammability: 2 Physical hazards: 0 NFPA Rating Health hazard: 0

Fire: 2

Reactivity Hazard: 0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Name	CAS No.	EC No.	Index No.	Weight %	Classification according to 67/548/EEC	Classification according to regulation (EC)No1278/2008
NucView 488 Caspase 3 Substrate	-	-	-	<0.05%	-	-
Dimethylsulfoxide	67-68-5	200-664-3	-	>99%	-	-

FIRST- AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

SDSPage **7** of **12**



btinfo@biotium.com http://www.biotium.com/

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide, dry chemical extinguishers, foam extinguishers or water.

Special protective equipment for firefighters

Wear self contained breathing apparatus for firefighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Avoid breathing vapors, mist or gas. Remove all sources of ignition.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Contain spillage. Soak up spilled substance with inert absorbent material. . Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid inhalation of vapor or mist.

Avoid direct contact with substance.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Store at 4°C.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Substance Dimethylsulfoxide

CAS no. 67-68-5

country	Austria	Belgium	Denmark	European Union	France	Germany
Limit value,8hours	160mg/m3	-	160mg/m3	-	-	160mg/m3
Limit value, short term	-	-	320mg/m3	-	-	320mg/m3

country	Hungary	Italy	Poland	Spain	Sweden	Netherland	United



btinfo@biotium.com http://www.biotium.com/

						S	Kingdom
Limit	-	-	-	-	160mg/m3	-	-
value,8hours							
Limit value,	-	-	-	-	500mg/m3	-	-
short term							

country	United	USA-	USA-	Australia	Canada	Japan	South
	Kingdom	NIOSH	OSHA				Korea
Limit	-	-	-	-	-	-	-
value,8hours							
Limit value,	-	-	-	-	-	-	-
short term							

Personal protective equipment

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Respiratory protection

Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Eye protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Chemical Name	NucView Caspase 3
	Substrate, 0.2 mM in
	DMSO
Appearance	Liquid
Odor	No data available
Odor threshold	No data available
рН	No data available
Melting point/freezing point	No data available
Boiling point	No data available
Flash point	No data available
Evaporate rate	No data available
Flammability	No data available
Explosive limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	No data available
Solubility	No data available
Partition coefficient:n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available



btinfo@biotium.com http://www.biotium.com/

Oxidising properties	No data available
01 1	aata aranabic

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

No data available

Conditions to avoid

Heat, flames and sparks.

Materials to avoid

No data available

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity DMSO

Oral LD50 rat - 14,500 mg/kg

Inhalation LC50 Inhalation - rat - 4 h - 40250 ppm

Dermal LD50 rabbit - > 5,000 mg/kg

Other information on acute toxicity no data available

Skin corrosion/irritation no data available

Serious eye damage/eye irritationno data available

Respiratory or skin sensitization no data available

Germ cell mutagenicity Salmonella typhimurium assay (Ames test): negative (+/- activation),

DMSO is used as a neutral solvent in the Ames mutagen test

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity Not considered to be directly embryotoxic and has been shown to be a

successful cryoprotectant for mammalian semen and embryos

Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation May be harmful if inhaled. May cause respiratory tract irritation.

SDS Page 10 of 12



btinfo@biotium.com http://www.biotium.com/

Ingestion May be harmful if swallowed.

Skin May be harmful if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation.

Additional Information

RTECS: PV6210000 (DMSO)

12. ECOLOGICAL INFORMATION

Toxicity DMSO The LC50(96hrs) for ten species of fish range from 32500 to 43000ppm

Persistence and degradability no information available

Biodegradation no information available Mobility in soil no information available

Results of PBT and vPvB assessment no information available

Other adverse effects no information available
Additional information no information available

13. DISPOSAL CONSIDERATIONS

Do not dispose product directly into sewage. Consult local state or national regulation for proper disposal.

14. TRANSPORT INFORMATION

IATA, IMDG, DOT(US) not dangerous good during transportation

UN number none

UN proper shipping name none Transport hazard class none

Packing group none

Environmental hazards none Special precaution for user none

15. REGULATION INFORTMATION

US Federal Regulations

Us Toxic Substances Control Act(TSCA): Not listed

SARA 302: No chemicals were found . SARA 313: No chemicals were found.

SARA 311/312 Hazards: No chemicals were found.

16. OTHER INFORMATION

Classification according to Regulation (EC) Nr. 1272/2008

Prepared by: Regulatory Department

Biotium Inc.

Version no. 2

Reason for revision Application of CLP labeling and corresponding requirements

SDSPage **11** of **12**PSF008



btinfo@biotium.com http://www.biotium.com/

The information provided above is believed to be correct to our best knowledge, but does not purport to be all inclusive, and shall be used only as a guide. This material is sold for research purposes only and is not required to appear on the TSCA inventory. It is not intended for food, drug, household, agricultural or cosmetic use. Its use must be supervised by a technically qualified individual experienced in handling potentially hazardous chemicals. Biotium shall not be held liable for any damage resulting from handling or contact with the above product.