

Murashige & Skoog Modified Vitamins Solution (1000X)

PL034

Composition :

Ingredients	milligrams/1000ml
myo-Inositol	100000.00
Thiamine hydrochloride	1000.00
Pyridoxine hydrochloride	500.00
Nicotinic acid (Free acid)	500.00
Glycine (Free base)	2000.00
TOTAL	104.00 gm/1000ml

Direction : Use 1ml/L of vitamins stock solution

Quality Control : Appearance : Colourless to yellow, clear solution.
pH : 3.7 ±0.5 of 50ml vitamins stock solution.

Cultural Response : Growth promoting activity of solution is assessed after addition of this product in complete medium using shoot tips, nodes or callus for 5 weeks at 25°C ±2°C with 16 hrs photoperiod and 8 hrs darkness. Actively growing shoots and callus is observed.

Sterility : No bacterial or fungal growth is observed after 14 days of incubation, as per USP specification.

Storage Temperature & Shelf Life : Store product at 2-8°C away from bright light. Shelf life of product is 7 months. Use before expiry date.

Reference : Murashige T. & Skoog F., Physiol. Plant., (1962), 15, 473 - 497.

Revision 01/2014

Disclaimer :



User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia™ publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia™ Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.