

SICCO Maxi 1-Desiccator, PMMA

BESTSELLER

Panels: clear
Material: PMMA
Temperature resistance: from -20°C to +70°C
Use: normal pressure
Stand: casters

Product description

Aluminium frame with panels made of acrylic glass, including four shelves made of stainless steel, tray and hygrometer, four casters, usable with up to 17 shelves.

Product advantages

- » Reinforced aluminium frame with acrylic panels
- » Door with magnetic catch and circular rubber seal
- » Four casters (two of the casters with brakes)
- » Easy to read electronic hygrometer
- » Variable height shelves made of stainless steel
- » Telescopic shelves
- » Desiccant tray

Overall dimensions W x H x D mm	560 x 1150 x 580
Usable interior space W x H x D mm	495 x 1030 x 540
Capacity Liters	311
Weight kg approx.	30
Maximum all-over load per shelf kg	30
Total all-over load kg	160
Cat.-No.	V 1852-01

Applications

SICCO Desiccators are designed for storing or drying humidity sensitive products using silica gel. The tight fitting door protects the contents from contamination from the atmosphere. The controlled environment inside the desiccators is ideal for storing reference materials, retained samples, metallographic specimen, tobacco and DNA-samples.

To comment this item

Thank you for adding your comments. Simply fill in this form. Your contribution will be published on our website immediately.



Technical information:

PMMA
Drying performance Maxi 1
Opening and closing the door - Maxi 1

DOMINIQUE DUTSCHER STS