Chicken Serum

Collected from the source:
When searchers choose their serum an important factor that should be taken into consideration is the source, which also emphasises the traceability of the serum.
Our system of vertical integration allows us to be certain of the origins and traceability of our Chicken serum.
Each manufactured batch is rigorously controlled, from the collection of serum and throughout all stages of its treatment and production through to final packaging on our premises.
BioWest Chicken Serum is derived from clotted whole blood collected from chicken with cleaned and disinfected equipment. The blood is centrifuged and the supernatant called "serum" is put in jugs before freezing.
The serum is collected or imported and treated in agreement with the European regulations.

Country of Origin:
The country in which the serum was taken from the animal.
BioWest sera are sourced from the following countries: Brazil, France, Italy, Great Britain

Storage conditions:
Store at -20°C

Shelf life:
5 years

Filtration:
Final Filter Size: 0.2µm

pH:
pH specification: 7,9 ± 0,4

Osmolality:
Determined by a lowered freezing temperature. The osmometer is calibrated against standard solutions.
Osmolality specification: 295,5 ± 25,5 mOsm/kg

Endotoxin:
All sera are tested to determine the levels of endotoxins. BioWest carries out a chromokinetic quantitative test, according to the method D of the European Pharmacopoeia.
The endotoxin reagent is standardized against the US reference endotoxin.

Haemoglobin:
The haemoglobin level is measured by spectrophotometer.

Cell Culture:
Not Applicable

Total Protein:
Determined by Biuret Colorimetry.
Total Protein specification: 32,5 ± 7,5 g/l

DOMINIQUE DUTSCHER SAS

Sterility Test:
All sera are tested for the absence of aerobic and anaerobic bacteria, fungi, yeast and *Mycoplasma*.
The sterility test is based on the European Pharmacopoeia requirements.
The sera are tested for the absence of *Mycoplasma* by culture.

Virus Test:
Not applicable

Other tests:
Not applicable

Treatments:
Not applicable

Recommended use:
- Respect storage conditions of the serum
- Do not use the serum after its expiry date
- Store serum in an area protected from light
- Manipulate serum in aseptic conditions (e.g. : under laminar air flow)
- Wear clothes adapted to the manipulation of serum to avoid contamination (e.g. : gloves, mask, hygiene cap, overall…)
- In order to preserve all serum qualities, it is recommended to thaw out the flask, to aliquote, then to re-freeze the produced flasks rather than to thaw out and re-freeze the flask at each use.
- It is recommended to use the serum immediately after its thaw out. However, if it is not useful, it is possible to store thaw out serum, at +2°C / +8°C, until 26 weeks without significant decrease of its performances in cell culture.

The product is intended to be used in vitro for research or further manufacturing only and not for use as an Active Pharmaceutical Ingredient or food or animal feed.

Remarks:
Not applicable

DOMINIQUE DUTSCHER SAS