Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 Version number 67 (replaces version 66) Revision: 26.03.2026

*

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**
· **Trade name: Nitric acid 65 - 70 % ; 67 - 69% Superpure**
· **SDS number:** CH0007
· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
For professional users only
No further relevant information available.
· **Life cycle stages**
IS Use at industrial Sites
F Formulation or re-packing
· **Sector of Use**
SU9 Manufacture of fine chemicals
SU24 Scientific research and development
· **Product category**
PC20 Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents
PC21 Laboratory chemicals
PC29 Pharmaceuticals
PC40 Extraction agents
· **Process category**
PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
PROC4 Chemical production where opportunity for exposure arises
PROC5 Mixing or blending in batch processes
PROC7 Industrial spraying
PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
PROC10 Roller application or brushing
PROC11 Non industrial spraying
PROC13 Treatment of articles by dipping and pouring
PROC15 Use as laboratory reagent
PROC19 Manual activities involving hand contact
· **Environmental release category**
ERC1 Manufacture of the substance
ERC2 Formulation into mixture
ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
ERC6a Use of an intermediary
ERC6b Use of reactive processing aid at industrial site (no inclusion into or onto article)
ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
ERC8e Widespread use of reactive processing aid (no inclusion into or onto article, outdoor)
· **Application of the substance / the mixture** Chemicals products for laboratory

· **1.3 Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
CARLO ERBA REAGENTS
Chaussée du Vexin
Parc d'Affaires des Portes - BP616
27106 VAL DE REUIL Cedex
Téléphone: +33 (0)2 32 09 20 00
Télécopie: +33 (0)2 32 09 20 20
· **Further information obtainable from:**
Q.A / Normative
email: MSDS_CER-SDS@cer.dgroup.it

(Contd. on page 2)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 *Version number 67 (replaces version 66)* *Revision: 26.03.2026*

Trade name: Nitric acid 65 - 70 % ; 67 - 69% Superpure

(Contd. of page 1)

· ***1.4 Emergency telephone number:***
Ireland - Tel : 00 353 1 8092568 - 00 353 1 8379964 (24h/24)
EU Tel : 112

SECTION 2: Hazards identification

· ***2.1 Classification of the substance or mixture***
· ***Classification according to Regulation (EC) No 1272/2008***



GHS03 flame over circle

Ox. Liq. 3 *H272 May intensify fire; oxidiser.*



GHS06 skull and crossbones

Acute Tox. 3 *H331 Toxic if inhaled.*



GHS05 corrosion

Met. Corr.1 *H290 May be corrosive to metals.*
Skin Corr. 1A *H314 Causes severe skin burns and eye damage.*
Eye Dam. 1 *H318 Causes serious eye damage.*

· ***2.2 Label elements***
· ***Labelling according to Regulation (EC) No 1272/2008***
The product is classified and labelled according to the CLP regulation.
· ***Hazard pictograms***



GHS03 GHS05 GHS06

· ***Signal word*** *Danger*

· ***Hazard-determining components of labelling:***
nitric acid
· ***Hazard statements***
H272 May intensify fire; oxidiser.
H290 May be corrosive to metals.
H331 Toxic if inhaled.
H314 Causes severe skin burns and eye damage.
· ***Precautionary statements***
P210 *Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.*
P280 *Wear protective gloves / eye protection / face protection.*
P301+P330+P331 *IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.*
P303+P361+P353 *IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].*
P304+P340 *IF INHALED: Remove person to fresh air and keep comfortable for breathing.*

(Contd. on page 3)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 *Version number 67 (replaces version 66)* *Revision: 26.03.2026*

Trade name: Nitric acid 65 - 70 % ; 67 - 69% Superpure

(Contd. of page 2)

P310 *Immediately call a POISON CENTER/doctor.*
P305+P351+P338 *IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*
P403+P233 *Store in a well-ventilated place. Keep container tightly closed.*

· ***Additional information:***
EUH071 Corrosive to the respiratory tract.
Product contains: Restricted explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 5 (1) and (3).

· ***2.3 Other hazards***
· ***Results of PBT and vPvB assessment***
· ***PBT:*** *Not applicable*
· ***vPvB:*** *Not applicable*
· ***Determination of endocrine-disrupting properties*** *Not applicable*

SECTION 3: Composition/information on ingredients

· ***3.2 Mixtures***
· ***Description:***
Mixture made by the following substances:

CAS: 7732-18-5 *EINECS: 231-791-2* *RTECS: ZC 0110000*	*water, distilled, conductivity or of similarpurity*	*30-35%*

· ***Dangerous components:***

CAS: 7697-37-2 *EINECS: 231-714-2* *Index number: 007-030-00-3* *Reg.nr.: 01-2119487297-23*	*nitric acid* *Ox. Liq. 2, H272; Acute Tox. 3, H331; Met. Corr.1, H290; Skin Corr. 1A, H314, EUH071* *Specific concentration limits: Ox. Liq. 2; H272: C ≥ 99 %* *Ox. Liq. 3; H272: 65 % ≤ C < 99 %* *Met. Corr.1; H290: C ≥ 5 %* *Skin Corr. 1A; H314: C ≥ 20 %* *Skin Corr. 1B; H314: 5 % ≤ C < 20 %* *Skin Irrit. 2; H315: 1 % ≤ C < 5 %* *Eye Dam. 1; H318: C ≥ 3 %* *Eye Irrit. 2; H319: 1 % ≤ C < 3 %*	*65-70%*

SECTION 4: First aid measures

· ***4.1 Description of first aid measures***
· ***General information:***
Remove immediately any clothing soiled by the product and wash with plenty of water. The rescuer has to be equipped with individual protection
Remove breathing equipment only after contaminated clothing have been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.
· ***After inhalation:***
Supply fresh air or oxygen; call for doctor.
In case of unconsciousness place patient stably in side position for transportation.
· ***After skin contact:***
Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.
Immediately wash with water and soap and rinse thoroughly. Wash contaminated clothing before reuse.
Seek immediate medical advice.
If skin irritation continues, consult a doctor.
· ***After eye contact:*** *Rinse opened eye for several minutes under running water. Then consult a doctor.*

(Contd. on page 4)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 *Version number 67 (replaces version 66)* *Revision: 26.03.2026*

Trade name: Nitric acid 65 - 70 % ; 67 - 69% Superpure

(Contd. of page 3)

· ***After swallowing:***
Drink plenty of water and provide fresh air.
Do not induce vomiting; call for medical help immediately.
Call for a doctor immediately.
Rinse out mouth and then drink plenty of water.
· ***Information for doctor:*** *Show the doctor this Material Safety Data Sheet.*
· ***4.2 Most important symptoms and effects, both acute and delayed*** *No further relevant information available.*
· ***Hazards*** *Danger of gastric perforation.*
· ***4.3 Indication of any immediate medical attention and special treatment needed***
No further relevant information available.

SECTION 5: Firefighting measures

· ***5.1 Extinguishing media***
· ***Suitable extinguishing agents:***
CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire extinguishing methods suitable to surrounding conditions.
· ***For safety reasons unsuitable extinguishing agents:*** *Water with full jet.*
· ***5.2 Special hazards arising from the substance or mixture***
In case of fire, the following can be released:
Nitrogen oxides (NOx)
In the absence of oxygen: Ammonia (NH3).
· ***5.3 Advice for firefighters***
· ***Protective equipment:***
Wear fully protective suit.
In closed rooms wear a self contained breathing apparatus.
Do not inhale gases in case or fire or combustion.
· ***Additional information*** *Keep receptacles cool with water spray.*

SECTION 6: Accidental release measures

· ***6.1 Personal precautions, protective equipment and emergency procedures***
Wear protective equipment. Keep unprotected persons away.
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
Ensure adequate ventilation
· ***6.2 Environmental precautions:***
Do not allow to penetrate the ground/soil.
Dilute with plenty of water after collecting the liquid.
Do not allow to enter sewers/ surface or ground water.
· ***6.3 Methods and material for containment and cleaning up:***
Collect the liquid with vacuum in a suitable container and absorb the remainder with a porous material (diatomite, acid binders, universal binders, etc).
Ensure adequate ventilation.
Use neutralising agent.
Dispose contaminated material as waste according to section 13.
· ***6.4 Reference to other sections***
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

(Contd. on page 5)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 Version number 67 (replaces version 66) Revision: 26.03.2026

Trade name: Nitric acid 65 - 70 % ; 67 - 69% Superpure

(Contd. of page 4)

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**
Store in cool, dry place in tightly closed receptacles.
Keep away from heat and direct sunlight.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.
When diluting always pour product into water and not vice versa.
Open and handle receptacle with care.
· **Information about fire - and explosion protection:**
Protect from heat.
The product is not flammable.
Potentially explosive when mixed with organic substances.
Keep respiratory protective device available.

· **7.2 Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:**
Suitable material for receptacles : glass bottles.
Store in a well-ventilated place. Keep container tightly closed.
Store in a cool location.
Provide acid-resistant floor.
Provide floor trough without outlet.
Use only receptacles specifically permitted for this substance/product.
· **Information about storage in one common storage facility:**
Do not store together with alkalis (caustic solutions).
Store away from flammable substances.
· **Further information about storage conditions:** Keep receptacle tightly sealed.
· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**	
CAS: 7697-37-2 nitric acid	
IOELV	Short-term value: 2.6 mg/m³, 1 ppm

· **DNELs**		
CAS: 7697-37-2 nitric acid		
Inhalative	DNEL (workers-acute systemic)	2.6 mg/m3
	DNEL (workers-local chronic effects)	2.6 mg/m3

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**
· **Appropriate engineering controls**
Safety shower and eye bath. Mechanical exhaust required.
No further data; see section 7.
· **Individual protection measures, such as personal protective equipment**
· **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing

(Contd. on page 6)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 *Version number 67 (replaces version 66)* *Revision: 26.03.2026*

Trade name: Nitric acid 65 - 70 % ; 67 - 69% Superpure

(Contd. of page 5)

Wash hands before breaks and at the end of work.
Store protective clothing separately.
Do not inhale gases / fumes / aerosols.
Do not inhale dust / smoke / mist.
Avoid contact with the eyes and skin.

· ***Respiratory protection:***



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Suitable respiratory protective device recommended in case of leakages or handling in open devices.
The selected respiratory protection must comply with standard EN 136/140/143/145/149.

· ***Recommended filter device for short term use:*** *Special gas filter NO-P3*

· ***Hand protection***
The selected protective gloves have to satisfy the specifications of REGULATION (EU) 2016/425 and the standard EN 374 derived from it.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

Rubber gloves
Avoid direct contact with the chemical/ the product/ the preparation by organisational measures.

· ***Material of gloves***
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· ***Penetration time of glove material***
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· ***For the permanent contact gloves made of the following materials are suitable:***
Fluorocarbon rubber (Viton)
Recommended thickness of the material: ≥ 0.4 mm

· ***For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:***
Nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.26 mm

· ***As protection from splashes gloves made of the following materials are suitable:***
Natural rubber, NR
Recommended thickness of the material: ≥ 0.22 mm

· ***Eye/face protection***



Face protection

· ***Body protection:***
Protective work clothing
Acid resistant protective clothing
Apron

· ***Environmental exposure controls***
In case of unintended release of the product: See section 6 of the Safety Data Sheet.

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 *Version number 67 (replaces version 66)* *Revision: 26.03.2026*

Trade name: Nitric acid 65 - 70 % ; 67 - 69% Superpure

(Contd. of page 6)

· ***Risk management measures***
Observe the general safety regulations when handling chemicals.
Keep good industrial hygiene.

SECTION 9: Physical and chemical properties

· ***9.1 Information on basic physical and chemical properties***	
· ***Molecular weight***	
· ***Physical state***	*Liquid*
· ***Colour:***	*Colourless*
· ***Odour:***	*Pungent*
· ***Odour threshold:***	*Not determined*
· ***Melting point/freezing point:***	*-47 °C*
· ***Boiling point or initial boiling point and boiling range***	*121.8 °C*
· ***Flammability***	*Contact with combustible material may cause fire.*
· ***Lower and upper explosion limit***	
· ***Lower:***	*Not determined*
· ***Upper:***	*Not determined*
· ***Flash point:***	*Not applicable*
· ***Decomposition temperature:***	*Not determined*
· ***pH at 20 °C***	*<1*
· ***Viscosity:***	
· ***Kinematic viscosity***	*Not determined*
· ***Dynamic at 20 °C:***	*2 mPas*
· ***Solubility***	
· ***water:***	*Fully miscible.*
· ***Partition coefficient n-octanol/water (log value)***	*Not determined*
· ***Vapour pressure at 20 °C:***	*9 hPa*
· ***Vapour pressure at 50 °C:***	*51 hPa*
· ***Density and/or relative density***	
· ***Density at 20 °C:***	*1.4 g/cm³*
· ***Relative density***	*Not determined*
· ***Vapour density***	*Not determined*

· ***9.2 Other information***	
· ***Appearance:***	
· ***Form:***	*Fluid*
· ***Important information on protection of health and environment, and on safety.***	
· ***Ignition temperature:***	*Product is not selfigniting.*
· ***Explosive properties:***	*Product does not present an explosion hazard.*
· ***Solvent separation test:***	
· ***Water:***	*35.0 %*
· ***Solids content:***	*0.0 %*
· ***Change in condition***	
· ***Evaporation rate***	*Not determined*

· ***Information with regard to physical hazard classes***	
· ***Explosives***	*Void*
· ***Flammable gases***	*Void*
· ***Aerosols***	*Void*
· ***Oxidising gases***	*Void*
· ***Gases under pressure***	*Void*

(Contd. on page 8)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 *Version number 67 (replaces version 66)* *Revision: 26.03.2026*

Trade name: Nitric acid 65 - 70 % ; 67 - 69% Superpure

(Contd. of page 7)

· ***Flammable liquids***	*Void*
· ***Flammable solids***	*Void*
· ***Self-reactive substances and mixtures***	*Void*
· ***Pyrophoric liquids***	*Void*
· ***Pyrophoric solids***	*Void*
· ***Self-heating substances and mixtures***	*Void*
· ***Substances and mixtures, which emit flammable gases in contact with water***	*Void*
· ***Oxidising liquids***	*May intensify fire; oxidiser.*
· ***Oxidising solids***	*Void*
· ***Organic peroxides***	*Void*
· ***Corrosive to metals***	*May be corrosive to metals.*
· ***Desensitised explosives***	*Void*

SECTION 10: Stability and reactivity

· ***10.1 Reactivity*** *See 10.3*
· ***10.2 Chemical stability***
· ***Thermal decomposition / conditions to be avoided:*** *No decomposition if used according to specifications.*
· ***10.3 Possibility of hazardous reactions***
Reacts with various metals.
Corrosive action on metals.
Reacts dangerously with alkali (lyes) or amines in bulk.
May react dangerously with reducing or flammable substances in bulk.
· ***10.4 Conditions to avoid*** *Direct heat, high temperature.*
· ***10.5 Incompatible materials:*** *Metals*
· ***10.6 Hazardous decomposition products:*** *Nitrogen oxides (NOx)*

SECTION 11: Toxicological information

· ***11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008***
· ***Acute toxicity*** *Toxic if inhaled.*

· ***LD/LC50 values relevant for classification:***		
CAS: 7697-37-2 nitric acid		
Inhalative	*LC50/4 h*	*2.65 mg/L (rat)*

· ***Primary irritant effect:***
· ***Skin corrosion/irritation*** *Causes severe skin burns and eye damage.*
· ***Serious eye damage/irritation***
Strong caustic effect.
Strong irritant with the danger of severe eye injury.
Causes serious eye damage.
· ***Ingestion:*** *It can be harmfull if swallowed.*
· ***Inhalation:***
Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.
Toxic if inhaled.
· ***Respiratory or skin sensitisation*** *Based on available data, the classification criteria are not met.*
· ***Germ cell mutagenicity*** *Based on available data, the classification criteria are not met.*
· ***Carcinogenicity*** *Based on available data, the classification criteria are not met.*
· ***Reproductive toxicity*** *Based on available data, the classification criteria are not met.*
· ***STOT-single exposure*** *Based on available data, the classification criteria are not met.*
· ***STOT-repeated exposure*** *Based on available data, the classification criteria are not met.*

(Contd. on page 9)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

(Contd. of page 8)

· **Aspiration hazard** Based on available data, the classification criteria are not met.
· **Other information (about experimental toxicology):** No further relevant information available.
· **11.2 Information on other hazards**

· **Endocrine disrupting properties**
None of the ingredients is listed.

SECTION 12: Ecological information

· **12.1 Toxicity**
· **Aquatic toxicity:** No further relevant information available.
· **12.2 Persistence and degradability** No further relevant information available.
· **Method**
· **Ecological information** Not available
· **12.3 Bioaccumulative potential** No further relevant information available.
· **12.4 Mobility in soil** No further relevant information available.
· **12.5 Results of PBT and vPvB assessment**
· **PBT:** Not applicable
· **vPvB:** Not applicable
· **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
· **12.7 Other adverse effects**
· **Remark:** Local effects: may change the environmental pH endangering the aquatic life.
· **Additional ecological information:**
· **General notes:**
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Must not reach sewage water or drainage ditch undiluted or unneutralised.
Danger to drinking water if even small quantities leak into the ground.
Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Reutilise if possible or contact a waste processors for recycling or safe disposal.
· **Waste disposal key:**
The European Union does not establish uniform rules for the disposal of chemical waste, which are special waste. Their treatment and elimination of the domestic legislation of each country. So, in each case, you should contact the relevant authorities, or those companies legally authorized for elimination of waste.
2014/955/UE: Council Decision of 18 December 2014 amending the list of wastes contained in Decision 2000/532/EC.
Directive 2008/98/EC of the european parliament and of the council of 18 November 2008, in ist latest valid version.

· **European waste catalogue**	
06 00 00	WASTES FROM INORGANIC CHEMICAL PROCESSES
06 01 00	wastes from the manufacture, formulation, supply and use (MFSU) of acids
06 01 05*	nitric acid and nitrous acid

(Contd. on page 10)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

(Contd. of page 9)

HP2	Oxidising
HP8	Corrosive

· **Uncleaned packaging:**
The containers and packaging materials contaminated with dangerous substances or preparations, have the same treatment of products.
Directive 94/62/EC of the European Parliament and the Council of 20 December 1994 on packaging and packaging waste.
· **Recommendation:**
Disposal must be made according to official regulations.
Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

· **14.1 UN number or ID number**
· **ADR/RID, IMDG, IATA** UN2031

· **14.2 UN proper shipping name**
· **ADR/RID** 2031 NITRIC ACID solution
· **IMDG** NITRIC ACID solution
· **IATA** Nitric acid solution

· **14.3 Transport hazard class(es)**

· **ADR/RID**



· **Class** 8 (CO1) Corrosive substances.
· **Label** 8+5.1

· **IMDG**



· **Class** 8 Corrosive substances.
· **Label** 8/5.1

· **IATA**



· **Class** 8 Corrosive substances.
· **Label** 8 (5.1)

· **14.4 Packing group**
· **ADR/RID, IMDG, IATA** II

· **14.5 Environmental hazards:**
· **Marine pollutant:** No

· **14.6 Special precautions for user** Warning: Corrosive substances.

(Contd. on page 11)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 Version number 67 (replaces version 66) Revision: 26.03.2026

Trade name: Nitric acid 65 - 70 % ; 67 - 69% Superpure

(Contd. of page 10)

· **Hazard identification number (Kemler code):**	80
· **Segregation groups**	(SGG1) Acids
· **Stowage Category**	D
· **Segregation Code**	SG6 Segregation as for class 5.1 SG16 Stow "separated from" class 4.1 SG17 Stow "separated from" class 5.1 SG19 Stow "separated from" class 7 SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
· **14.7 Maritime transport in bulk according to IMO instruments**	Not applicable
· **Transport/Additional information:**	
· **ADR/RID**	
· **Excepted quantities (EQ):**	E2
· **Limited quantities (LQ)**	1L
· **Excepted quantities (EQ)**	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· **Transport category**	2
· **Tunnel restriction code**	E
· **IMDG**	
· **Limited quantities (LQ)**	1L
· **Excepted quantities (EQ)**	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· **UN "Model Regulation":**	UN 2031 NITRIC ACID SOLUTION, 8 (5.1), II

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **SARA Section 355 (extremely hazardous substances)**

CAS: 7697-37-2	nitric acid

· **SARA Section 313 (specific toxic chemical listings)**

CAS: 7697-37-2	nitric acid

· **Prop 65 - Chemicals known to cause cancer**

None of the ingredients is listed.

· **Directive 2012/18/EU**
· **Named dangerous substances - ANNEX I** None of the ingredients is listed.
· **Seveso category**
H2 ACUTE TOXIC
P8 OXIDISING LIQUIDS AND SOLIDS
· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 50 t
· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t

· **REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)**

None of the ingredients is listed.

· **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)**

None of the ingredients is listed.

(Contd. on page 12)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 Version number 67 (replaces version 66) Revision: 26.03.2026

Trade name: Nitric acid 65 - 70 % ; 67 - 69% Superpure

(Contd. of page 11)

· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

CAS: 7697-37-2	nitric acid	65-70%

· **REGULATION (EU) 2024/590 on substances that deplete the ozone layer**

None of the ingredients is listed.

· **National regulations:**

· **Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

· **Other regulations, limitations and prohibitive regulations**

· **Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients is listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H272 May intensify fire; oxidiser.
H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
EUH071 Corrosive to the respiratory tract.

· **Department issuing SDS:** Q.A./Normative

· **Date of previous version:** 10.11.2020

· **Version number of previous version:** 66

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
RCR : Risk Characterisation Ratio
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
Ox. Liq. 2: Oxidizing liquids – Category 2

(Contd. on page 13)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 *Version number 67 (replaces version 66)* *Revision: 26.03.2026*

Trade name: Nitric acid 65 - 70 % ; 67 - 69% Superpure

(Contd. of page 12)

Ox. Liq. 3: Oxidizing liquids – Category 3
Met. Corr.1: Corrosive to metals – Category 1
Acute Tox. 3: Acute toxicity – Category 3
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

· ***Sources***
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006, REACH, in the latest valid version.
Regulation (EC) N° 1272/2008 of the European Parliament and of the Council of 16 December 2008, CLP, in the latest valid version.
Globally Harmonized System, GHS
ADR/RID, IMDG, IATA
PubChem : an open chemistry database at the National Institutes of Health (NIH)
ECHA : European CHemicals Agency
GESTIS : Information system on hazardous substances of the German Social Accident Insurance

· **** Data compared to the previous version altered.*** .

EU

(Contd. on page 14)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 *Version number 67 (replaces version 66)* *Revision: 26.03.2026*

Trade name: Nitric acid 65 - 70 % ; 67 - 69% Superpure

(Contd. of page 13)

Annex: Exposure scenario 1

· ***Short title of the exposure scenario*** *Substance manufacturing*
· ***Sector of Use*** *Industrial use.*
· ***Process category***
PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
PROC4 Chemical production where opportunity for exposure arises
PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
PROC15 Use as laboratory reagent
· ***Environmental release category*** *ERC1 Manufacture of the substance*
· ***Description of the activities / processes covered in the Exposure Scenario***
See section 1 of the annex to the Safety Data Sheet.
· ***Conditions of use*** *Customary application according to section 1.*
· ***Duration and frequency*** *5 workdays/week.*
· ***Worker*** *8hrs (full working shift).*
· ***Physical parameters***
The data on the physical - chemical properties in the Exposure Scenario is based on the properties of the preparation.
· ***Physical state*** *Fluid*
· ***Concentration of the substance in the mixture***
The substance is main component.
<70%
· ***Other operational conditions*** *Observe the general safety regulations when handling chemicals.*
· ***Other operational conditions affecting environmental exposure***
Observe section 6 of the Safety Data Sheet (Accidental release measures).
· ***Other operational conditions affecting worker exposure***
Avoid contact with eyes.
Avoid contact with the skin.
Do not breathe gas/vapour/aerosol.
Keep away from combustible material.
Respiratory protection is required in work areas with inadequate ventilation and during spraying application.
Indoor application.
Outdoor application.
· ***Risk management measures***
· ***Worker protection***
· ***Organisational protective measures***
Keep good industrial hygiene.
Ensure that activities are executed by specialists or authorised personnel only.
Deploy only trained chemical workers.
Provide sufficient washing facilities.
Persons, who tend to skin diseases or other hypersensitivity reactions of the skin, should not handle the product.
Ensure good ventilation. This can be achieved by using a local exhaustion or general exhaust system. If these measures are insufficient to keep the solvent vapour concentration below the workplace limit, wear an adequate respiratory protective device.
· ***Technical protective measures***
Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 15)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

(Contd. of page 14)

Provide a good standard of controlled ventilation (5 air changes per hour).

· ***Personal protective measures***
Avoid contact with the skin.
Avoid contact with the eyes.
The selected protective gloves have to satisfy the specifications of REGULATION (EU) 2016/425 and the standard EN 374 derived from it.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
Protective gloves
Rubber gloves
Avoid direct contact with the chemical/ the product/ the preparation by organisational measures.
Face protection
The usual precautionary measures are to be adhered to when handling chemicals.
Detailed measures on hand protection according to Safety Data Sheet, section 8.
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
Suitable respiratory protective device recommended in case of leakages or handling in open devices.
The selected respiratory protection must comply with standard EN 136/140/143/145/149.
Protective work clothing
Acid resistant protective clothing
Apron
· ***Environmental protection measures***
· ***Air*** *Exhaust air is introduced into the adsorption tower.*
· ***Water***
Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.
· ***Notes*** *In case of unintended release of the product: See section 6 of the Safety Data Sheet.*
· ***Disposal measures*** *Ensure that waste is collected and contained.*
· ***Disposal procedures***
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
· ***Waste type*** *Partially emptied and uncleaned packaging*
· ***Exposure estimation***
· ***Worker (inhalation)***
The highest inhalative exposure to be expected is 0.01 ppm.
RCR 0.0077
· ***Guidance for downstream users***
Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.
Whether the downstream user uses the substance / the mixture within the scope of the Exposure Scenario can be determined by means of a technical assessment.

(Contd. on page 16)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 *Version number 67 (replaces version 66)* *Revision: 26.03.2026*

Trade name: Nitric acid 65 - 70 % ; 67 - 69% Superpure

(Contd. of page 15)

Annex: Exposure scenario 2

· ***Short title of the exposure scenario***
Laboratory reagents
Formulation or re-packing
· ***Sector of Use*** *Industrial use.*
· ***Process category***
PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
PROC4 Chemical production where opportunity for exposure arises
PROC5 Mixing or blending in batch processes
PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
PROC15 Use as laboratory reagent
· ***Environmental release category*** *ERC2 Formulation into mixture*
· ***Description of the activities / processes covered in the Exposure Scenario***
See section 1 of the annex to the Safety Data Sheet.
· ***Conditions of use*** *Customary application according to section 1.*
· ***Duration and frequency*** *5 workdays/week.*
· ***Worker*** *8hrs (full working shift).*
· ***Physical parameters***
The data on the physical - chemical properties in the Exposure Scenario is based on the properties of the preparation.
· ***Physical state*** *Fluid*
· ***Concentration of the substance in the mixture*** *The substance is main component.*
· ***Other operational conditions*** *Observe the general safety regulations when handling chemicals.*
· ***Other operational conditions affecting environmental exposure***
Observe section 6 of the Safety Data Sheet (Accidental release measures).
· ***Other operational conditions affecting worker exposure***
Avoid contact with eyes.
Avoid contact with the skin.
Keep away from combustible material.
Respiratory protection is required in work areas with inadequate ventilation and during spraying application.
· ***Risk management measures***
· ***Worker protection***
· ***Organisational protective measures***
Keep good industrial hygiene.
Ensure that activities are executed by specialists or authorised personnel only.
Persons, who tend to skin diseases or other hypersensitivity reactions of the skin, should not handle the product.
Ensure good ventilation. This can be achieved by using a local exhaustion or general exhaust system. If these measures are insufficient to keep the solvent vapour concentration below the workplace limit, wear an adequate respiratory protective device.
Provide sufficient washing facilities.
· ***Technical protective measures***
Ensure good ventilation/exhaustion at the workplace.
Provide a good standard of controlled ventilation (5 air changes per hour).
· ***Personal protective measures***
The usual precautionary measures are to be adhered to when handling chemicals.

(Contd. on page 17)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 *Version number 67 (replaces version 66)* *Revision: 26.03.2026*

Trade name: Nitric acid 65 - 70 % ; 67 - 69% Superpure

(Contd. of page 16)

Avoid contact with the skin.
Avoid contact with the eyes.
Detailed measures on hand protection according to Safety Data Sheet, section 8.
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
The selected respiratory protection must comply with standard EN 136/140/143/145/149.
The selected protective gloves have to satisfy the specifications of REGULATION (EU) 2016/425 and the standard EN 374 derived from it.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
Protective gloves
Rubber gloves
Avoid direct contact with the chemical/ the product/ the preparation by organisational measures.
Protective work clothing
Acid resistant protective clothing
Apron
Tightly sealed goggles

· ***Environmental protection measures***
· ***Air*** *Exhaust air is introduced into the adsorption tower.*
· ***Water***
Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.
· ***Notes*** *In case of unintended release of the product: See section 6 of the Safety Data Sheet.*
· ***Disposal measures*** *Ensure that waste is collected and contained.*
· ***Disposal procedures***
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
· ***Waste type*** *Partially emptied and uncleaned packaging*
· ***Exposure estimation***
· ***Worker (inhalation)*** *RCR <0.01*
· ***Guidance for downstream users***
Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.

(Contd. on page 18)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 *Version number 67 (replaces version 66)* *Revision: 26.03.2026*

Trade name: Nitric acid 65 - 70 % ; 67 - 69% Superpure

(Contd. of page 17)

Annex: Exposure scenario 3

· ***Short title of the exposure scenario***
Laboratory reagents
Intermediate use
· ***Sector of Use*** *Industrial use.*
· ***Process category***
PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
PROC4 Chemical production where opportunity for exposure arises
PROC5 Mixing or blending in batch processes
PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
PROC15 Use as laboratory reagent
· ***Environmental release category*** *ERC6a Use of an intermediary*
· ***Notes*** *The product is not intended for private use.*
· ***Description of the activities / processes covered in the Exposure Scenario***
See section 1 of the annex to the Safety Data Sheet.
· ***Conditions of use*** *Customary application according to section 1.*
· ***Duration and frequency*** *5 workdays/week.*
· ***Worker*** *8hrs (full working shift).*
· ***Physical parameters***
The data on the physical - chemical properties in the Exposure Scenario is based on the properties of the preparation.
· ***Physical state*** *Fluid*
· ***Concentration of the substance in the mixture*** *The substance is main component.*
· ***Other operational conditions*** *Observe the general safety regulations when handling chemicals.*
· ***Other operational conditions affecting environmental exposure***
Observe section 6 of the Safety Data Sheet (Accidental release measures).
· ***Other operational conditions affecting worker exposure***
Avoid contact with eyes.
Avoid contact with the skin.
Keep away from combustible material.
Respiratory protection is required in work areas with inadequate ventilation and during spraying application.
· ***Risk management measures***
· ***Worker protection***
· ***Organisational protective measures***
Keep good industrial hygiene.
Ensure that activities are executed by specialists or authorised personnel only.
Persons, who tend to skin diseases or other hypersensitivity reactions of the skin, should not handle the product.
Ensure good ventilation. This can be achieved by using a local exhaustion or general exhaust system. If these measures are insufficient to keep the solvent vapour concentration below the workplace limit, wear an adequate respiratory protective device.
Provide sufficient washing facilities.
· ***Technical protective measures***
Ensure good ventilation/exhaustion at the workplace.
Provide a good standard of controlled ventilation (5 air changes per hour).

(Contd. on page 19)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 *Version number 67 (replaces version 66)* *Revision: 26.03.2026*

Trade name: Nitric acid 65 - 70 % ; 67 - 69% Superpure

(Contd. of page 18)

· ***Personal protective measures***
The usual precautionary measures are to be adhered to when handling chemicals.
Avoid contact with the skin.
Avoid contact with the eyes.
Detailed measures on hand protection according to Safety Data Sheet, section 8.
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
The selected respiratory protection must comply with standard EN 136/140/143/145/149.
The selected protective gloves have to satisfy the specifications of REGULATION (EU) 2016/425 and the standard EN 374 derived from it.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
Protective gloves
Rubber gloves
Avoid direct contact with the chemical/ the product/ the preparation by organisational measures.
Protective work clothing
Acid resistant protective clothing
Apron
Tightly sealed goggles
· ***Environmental protection measures***
· ***Water***
Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.
· ***Notes*** *In case of unintended release of the product: See section 6 of the Safety Data Sheet.*
· ***Disposal measures*** *Ensure that waste is collected and contained.*
· ***Disposal procedures***
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
· ***Waste type*** *Partially emptied and uncleaned packaging*
· ***Exposure estimation***
· ***Worker (inhalation)*** *RCR <0.01*
· ***Guidance for downstream users***
Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.

(Contd. on page 20)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 *Version number 67 (replaces version 66)* *Revision: 26.03.2026*

Trade name: Nitric acid 65 - 70 % ; 67 - 69% Superpure

(Contd. of page 19)

Annex: Exposure scenario 4

· ***Short title of the exposure scenario***
Reactive processing aid (cleaning agent, pH regulator, surface treatment, etc)
· ***Sector of Use*** *Industrial use.*
· ***Process category***
PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
PROC4 Chemical production where opportunity for exposure arises
PROC5 Mixing or blending in batch processes
PROC7 Industrial spraying
PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
PROC10 Roller application or brushing
PROC13 Treatment of articles by dipping and pouring
PROC15 Use as laboratory reagent
· ***Environmental release category***
ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
ERC6b Use of reactive processing aid at industrial site (no inclusion into or onto article)
· ***Notes*** *The product is not intended for private use.*
· ***Description of the activities / processes covered in the Exposure Scenario***
See section 1 of the annex to the Safety Data Sheet.
· ***Conditions of use*** *Customary application according to section 1.*
· ***Duration and frequency*** *5 workdays/week.*
· ***Worker*** *8hrs (full working shift).*
· ***Physical parameters***
The data on the physical - chemical properties in the Exposure Scenario is based on the properties of the preparation.
· ***Physical state*** *Fluid*
· ***Concentration of the substance in the mixture*** *The substance is main component.*
· ***Other operational conditions*** *Observe the general safety regulations when handling chemicals.*
· ***Other operational conditions affecting environmental exposure***
Observe section 6 of the Safety Data Sheet (Accidental release measures).
· ***Other operational conditions affecting worker exposure***
Avoid contact with eyes.
Avoid contact with the skin.
Keep away from combustible material.
Respiratory protection is required in work areas with inadequate ventilation and during spraying application.
· ***Risk management measures***
· ***Worker protection***
· ***Organisational protective measures***
Keep good industrial hygiene.
Ensure that activities are executed by specialists or authorised personnel only.
Persons, who tend to skin diseases or other hypersensitivity reactions of the skin, should not handle the product.
Ensure good ventilation. This can be achieved by using a local exhaustion or general exhaust system. If these measures are insufficient to keep the solvent vapour concentration below the workplace limit, wear an adequate respiratory protective device.
Provide sufficient washing facilities.

(Contd. on page 21)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Trade name: Nitric acid 65 - 70 % ; 67 - 69% Superpure

(Contd. of page 20)

· ***Technical protective measures***
Ensure good ventilation/exhaustion at the workplace.
Provide a good standard of controlled ventilation (5 air changes per hour).
· ***Personal protective measures***
The usual precautionary measures are to be adhered to when handling chemicals.
Avoid contact with the skin.
Avoid contact with the eyes.
Detailed measures on hand protection according to Safety Data Sheet, section 8.
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
The selected respiratory protection must comply with standard EN 136/140/143/145/149.
The selected protective gloves have to satisfy the specifications of REGULATION (EU) 2016/425 and the standard EN 374 derived from it.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
Protective gloves
Rubber gloves
Avoid direct contact with the chemical/ the product/ the preparation by organisational measures.
Protective work clothing
Acid resistant protective clothing
Apron
Tightly sealed goggles
· ***Environmental protection measures***
· ***Water***
Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.
· ***Notes*** *In case of unintended release of the product: See section 6 of the Safety Data Sheet.*
· ***Disposal measures*** *Ensure that waste is collected and contained.*
· ***Disposal procedures***
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
· ***Waste type*** *Partially emptied and uncleaned packaging*
· ***Exposure estimation***
· ***Worker (inhalation)*** *RCR <0.01*
· ***Guidance for downstream users***
Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.

(Contd. on page 22)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.03.2026 Version number 67 (replaces version 66) Revision: 26.03.2026

Trade name: Nitric acid 65 - 70 % ; 67 - 69% Superpure

(Contd. of page 21)

Annex: Exposure scenario 5

· **Short title of the exposure scenario**
Reactive processing aid (cleaning agent, pH regulator, surface treatment, etc)
· **Sector of Use**
Professional use.
Industrial use.
· **Process category**
PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
PROC5 Mixing or blending in batch processes
PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
PROC10 Roller application or brushing
PROC11 Non industrial spraying
PROC13 Treatment of articles by dipping and pouring
PROC15 Use as laboratory reagent
PROC19 Manual activities involving hand contact
· **Environmental release category**
ERC8b Widespread use of reactive processing aid (no inclusion into or onto article, indoor)
ERC8e Widespread use of reactive processing aid (no inclusion into or onto article, outdoor)
· **Notes** The product is not intended for private use.
· **Description of the activities / processes covered in the Exposure Scenario**
See section 1 of the annex to the Safety Data Sheet.
· **Conditions of use** Customary application according to section 1.
· **Duration and frequency** 5 workdays/week.
· **Physical parameters**
The data on the physical - chemical properties in the Exposure Scenario is based on the properties of the preparation.
· **Physical state** Fluid
· **Concentration of the substance in the mixture** The substance is main component.
· **Other operational conditions** Observe the general safety regulations when handling chemicals.
· **Other operational conditions affecting environmental exposure**
Observe section 6 of the Safety Data Sheet (Accidental release measures).
· **Other operational conditions affecting worker exposure**
Avoid contact with eyes.
Avoid contact with the skin.
Keep away from combustible material.
Respiratory protection is required in work areas with inadequate ventilation and during spraying application.
· **Risk management measures**
· **Worker protection**
· **Organisational protective measures**
Keep good industrial hygiene.
Ensure that activities are executed by specialists or authorised personnel only.
Persons, who tend to skin diseases or other hypersensitivity reactions of the skin, should not handle the product.
Ensure good ventilation. This can be achieved by using a local exhaustion or general exhaust system. If these measures are insufficient to keep the solvent vapour concentration below the workplace limit, wear an adequate respiratory protective device.

(Contd. on page 23)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

(Contd. of page 22)

Provide sufficient washing facilities.

· ***Technical protective measures***
Ensure good ventilation/exhaustion at the workplace.
Provide a good standard of controlled ventilation (5 air changes per hour).

· ***Personal protective measures***
The usual precautionary measures are to be adhered to when handling chemicals.
Avoid contact with the skin.
Avoid contact with the eyes.
Detailed measures on hand protection according to Safety Data Sheet, section 8.
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
The selected respiratory protection must comply with standard EN 136/140/143/145/149.
The selected protective gloves have to satisfy the specifications of REGULATION (EU) 2016/425 and the standard EN 374 derived from it.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
Protective gloves
Rubber gloves
Avoid direct contact with the chemical/ the product/ the preparation by organisational measures.
Protective work clothing
Acid resistant protective clothing
Apron
Tightly sealed goggles

· ***Environmental protection measures***

· ***Water***
Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.

· ***Notes*** *In case of unintended release of the product: See section 6 of the Safety Data Sheet.*

· ***Disposal measures*** *Ensure that waste is collected and contained.*

· ***Disposal procedures***
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· ***Waste type*** *Partially emptied and uncleaned packaging*

· ***Exposure estimation***

· ***Worker (inhalation)*** *RCR <0.01*

· ***Guidance for downstream users***
Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.