Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.05.2026 Version number 14 (replaces version 13) Revision: 01.05.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**
· **Trade name: KARL FISCHER coulometric solution pyridine free**
· **SDS number:** CH7470
· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
For professional users only
· **Life cycle stages** IS Use at industrial Sites
· **Application of the substance / the mixture** Chemicals products for laboratory

· **1.3 Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
CARLO ERBA REAGENTS
Chaussée du Vexin
Parc d'Affaires des Portes - BP616
27106 VAL DE REUIL Cedex
Téléphone: +33 (0)2 32 09 20 00
Télécopie: +33 (0)2 32 09 20 20
· **Further information obtainable from:**
Q.A / Normative
email: MSDS_CER-SDS@cer.dgroup.it
· **1.4 Emergency telephone number:**
Ireland - Tel : 00 353 1 8092568 - 00 353 1 8379964 (24h/24)
EU Tel : 112

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**
· **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 2	H225	Highly flammable liquid and vapour.



GHS08 health hazard

Carc. 2	H351	Suspected of causing cancer.
Repr. 1B	H360D	May damage the unborn child.
STOT SE 1	H370	Causes damage to the central nervous system, the respiratory system and the visual organs. Route of exposure: Inhalation.
STOT RE 1	H372-H373	Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure. May cause damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation.



GHS07

Acute Tox. 4	H302	Harmful if swallowed.
Skin Irrit. 2	H315	Causes skin irritation.
Eye Irrit. 2	H319	Causes serious eye irritation.

(Contd. on page 2)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.05.2026 *Version number 14 (replaces version 13)* *Revision: 01.05.2026*

Trade name: KARL FISCHER coulometric solution pyridine free

(Contd. of page 1)

· ***2.2 Label elements***
· ***Labelling according to Regulation (EC) No 1272/2008***
The product is classified and labelled according to the CLP regulation.
· ***Hazard pictograms***



GHS02 GHS07 GHS08

· ***Signal word*** *Danger*

· ***Hazard-determining components of labelling:***
Methanol
Chloroform
Imidazole
sulphur dioxide
· ***Hazard statements***
H225 *Highly flammable liquid and vapour.*
H302 *Harmful if swallowed.*
H315 *Causes skin irritation.*
H319 *Causes serious eye irritation.*
H351 *Suspected of causing cancer.*
H360D *May damage the unborn child.*
H370 *Causes damage to the central nervous system, the respiratory system and the visual organs. Route of exposure: Inhalation.*
H372-H373 *Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure. May cause damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation.*
· ***Precautionary statements***
P210 *Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.*
P241 *Use explosion-proof [electrical/ventilating/lighting] equipment.*
P280 *Wear protective gloves / eye protection / face protection.*
P303+P361+P353 *IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].*
P305+P351+P338 *IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*
P308+P313 *IF exposed or concerned: Get medical advice/attention.*
· ***Additional information:***
Restricted to professional users.
For use in industrial installations only.
· ***2.3 Other hazards***
· ***Results of PBT and vPvB assessment***
· ***PBT:*** *Not applicable*
· ***vPvB:*** *Not applicable*
· ***Determination of endocrine-disrupting properties*** *Not applicable*

SECTION 3: Composition/information on ingredients

· ***3.2 Mixtures***
· ***Description:*** *Mixture made by the following substances:*

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.05.2026 *Version number 14 (replaces version 13)* *Revision: 01.05.2026*

Trade name: KARL FISCHER coulometric solution pyridine free

(Contd. of page 2)

· **Dangerous components:**

CAS: 67-66-3 EINECS: 200-663-8 Index number: 602-006-00-4 RTECS: FS 9100000 Reg.nr.: 01-2119486657-20	Chloroform Acute Tox. 3, H331; Carc. 2, H351; Repr. 2, H361d; STOT RE 1, H372; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319, EUH301	25-50%
CAS: 67-56-1 EINECS: 200-659-6 Index number: 603-001-00-X RTECS: PC 1400000 Reg.nr.: 01-2119433307-44	Methanol Flam. Liq. 2, H225; Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; STOT SE 1, H370 Specific concentration limits: STOT SE 1; H370: C ≥ 10% STOT SE 2; H371: 3 % ≤ C < 10 %	25-50%
CAS: 288-32-4 EINECS: 206-019-2 Index number: 613-319-00-0 RTECS: NI 3325000 Reg.nr.: 01-2119485825-24	Imidazole Repr. 1B, H360D; Skin Corr. 1C, H314; Acute Tox. 4, H302	10-25%
CAS: 7446-09-5 EINECS: 231-195-2 Index number: 016-011-00-9	sulphur dioxide Acute Tox. 3, H331; STOT SE 1, H370; Skin Corr. 1B, H314; Press. Gas (Comp.), H280 ATE: LC50/4 h inhalative: 1,000 ppm	≥5-<10%
CAS: 7553-56-2 EINECS: 231-442-4 Index number: 053-001-00-3 RTECS: NN 1575000 Reg.nr.: 01-2119485285-30-XXXX	Iodine STOT RE 1, H372; Aquatic Acute 1, H400; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	≥0.25-<2.5%

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information:**

Remove immediately any clothing soiled by the product and wash with plenty of water. The rescuer has to be equipped with individual protection

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly. Wash contaminated clothing before reuse.

If skin irritation continues, consult a doctor.

· **After eye contact:**

Rinse opened eye for several minutes under running water. Then consult a doctor.

Seek immediate medical advice.

· **After swallowing:**

Drink plenty of water and provide fresh air.

Call for a doctor immediately.

Rinse out mouth and then drink plenty of water.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 4)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

(Contd. of page 3)

· **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**
· **Suitable extinguishing agents:** CO2 or alcohol resistant foam.
· **For safety reasons unsuitable extinguishing agents:** Water with full jet.
· **5.2 Special hazards arising from the substance or mixture**
Can form explosive gas-air mixtures.
In case of fire, the following can be released:
Nitrogen oxides (NOx)
Hydrogen chloride (HCl)
Carbon monoxide and carbon dioxide
In the absence of oxygen: Ammonia (NH3).
· **5.3 Advice for firefighters**
· **Protective equipment:**
In closed rooms wear a self contained breathing apparatus.
Do not inhale gases in case or fire or combustion.
· **Additional information** Keep receptacles cool with water spray.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**
Keep away any ignition source.
Wear protective equipment. Keep unprotected persons away.
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
Ensure adequate ventilation
· **6.2 Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to penetrate the ground/soil.
Prevent seepage into sewage system, workpits and cellars.
Do not allow to enter sewers/ surface or ground water.
· **6.3 Methods and material for containment and cleaning up:**
Collect the liquid with vacuum in a suitable container and absorb the remainder with a porous material (diatomite, acid binders, universal binders, etc).
Ensure adequate ventilation.
Use neutralising agent.
Do not flush with water or aqueous cleansing agents
Dispose contaminated material as waste according to section 13.
· **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**
Store in cool, dry place in tightly closed receptacles.
Keep away from heat and direct sunlight.
Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 5)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.05.2026 *Version number 14 (replaces version 13)* *Revision: 01.05.2026*

Trade name: KARL FISCHER coulometric solution pyridine free

(Contd. of page 4)

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.
Pneumatic conveyance only with nitrogen or other inert gases.

· ***Information about fire - and explosion protection:***



Keep ignition sources away - Do not smoke.

Protect from heat.
Protect against electrostatic charges.
Use explosion-proof apparatus / fittings and spark-proof tools.
Keep respiratory protective device available.

· ***7.2 Conditions for safe storage, including any incompatibilities***
· ***Storage:***
· ***Requirements to be met by storerooms and receptacles:***
Store in a cool location.
Use only receptacles specifically permitted for this substance/product.
· ***Information about storage in one common storage facility:*** *Not required*
· ***Further information about storage conditions:*** *Store in cool, dry conditions in well sealed receptacles.*
· ***7.3 Specific end use(s)*** *No further relevant information available.*

*
SECTION 8: Exposure controls/personal protection

· ***8.1 Control parameters***

· ***Ingredients with limit values that require monitoring at the workplace:***	
CAS: 67-66-3 Chloroform	
IOELV	*Long-term value: 10 mg/m³, 2 ppm* *Skin*
CAS: 67-56-1 Methanol	
IOELV	*Long-term value: 260 mg/m³, 200 ppm* *Skin*
CAS: 7446-09-5 sulphur dioxide	
IOELV	*Short-term value: 2.7 mg/m³, 1 ppm* *Long-term value: 1.3 mg/m³, 0.5 ppm*

· ***DNELs***		
CAS: 67-66-3 Chloroform		
Dermal	*DNEL (workers-systemic chronic effects)*	*0.94 mg/kg (bw/day)*
Inhalative	*DNEL (workers-acute systemic)*	*333 mg/m3*
	DNEL (workers-local chronic effects)	*2.5 mg/m3*
	DNEL (workers-systemic chronic effects)	*2.5 mg/m3*
CAS: 67-56-1 Methanol		
Dermal	*DNEL (workers-acute systemic)*	*20 mg/kg (bw/day)*
	DNEL (workers-systemic chronic effects)	*20 mg/kg (bw/day)*
Inhalative	*DNEL (workers-acute systemic)*	*130 mg/m3*
	DNEL (workers-local acute effects)	*130 mg/m3*
	DNEL (workers-local chronic effects)	*130 mg/m3*
	DNEL (workers-systemic chronic effects)	*130 mg/m3*

(Contd. on page 6)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.05.2026 Version number 14 (replaces version 13) Revision: 01.05.2026

Trade name: KARL FISCHER coulometric solution pyridine free

(Contd. of page 5)

· **PNECs**

CAS: 67-66-3 Chloroform	
PNEC (Fresh water)	0.146 mg/l
PNEC (Freshwater sediment)	0.45 mg/kg
PNEC (Marine water)	0.015 mg/l
PNEC (Seawater sediment)	0.09 mg/l
PNEC (STP)	0.048 mg/l
PNEC (Soil)	0.56 mg/kg
CAS: 67-56-1 Methanol	
PNEC (Fresh water)	20.8 mg/l
PNEC (Intermittent rejection)	1,540 mg/l
PNEC (Freshwater sediment)	77 mg/kg
PNEC (Marine water)	2.08 mg/l
PNEC (Seawater sediment)	7.7 mg/l
PNEC (STP)	100 mg/l
PNEC (Soil)	100 mg/kg (dw)
CAS: 7446-09-5 sulphur dioxide	
PNEC	6.5 mg/L

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**
· **Appropriate engineering controls**
Safety shower and eye bath. Mechanical exhaust required.
No further data; see section 7.
· **Individual protection measures, such as personal protective equipment**
· **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Do not inhale gases / fumes / aerosols.
Do not inhale dust / smoke / mist.
Avoid contact with the eyes and skin.
Pregnant women should strictly avoid inhalation or skin contact.
· **Respiratory protection:**
Use suitable respiratory protective device only when aerosol or mist is formed.



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Suitable respiratory protective device recommended in case of leakages or handling in open devices.
The selected respiratory protection must comply with standard EN 136/140/143/145/149.
· **Hand protection**
The selected protective gloves have to satisfy the specifications of REGULATION (EU) 2016/425 and the standard EN 374 derived from it.

(Contd. on page 7)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.05.2026 *Version number 14 (replaces version 13)* *Revision: 01.05.2026*

Trade name: KARL FISCHER coulometric solution pyridine free

(Contd. of page 6)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

Rubber gloves
Only use chemical-protective gloves with CE-labelling of category III.
Avoid direct contact with the chemical/ the product/ the preparation by organisational measures.

· ***Material of gloves***
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· ***Penetration time of glove material***
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· ***Eye/face protection***



Face protection

· ***Body protection:*** *Protective work clothing*
· ***Environmental exposure controls***
In case of unintended release of the product: See section 6 of the Safety Data Sheet.
· ***Risk management measures*** *Keep good industrial hygiene.*

SECTION 9: Physical and chemical properties

· ***9.1 Information on basic physical and chemical properties***	
· ***Molecular weight***	
· ***Physical state***	*Liquid*
· ***Colour:***	*colourless, to light yellow*
· ***Odour:***	*Characteristic*
· ***Odour threshold:***	*Not determined*
· ***Melting point/freezing point:***	*Undetermined*
· ***Boiling point or initial boiling point and boiling range***	*62 °C*
· ***Flammability***	*Highly flammable.*
· ***Lower and upper explosion limit***	
· ***Lower:***	*5.5 Vol %*
· ***Upper:***	*44 Vol %*
· ***Flash point:***	*12 °C*
· ***Auto-ignition temperature:***	*455 °C*
· ***Decomposition temperature:***	*Not determined*
· ***pH at 20 °C***	*6*
· ***Viscosity:***	
· ***Kinematic viscosity***	*Not determined*
· ***Dynamic:***	*Not determined*
· ***Solubility***	
· ***water:***	*Not miscible or difficult to mix.*
· ***Partition coefficient n-octanol/water (log value)***	*Not determined*

(Contd. on page 8)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.05.2026 *Version number 14 (replaces version 13)* *Revision: 01.05.2026*

Trade name: KARL FISCHER coulometric solution pyridine free

(Contd. of page 7)

· **Vapour pressure at 20 °C:**	210 hPa
· **Density and/or relative density**	
· **Density at 20 °C:**	1.23 g/cm³
· **Relative density**	Not determined
· **Vapour density**	Not determined

· **9.2 Other information**
· **Appearance:**
· **Form:** Fluid

· **Important information on protection of health and environment, and on safety.**

67-56-1	Methanol	0,2 mJ

· **Ignition temperature:**	Product is not selfigniting.
· **Explosive properties:**	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· **Solvent separation test:**	
· **Organic solvents:**	32.7 %
· **Solids content:**	18.2 %
· **Change in condition**	
· **Evaporation rate**	Not determined

· **Information with regard to physical hazard classes**	
· **Explosives**	Void
· **Flammable gases**	Void
· **Aerosols**	Void
· **Oxidising gases**	Void
· **Gases under pressure**	Void
· **Flammable liquids**	Highly flammable liquid and vapour.
· **Flammable solids**	Void
· **Self-reactive substances and mixtures**	Void
· **Pyrophoric liquids**	Void
· **Pyrophoric solids**	Void
· **Self-heating substances and mixtures**	Void
· **Substances and mixtures, which emit flammable gases in contact with water**	Void
· **Oxidising liquids**	Void
· **Oxidising solids**	Void
· **Organic peroxides**	Void
· **Corrosive to metals**	Void
· **Desensitised explosives**	Void

SECTION 10: Stability and reactivity

· **10.1 Reactivity** See 10.3
· **10.2 Chemical stability**
· **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
· **10.3 Possibility of hazardous reactions** No dangerous reactions known.
· **10.4 Conditions to avoid**
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
· **10.5 Incompatible materials:** No further relevant information available.
· **10.6 Hazardous decomposition products:**
Hydrogen chloride (HCl)
Carbon monoxide, Carbon dioxide.

(Contd. on page 9)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.05.2026 *Version number 14 (replaces version 13)* *Revision: 01.05.2026*

Trade name: KARL FISCHER coulometric solution pyridine free

(Contd. of page 8)

Nitrogen oxides (NOx)

SECTION 11: Toxicological information

· ***11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008***
· ***Acute toxicity*** *Harmful if swallowed.*

· ***LD/LC50 values relevant for classification:***		
Oral	*LD50*	*78.26 mg/kg (mouse)*
		20,488 mg/kg (rabbit)
Inhalative	*LC50/4 h*	*11,500 mg/L (mouse)*
		11,300 mg/L (guinea pig)
		104 mg/L (rat)

CAS: 67-66-3 Chloroform		
Oral	*LD50*	*908 mg/kg (rat)*
Dermal	*LD50*	*3,980 mg/kg (rat)*
Inhalative	*LC50*	*9.2 mg/L (rat) (6h)*
	LC50/4 h	*10.5 mg/L (rat)*

CAS: 67-56-1 Methanol		
Oral	*LD50*	*143 mg/kg (ATE (RTECS®))*
		>1,187 mg/kg (rat)
Dermal	*LD50*	*15,800 mg/kg (rabbit)*
Inhalative	*LC50/4 h*	*83.9 mg/L (rat)*

CAS: 7446-09-5 sulphur dioxide		
Inhalative	*LC50/4 h*	*1,000 ppm (ATE)*

· ***Primary irritant effect:***
· ***Skin corrosion/irritation*** *Causes skin irritation.*
· ***Serious eye damage/irritation***
Strong irritant with the danger of severe eye injury.
Irritating effect.
Causes serious eye irritation.
· ***Ingestion:***
May be fatal if swallowed.
Harmful if swallowed.
· ***Inhalation:***
Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.
May be harmful if inhaled. May cause respiratory tract irritation.
· ***Respiratory or skin sensitisation*** *Based on available data, the classification criteria are not met.*
· ***Germ cell mutagenicity*** *Based on available data, the classification criteria are not met.*
· ***Carcinogenicity*** *Suspected of causing cancer.*
· ***Reproductive toxicity*** *May damage the unborn child.*
· ***STOT-single exposure***
Causes damage to the central nervous system, the respiratory system and the visual organs. Route of exposure: Inhalation.
· ***STOT-repeated exposure***
Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure. May cause damage to organs through prolonged or repeated exposure. Route of exposure: Inhalation.
· ***Aspiration hazard*** *Based on available data, the classification criteria are not met.*

(Contd. on page 10)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.05.2026 *Version number 14 (replaces version 13)* *Revision: 01.05.2026*

Trade name: KARL FISCHER coulometric solution pyridine free

(Contd. of page 9)

· ***Subacute to chronic toxicity:*** *Cumulative effects in case of repeated exposures.*
· ***Additional toxicological information:***
There is a suspect of carcinogenic activity: the animal experiments can not be easy extrapolated to humans.
However handle the product with the right care.
Progressive loss of the sight.
· ***11.2 Information on other hazards***

· ***Endocrine disrupting properties***
None of the ingredients is listed.

SECTION 12: Ecological information

· ***12.1 Toxicity***

· ***Aquatic toxicity:***	
EC50/48h	*57,277.7773 mg/l (Daphnia)*
LC50/96h	*64.8602 mg/l (fishes)*

CAS: 67-66-3 Chloroform	
NOEC	*6.3 mg/L (Daphnia) (21 days)*
	1.463 mg/L (fishes) (9 months)
EC50/48h	*152.5 mg/l (Daphnia)*
LC50/96h	*18 mg/l (fishes)*
CAS: 67-56-1 Methanol	
NOEC	*7,900 mg/L (fishes) (fresh water)*
EC50/48h	*>10,000 mg/l (Daphnia)*
EC50	*22,000 mg/L (algae) (96h)*
LC50	*15,400 mg/l (fishes) (96h)*
CAS: 7446-09-5 sulphur dioxide	
EC50	*> 7 mg/L*

· ***12.2 Persistence and degradability*** *No further relevant information available.*
· ***Method***
· ***Ecological information*** *Not available*
· ***12.3 Bioaccumulative potential*** *No further relevant information available.*
· ***12.4 Mobility in soil*** *No further relevant information available.*
· ***12.5 Results of PBT and vPvB assessment***
· ***PBT:*** *Not applicable*
· ***vPvB:*** *Not applicable*
· ***12.6 Endocrine disrupting properties***
The product does not contain substances with endocrine disrupting properties.
· ***12.7 Other adverse effects***
· ***Additional ecological information:***
· ***General notes:***
Water danger class 3 (German Regulation) (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Must not reach sewage water or drainage ditch undiluted or unneutralised.
Danger to drinking water if even extremely small quantities leak into the ground.

(Contd. on page 11)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.05.2026 *Version number 14 (replaces version 13)* *Revision: 01.05.2026*

Trade name: KARL FISCHER coulometric solution pyridine free

(Contd. of page 10)

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Reutilise if possible or contact a waste processors for recycling or safe disposal.
· **Waste disposal key:**
The European Union does not establish uniform rules for the disposal of chemical waste, which are special waste. Their treatment and elimination of the domestic legislation of each country. So, in each case, you should contact the relevant authorities, or those companies legally authorized for elimination of waste.
2014/955/UE: Council Decision of 18 December 2014 amending the list of wastes contained in Decision 2000/532/EC.
Directive 2008/98/EC of the european parliament and of the council of 18 November 2008, in ist latest valid version.

· **European waste catalogue**	
HP3	Flammable
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP6	Acute Toxicity
HP7	Carcinogenic
HP8	Corrosive
HP10	Toxic for reproduction

· **Uncleaned packaging:**
The containers and packaging materials contaminated with dangerous substances or preparations, have the same treatment of products.
Directive 94/62/EC of the European Parliament and the Council of 20 December 1994 on packaging and packaging waste.
· **Recommendation:**
Disposal must be made according to official regulations.
Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

· **14.1 UN number or ID number**	
· **ADR/RID, IMDG, IATA**	UN1993
· **14.2 UN proper shipping name**	
· **ADR/RID**	1993 FLAMMABLE LIQUID, N.O.S. (METHANOL), special provision 640D
· **IMDG**	FLAMMABLE LIQUID, N.O.S. (METHANOL)
· **IATA**	Flammable liquid, n.o.s. (METHANOL)
· **14.3 Transport hazard class(es)**	
· **ADR/RID**	



· **Class**	3 (F1) Flammable liquids.

(Contd. on page 12)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.05.2026 *Version number 14 (replaces version 13)* *Revision: 01.05.2026*

Trade name: KARL FISCHER coulometric solution pyridine free

(Contd. of page 11)

· **Label**	3
· **IMDG, IATA**	
	
· **Class**	3 Flammable liquids.
· **Label**	3
· **14.4 Packing group**	
· **ADR/RID, IMDG, IATA**	II
· **14.5 Environmental hazards:**	Not applicable
· **14.6 Special precautions for user**	Warning: Flammable liquids.
· **Hazard identification number (Kemler code):**	33
· **EMS Number:**	F-E,S-E
· **Stowage Category**	B
· **Stowage Code**	SW2 Clear of living quarters.
· **14.7 Maritime transport in bulk according to IMO instruments**	Not applicable
· **Transport/Additional information:**	
· **ADR/RID**	
· **Limited quantities (LQ)**	1L
· **Excepted quantities (EQ)**	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· **Transport category**	2
· **Tunnel restriction code**	D/E
· **IMDG**	
· **Limited quantities (LQ)**	1L
· **Excepted quantities (EQ)**	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· **UN "Model Regulation":**	UN 1993 FLAMMABLE LIQUID, N.O.S. (METHANOL), 3, II

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **SARA Section 355 (extremely hazardous substances)**	
CAS: 67-66-3	Chloroform
CAS: 7446-09-5	sulphur dioxide

· **SARA Section 313 (specific toxic chemical listings)**	
CAS: 67-66-3	Chloroform
CAS: 67-56-1	Methanol

· **Prop 65 - Chemicals known to cause cancer**	
CAS: 67-66-3	Chloroform

(Contd. on page 13)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.05.2026 Version number 14 (replaces version 13) Revision: 01.05.2026

Trade name: KARL FISCHER coulometric solution pyridine free

(Contd. of page 12)

· **Directive 2012/18/EU**
· **Named dangerous substances - ANNEX I** None of the ingredients is listed.
· **Seveso category**
H3 STOT SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE
P5c FLAMMABLE LIQUIDS
· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 50 t
· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t

· **REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)**
None of the ingredients is listed.

· **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)**
None of the ingredients is listed.

· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 30, 32, 69

· **Regulation (EU) No 649/2012**

CAS: 67-66-3	Chloroform	Annex I Part 1

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**
None of the ingredients is listed.

· **REGULATION (EU) 2024/590 on substances that deplete the ozone layer**
None of the ingredients is listed.

· **National regulations:**

· **Technical instructions (air):**

Class	Share in %
I	50-100

· **Waterhazard class:** Water danger class 3 (Self-assessment): extremely hazardous for water.

· **Other regulations, limitations and prohibitive regulations**
402.6 g/l
32.73 %

· **Substances of very high concern (SVHC) according to REACH, Article 57**
None of the ingredients is listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**
H225 Highly flammable liquid and vapour.
H280 Contains gas under pressure; may explode if heated.
H301 Toxic if swallowed.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.

(Contd. on page 14)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.05.2026 Version number 14 (replaces version 13) Revision: 01.05.2026

Trade name: KARL FISCHER coulometric solution pyridine free

(Contd. of page 13)

H351 Suspected of causing cancer.
H360D May damage the unborn child.
H361d Suspected of damaging the unborn child.
H370 Causes damage to organs.
H371 May cause damage to organs.
H372 Causes damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
EUH301 For use in industrial installations only.

· **Training hints** Deploy only trained chemical workers.
· **Department issuing SDS:** Q.A./Normative
· **Date of previous version:** 18.04.2021
· **Version number of previous version:** 13
· **Abbreviations and acronyms:**
RCR : Risk Characterisation Ratio
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
Press. Gas (Comp.): Gases under pressure – Compressed gas
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 3: Acute toxicity – Category 3
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Carc. 2: Carcinogenicity – Category 2
Repr. 1B: Reproductive toxicity – Category 1B
Repr. 2: Reproductive toxicity – Category 2
STOT SE 1: Specific target organ toxicity (single exposure) – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

· **Sources**
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006, REACH, in the latest valid version.
Regulation (EC) N° 1272/2008 of the European Parliament and of the Council of 16 December 2008, CLP, in the latest valid version.
Globally Harmonized System, GHS
ADR/RID, IMDG, IATA
PubChem : an open chemistry database at the National Institutes of Health (NIH)
ECHA : European CHemicals Agency
GESTIS : Information system on hazardous substances of the German Social Accident Insurance
· ***** Data compared to the previous version altered.** .

(Contd. on page 15)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.05.2026 *Version number 14 (replaces version 13)* *Revision: 01.05.2026*

Trade name: KARL FISCHER coulometric solution pyridine free

(Contd. of page 14)

Annex: Exposure scenario

· ***Short title of the exposure scenario*** *Substance manufacturing*
· ***Sector of Use*** *Industrial use.*
· ***Process category***
PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
· ***Environmental release category*** *ERC1 Manufacture of the substance*
· ***Description of the activities / processes covered in the Exposure Scenario***
See section 1 of the annex to the Safety Data Sheet.
· ***Conditions of use***
According to directions for use.
Customary application according to section 1.
· ***Duration and frequency*** *5 workdays/week.*
· ***Physical parameters***
The data on the physical - chemical properties in the Exposure Scenario is based on the properties of the preparation.
· ***Physical state***
Fluid
Fluid
· ***Concentration of the substance in the mixture*** *The substance is main component.*
· ***Used amount per time or activity*** *According to directions for use.*
· ***Other operational conditions*** *Observe the general safety regulations when handling chemicals.*
· ***Other operational conditions affecting environmental exposure***
Observe section 6 of the Safety Data Sheet (Accidental release measures).
Use only on hard ground.
· ***Other operational conditions affecting worker exposure***
Avoid contact with eyes.
Avoid contact with the skin.
Do not breathe gas/vapour/aerosol.
Take precautionary measures against static discharge.
Keep away from sources of ignition - No smoking.
· ***Risk management measures***
· ***Worker protection***
· ***Organisational protective measures***
Keep good industrial hygiene.
Deploy only trained chemical workers.
Ensure that activities are executed by specialists or authorised personnel only.
For special applications, it is recommended to verify the chemical resistance of the above stated protective gloves with the manufacturer.
Persons, who tend to skin diseases or other hypersensitivity reactions of the skin, should not handle the product.
Provide sufficient washing facilities.
Ensure good ventilation. This can be achieved by using a local exhaustion or general exhaust system. If these measures are insufficient to keep the solvent vapour concentration below the workplace limit, wear an adequate respiratory protective device.
Work clothes must not consist of textiles that exhibit dangerous melting behaviour in case of fire.
· ***Technical protective measures***
Provide explosion-proof electrical equipment.
Ensure that suitable extractors are available on processing machines
Ensure good ventilation/exhaustion at the workplace.
· ***Personal protective measures***
Do not inhale gases / fumes / aerosols.
Avoid contact with the skin.

(Contd. on page 16)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Trade name: KARL FISCHER coulometric solution pyridine free

(Contd. of page 15)

Avoid contact with the eyes.
Pregnant women should strictly avoid inhalation or skin contact.
Tightly sealed goggles
Use suitable respiratory protective device only when aerosol or mist is formed.
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
Suitable respiratory protective device recommended in case of leakages or handling in open devices.
The selected respiratory protection must comply with standard EN 136/140/143/145/149.
The selected protective gloves have to satisfy the specifications of REGULATION (EU) 2016/425 and the standard EN 374 derived from it.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
Protective gloves
Rubber gloves
Only use chemical-protective gloves with CE-labelling of category III.
Avoid direct contact with the chemical/ the product/ the preparation by organisational measures.
Protective work clothing
Face protection
The usual precautionary measures are to be adhered to when handling chemicals.
Detailed measures on hand protection according to Safety Data Sheet, section 8.

· ***Environmental protection measures***
· ***Water***
Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.
Do not allow to reach sewage system.
· ***Soil*** *Prevent contamination of soil.*
· ***Notes*** *In case of unintended release of the product: See section 6 of the Safety Data Sheet.*
· ***Disposal measures*** *Ensure that waste is collected and contained.*
· ***Disposal procedures***
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
· ***Waste type*** *Partially emptied and uncleaned packaging*
· ***Guidance for downstream users***
No further relevant information available.
Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.