Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.05.2026 *Version number 11 (replaces version 10)* *Revision: 01.05.2026*

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**
· **Trade name: KARL FISCHER water standard 1.0mg/g**
· **SDS number:** CH7477
· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
For professional users only
· **Life cycle stages** IS Use at industrial Sites
· **Application of the substance / the mixture** Chemicals products for laboratory

· **1.3 Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
CARLO ERBA REAGENTS
Chaussée du Vexin
Parc d'Affaires des Portes - BP616
27106 VAL DE REUIL Cedex
Téléphone: +33 (0)2 32 09 20 00
Télécopie: +33 (0)2 32 09 20 20
· **Further information obtainable from:**
Q.A / Normative
email: MSDS_CER-SDS@cer.dgroup.it
· **1.4 Emergency telephone number:**
Ireland - Tel : 00 353 1 8092568 - 00 353 1 8379964 (24h/24)
EU Tel : 112

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**
· **Classification according to Regulation (EC) No 1272/2008**


GHS02 flame

Flam. Liq. 3	H226	Flammable liquid and vapour.


GHS08 health hazard

STOT RE 2	H373	May cause damage to the hearing organs through prolonged or repeated exposure.
Asp. Tox. 1	H304	May be fatal if swallowed and enters airways.


GHS05 corrosion

Eye Dam. 1	H318	Causes serious eye damage.


GHS07

Acute Tox. 4	H302	Harmful if swallowed.
Skin Irrit. 2	H315	Causes skin irritation.
STOT SE 3	H335-H336	May cause respiratory irritation. May cause drowsiness or dizziness.
Aquatic Chronic 3	H412	Harmful to aquatic life with long lasting effects.

(Contd. on page 2)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.05.2026 *Version number 11 (replaces version 10)* *Revision: 01.05.2026*

Trade name: KARL FISCHER water standard 1.0mg/g

(Contd. of page 1)

· ***2.2 Label elements***
· ***Labelling according to Regulation (EC) No 1272/2008***
The product is classified and labelled according to the CLP regulation.
· ***Hazard pictograms***



GHS02 GHS05 GHS07 GHS08

· ***Signal word*** *Danger*

· ***Hazard-determining components of labelling:***
Butan-1-ol
xylene, mixed isomers
ethylbenzene
· ***Hazard statements***
H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.
H373 May cause damage to the hearing organs through prolonged or repeated exposure.
H304 May be fatal if swallowed and enters airways.
H412 Harmful to aquatic life with long lasting effects.
· ***Precautionary statements***
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280 Wear protective gloves / eye protection / face protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
· ***2.3 Other hazards***
· ***Results of PBT and vPvB assessment***
· ***PBT:*** *Not applicable*
· ***vPvB:*** *Not applicable*
· ***Determination of endocrine-disrupting properties*** *Not applicable*

SECTION 3: Composition/information on ingredients

· ***3.2 Mixtures***
· ***Description:*** *Mixture made by the following substances:*

(Contd. on page 3)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.05.2026 Version number 11 (replaces version 10) Revision: 01.05.2026

Trade name: KARL FISCHER water standard 1.0mg/g

(Contd. of page 2)

· **Dangerous components:**

CAS: 1330-20-7 EINECS: 215-535-7 Index number: 601-022-00-9 RTECS: ZE 2100000 Reg.nr.: 01-2119488216-32	xylene, mixed isomers Flam. Liq. 3, H226; Asp. Tox. 1, H304; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	50-100%
CAS: 71-36-3 EINECS: 200-751-6 Index number: 603-004-00-6 RTECS: EO 1400000 Reg.nr.: 01-2119484630-38	Butan-1-ol Flam. Liq. 3, H226; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335-H336	25-50%
CAS: 100-41-4 EINECS: 202-849-4 Index number: 601-023-00-4 RTECS: DA 0700000	ethylbenzene Flam. Liq. 2, H225; STOT RE 2, H373; Asp. Tox. 1, H304; Acute Tox. 4, H332	10-25%

SECTION 4: First aid measures

· **4.1 Description of first aid measures**
· **General information:**
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
· **After inhalation:**
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
In case of unconsciousness place patient stably in side position for transportation.
· **After skin contact:** If skin irritation continues, consult a doctor.
· **After eye contact:**
Rinse opened eye for several minutes under running water. Then consult a doctor.
Seek immediate medical advice.
· **After swallowing:**
Do not induce vomiting; call for medical help immediately.
Call for a doctor immediately.
Rinse out mouth and then drink plenty of water.
Call a doctor immediately.
· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
· **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**
· **Suitable extinguishing agents:** CO2 or alcohol resistant foam.
· **For safety reasons unsuitable extinguishing agents:**
Water with full jet.
Water
· **5.2 Special hazards arising from the substance or mixture**
Can form explosive gas-air mixtures.
Carbon monoxide and carbon dioxide
· **5.3 Advice for firefighters**
· **Protective equipment:**
In closed rooms wear a self contained breathing apparatus.

(Contd. on page 4)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.05.2026 *Version number 11 (replaces version 10)* *Revision: 01.05.2026*

Trade name: KARL FISCHER water standard 1.0mg/g

(Contd. of page 3)

Do not inhale gases in case or fire or combustion.
· ***Additional information*** *Keep receptacles cool with water spray.*

SECTION 6: Accidental release measures

· ***6.1 Personal precautions, protective equipment and emergency procedures***
Keep away any ignition source.
Wear protective equipment. Keep unprotected persons away.
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
Ensure adequate ventilation
· ***6.2 Environmental precautions:***
Do not allow to penetrate the ground/soil.
Do not allow product to reach sewage system or any water course.
Do not allow to enter sewers/ surface or ground water.
· ***6.3 Methods and material for containment and cleaning up:***
Collect the liquid with vacuum in a suitable container and absorb the remainder with a porous material (diatomite, acid binders, universal binders, etc).
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
Dispose contaminated material as waste according to section 13.
· ***6.4 Reference to other sections***
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

· ***7.1 Precautions for safe handling***
Store in cool, dry place in tightly closed receptacles.
Keep away from heat and direct sunlight.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.
Pneumatic conveyance only with nitrogen or other inert gases.
· ***Information about fire - and explosion protection:***



Keep ignition sources away - Do not smoke.

Protect from heat.
Protect against electrostatic charges.
Use explosion-proof apparatus / fittings and spark-proof tools.

· ***7.2 Conditions for safe storage, including any incompatibilities***
· ***Storage:***
· ***Requirements to be met by storerooms and receptacles:***
Store in a cool location.
Use only receptacles specifically permitted for this substance/product.
· ***Information about storage in one common storage facility:*** *Not required*
· ***Further information about storage conditions:***
Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 5)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.05.2026 *Version number 11 (replaces version 10)* *Revision: 01.05.2026*

Trade name: KARL FISCHER water standard 1.0mg/g

(Contd. of page 4)

· ***7.3 Specific end use(s)*** *No further relevant information available.*

*
SECTION 8: Exposure controls/personal protection

· ***8.1 Control parameters***

· ***Ingredients with limit values that require monitoring at the workplace:***	
CAS: 1330-20-7 xylene, mixed isomers	
IOELV	*Short-term value: 442 mg/m³, 100 ppm* *Long-term value: 221 mg/m³, 50 ppm* *Skin*
CAS: 100-41-4 ethylbenzene	
IOELV	*Short-term value: 884 mg/m³, 200 ppm* *Long-term value: 442 mg/m³, 100 ppm* *Skin*

· ***DNELs***		
CAS: 1330-20-7 xylene, mixed isomers		
Inhalative	*DNEL (workers-local effects Acute)*	*16.9 mg/m3 (fishes)*
CAS: 71-36-3 Butan-1-ol		
Dermal	*DNEL (consumers- local chronic effects)*	*55 (mg/m3)*
Inhalative	*DNEL (workers-local chronic effects)*	*310 mg/m3*

· ***PNECs***	
CAS: 71-36-3 Butan-1-ol	
PNEC (Fresh water)	*0.082 mg/l*
PNEC (Intermittent rejection)	*2.25 mg/l*
PNEC (Freshwater sediment)	*0.178 mg/kg*
PNEC (Marine water)	*0.0082 mg/l*
PNEC (Seawater sediment)	*0.0178 mg/l*
PNEC (STP)	*2,476 mg/l*
PNEC (Soil)	*0.015 mg/kg*

· ***Additional information:*** *The lists valid during the making were used as basis.*

· ***8.2 Exposure controls***
· ***Appropriate engineering controls*** *No further data; see section 7.*
· ***Individual protection measures, such as personal protective equipment***
· ***General protective and hygienic measures:***
The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Do not inhale gases / fumes / aerosols.
Do not inhale dust / smoke / mist.
Avoid contact with the eyes and skin.
· ***Respiratory protection:***
Use suitable respiratory protective device only when aerosol or mist is formed.

(Contd. on page 6)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.05.2026 *Version number 11 (replaces version 10)* *Revision: 01.05.2026*

Trade name: KARL FISCHER water standard 1.0mg/g

(Contd. of page 5)



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Suitable respiratory protective device recommended in case of leakages or handling in open devices.
The selected respiratory protection must comply with standard EN 136/140/143/145/149.

· ***Hand protection***
The selected protective gloves have to satisfy the specifications of REGULATION (EU) 2016/425 and the standard EN 374 derived from it.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

Rubber gloves
Avoid direct contact with the chemical/ the product/ the preparation by organisational measures.

· ***Material of gloves***
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· ***Penetration time of glove material***
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· ***Eye/face protection***



Face protection

· ***Body protection:*** *Protective work clothing*

· ***Environmental exposure controls***
The product must not be released into the environment.
In case of unintended release of the product: See section 6 of the Safety Data Sheet.

· ***Risk management measures*** *Keep good industrial hygiene.*

SECTION 9: Physical and chemical properties

· ***9.1 Information on basic physical and chemical properties***

· ***Molecular weight***	
· ***Physical state***	*Liquid*
· ***Colour:***	*Colourless*
· ***Odour:***	*Strong*
· ***Odour threshold:***	*Not determined*
· ***Melting point/freezing point:***	*-92 °C*
· ***Boiling point or initial boiling point and boiling range***	*115-140 °C*
· ***Flammability***	*Flammable.*
· ***Lower and upper explosion limit***	
· ***Lower:***	*1.1 Vol %*
· ***Upper:***	*9.4 Vol %*

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.05.2026 *Version number 11 (replaces version 10)* *Revision: 01.05.2026*

Trade name: KARL FISCHER water standard 1.0mg/g

(Contd. of page 6)

· **Flash point:**	26 °C
· **Auto-ignition temperature:**	435 °C
· **Decomposition temperature:**	Not determined
· **Viscosity:**	
· **Kinematic viscosity**	Not determined
· **Dynamic:**	Not determined
· **Solubility**	
· **water:**	Not miscible or difficult to mix.
· **Partition coefficient n-octanol/water (log value)**	Not determined
· **Vapour pressure at 20 °C:**	10.7 hPa
· **Density and/or relative density**	
· **Density at 20 °C:**	0.85 g/cm³
· **Relative density**	Not determined
· **Vapour density**	Not determined
· **9.2 Other information**	
· **Appearance:**	
· **Form:**	Fluid
· **Important information on protection of health and environment, and on safety.**	
· **Ignition temperature:**	Product is not selfigniting.
· **Explosive properties:**	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· **Solvent separation test:**	
· **Organic solvents:**	99.9 %
· **Water:**	0.1 %
· **Solids content:**	0.0 %
· **Change in condition**	
· **Evaporation rate**	Not determined
· **Information with regard to physical hazard classes**	
· **Explosives**	Void
· **Flammable gases**	Void
· **Aerosols**	Void
· **Oxidising gases**	Void
· **Gases under pressure**	Void
· **Flammable liquids**	Flammable liquid and vapour.
· **Flammable solids**	Void
· **Self-reactive substances and mixtures**	Void
· **Pyrophoric liquids**	Void
· **Pyrophoric solids**	Void
· **Self-heating substances and mixtures**	Void
· **Substances and mixtures, which emit flammable gases in contact with water**	Void
· **Oxidising liquids**	Void
· **Oxidising solids**	Void
· **Organic peroxides**	Void
· **Corrosive to metals**	Void
· **Desensitised explosives**	Void

SECTION 10: Stability and reactivity

· **10.1 Reactivity** See 10.3

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.05.2026 *Version number 11 (replaces version 10)* *Revision: 01.05.2026*

Trade name: KARL FISCHER water standard 1.0mg/g

(Contd. of page 7)

· ***10.2 Chemical stability***
· ***Thermal decomposition / conditions to be avoided:***
No decomposition if used and stored according to specifications.
· ***10.3 Possibility of hazardous reactions*** *No dangerous reactions known.*
· ***10.4 Conditions to avoid***
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
· ***10.5 Incompatible materials:*** *No further relevant information available.*
· ***10.6 Hazardous decomposition products:*** *Carbon monoxide, Carbon dioxide.*

SECTION 11: Toxicological information

· ***11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008***
· ***Acute toxicity*** *Harmful if swallowed.*

· ***LD/LC50 values relevant for classification:***		
Oral	*LD50*	*1,856 mg/kg (rat)*
Dermal	*LD50*	*10,210 mg/kg (rabbit)*
Inhalative	*LC50/4 h*	*5,866 mg/L (mouse)*

CAS: 1330-20-7 xylene, mixed isomers		
Oral	*LD50*	*4,300 mg/kg (rat)*
Dermal	*LD50*	*2,000 mg/kg (rabbit)*
Inhalative	*LC50/4 h*	*21 mg/L (rat)*
CAS: 71-36-3 Butan-1-ol		
Oral	*LD50*	*790 mg/kg (rat)*
Dermal	*LD50*	*3,400 mg/kg (rabbit)*
Inhalative	*LC50/4 h*	*24 mg/L (rat)*

· ***Primary irritant effect:***
· ***Skin corrosion/irritation*** *Causes skin irritation.*
· ***Serious eye damage/irritation***
Strong irritant with the danger of severe eye injury.
Irritating effect.
Causes serious eye damage.
· ***Ingestion:*** *Harmful if swallowed.*
· ***Inhalation:***
May be harmful if inhaled. May cause respiratory tract irritation.
Harmful if inhaled. May cause respiratory tract irritation.
· ***Respiratory or skin sensitisation*** *Based on available data, the classification criteria are not met.*
· ***Germ cell mutagenicity*** *Based on available data, the classification criteria are not met.*
· ***Carcinogenicity*** *Based on available data, the classification criteria are not met.*
· ***Reproductive toxicity*** *Based on available data, the classification criteria are not met.*
· ***STOT-single exposure*** *May cause respiratory irritation. May cause drowsiness or dizziness.*
· ***STOT-repeated exposure*** *May cause damage to the hearing organs through prolonged or repeated exposure.*
· ***Aspiration hazard*** *May be fatal if swallowed and enters airways.*
· ***Subacute to chronic toxicity:*** *Cumulative effects in case of repeated exposures.*
· ***11.2 Information on other hazards***

· ***Endocrine disrupting properties***
None of the ingredients is listed.

(Contd. on page 9)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.05.2026 *Version number 11 (replaces version 10)* *Revision: 01.05.2026*

Trade name: KARL FISCHER water standard 1.0mg/g

(Contd. of page 8)

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**	
EC50/48h	27.8215 mg/l (Daphnia)
LC50/96h	61.0376 mg/l (fishes)

CAS: 71-36-3 Butan-1-ol	
EC50/48h	1,983 mg/l (Daphnia)
LC50/96h	1,730 mg/l (fishes)

· **12.2 Persistence and degradability** No further relevant information available.
· **Method**
· **Ecological information** Not available
· **12.3 Bioaccumulative potential** No further relevant information available.
· **12.4 Mobility in soil** No further relevant information available.
· **12.5 Results of PBT and vPvB assessment**
· **PBT:** Not applicable
· **vPvB:** Not applicable
· **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
· **12.7 Other adverse effects**
· **Additional ecological information:**
· **General notes:**
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Reutilise if possible or contact a waste processors for recycling or safe disposal.
· **Waste disposal key:**
The European Union does not establish uniform rules for the disposal of chemical waste, which are special waste. Their treatment and elimination of the domestic legislation of each country. So, in each case, you should contact the relevant authorities, or those companies legally authorized for elimination of waste.
2014/955/UE: Council Decision of 18 December 2014 amending the list of wastes contained in Decision 2000/532/EC.
Directive 2008/98/EC of the european parliament and of the council of 18 November 2008, in ist latest valid version.

· **European waste catalogue**	
HP3	Flammable
HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP6	Acute Toxicity
HP14	Ecotoxic

· **Uncleaned packaging:**
The containers and packaging materials contaminated with dangerous substances or preparations, have the same treatment of products.
Directive 94/62/EC of the European Parliament and the Council of 20 December 1994 on packaging and

(Contd. on page 10)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.05.2026 Version number 11 (replaces version 10) Revision: 01.05.2026

Trade name: KARL FISCHER water standard 1.0mg/g

(Contd. of page 9)

packaging waste.
· **Recommendation:**
Disposal must be made according to official regulations.
Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

· **14.1 UN number or ID number**	
· **ADR/RID, IMDG, IATA**	UN1993
· **14.2 UN proper shipping name**	
· **ADR/RID**	1993 FLAMMABLE LIQUID, N.O.S. (XYLENES, ETHYLBENZENE)
· **IMDG**	FLAMMABLE LIQUID, N.O.S. (XYLENES, ETHYLBENZENE)
· **IATA**	Flammable liquid, n.o.s. (XYLENES, ETHYLBENZENE)
· **14.3 Transport hazard class(es)**	
· **ADR/RID**	



· **Class**	3 (F1) Flammable liquids.
· **Label**	3
· **IMDG, IATA**	



· **Class**	3 Flammable liquids.
· **Label**	3
· **14.4 Packing group**	
· **ADR/RID, IMDG, IATA**	III
· **14.5 Environmental hazards:**	Not applicable
· **14.6 Special precautions for user**	Warning: Flammable liquids.
· **Hazard identification number (Kemler code):**	30
· **EMS Number:**	F-E,S-E
· **Stowage Category**	A
· **14.7 Maritime transport in bulk according to IMO instruments**	Not applicable
· **Transport/Additional information:**	
· **ADR/RID**	
· **Limited quantities (LQ)**	5L
· **Excepted quantities (EQ)**	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· **Transport category**	3

(Contd. on page 11)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.05.2026 Version number 11 (replaces version 10) Revision: 01.05.2026

Trade name: KARL FISCHER water standard 1.0mg/g

(Contd. of page 10)

· **Tunnel restriction code**	D/E
· **IMDG**	
· **Limited quantities (LQ)**	5L
· **Excepted quantities (EQ)**	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· **UN "Model Regulation":**	UN 1993 FLAMMABLE LIQUID, N.O.S. (XYLENES, ETHYLBENZENE), 3, III

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **SARA Section 355 (extremely hazardous substances)**

None of the ingredients is listed.

· **SARA Section 313 (specific toxic chemical listings)**

CAS: 1330-20-7	xylene, mixed isomers
CAS: 71-36-3	Butan-1-ol
CAS: 100-41-4	ethylbenzene

· **Prop 65 - Chemicals known to cause cancer**

CAS: 100-41-4	ethylbenzene

· **Directive 2012/18/EU**
· **Named dangerous substances - ANNEX I** None of the ingredients is listed.
· **Seveso category** P5c FLAMMABLE LIQUIDS
· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t
· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t

· **REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)**

None of the ingredients is listed.

· **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)**

None of the ingredients is listed.

· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2024/590 on substances that deplete the ozone layer**

None of the ingredients is listed.

· **National regulations:**

· **Technical instructions (air):**

Class	Share in %
NK	50-100

· **Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

· **Other regulations, limitations and prohibitive regulations**
849.9 g/l
99.90 %

(Contd. on page 12)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.05.2026 Version number 11 (replaces version 10) Revision: 01.05.2026

Trade name: KARL FISCHER water standard 1.0mg/g

(Contd. of page 11)

· **Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients is listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**
H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H312 Harmful in contact with skin.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H373 May cause damage to organs through prolonged or repeated exposure.
· **Department issuing SDS:** Q.A./Normative
· **Date of previous version:** 18.04.2021
· **Version number of previous version:** 10
· **Abbreviations and acronyms:**
RCR : Risk Characterisation Ratio
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
· **Sources**
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006, REACH, in the latest valid version.
Regulation (EC) N° 1272/2008 of the European Parliament and of the Council of 16 December 2008, CLP, in the latest valid version.

(Contd. on page 13)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.05.2026 *Version number 11 (replaces version 10)* *Revision: 01.05.2026*

Trade name: KARL FISCHER water standard 1.0mg/g

(Contd. of page 12)

Globally Harmonized System, GHS
ADR/RID, IMDG, IATA
PubChem : an open chemistry database at the National Institutes of Health (NIH)
ECHA : European CHemicals Agency
GESTIS : Information system on hazardous substances of the German Social Accident Insurance
· **** Data compared to the previous version altered.*** .

(Contd. on page 14)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.05.2026 *Version number 11 (replaces version 10)* *Revision: 01.05.2026*

Trade name: KARL FISCHER water standard 1.0mg/g

(Contd. of page 13)

*
Annex: Exposure scenario

· ***Short title of the exposure scenario*** *Substance manufacturing*
· ***Sector of Use*** *Industrial use.*
· ***Process category***
PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
· ***Environmental release category*** *ERC1 Manufacture of the substance*
· ***Description of the activities / processes covered in the Exposure Scenario***
See section 1 of the annex to the Safety Data Sheet.
· ***Conditions of use***
According to directions for use.
Customary application according to section 1.
· ***Duration and frequency*** *5 workdays/week.*
· ***Physical parameters***
The data on the physical - chemical properties in the Exposure Scenario is based on the properties of the preparation.
· ***Physical state***
Fluid
Fluid
· ***Concentration of the substance in the mixture*** *The substance is main component.*
· ***Used amount per time or activity*** *According to directions for use.*
· ***Other operational conditions*** *Observe the general safety regulations when handling chemicals.*
· ***Other operational conditions affecting environmental exposure***
Observe section 6 of the Safety Data Sheet (Accidental release measures).
Use only on hard ground.
· ***Other operational conditions affecting worker exposure***
Avoid contact with eyes.
Avoid contact with the skin.
Do not breathe gas/vapour/aerosol.
Take precautionary measures against static discharge.
Keep away from sources of ignition - No smoking.
· ***Risk management measures***
· ***Worker protection***
· ***Organisational protective measures***
Keep good industrial hygiene.
Ensure that activities are executed by specialists or authorised personnel only.
Deploy only trained chemical workers.
For special applications, it is recommended to verify the chemical resistance of the above stated protective gloves with the manufacturer.
Provide sufficient washing facilities.
Persons, who tend to skin diseases or other hypersensitivity reactions of the skin, should not handle the product.
Ensure good ventilation. This can be achieved by using a local exhaustion or general exhaust system. If these measures are insufficient to keep the solvent vapour concentration below the workplace limit, wear an adequate respiratory protective device.
Work clothes must not consist of textiles that exhibit dangerous melting behaviour in case of fire.
· ***Technical protective measures***
Ensure that suitable extractors are available on processing machines
Ensure good ventilation/exhaustion at the workplace.
Provide explosion-proof electrical equipment.
· ***Personal protective measures***
Do not inhale gases / fumes / aerosols.
Avoid contact with the skin.

(Contd. on page 15)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Trade name: KARL FISCHER water standard 1.0mg/g

(Contd. of page 14)

Avoid contact with the eyes.
Tightly sealed goggles
Use suitable respiratory protective device only when aerosol or mist is formed.
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
Suitable respiratory protective device recommended in case of leakages or handling in open devices.
The selected respiratory protection must comply with standard EN 136/140/143/145/149.
The selected protective gloves have to satisfy the specifications of REGULATION (EU) 2016/425 and the standard EN 374 derived from it.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
Protective gloves
Rubber gloves
Avoid direct contact with the chemical/ the product/ the preparation by organisational measures.
Protective work clothing
Face protection
The usual precautionary measures are to be adhered to when handling chemicals.
Detailed measures on hand protection according to Safety Data Sheet, section 8.

· ***Environmental protection measures***
· ***Water***
No special measures required.
Do not allow to reach sewage system.
Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.
· ***Soil*** *Prevent contamination of soil.*
· ***Notes*** *In case of unintended release of the product: See section 6 of the Safety Data Sheet.*
· ***Disposal measures*** *Ensure that waste is collected and contained.*
· ***Disposal procedures***
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
· ***Waste type*** *Partially emptied and uncleaned packaging*
· ***Guidance for downstream users***
No further relevant information available.
Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.