Honeywell Fluka[™]

Magnesium sulfate heptahydrate

63140-100G

Version 1.3

Revision Date 17.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier			
Product name	:	Magnesium sulfate heptahydra	te
SDS-number	:	00000020691	
Type of product	:	Substance	
Remarks	:	A registration number is not av substance or its uses are exem accordance to the Article 2 (7)((EC) No 1907/2006	
		Document according to Art. 32	of Regulation (EC) 1907/2006.
Chemical name	:	Magnesium sulfate-7-hydrate	
CAS-No.	:	10034-99-8	
REACH Registration Number	:	no data available	
1.2. Relevant identified us	ses	of the substance or mixture an	d uses advised against
Use of the Substance/Mixture	:	Laboratory chemicals	
Uses advised against	:	none	
1.3. Details of the supplie	r of	the safety data sheet	
Company	:	Honeywell International Inc. 115 Tabor Road 07950-2546 Morris Plains USA	Honeywell International, Inc. 115 Tabor Road Morris Plains, NJ 07950-2546 USA
Telephone For further information, please contact:	:	SafetyDataSheet@Honeywell.	com
		Page 1 / 15	

Honeywell Fluka

Magnesium sulfate heptahydrate

63140-100G

Version 1.3

Revision Date 17.12.2022

1.4. Emergency telephone number

Emergency telephone number	:	+1-703-527-3887 (ChemTrec-Transport) +1-303-389-1414 (Medical)
Country based Poison Control Center	:	see chapter 15.1

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Not a hazardous substance or mixture.

2.2. Label elements

REGULATION (EC) No 1272/2008

Not a hazardous substance or mixture.

2.3. Other hazards

Does not require a hazard warning label, but the normal safety precautions for handling of chemicals must be observed.

SECTION 3: Composition/information on ingredients

3.1. Substance

Chemical name	CAS-No. Index-No. REACH Registration Number EC-No.	Classification 1272/2008	Concentration	Remarks
Magnesium sulfate-7- hydrate	10034-99-8 231-298-2		100 %	N.C.*

Page 2 / 15



Magnesium sulfate heptahydrate

63140-100G

Version 1.3

Revision Date 17.12.2022

N.C.* - Non-hazardous substance - for information only

3.2. Mixture Not applicable

Occupational Exposure Limit(s), if available, are listed in Section 8. For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice:

First aider needs to protect himself. Move out of dangerous area. Take off all contaminated clothing immediately. Show this safety data sheet to the doctor in attendance.

Inhalation:

If inhaled, remove to fresh air. If symptoms persist, call a physician.

Skin contact:

After contact with skin, wash immediately with plenty of water. If symptoms persist, call a physician.

Eye contact:

Rinse thoroughly with plenty of water, also under the eyelids. Protect unharmed eye. If eye irritation persists, consult a specialist.

Ingestion:

Immediately give large quantities of water to drink. If accidentally swallowed obtain immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

See Section 11 for more detailed information on health effects and symptoms.

Page 3 / 15

Honeywell Fluka

Magnesium sulfate heptahydrate

63140-100G

Version 1.3

Revision Date 17.12.2022

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Water spray Foam Carbon dioxide (CO2) Dry powder

Extinguishing media which shall not be used for safety reasons: High volume water jet

5.2. Special hazards arising from the substance or mixture

Fire may cause evolution of: Sulphur trioxide

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Wear personal protective equipment. Unprotected persons must be kept away.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Discharge into the environment must be avoided. Do not flush into surface water or sanitary sewer system.

6.3. Methods and materials for containment and cleaning up

Use mechanical handling equipment. Pick for disposal in tightly closed containers

Page 4 / 15

Honeywell Fluka

Magnesium sulfate heptahydrate

63140-100G

Version 1.3

Revision Date 17.12.2022

6.4. Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling:

Do not breathe dust. Provide exhaust ventilation if dust is formed. Wear suitable protective clothing and gloves.

Advice on protection against fire and explosion: Normal measures for preventive fire protection.

Hygiene measures:

Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

no additional data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

DNEL/ PNEC-Values

Component	End- use/impact	Exposure duration	Value	Exposure routes	Remarks
Magnesium sulfate-7-	Workers /		37,6 mg/m3	Inhalation	

Page 5 / 15



Magnesium sulfate heptahydrate

63140-100G

Version 1.3

Revision Date 17.12.2022

hydrate	Long-term systemic effects			
Magnesium sulfate-7- hydrate	Workers / Long-term systemic effects	21,3mg/kg bw/d	Skin contact	
Magnesium sulfate-7- hydrate	Consumers / Long-term systemic effects	11,1 mg/m3	Inhalation	
Magnesium sulfate-7- hydrate	Consumers / Long-term systemic effects	12,8mg/kg bw/d	Skin contact	
Magnesium sulfate-7- hydrate	Consumers / Long-term systemic effects	12,8mg/kg bw/d	Ingestion	

Component	Environmental compartment / Value	Remarks
Magnesium sulfate-7-hydrate	Fresh water: 0,68 mg/l	Assessment factor: 1000
Magnesium sulfate-7-hydrate	Marine water: 0,068 mg/l	Assessment factor: 10000
Magnesium sulfate-7-hydrate	Sewage treatment plant: 10 mg/l	Assessment factor: 10

8.2. Exposure controls

Occupational exposure controls

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345. Do not breathe dust.

Engineering measures

Use with local exhaust ventilation.

Honeywell Fluka[™]

Magnesium sulfate	heptahydrate
63140-100G	
Version 1.3	Revision Date 17.12.2022
Hand protection: Glove material: Natural Break through time: > 4 Glove thickness: 0,6 m Lapren®706 Gloves must be inspec Replace when worn. Remarks:Supplementa substances by analogy Due to varying condition chemical protective glo accordance with EN 37 Since actual conditions the glove manufacturer 50% of the recomende Manufacturer's direction Suitable gloves tested of Vertrieb@kcl.de	erosol formation use respirator with an approved filter. Latex 80 min m red prior to use. ry note: The specifications are based on information and tests from similar ins (e.g.temperature or other strains) it must be considered that the usage of a ve in practice may be much shorter than the permeation time determined in 4. of practical use often deviate from standardised conditions according EN 374 reccomends to use the chemical protective glove in practice not longer than a permeation time. Ins for use should be observed because of great diversity of types . according EN 374 are supplied e.g. from KCL GmbH, D-36124 Eichenzell, e-shields on:
Environmental expos	ure controls
Handle in accordance	vith local environmental regulations and good industrial practices.
SECTION 9: Physical and	chemical properties
9.1. Information on b	asic physical and chemical properties
Physical state	: solid
Colour	: colourless
	Page 7 / 15

Honeywell Fluka[™]

Magnesium sulfate heptahydrate

63140-100G

Version 1.3

Revision Date 17.12.2022

Odour	:	odourless
molecular weight	:	246,47 g/mol
Flammability	:	The product is not flammable.
Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Flash point	:	Not applicable
Auto-ignition temperature	:	Not applicable
Decomposition temperature	:	Loss of water of crystallization on heating.
рН	:	5,0 - 9,2 at 25 °C
Auto-ignition temperature	:	not auto-flammable
Viscosity, kinematic	:	Not applicable
Water solubility	:	completely soluble
Partition coefficient: n- octanol/water	:	No data available
Density	:	ca. 1,68 g/cm3 at 20 °C
Bulk density	:	ca. 1.060 kg/m3
9.2 Other Information		
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Evaporation rate	:	No data available

Viscosity, dynamic

: Not applicable Page 8 / 15



Magnesium sulfate heptahydrate

63140-100G

Version 1.3

Revision Date 17.12.2022

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Loss of water of crystallization on heating.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Protect against water.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Sulphur oxides Magnesium oxide

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity: LD50 Species: Rat Value: > 2.000 mg/kg Method: OECD Test Guideline 425 REACH dossier "read-across"

Acute dermal toxicity: LD50 Species: Rat

Page 9 / 15

Honeywell Fluka

Magnesium sulfate heptahydrate

63140-100G

Version 1.3

Revision Date 17.12.2022

Value: > 2.000 mg/kg Method: OECD Test Guideline 402 REACH dossier "read-across"

Acute inhalation toxicity: No data available

Skin irritation: Not classified due to data which are conclusive although insufficient for classification.

Eye irritation: Species: Rabbit Result: No eye irritation Method: OECD Test Guideline 405 REACH dossier "read-across"

Respiratory or skin sensitisation: Mouse local lymph node assay Species: Mouse Result: Did not cause sensitisation on laboratory animals. Method: OECD Test Guideline 429

Carcinogenicity: Species: not specified Note: No data available *Germ cell mutagenicity:* Note: Not classified due to data which are conclusive although insufficient for classification.

Reproductive toxicity: Species: not specified Remarks: Not classified due to data which are conclusive although insufficient for classification.

Aspiration hazard: No data available

11.2. Information on other hazards

Endocrine disrupting properties No data available

Other information: Toxicological data applies only to the water free substance.

Page 10 / 15



Magnesium sulfate heptahydrate

63140-100G

Version 1.3

Revision Date 17.12.2022

SECTION 12: Ecological information

12.1. Toxicity

Toxicity to fish: LC50 Species: Pimephales promelas (fathead minnow) Value: 680 mg/l Exposure time: 96 h REACH dossier "read-across"

Toxicity to aquatic plants: Not classified due to data which are conclusive although insufficient for classification.

Toxicity to Microorganisms: EC50 Species: Bacteria Value: 84 mg/l Exposure time: 30 min Test substance: anhydrous substance

Toxicity to aquatic invertebrates: EC50 Species: Daphnia magna (Water flea) Value: 720 mg/l Exposure time: 48 h REACH dossier "read-across"

12.2. Persistence and degradability

Biodegradability: The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

Page 11 / 15

Honeywell Fluka

Magnesium sulfate heptahydrate

63140-100G

Version 1.3

Revision Date 17.12.2022

12.5. Results of PBT and vPvB assessment

No data available

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

The product causes no biological oxygen consumption.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product: Dispose according to legal requirements.

Packaging: Legal requirements are to be considered in regard of reuse or disposal of used packaging materials

Further information: Provisions relating to waste: EC Directive 2006/12/EC; 2008/98/EEC Regulation No. 1013/2006

For personal protection see section 8.

SECTION 14: Transport information

14.1 UN number

ADR/RID:Not dangerous goods IMDG:Not dangerous goods IATA:Not dangerous goods

14.2 UN proper shipping name

ADR/RID:Not dangerous goods IMDG:Not dangerous goods IATA:Not dangerous goods

14.3 Transport hazard class(es)

14.4 Packaging group

14.5 Environmental hazards

Page 12 / 15

Honeywell Fluka

Magnesium sulfate heptahydrate

63140-100G

Version 1.3

Revision Date 17.12.2022

ADR/RID:no

Marine pollutant: no

14.6 Special precautions for user No data available

14.7 Maritime transport in bulk according to IMO instruments No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Basis	Value	Remarks
Substances of very high concern (SVHC)		This product does not contain substances of very high concern according to Regulation (EC) No Article 57 above the respective regulatory 1907/2006 (REACH), concentration limit of \geq 0.1 % (w/w).

Poison Control Center

Country	Phone Number
Austria	+4314064343
Belgium	070 245245
Bulgaria	(+)35929154233
Croatia	(+3851)23-48-342
Cyprus	+357 2240 5611
Czech Republic	+420224919293; +420224915402
Denmark	82121212
Estonia	16662; (+372)6269390
Finland	9471977
France	+33(0)145425959
Greece	+30 210 779 3777

Country	Phone Number
Liechtenstein	+41 442515151
Lithuania	+370532362052
Luxembourg	070245245; (+352)80002-5500
Malta	+356 2395 2000
Netherlands	030-2748888
Norway	22591300
Poland	+48 42 25 38 400
Portugal	800250250
Romania	+40 21 318 3606
Slovakia (NTIC)	+421 2 54 774 166
Slovenia	+386 1 400 6051

Page 13 / 15

Honeywell Fluka

Magnesium sulfate heptahydrate

1

63140-100G

Version 1.3

1

Revision Date 17.12.2022

Hungary	(+36-80)201-199	
Iceland	5432222	
Ireland	+353(1)8092166	
Italy	0382 24444	
	Berlin : 030/19240	
	Bonn : 0228/19240	
	Erfurt : 0361/730730	
Germany	Freiburg : 0761/19240	
Germany	Göttingen : 0551/19240	
	Homburg : 06841/19240	
	Mainz : 06131/19240	
	Munich : 089/19240	
Latvia	+37167042473	

1	l l	
	Spain	+34915620420
		112 (begär
	Sweden	Giftinformation);+46104566786
	Switzerland	145
	United Kingdom	(+44) 844 892 0111

Other inventory information

US. Toxic Substances Control Act On TSCA Inventory

Australia. Inventory of Industrial Chemicals (AIIC), as amended On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL) All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List On the inventory, or in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI) On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS) On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC) On the inventory, or in compliance with the inventory

Page 14 / 15



Magnesium sulfate heptahydrate

63140-100G

Version 1.3

Revision Date 17.12.2022

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI) On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Further information

All directives and regulations refer to amended versions. Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Abbreviations:

EC European Community CAS Chemical Abstracts Service DNEL Derived no effect level PNEC Predicted no effect level vPvB Very persistent and very biaccumulative substance PBT Persistent, bioaccmulative und toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.

Page 15 / 15