

according to Regulation (EC) No. 1907/2006

Revision Date 16.06.2017

Version 12.1

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 114556

Product name Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l

NO₃-N

0.4 - 13.3 mg/l NO₃⁻ Spectroquant®

NO₃⁻

REACH Registration Number This product is a mixture. REACH Registration Number see section

3. This product is a mixture. REACH Registration Number see section

3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

For additional information on uses please refer to the Merck Chemicals

portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone: +49 6151 72-0

Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

number

Please contact the regional company representation in your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1, H290

Skin corrosion, Category 1A, H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114556

Product name Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

0.4 - 13.3 mg/l NO₃⁻ Spectroquant®

NO₃⁻

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements

Prevention

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word

Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

according to Regulation (EC) No. 1907/2006

Catalogue No. 114556

Product name Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

0.4 - 13.3 mg/l NO₃⁻ Spectroquant®

NO₃⁻

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Contains: sulphuric acid

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Mixture of acids.

3.1 Substance

Not applicable

3.2 Mixture

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

sulphuric acid (>= 50 % - <= 100 %)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

7664-93-9 01-2119458838-20-

XXXX Corrosive to metals, Category 1, H290

Skin corrosion, Category 1A, H314

phosphoric acid (>= 5 % - < 10 %)

PBT/vPvB: Not applicable for inorganic substances

7664-38-2 01-2119485924-24-

XXXX Corrosive to metals, Category 1, H290

Skin corrosion, Category 1B, H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114556

Product name Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

0.4 - 13.3 mg/l NO₃ - Spectroquant®

NO₃⁻

SECTION 4. First aid measures

4.1 Description of first aid measures

General advice

First aider needs to protect himself.

After inhalation: fresh air. Call in physician.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician immediately.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath, Nausea, Vomiting, Diarrhoea, Pain, Convulsions, shock Risk of blindness!

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

Sulphur oxides, Oxides of phosphorus

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114556

Product name Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

0.4 - 13.3 mg/l NO₃⁻ Spectroquant®

NO₃⁻

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H⁺, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Change contaminated clothing and immerse in water. Preventive skin protection Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

No metal containers.

Storage conditions

Tightly closed. Dry.

Recommended storage temperature see product label.

The data applies to the entire pack.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

according to Regulation (EC) No. 1907/2006

Catalogue No. 114556

Product name Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

0.4 - 13.3 mg/l NO₃⁻ Spectroquant®

NO₃⁻

Derived No Effect Level (DNEL)

sulphuric acid (7664-93-9)

Worker DNEL, acute Local effects inhalation 0,1 mg/m³

Worker DNEL, Local effects inhalation 0,05 mg/m³

longterm

phosphoric acid (7664-38-2)

Worker DNEL, acute Local effects inhalation 2 mg/m³

Worker DNEL, Local effects inhalation 1 mg/m³

longterm

Consumer DNEL, Local effects inhalation 0,73 mg/m³

longterm

Predicted No Effect Concentration (PNEC)

sulphuric acid (7664-93-9)

PNEC Fresh water 0,0025 mg/l
PNEC Fresh water sediment 0,002 mg/kg

PNEC Marine water 0,00025 mg/l

PNEC Marine sediment 0,002 mg/kg

PNEC Sewage treatment plant 8,8 mg/l

phosphoric acid (7664-38-2)

PNEC no data available

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

Hand protection

full contact:

Glove material: Viton (R)
Glove thickness: 0,70 mm
Break through time: > 480 min

splash contact:

Glove material: butyl-rubber

according to Regulation (EC) No. 1907/2006

Catalogue No. 114556

Product name Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

0.4 - 13.3 mg/l NO₃⁻ Spectroquant®

NO₃⁻

Glove thickness: 0,7 mm
Break through time: > 120 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 890 Vitoject® (full contact), KCL 898 Butoject® (splash contact).

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment
Acid-resistant protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form liquid

Colour colourless

Odour odourless

Odour Threshold Not applicable

pH < 1

at 20 °C

Melting point No information available.

Boiling point No information available.

Flash point Not applicable

Evaporation rate No information available.

Flammability (solid, gas) Not applicable

according to Regulation (EC) No. 1907/2006

Catalogue No. 114556

Product name Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

0.4 - 13.3 mg/l NO₃⁻ Spectroquant®

NO₃⁻

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapour pressure No information available.

Relative vapour density No information available.

Density 1,843 g/cm3

at 20 °C

Relative density No information available.

Water solubility at 20 °C

soluble

Partition coefficient: n-

octanol/water

No information available.

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

Corrosion May be corrosive to metals.

SECTION 10. Stability and reactivity

10.1 Reactivity

has a corrosive effect strong oxidising agent

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances:

Violent reactions possible with:

according to Regulation (EC) No. 1907/2006

Catalogue No. 114556

Product name Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

0.4 - 13.3 mg/l NO₃⁻ Spectroquant®

NO₃⁻

Water, Alkali metals, alkali compounds, Ammonia, Aldehydes, acetonitrile, Alkaline earth metals, alkalines, Acids, alkaline earth compounds, Metals, metal alloys, Oxides of phosphorus, phosphorus, hydrides, halogen-halogen compounds, oxyhalogenic compounds, permanganates, nitrates, carbides, combustible substances, organic solvent, acetylidene, Nitriles, organic nitro compounds, anilines, Peroxides, picrates, nitrides, lithium silicide, iron(III) compounds, bromates, chlorates, Amines, perchlorates, hydrogen peroxide

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

animal/vegetable tissues

Gives off hydrogen by reaction with metals.

Metals

Aluminium

iron/iron-containing compounds

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Mixture

Acute oral toxicity

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Acute dermal toxicity

This information is not available.

Skin irritation

Mixture causes severe burns.

Eye irritation

Mixture causes serious eye damage. Risk of blindness!

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114556

Product name Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

0.4 - 13.3 mg/l NO₃⁻ Spectroquant®

NO₃⁻

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

After absorption:

Cough, Shortness of breath, Nausea, Vomiting, Diarrhoea, pain, Convulsions, shock

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Components

sulphuric acid

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

(HSDB)

phosphoric acid

Acute oral toxicity

LD50 Rat: ca. 2.600 mg/kg OECD Test Guideline 423

Acute dermal toxicity

LD50 Rabbit: 2.740 mg/kg (IUCLID)

Skin irritation

Rabbit

Result: Causes burns.

US-EPA

Eye irritation

Rabbit

Result: Causes burns.

(IUCLID)

Sensitisation

Patch test: human Result: negative

(IUCLID)

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Escherichia coli/Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

In vitro mammalian cell gene mutation test

Result: negative

Method: OECD Test Guideline 473

according to Regulation (EC) No. 1907/2006

Catalogue No. 114556

Product name Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

0.4 - 13.3 mg/l NO₃⁻ Spectroquant®

NO₃⁻

In vitro mammalian cell gene mutation test

Mouse lymphoma test Result: negative

Method: OECD Test Guideline 476

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information

Harmful effect due to pH shift. Caustic even in diluted form. Neutralisation possible in waste water treatment plants. Endangers drinking-water supplies if allowed to enter soil and/or waters in large quantities. Forms corrosive mixtures with water even if diluted. Discharge into the environment must be avoided.

Components

sulphuric acid

Toxicity to fish

static test LC50 Lepomis macrochirus (Bluegill sunfish): > 16 - < 28 mg/l; 96 h

Analytical monitoring: yes(ECHA)

Toxicity to daphnia and other aquatic invertebrates

static test EC50 Daphnia magna (Water flea): > 100 mg/l; 48 h

Analytical monitoring: yes

OECD Test Guideline 202

Toxicity to algae

static test EC50 Desmodesmus subspicatus (green algae): > 100 mg/l; 72 h

Analytical monitoring: yes

OECD Test Guideline 201

Toxicity to fish (Chronic toxicity)

flow-through test NOEC Cyprinodon sp. (minnow): 0,025 mg/l; 65 d

Analytical monitoring: yes(ECHA)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

phosphoric acid

according to Regulation (EC) No. 1907/2006

Catalogue No. 114556

Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N Product name

0.4 - 13.3 mg/l NO₃ - Spectroquant®

NO₃⁻

Toxicity to fish

LC50 Gambusia affinis (Mosquito fish): 138 mg/l; 96 h (External MSDS)

Toxicity to daphnia and other aquatic invertebrates

static test EC50 Daphnia magna (Water flea): > 100 mg/l; 48 h

Analytical monitoring: yes OECD Test Guideline 202

Toxicity to algae

static test ErC50 Desmodesmus subspicatus (green algae): > 100 mg/l; 72 h

Analytical monitoring: ves OECD Test Guideline 201

Toxicity to bacteria

EC50 activated sludge: 270 mg/l(IUCLID)

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Partition coefficient: n-octanol/water

log Pow: -0,77 (calculated)

(Lit.) Bioaccumulation is not expected.

PBT/vPvB: Not applicable for inorganic substances

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 3316

14.2 Proper shipping name CHEMICAL KIT

14.3 Class 9 14.4 Packing group Ш 14.5 Environmentally hazardous 14.6 Special precautions for yes

user

Tunnel restriction code

E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

according to Regulation (EC) No. 1907/2006

Catalogue No. 114556

Product name Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

0.4 - 13.3 mg/l NO₃- Spectroquant®

NO₃⁻

14.1 UN number UN 3316

14.2 Proper shipping name CHEMICAL KIT

14.3 Class914.4 Packing groupII14.5 Environmentally hazardous--14.6 Special precautions forno

user

Sea transport (IMDG)

14.1 UN number UN 3316

14.2 Proper shipping name CHEMICAL KIT

14.3 Class914.4 Packing groupII14.5 Environmentally hazardous--14.6 Special precautions foryes

user

EmS F-A S-P

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard 96/82/EC

Legislation Directive 96/82/EC does not apply

SEVESO III Not applicable

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work.

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European not regulated Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending

Directive 79/117/EEC

according to Regulation (EC) No. 1907/2006

Catalogue No. 114556

Product name Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

0.4 - 13.3 mg/l NO₃ - Spectroquant®

NO₃⁻

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern according to

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of ≥ 0.1 % (w/w).

National legislation

Storage class 8B
The data applies to the entire pack.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms



Signal word

Danger

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements

according to Regulation (EC) No. 1907/2006

Catalogue No. 114556

Product name Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

0.4 - 13.3 mg/l NO₃ - Spectroquant®

NO₃⁻

Prevention

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Contains: sulphuric acid

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.



according to Regulation (EC) No. 1907/2006

Revision Date 16.06.2017

Version 12.1

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 114556

Product name Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l

NO₃-N

0.4 - 13.3 mg/l NO₃⁻ Spectroquant®

NO₃-1K

REACH Registration Number This product is a mixture. REACH Registration Number see section

3. This product is a mixture. REACH Registration Number see section

3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

For additional information on uses please refer to the Merck Chemicals

portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone: +49 6151 72-0

Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

number

Please contact the regional company representation in your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

This mixture is not classified as dangerous according to European Union legislation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Safety data sheet available on request.

2.3 Other hazards

None known.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114556

Product name Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

0.4 - 13.3 mg/l NO₃⁻ Spectroquant®

NO₃-1K

SECTION 3. Composition/information on ingredients

Chemical nature Mixture of inorganic and organic compounds

3.1 Substance

Not applicable

3.2 Mixture

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

Resorcinol (>= 5 % - < 10 %)

108-46-3 *)

Acute toxicity, Category 4, H302 Skin irritation, Category 2, H315 Eye irritation, Category 2, H319

Acute aquatic toxicity, Category 1, H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower.

After eve contact: rinse out with plenty of water. Remove contact lenses.

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

CNS disorders, irritant effects

Risk of methaemoglobin formation with headache, cardiac dysrhythmia, drop in blood pressure, dyspnoea and spasms, principal symptom: cyanosis (blue discolouration of the blood).

^{*)} A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114556

Product name Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

0.4 - 13.3 mg/l NO₃ - Spectroquant®

NO₃-1K

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

Sulphur oxides, Hydrogen chloride gas

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

according to Regulation (EC) No. 1907/2006

Catalogue No. 114556

Product name Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

0.4 - 13.3 mg/l NO₃⁻ Spectroquant®

NO₃-1K

Advice on safe handling Observe label precautions.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Recommended storage temperature see product label.

The data applies to the entire pack.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection
Safety glasses

Hand protection

full contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm
Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber Glove thickness: 0,11 mm Preak through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

according to Regulation (EC) No. 1907/2006

Catalogue No. 114556

Product name Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

0.4 - 13.3 mg/l NO₃⁻ Spectroquant®

NO₃-1K

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 1 (acc. to DIN 3181) for solid particles of inert substances. The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form solid

Colour white

Odour odourless

Odour Threshold Not applicable

pH No information available.

Melting point No information available.

Boiling point No information available.

Flash point No information available.

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapour pressure No information available.

Relative vapour density No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114556

Product name Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

0.4 - 13.3 mg/l NO₃ - Spectroquant®

NO₃-1K

Density No information available.

Relative density No information available.

Water solubility at 20 °C

soluble

Partition coefficient: n-

octanol/water

No information available.

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

Bulk density ca.1.100 kg/m3

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

no information available

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

in the event of fire: See section 5.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114556

Product name Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

0.4 - 13.3 mg/l NO₃⁻ Spectroquant®

NO₃-1K

SECTION 11. Toxicological information

11.1 Information on toxicological effects Mixture

Acute oral toxicity

Acute toxicity estimate: > 2.000 mg/kg

Calculation method

Acute inhalation toxicity

This information is not available.

Acute dermal toxicity

absorption

Skin irritation

Possible damages: slight irritation

Eve irritation

Possible damages: slight irritation

Sensitisation

Sensitisation possible in predisposed persons.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

After uptake of large quantities:

Systemic effects:

CNS disorders, Risk of methaemoglobin formation with headache, cardiac dysrhythmia, drop in blood pressure, dyspnoea and spasms, principal symptom: cyanosis (blue discolouration of the blood).

Causes impaired function of:

thyroid

Damage to:

Liver, Kidney, Cardiac

However, when the product is handled appropriately, hazardous effects are unlikely to occur.

Handle in accordance with good industrial hygiene and safety practice.

according to Regulation (EC) No. 1907/2006

Catalogue No. 114556

Product name Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

0.4 - 13.3 mg/l NO₃⁻ Spectroquant®

NO₃-1K

Components

Resorcinol

Acute oral toxicity

LD50 Rat: 301 mg/kg (RTECS) LDLO human: 29 mg/kg (RTECS)

Acute dermal toxicity

LD50 Rabbit: 3.360 mg/kg (RTECS)

Skin irritation Rabbit Result: Irritations (IUCLID)

Eye irritation Rabbit

Result: Severe irritations

(IUCLID)

Germ cell mutagenicity
Genotoxicity in vitro
Mutagenicity (mammal cell test): micronucleus.
Result: negative
(IUCLID)

Ames test Result: negative (IUCLID)

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information

Discharge into the environment must be avoided.

Components

Resorcinol

Toxicity to fish

LC50 Leuciscus idus (Golden orfe): 31,6 mg/l; 96 h (IUCLID)

according to Regulation (EC) No. 1907/2006

Catalogue No. 114556

Product name Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

0.4 - 13.3 mg/l NO₃- Spectroquant®

NO₃-1K

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 1,28 mg/l; 48 h (IUCLID)

Toxicity to algae

IC50 Chlorella vulgaris (Fresh water algae): 605 mg/l; 6 h (IUCLID)

Toxicity to bacteria

microtox test EC50 Photobacterium phosphoreum: 264 mg/l; 30 min

Biodegradability

66,7 %; 14 d

OECD Test Guideline 301C Readily biodegradable

Theoretical oxygen demand (ThOD)

1.890 mg/g

(Lit.)

Ratio BOD/ThBOD

BOD5 61 %

(Lit.)

Ratio COD/ThBOD

100 % (Lit.)

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 3316

14.2 Proper shipping name CHEMICAL KIT

14.3 Class 9 **14.4 Packing group** II

14.5 Environmentally hazardous --

14.6 Special precautions for

user

yes

Tunnel restriction code E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

according to Regulation (EC) No. 1907/2006

Catalogue No. 114556

Product name Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

0.4 - 13.3 mg/l NO₃ - Spectroquant®

NO₃-1K

14.1 UN number UN 3316

14.2 Proper shipping name CHEMICAL KIT

14.3 Class914.4 Packing groupII14.5 Environmentally hazardous--14.6 Special precautions forno

user

Sea transport (IMDG)

14.1 UN number UN 3316

14.2 Proper shipping name CHEMICAL KIT

14.3 Class914.4 Packing groupII14.5 Environmentally hazardous--14.6 Special precautions foryes

user

EmS F-A S-P

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard 96/82/EC

Legislation Directive 96/82/EC does not apply

SEVESO III Not applicable

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European not regulated Parliament and of the Council of 29 April 2004 on

persistent organic pollutants and amending Directive 79/117/EEC

according to Regulation (EC) No. 1907/2006

Catalogue No. 114556

Product name Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

0.4 - 13.3 mg/l NO₃- Spectroquant®

NO₃-1K

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern according to

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of ≥ 0.1 % (w/w).

National legislation

Storage class 8B
The data applies to the entire pack.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H302 Harmful if swallowed.
H315 Causes skin irritation.

H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.

Training advice

Provide adequate information, instruction and training for operators.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.