

**SECTION 1: Identification of the substance/mixture and of the company/  
undertaking**

· **1.1 Product identifier**

· Trade name: Acetic acid

· Article number: 1008

· CAS Number:

64-19-7

· EC number:

200-580-7

· Index number:

607-002-00-6

· Registration number 01-2119475328-30-XXXX

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

· **Process category**

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC4 Chemical production where opportunity for exposure arises

PROC5 Mixing or blending in batch processes

PROC7 Industrial spraying

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC10 Roller application or brushing

PROC11 Non industrial spraying

PROC13 Treatment of articles by dipping and pouring

PROC15 Use as laboratory reagent

· **Environmental release category**

ERC2 Formulation into mixture

ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

ERC6a Use of intermediate

· **Application of the substance / the mixture**

Chemical analytics

Pharmaceutical analysis

Biochemistry

Molecular biology

Laboratory chemical

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

PANREAC QUIMICA S.L.U.

C/Garraf 2

Polígono Pla de la Bruguera

E-08211 Castellar del Vallès (Barcelona)

Tel. (+34) 937 489 400

Fax. (+34) 937 489 401

e-mail: product.safety@panreac.com

· **Further information obtainable from:** email: product.safety@panreac.com

(Contd. on page 2)

GB

Trade name: Acetic acid

(Contd. of page 1)

- **1.4 Emergency telephone number:**  
Single telephone number for emergency calls: 112 (EU)  
Tel.: (+34) 937 489 499

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
Flam. Liq. 3 H226 Flammable liquid and vapour.  
Skin Corr. 1A H314 Causes severe skin burns and eye damage.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The substance is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS02 GHS05

- **Signal word** Danger
- **Hazard statements**  
H226 Flammable liquid and vapour.  
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P321 Specific treatment (see on this label).  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

- **3.1 Chemical characterisation: Substances**
- **CAS No. Description**  
64-19-7 Acetic acid
- **Identification number(s)**
- **EC number:** 200-580-7
- **Index number:** 607-002-00-6

## SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:**  
Immediately remove any clothing soiled by the product.  
Personal protection for the First Aider.
- **After inhalation:** Supply fresh air or oxygen; call for doctor.

(Contd. on page 3)

Trade name: Acetic acid

(Contd. of page 2)

- **After skin contact:**  
Call a doctor immediately.  
Immediately wash with water and soap and rinse thoroughly.  
Immediately remove any clothing soiled by the product.  
Cover wound with a sterile dressing.
- **After eye contact:**  
Rinse opened eye for several minutes under running water.  
Call a doctor immediately.
- **After swallowing:**  
Rinse out mouth.  
make victim drink water (maximum of 2 drinking glasses)  
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture**  
In case of fire, the following can be released:  
Carbon monoxide and carbon dioxide  
Combustible.  
Vapours are heavier than air and may spread along floors.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**  
Cool endangered receptacles with water spray.  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.  
Contain escaping vapours with water.

## SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Avoid substance contact.  
Do not inhale steams/aerosols.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralising agent.  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.  
Clean up affected area.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

(Contd. on page 4)

Trade name: Acetic acid

(Contd. of page 3)

- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Protect from heat.  
Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Provide acid-resistant floor.
- **Information about storage in one common storage facility:**  
Store away from oxidising agents.  
Store away from metals.
- **Further information about storage conditions:**  
Keep container tightly sealed.  
Protect from heat and direct sunlight.  
Open receptacle only under localised extractor facilities.  
Store under lock and key and with access restricted to technical experts or their assistants only.
- **Recommended storage temperature:** Room Temperature
- **Storage class:** 3
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

### 64-19-7 Acetic acid

WEL	Short-term value: 50 mg/m <sup>3</sup> , 20 ppm Long-term value: 25 mg/m <sup>3</sup> , 10 ppm
-----	---

· **DNELs**

Dermal	Acute - local effects, worker	25 mg/kg
Inhalative	Long-term - local effects, worker	25 mg/m <sup>3</sup>
	Acute - local effects, general population	25 mg/m <sup>3</sup>
	Long-term - local effects, general population	25 mg/m <sup>3</sup>

· **PNECs**

Aquatic compartment - freshwater	3.058 mg/L
Aquatic compartment - marine water	3.058 mg/L
Aquatic compartment - water, intermittent releases	30.58 mg/L
Aquatic compartment - sediment in freshwater	11.36 mg/kg
Aquatic compartment - sediment in marine water	1.136 mg/kg
Sewage treatment plant	85 mg/L

- **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Do not inhale gases / fumes / aerosols.
- Avoid contact with the eyes and skin.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Short term filter device:  
Filter A

(Contd. on page 5)

Trade name: Acetic acid

(Contd. of page 4)

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact gloves made of the following materials are suitable:**

Butyl rubber, BR

Recommended thickness of the material:  $\geq 0.7$  mm

Value for the permeation: Level  $\geq 480$  min

· **As protection from splashes gloves made of the following materials are suitable:**

Recommended thickness of the material:  $\geq 0.6$  mm

Natural rubber, NR

Value for the permeation: Level  $\geq 30$  min

· **Eye protection:**



Tightly sealed goggles

· **Body protection:**

Acid resistant protective clothing

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled.

## SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Fluid

Colour: Colourless

· **Odour:** Pungent

· **Odour threshold:** Not determined.

· **pH-value:** 2.5

· **Change in condition**

Melting point/freezing point: 17 °C

Initial boiling point and boiling range: 118 °C

· **Flash point:** 39 °C

· **Flammability (solid, gas):** Not applicable.

· **Ignition temperature:** 463 °C

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Not determined.

(Contd. on page 6)

Trade name: Acetic acid

(Contd. of page 5)

· <b>Explosive properties:</b>	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· <b>Explosion limits:</b>	
Lower:	4 Vol %
Upper:	16 Vol %
· <b>Vapour pressure at 20 °C:</b>	16 hPa
· <b>Density at 20 °C:</b>	1.05 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with water at 25 °C:</b>	603 g/l
· <b>Partition coefficient: n-octanol/water:</b>	-0.17005
· <b>Viscosity:</b>	
Dynamic at 20 °C:	1.53 mPas
Kinematic:	Not determined.
· <b>9.2 Other information</b>	No further relevant information available.

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** Heating
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** strong oxidants
- **10.6 Hazardous decomposition products:** In the event of fire: See chapter 5
- **Additional information:**  
Incompatible with:  
metals  
Forms explosive mixtures with air on intense heating.

## SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **LD/LC50 values relevant for classification:**

Components	Type	Value	Species
Oral	LD50	3,310 mg/kg (rat)	
Dermal	LD50	1,130 mg/kg (rabbit)	
Inhalative	LC50/4 h	5,620 mg/l (mouse)	

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**  
Causes severe skin burns and eye damage.
- **After inhalation:** Strong caustic effect on skin and mucous membranes.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.

(Contd. on page 7)

Trade name: Acetic acid

(Contd. of page 6)

- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:**

Type of test	Effective concentration	Method	Assessment
EC50/72 h	>300.8 mg/l	(Algae)	
EC50/24 h	>300.8 mg/l	(daphnia magna) (OECD 202)	
LC50/96 h	>300.8 mg/l	(fish) (OECD 203)	

- **12.2 Persistence and degradability** The product is easily biodegradable.
- **12.3 Bioaccumulative potential** Distribution log Pow<1.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Must not reach sewage water or drainage ditch undiluted or unneutralised.  
Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water  
Do not allow product to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Chemicals must be disposed of in compliance with the respective national regulations.  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:**  
Disposal must be made according to official regulations.  
Packagings that may not be cleansed are to be disposed of in the same manner as the product.

## SECTION 14: Transport information

- **14.1 UN-Number**
- **ADR, IMDG, IATA** UN2789
- **14.2 UN proper shipping name**
- **ADR, IMDG, IATA** ACETIC ACID, GLACIAL

- **14.3 Transport hazard class(es)**

- **ADR**





- **Class** 8 (CF1) Corrosive substances.

(Contd. on page 8)

Trade name: Acetic acid

(Contd. of page 7)

· Label	8+3
· IMDG	
	
· Class	8 Corrosive substances.
· Label	8/3
· IATA	
	
· Class	8 Corrosive substances.
· Label	8 (3)
· 14.4 Packing group	
· ADR, IMDG, IATA	II
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Corrosive substances.
· Hazard identification number (Kemler code):	83
· EMS Number:	F-E,S-C
· Segregation groups	Acids
· Stowage Category	A
· Segregation Code	SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 2789 ACETIC ACID, GLACIAL, 8 (3), II

## SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances - ANNEX I Substance is not listed.
- Seveso category P5c FLAMMABLE LIQUIDS

(Contd. on page 9)



Trade name: Acetic acid

(Contd. of page 8)

- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 40
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (REACH)  
PNEC: Predicted No-Effect Concentration (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Flam. Liq. 3: Flammable liquids – Category 3  
Skin Corr. 1A: Skin corrosion/irritation – Category 1A

- \* **Data compared to the previous version altered.**

## Annex: Exposure scenario

- **Short title of the exposure scenario** Formulation and packing/repacking of substances and mixtures
- **Sector of Use** SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- **Process category**
  - PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
  - PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
  - PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
  - PROC4 Chemical production where opportunity for exposure arises
  - PROC5 Mixing or blending in batch processes
  - PROC7 Industrial spraying
  - PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
  - PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
  - PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
  - PROC10 Roller application or brushing
  - PROC11 Non industrial spraying
  - PROC13 Treatment of articles by dipping and pouring
  - PROC15 Use as laboratory reagent
- **Environmental release category**
  - ERC2 Formulation into mixture
  - ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
  - ERC6a Use of intermediate
- **Description of the activities / processes covered in the Exposure Scenario**  
See section 1 of the annex to the Safety Data Sheet.
- **Conditions of use**
- **Duration and frequency** 5 workdays/week.

(Contd. on page 10)

Trade name: Acetic acid

(Contd. of page 9)

- **Physical parameters**
- **Physical state** Fluid
- **Concentration of the substance in the mixture** Raw material.
- **Used amount per time or activity** ≤ 1 tons per day
- **Other operational conditions**
- **Other operational conditions affecting environmental exposure** No special measures required.
- **Other operational conditions affecting worker exposure**  
Avoid contact with eyes.  
Avoid contact with the skin.
- **Other operational conditions affecting consumer exposure** No special measures required.
- **Other operational conditions affecting consumer exposure during the use of the product**  
Not applicable.
- **Risk management measures**
- **Worker protection**
- **Organisational protective measures** No special measures required.
- **Technical protective measures**  
Ensure that suitable extractors are available on processing machines
- **Personal protective measures**  
Do not inhale gases / fumes / aerosols.  
Avoid contact with the skin.  
Avoid contact with the eyes.  
Tightly sealed goggles  
Protective gloves  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Measures for consumer protection** Ensure adequate labelling.
- **Environmental protection measures**
- **Water**  
Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.
- **Disposal measures** Ensure that waste is collected and contained.
- **Disposal procedures**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Waste type** Partially emptied and uncleaned packaging
- **Exposure estimation**
- **Consumer** Not relevant for this Exposure Scenario.
- **Guidance for downstream users** No further relevant information available.

GB