



SAFETY DATA SHEET

Page : 1 / 8

Revision nr : 11

Date : 21 / 4 / 2016

Supersedes : 16 / 6 / 2015

FIX-RAL 555**362870**

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : FIX-RAL 555

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : In vitro diagnostic medical device.
For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification : RAL DIAGNOSTICS
Site Montesquieu
33650 MARTILLAC FRANCE
Tel : +33 (0) 5 57 96 04 04 Fax : +33 (0) 5 57 96 04 05
www.ral-diagnostics.com
Email: commercial@ral-diagnostics.fr

1.4. Emergency telephone number

Emergency phone nr : ORFILA : +33 (0) 1 45 42 59 59

SECTION 2 Hazards identification

2.1. Classification of the substance or mixture

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

- Health hazards : Acute toxicity, Oral - Category 3 - Danger - (CLP : Acute Tox. 3) - H301
Acute toxicity, dermal - Category 3 - Danger - (CLP : Acute Tox. 3) - H311
Acute toxicity, Inhalation - Category 3 - Danger - (CLP : Acute Tox. 3) - H331
Specific Target Organ Toxicity - Single exposure - Category 1 - Danger - (CLP : STOT SE 1) - H370
- Physical hazards : Flammable liquids - Category 2 - Danger - (CLP : Flam. Liq. 2) - H225

2.2. Label elements

Labelling Regulation EC 1272/2008 (CLP)

• Hazard pictograms



- Hazard pictograms : GHS06 - GHS02 - GHS08
- Signal words : Danger
- Hazard statements : H225 - Highly flammable liquid and vapour
H301 - Toxic if swallowed
H311 - Toxic in contact with skin.
H331 - Toxic if inhaled.
H370 - Causes damage to organs.

• Precautionary statements

- Prevention : P281 - Use personal protective equipment as required
P202 - Do not handle until all safety precautions have been read and understood
P233 - Keep container tightly closed
P210 - Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
- Response : P309+311 - IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician
P304+340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

2.3. Other hazards

RAL DIAGNOSTICS

Site Montesquieu 33650 MARTILLAC FRANCE
Tel : +33 (0) 5 57 96 04 04 Fax : +33 (0) 5 57 96 04 05
www.ral-diagnostics.com
Email: commercial@ral-diagnostics.fr

Antipoison Center - tel : ORFILA : +33 (0) 1 45 42 59 59



SAFETY DATA SHEET

Page : 2 / 8

Revision nr : 11

Date : 21 / 4 / 2016

Supersedes : 16 / 6 / 2015

FIX-RAL 555**362870**

SECTION 2 Hazards identification (continued)

Other hazards : None under normal conditions.

SECTION 3 Composition/information on ingredients

Substance / Preparation : Preparation.

This product is considered to be hazardous and contains hazardous components.

Substance name	Value(s)	CAS nr	EINECS nr	EC index	REACH	Classification
Methanol	> 80 %	67-56-1	200-659-6	603-001-00-X	01-2119433307-44-XXXX	Flam. Liq. 2;H225 Acute Tox. 3 (Dermal);H311 Acute Tox. 3 (Inhalation);H331 Acute Tox. 3 (Oral);H301 STOT SE 1;H370

SECTION 4. First aid measures

4.1. Description of first aid measures

First aid

- **Inhalation** : Take victim to fresh air. Obtain medical attention if breathing difficulty persists.
- **Skin contact** : Rinse immediately with plenty of water. Seek medical attention if ill effect or irritation develops.
- **Eye contact** : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking, tears or redness persist.
- **Ingestion** : Rinse mouth. Seek medical advice (show the label where possible).

4.2. Most important symptoms and effects, both acute and delayed

- **Inhalation** : Symptoms of overexposure to vapours include drowsiness, weakness, headache, dizziness, nausea, vomiting, dimming of vision. Toxic if inhaled.
- **Skin contact** : Redness, pain. Exposure to this material can result in absorption through skin causing significant health hazard.
- **Eye contact** : Redness, pain. Blurred vision. Tears.
- **Ingestion** : Toxic if swallowed. Swallowing a small quantity of this material presents some health hazard. Must not come into contact with food or be consumed.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5. Fire-fighting measures

5.1. Extinguishing media

Extinguishing media : Powder. Carbon dioxide. Use extinguishing media appropriate for surrounding fire.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards : When mixed with air and exposed to ignition source, can burn in open air or explode if confined.

5.3. Advice for fire-fighters

- Flammable class : Highly flammable.
- Protection against fire : Do not enter fire area without proper protective equipment, including respiratory protection.
- Prevention : Keep away from sources of ignition. No smoking.
- Special procedures : Exercise caution when fighting any chemical fire.

RAL DIAGNOSTICS

Site Montesquieu 33650 MARTILLAC FRANCE
Tel : +33 (0) 5 57 96 04 04 Fax : +33 (0) 5 57 96 04 05
www.ral-diagnostics.com
Email: commercial@ral-diagnostics.fr

Antipoison Center - tel : ORFILA : +33 (0) 1 45 42 59 59



SAFETY DATA SHEET

Page : 3 / 8

Revision nr : 11

Date : 21 / 4 / 2016

Supersedes : 16 / 6 / 2015

FIX-RAL 555**362870**

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Wear suitable respiratory equipment. Equip cleanup crew with proper protection.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

After spillage and/or leakage : Remove ignition sources. Clean up any spills as soon as possible, using an absorbent material to collect it. Dispose in a safe manner in accordance with local/national regulations.

6.4. Reference to other sections

See Heading 8.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

General : Store and handle as though always a serious potential fire/explosion and health hazard exists. Keep away from sources of ignition - No Smoking.

Handling : Handle in accordance with appropriate industrial hygiene and safety procedures. Keep away from food, drink and animal feeding stuffs. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Store in dry, cool, well-ventilated area. Keep bottles closed when not in use. Keep away from heat.

7.3. Specific end use(s)

Not applicable.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure Limits

On ingredients

Methanol

- : VLE - France [ppm] : indicative 328
- : VLE - France [ppm] : indicative 250
- : VME - France [ppm] : 200
- : VME - France [mg/m³] : 260
- : VME - CEE [ppm] : 200
- : VME - CEE [mg/m³] : 260
- : VLE - Unated States [ppm] : 250
- : VME - Unated States [ppm] : 200
- : VME - Germany [ppm] : 200
- : VME - Germany [mg/m³] : 270

8.2. Exposure controls

Personal protection

**RAL DIAGNOSTICS**

Site Montesquieu 33650 MARTILLAC FRANCE
Tel : +33 (0) 5 57 96 04 04 Fax : +33 (0) 5 57 96 04 05
www.ral-diagnostics.com
Email: commercial@ral-diagnostics.fr

Antipoison Center - tel : ORFILA : +33 (0) 1 45 42 59 59



SAFETY DATA SHEET

Page : 4 / 8

Revision nr : 11

Date : 21 / 4 / 2016

Supersedes : 16 / 6 / 2015

FIX-RAL 555**362870**

SECTION 8. Exposure controls/personal protection (continued)

- **Respiratory protection** : In case of insufficient ventilation, wear suitable respiratory equipment. Use a full-face cartridge type A (EN 14387). Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).
- **Hand protection** : Gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.
In full:
Material: nitrile rubber.
Minimum thickness: 0.56 mm. Break through time: Not tested.
Proposed equipment : SOL-VEX® (Ansell 37-185).
In the event of splashes:
Material: nitrile rubber.
Minimum thickness: 0.10 mm. Break through time: Not tested.
Proposed equipment : Touch N Tuff® (Ansell 92-500 ou 92-670).
Source of data: Ansell Healthcare Europe N.V., Riverside Business Park, Block J, Boulevard International 55, B-1070 Brussels, Belgium, Tel. +32 (0)2 528 74 00, e-mail : info@ansell.eu.
- **Skin protection** : Wear suitable protective clothing. Choose body protection in relation to the dangerousness of the product, its concentration and the amounts used depending on the workstation.
- **Eye protection** : Safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
- **Ingestion** : When using, do not eat, drink or smoke.
- Industrial hygiene** : Provide good ventilation in process area to prevent formation of vapour. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1.a. Appearance

- Physical state : Liquid.
Colour : Violet.

9.1.b. Odour

- Odour : Alcohol.

9.1.c. Odour threshold

No data available.

9.1.d. pH

No data available.

9.1.e. Melting point / Freezing point

No data available.

9.1.f. Initial boiling point - boiling range

- Initial boiling point [°C] : 64.7

9.1.g. Flash point

- Flash point [°C] : 9.4

9.1.h. Evaporation rate

No data available.

9.1.i. Flammability

No data available.

RAL DIAGNOSTICS

Site Montesquieu 33650 MARTILLAC FRANCE
Tel : +33 (0) 5 57 96 04 04 Fax : +33 (0) 5 57 96 04 05
www.ral-diagnostics.com
Email: commercial@ral-diagnostics.fr

Antipoison Center - tel : ORFILA : +33 (0) 1 45 42 59 59



SAFETY DATA SHEET

Page : 5 / 8

Revision nr : 11

Date : 21 / 4 / 2016

Supersedes : 16 / 6 / 2015

FIX-RAL 555**362870**

SECTION 9. Physical and chemical properties (continued)

9.1.i. Explosion limits (lower - upper)

No data available.

9.1.k. Vapour pressure

No data available.

9.1.l. Vapour density

No data available.

9.1.m. Relative density

Density : 0.8

9.1.n. Solubility

No data available.

9.1.o. Partition coefficient : n-octanol / water

No data available.

9.1.p. Auto-ignition temperature

Auto-ignition temperature [°C] : 464

9.1.q. Thermal decomposition

No data available.

9.1.r. Viscosity

No data available.

9.1.s. Explosive Properties

No data available.

9.1.t. Oxidising properties

No data available.

9.2. Other information

No data available.

SECTION 10. Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

Physico-chemical stability : Stable in normal temperature and pressure conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : May release flammable gases.

Hazardous properties : In use, may form flammable/explosive vapour-air mixture.

10.4. Conditions to avoid

Conditions to avoid : Open flame. Sparks. Overheating.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

No data available.

RAL DIAGNOSTICS

Site Montesquieu 33650 MARTILLAC FRANCE

Tel : +33 (0) 5 57 96 04 04 Fax : +33 (0) 5 57 96 04 05

www.ral-diagnostics.com

Email: commercial@ral-diagnostics.fr

Antipoison Center - tel : ORFILA : +33 (0) 1 45 42 59 59



SAFETY DATA SHEET

Page : 6 / 8

Revision nr : 11

Date : 21 / 4 / 2016

Supersedes : 16 / 6 / 2015

FIX-RAL 555**362870**

SECTION 10. Stability and reactivity (continued)

SECTION 11. Toxicological information

11.1. Information on toxicological effects

• Acute toxicity**On ingredients****Methanol**

: Mouse dermal LD50 [mg/kg] : > 45000
: Rabbit dermal LD50 [mg/kg] : 15800
: Rat oral LD50 [mg/kg] : 5628
: Mouse oral LD50 [mg/kg] : 7300
: Rat inhalation LC50 [ppm/4h] : 64000
: Rat inhalation LC50 [mg/l/4h] : 85

Sources of key data used : ESIS

- Skin corrosion/irritation** : Exposure to this material can result in absorption through skin causing significant health hazard.
- Serious eye damage/irritation** : No data available.
- Respiratory or skin sensitisation** : No data available.
- Germ cell mutagenicity** : No data available.
- Carcinogenicity** : No data available.
- Reproductive toxicity** : No data available.
- STOT-single exposure** : No data available.
- STOT-repeated exposure** : Causes damage to organs.
- Aspiration hazard** : No data available.
- Potential effects on health** : Toxic by inhalation, in contact with skin and if swallowed.
- Signs and symptoms of exposure** : No data available.

SECTION 12. Ecological information

12.1. Toxicity

On ingredients**Methanol**

: LC50-96 Hour - fish [mg/l] : 15400
: 24 H-LC50 - Daphnia magna [mg/l] : > 10000
: 24 Hour-LC50 - Plankton [mg/l] : 12000

12.2. Persistence - degradability

On ingredients**Methanol**

: Biodegradation [%] : > 90 (24h)

12.3. Bioaccumulative potential

On ingredients**Methanol**

: Bioaccumulative potential : 10 (Leuciscus idus)

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

RAL DIAGNOSTICS

Site Montesquieu 33650 MARTILLAC FRANCE
Tel : +33 (0) 5 57 96 04 04 Fax : +33 (0) 5 57 96 04 05
www.ral-diagnostics.com
Email: commercial@ral-diagnostics.fr

Antipoison Center - tel : ORFILA : +33 (0) 1 45 42 59 59



SAFETY DATA SHEET

Page : 7 / 8

Revision nr : 11

Date : 21 / 4 / 2016

Supersedes : 16 / 6 / 2015

FIX-RAL 555**362870**

SECTION 12. Ecological information (continued)

Not release to the environment.

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Disposal: Dispose of this material and its container at hazardous or special waste collection point.
Dispose in a safe manner in accordance with local/national regulations.

SECTION 14. Transport information

14.1. UN number

• UN No. : 1230

14.2. UN proper shipping name

• Proper shipping name : METHANOL

14.3. Transport hazard class(es)

• Hazard Label(s)

• Class : 3: Flammable liquids
6.1: Toxic substances

- H.I. nr : 336

• Classification code : FT1

14.4. Packing group

• ADR Packing group : II

• IMO Packing group : II

• IATA Packing group : II

14.5. Environmental hazards

• IMDG-Marine pollution : No

14.6. Special precautions for user

Emergency action in case of accident

• IMO-IMDG code : FS : F-E - S-D

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

RAL DIAGNOSTICSSite Montesquieu 33650 MARTILLAC FRANCE
Tel : +33 (0) 5 57 96 04 04 Fax : +33 (0) 5 57 96 04 05
www.ral-diagnostics.com
Email: commercial@ral-diagnostics.fr

Antipoison Center - tel : ORFILA : +33 (0) 1 45 42 59 59



SAFETY DATA SHEET

Page : 8 / 8

Revision nr : 11

Date : 21 / 4 / 2016

Supersedes : 16 / 6 / 2015

FIX-RAL 555**362870**

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ensure all national/local regulations are observed.

15.2. Chemical Safety Assessment

Not applicable.

SECTION 16. Other information

H Substances ' sentences' text : H225 - Highly flammable liquid and vapour
H301 - Toxic if swallowed
H311 - Toxic in contact with skin.
H331 - Toxic if inhaled.
H370 - Causes damage to organs.

Revision : 11

Print date : 21 / 4 / 2016

Further information : Product intended for professional use only.

The contents and format of this SDS are in accordance with REGULATION (EC) No 453/2010 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL.

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document