



ROBERVAL BALANCES



A Roberval for every trade

DOMINIQUE PUTSCHER

ROBERVAL BALANCES

Reliable and sturdy



A real guarantee

These mechanical balances require no particular maintenance thanks to the high quality of their parts. Their apparent simplicity hides the precision, special equipment and know-how that goes into their manufacture.



The balance for all conditions

The Roberval is one of the few balances that can weigh objects up to 20 kg, whatever the location or the climatic conditions.

ROBERVAL Gilles French (1602-1675)

Gilles Personier de Roberval, born in a village near Beauvais, was a physicist, a mathematics professor at the Collège Royal de France and a founding member of the Academy of Sciences (1666). Among his contributions to posterity are the composition of forces rule and the balance (1670) that bears his name.

Daily precision

Thanks to Zwiebel's quality of manufacturing, our balance weighs with Class III precision.

From 2 to 20 kg, a Roberval for every trade

Zwiebel offers a range of 18 models covering all types of weighing, up to 20 kg. Several types of pans allow you to choose the balance that is best suited to your activity.



Our weights catalogue is available on request





Dimension in mm

	References	Capacities	Pan Diameters	Weights	Centre distances
Brass Pans	P000502	2 kg	160	2,6	240
	P000505	5 kg	200	5	300
	P000510	10 kg	220	7,2	360
	P000515	15 kg	240	7,5	360
	P000520	20 kg	260	10,1	390
Stainless Steel Pans	P000702	2 kg	160	2,6	240
	P000705	5 kg	200	5	300
"Lyonnais" Pans	P0002605	5 kg	250	5,5	300
	P0002610	10 kg	270	7,8	360
	P0002615	15 kg	290	10,1	360
	P0002620	20 kg	310	10,3	390
Green Grocer Pans	P0002705	5 kg	260	7	300
	P0002710	10 kg	280	9,4	360
	P0002715	15 kg	310	9,5	360
Pouring-lip Pans	P0002802	2 kg	200		240
	P0002805	5 kg	250		300
Plastic Baskets	P0002900	10 kg	200		360
	P0002915	15 kg	200		330



ZWIEBEL SAS
SAINT JEAN SAVERNE
BP 50002
F67701 SAVERNE CEDEX



Tel : +33 (0)3.88.71.53.10
Fax : +33 (0)3.88.71.20.92



E-mail :
commercial@zwibel.fr



www.zwibel.fr

