HyFlex® 11-627

TECHNICAL DATASHEET

Cut Protection Print date 24-05-2017

Glove material

- · Polyurethane (Coating material)
- Nylon (Liner material)
- Lýcra® (Liner material)
- Dyneema® (Liner material)

Possible Harmful ingredients

Sensitizers

Natural rubber proteins

Only a very small number of users may be sensitised to this ingredient in the glove and hence may develop irritant and/or allergic contact reactions.

Reach Regulation 1907/2006

For more information, please consult the REACH statement on the Ansell website

Properties

- Superior abrasion resistance
- Superior flexibility and dexterity due to the thin membrane
- · Very good cut resistance
- Superior comfort due to the absence of seams in the knitted liner

EN Test Data

	а	b	С	d	е	f
EN388:2003	4	3	4	2		
EN388:2016	4	3	4	2	В	

European conformity

Gloves conform to the requirements of the European Directive 89/686/EEC and to the European standards EN 420:2003 + A1:2009 and EN 388:2003

They are categorised in "Intermediate Design" (= Protection against intermediate risks).

EC-Type Examination Certificate for the final product by

Centexbel

Technologiepark 7

B-9052 Zwijnaarde

Application - Limitations of use

Hand protection - medium duty cut risks

Do not use against flames or temperatures < - 25°C or > 100°C This glove should not be used as a chemical resistant product

Storage

Keep away from sources of ozone or ignition.

Keep out of direct sunlight; store in a cool and dry place.

Constr Gauge uction	Liner material	Coating material	Finishing	Cuff style	Colour	EN Size	Length mm	Packaging
Knitte 15 d	Nylon Lycra®	Polyurethane	Palm coated	Knitwrist	Grey	6, 7, 8, 9, 10, 11	210 - 270	12 pairs in a bag; 12 bags in a carton
	Dyneema®							

The length of the gloves is below the EN requirements for total minimum glove length. Hence, the glove is called 'Fit for special purpose'

