SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Issue Date 03-18-2005 **Revision Date** 23-Mar-2026 **Print Date** 23-Mar-2026 **Version** 4.5

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Code(s) 2608799

Product Name TPTZ Iron Reagent

Unique Formula Identifier (UFI) NH32-FFJJ-T00M-DYWP

Molecular weight Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory Use. Iron determination.

Uses advised against Consumer use

1.3. Details of the supplier of the safety data sheet

Supplier
HACH LANGE GmbH
Willstätterstr. 11
D-40549 Düsseldorf
Tel: +49 (0)211 5288-383
sds@hach.com

Responsible country contact:

HACH UK
Laser House
Ground Floor, Suite B
Waterfront Quay, Salford Quays
GB - Manchester, M50 3XW
Tel. +44 (0) 161 872 1487
info-uk@hach.com

HACH Ireland
Unit 34 GB Business Park
Little Island
IRL-Co. Cork
T45 H681
Tel. +353 (0)146 02 522
info-ie@hach.com

1.4. Emergency telephone number

UK: Chemtrec: +44 20 3807 3798
IE: National Poisons Information Centre (NPIC) 01 809 2566 (24/7)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity - Oral	Category 4 - (H302)
Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Respiratory sensitisation	Category 1 - (H334)
Specific target organ toxicity (single exposure)	Category 3 - (H335)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label elements

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Contains Sodium metabisulfite, 1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monosodium salt, Sodium dithionite



Signal word
Danger

Hazard statements
H302 - Harmful if swallowed
H315 - Causes skin irritation
H318 - Causes serious eye damage
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335 - May cause respiratory irritation
H412 - Harmful to aquatic life with long lasting effects

EUH031 - Contact with acids liberates toxic gas

Precautionary statements
P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician
P332 + P313 - If skin irritation occurs: Get medical advice/attention
P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

2.3. Other hazards

No information available.

PBT & vPvB
This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT)
This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

Endocrine Disruptor Information
This product does not contain any known or suspected endocrine disruptors.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	CAS No. EC No. Index No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Sodium thiosulfate	7772-98-7 231-867-5 -	30 - 40%	Not classified		-	-
Sodium metabisulfite	7681-57-4 231-673-0 016-063-00-2	20 - 30%	Acute Tox. 4 - H302 Eye Dam. 1 - H318		-	-
1,2,3-Propanetricarboxylic acid, 2-hydroxy-, monosodium salt	18996-35-5 242-734-6 -	10 - 20%	Acute Tox. 4 - H302 Eye Irrit. 2 - H319		-	-
Sodium dithionite	7775-14-6 231-890-0 016-028-00-1	10 - 20%	Self-heat. 1 - H251 Acute Tox. 4 - H302 Eye Irrit. 2 - H319 Aquatic Chronic 3 - H412		-	-

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Sodium metabisulfite 7681-57-4	500 mg/kg	> 2000 mg/kg	> 5.5 mg/L	None reported	None reported
Sodium dithionite 7775-14-6	1500 mg/kg	None reported	None reported	None reported	None reported

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Inhalation	May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration. Get medical attention immediately. Get immediate medical attention. Remove to fresh air.
Eye contact	Get immediate medical attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.
Skin contact	May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor. Wash off immediately with soap and plenty of water for at least 15 minutes.
Ingestion	May produce an allergic reaction. Get immediate medical attention. Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Burning sensation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or wheezing. Itching. Rashes. Hives.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	May cause sensitisation in susceptible persons. Treat symptomatically.

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	Product is or contains a sensitiser. May cause sensitisation by inhalation and skin contact.
Hazardous combustion products	Sulphur oxides. nitrogen oxides. sodium monoxide. carbon monoxide, carbon dioxide.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protective equipment.
Additional information	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal. Avoid creating dust.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling Provide extract ventilation to points where emissions occur. Remove contaminated clothing and shoes. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Avoid breathing vapours or mists. In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Avoid creating dust.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep at temperatures between 10 and 25 °C. Keep away from heat.

7.3. Specific end use(s)

Specific use(s) Analytical reagent.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

Chemical name	European Union	United Kingdom	Ireland
Sodium metabisulfite 7681-57-4	-	TWA: 5 mg/m³ STEL: 15 mg/m³	TWA: 5 mg/m³ STEL: 15 mg/m³

Derived No Effect Level (DNEL) - Workers No information available

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering controls

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Hand protection

Barrier creams may help to protect the exposed areas of skin. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374-1:2016 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1:2016.

Gloves			
Duration of contact	PPE - Glove material	Glove thickness	Break through time
Long term (repeated)	Wear protective Viton™ gloves	0,70 mm	>480 minutes
Short term	Wear protective nitrile rubber gloves	0,20 mm	>30 minutes

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing. Avoid contact with eyes, skin and clothing. Wash contaminated clothing before reuse.

Respiratory protection

Ensure adequate ventilation. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

General hygiene considerations

Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Avoid creating dust.

Environmental exposure controls

Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Solid
Colour White to yellow
Odour Sulfur-like.

Property	Values	Remarks • Method
Melting point / freezing point	180 °C	
Initial boiling point and boiling range	No data available	
Flammability	No data available	
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	No data available	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
pH	3.8	1% Solution
Kinematic viscosity	No data available	
Dynamic viscosity	No data available	
Partition coefficient	-2.19	
Vapour pressure		
Relative density	2.23 g/cm³	@ 20 °C

Relative vapor density No data available
Particle characteristics
Particle Size No information available
Particle Size Distribution No information available

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	Solubility	Solubility Temperature
None reported	No information available	No data available	No information available

9.2. Other information

Molecular weight Not applicable
9.2.1. Information with regards to physical hazard classes

Corrosive to metals
Steel Corrosion Rate Not applicable
Aluminum Corrosion Rate Not applicable

9.2.2. Other safety characteristics No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerisation Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Conditions to avoid Protect from light. Protect from moisture.

10.5. Incompatible materials

Incompatible materials Acids. Oxidising agent.

10.6. Hazardous decomposition products

Hazardous Decomposition Products Sulphur oxides. nitrogen oxides. sodium monoxide. Carbon dioxide. Carbon monoxide.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity
Harmful if swallowed

Mixture No data available.

Substance Test data reported below.

Oral Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium metabisulfite	Rat LD_{50}	500 mg/kg	None reported	None reported	No information available
Sodium dithionite	Mouse LD_{50}	1500 mg/kg	None reported	None reported	ERMA

Dermal Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium metabisulfite	Rat LD_{50}	> 2000 mg/kg	None reported	None reported	LOLI

Inhalation (Dust/Mist) Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium metabisulfite	Rat LC_{50}	> 5.5 mg/L	4 hours	None reported	RTECS

Acute Toxicity Estimate (ATE) Not applicable

ATEmix (oral)	1,429.10 mg/kg

Unknown acute toxicity
0 % of the mixture consists of ingredient(s) of unknown toxicity.

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

Skin corrosion/irritation
Classification based on data available for ingredients. Irritating to skin.

Mixture No data available.

Substance Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium dithionite	Draize Test	Rabbit	800 mg	None reported	Mild skin irritant	IUCLID

Serious eye damage/eye irritation
Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Mixture No data available.

Substance Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium metabisulfite	Draize Test	Rabbit	107 mg	None reported	Corrosive to eyes	RTECS
Sodium dithionite	Draize Test	Rabbit	100 mg	None reported	Eye irritant	IUCLID

Respiratory or skin sensitisation
May cause sensitisation by inhalation.

Mixture No data available.

Substance Test data reported below.

Skin Sensitization Exposure Route:

Chemical name	Test method	Species	Results	Key literature references and sources for data
Sodium dithionite	Based on human experience	Human	No sensitisation responses were observed.	OECD 429: Skin Sensitization: Local Lymph Node Assay

Respiratory Sensitization Exposure Route:

Chemical name	Test method	Species	Results	Key literature references and sources for data
Sodium metabisulfite	Based on human experience	Human	Confirmed to be a respiratory sensitizer	GESTIS

STOT - single exposure
May cause respiratory irritation.

Mixture No data available.

Substance No data available.

STOT - repeated exposure
Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

Oral Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium metabisulfite	Rat TD_{Lo}	75 mg/kg	15 days	**Biochemical** Enzyme inhibition, induction, or change in blood or tissue levels (phosphatases and dehydrogenases) **Kidney, Ureter, or Bladder** Other changes in urine composition	RTECS
Sodium dithionite	Rat NOAEL	217 mg/kg	None reported	None reported	OECD 429: Skin Sensitization: Local Lymph Node Assay

Germ cell mutagenicity
Based on available data, the classification criteria are not met.

***Mixture invitro* Data** No data available.

***Substance invitro* Data** Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium metabisulfite	Cytogenetic analysis	Hamster ovary	0.18 mg/L	None reported	Positive test result for mutagenicity	RTECS
Sodium dithionite	Mutation in microorganisms	*Salmonella typhimurium*	None reported	None reported	Negative	IUCLID

***Mixture invivo* Data** No data available.

***Substance invivo* Data** Test data reported below.

Oral Exposure Route:

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sodium dithionite	Cytogenetic analysis	Rat	1200 mg/kg	None reported	Negative test result for mutagenicity	IUCLID

Carcinogenicity
Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

Oral Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium dithionite	None reported	942 mg/kg	2 years	Negative results for carcinogenicity	No information available

Reproductive toxicity
Based on available data, the classification criteria are not met.

Mixture No data available.

Substance Test data reported below.

Oral Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium metabisulfite	Rat TD_{Lo}	20000 mg/kg	None reported	**Effects on Newborn** Stillbirth	RTECS

Aspiration hazard
Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

11.2.1. Endocrine disrupting properties
This product does not contain any known or suspected endocrine disruptors.

11.2.2. Other information
Other adverse effects No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity Harmful to aquatic life with long lasting effects.

Unknown aquatic toxicity Contains 0 % of components with unknown hazards to the aquatic environment.

Mixture

Acute aquatic toxicity: No data available.

Aquatic Chronic Toxicity: No data available.

Substance

Acute aquatic toxicity: Test data reported below.

Fish:

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium metabisulfite	96 hours	*Salmo gairdneri*	LC_{50}	15 mg/L	IUCLID
Sodium dithionite	96 hours	*Leuciscus idus*	LC_{50}	>= 46 mg/L	IUCLID

Crustacea:

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium dithionite	48 Hours	*Daphnia magna*	EC_{50}	98 mg/L	IUCLID

Algae:

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium metabisulfite	96 hours	*Scenedesmus subspicatus*	EC_{50}	40 mg/L	IUCLID

Aquatic Chronic Toxicity: No data available.

12.2. Persistence and degradability

Mixture No data available.

12.3. Bioaccumulative potential

Mixture: No data available.

Partition coefficient log K_{ow} ~ -2.19

12.4. Mobility in soil

Soil Organic Carbon-Water Partition Coefficient log K_{oc} ~ -0.1

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Sodium metabisulfite	Not PBT/vPvB
Sodium dithionite	PBT assessment does not apply

12.6. Endocrine disrupting properties

Endocrine Disruptor Information: This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

No information available.

Ozone: Not applicable

Ozone depletion potential (ODP): No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Advice on Disposal

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Waste disposal number (residues/unused products)

160506* WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste.

Waste disposal number (used product)

160506* WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste.

Contaminated packaging Dispose of contents/containers in accordance with local regulations.

Other Information Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

ADR

14.1 UN number or ID number Not regulated
14.2 UN proper shipping name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing Group Not regulated
14.5 Environmental hazards Not applicable
14.6 Special precautions for user
Special Provisions None

IATA

14.1 UN number or ID number Not regulated
14.2 UN proper shipping name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Environmental hazards Not applicable
14.6 Special precautions for user
Special Provisions None

IMDG
14.1 UN number or ID number Not regulated
14.2 UN proper shipping name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing Group Not regulated
14.5 Environmental hazards Not applicable
14.6 Special precautions for user
Special Provisions None
14.7 Maritime transport in bulk according to IMO instruments No information available

Additional information
If the item is part of a reagent set or kit the classification would change to the following:
UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.
If the item is not regulated, the Chemical Kit classification does not apply.

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Directive 94/33/EC on the protection of young people at work

Authorisations and/or restrictions on use:
This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Sodium metabisulfite - 7681-57-4	75	

Persistent Organic Pollutants Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU) Non-controlled

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Germany
Water hazard class (WGK) slightly hazardous to water (WGK 1)

France
Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Sodium metabisulfite 7681-57-4	RG 66 RG 15bis,RG 74	-

10. Rozporządzenie Komisji (UE) 2020/878 z dnia 18 czerwca 2020 r. zmieniające załącznik II dorozporządzenia (WE) nr1907/2006 Parlamentu Europejskiego i Rady w sprawie rejestracji, oceny, udzielaniazezwoleń i stosowanych ograniczeń wzakresie chemikaliów (REACH).

International Inventories

EINECS/ELINCS	Does not comply
TSCA	Complies
DSL/NDSL	Complies
ENCS	Does not comply
IECSC	Complies
KECI	Complies
PICCS	Does not comply
AICS	Does not comply

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report Chemical safety assessments for substances in this mixture were not carried out.

Section 16: OTHER INFORMATION

Issue Date 03-18-2005

Revision Date 23-Mar-2026

Revision Note updated SDS sections:
1
11
12

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

**	Hazard Designation
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieure
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service Number
Ceiling	Maximum limit value

CLP	Classification, Labelling and Packaging of substances and mixtures [Regulation (EC) No. 1272/2008]
DNEL	Derived No Effect Level (DNEL)
EC	European Community
ECHA	ECHA (The European Chemicals Agency)
EC50	Effective Concentration to 50% of a test population
EEC	European Economic Community
EN	European Standard
IMDG	International Maritime Dangerous Goods (IMDG)
IATA	International Air Transport Association (IATA)
IATA-DGR	International Air Transport Association - Dangerous Goods Regulations
ICAO	International Civil Aviation Organisation
ICAO-TI	International Civil Aviation Organization - Technical Instructions
IUCLID	IUCLID (The International Uniform Chemical Information Database)
GHS	Globally Harmonized System of Classification and Labelling of Chemicals
LOAEL	Lowest observed adverse effect level
LOAEC	Lowest observed adverse effect concentration
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
LOLI	LOLI (List of Lists - An International Chemical Regulatory Database)
MAK	Maximale Arbeitsplatz-Konzentration, a German expression corresponding to threshold limit value, which relates to safe daily exposure levels to chemical substances
NOAEL	No Observed Adverse Effect Level
NOAEC	No observed adverse effect concentration
OSHA	Occupational Safety and Health Administration of the US Department of Labour
PEC	Predicted Effect Concentration
PNEC	Predicted No Effect Concentration (PNEC)
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals [Regulation (EC) No. 1907/2006])
RTECS	RTECS (Registry of Toxic Effects of Chemical Substances)
TWA	TWA (time-weighted average)
SKN*	Skin designation
SKN+	Skin sensitisation
STEL	STEL (Short Term Exposure Limit)
STOT	Specific Target Organ Toxicity
STOT RE	Specific target organ toxicity (repeated exposure)
STOT SE	Specific target organ toxicity (single exposure)
SVHC	Substances of Very High Concern
TLV	Threshold Limit Value
TRGS	Technical rules for hazardous substances, Germany
TSCA	Toxic Substances Control Act
UN	United Nations
vPvB	very persistent and very bioaccumulative
VOC	Volatile organic compounds
AwSV	Administrative regulation of water polluting substances, Germany

Key literature references and sources for data
See Section 11: TOXICOLOGICAL INFORMATION
See Section 12: ECOLOGICAL INFORMATION

Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]	**Method Used**
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method

Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration toxicity	Calculation method
Ozone	Calculation method

Full text of H-Statements referred to under section 3
H251 - Self-heating; may catch fire
H302 - Harmful if swallowed
H315 - Causes skin irritation
H318 - Causes serious eye damage
H319 - Causes serious eye irritation
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335 - May cause respiratory irritation
H412 - Harmful to aquatic life with long lasting effects

Training Advice Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Prepared By Hach Product Compliance Department

Restrictions on use For Laboratory Use Only.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006
Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and Regulation (EC) No. 1272/2008

End of Safety Data Sheet