

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



## Sodium hypochlorite solution

71696-2.5L

Version 4.2

Revision Date 22.01.2024

Supersedes 3

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name : Sodium hypochlorite solution  
SDS-number : 000000020198  
Type of product : Mixture  
Remarks : SDS according to Art. 31 of Regulation (EC) 1907/2006.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Laboratory chemicals  
Uses advised against : none

#### 1.3. Details of the supplier of the safety data sheet

Company : Honeywell International Inc. Honeywell International, Inc.  
115 Tabor Road 115 Tabor Road  
07950-2546 Morris Plains Morris Plains, NJ 07950-2546  
USA USA  
Telephone :  
For further information, please contact: : SafetyDataSheet@Honeywell.com

#### 1.4. Emergency telephone number

Emergency telephone number : +1-703-527-3887 (ChemTrec-Transport)  
+1-303-389-1414 (Medical)  
: Poison Control Center:  
United Kingdom: (+44) 844 892 0111

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Sodium hypochlorite solution

71696-2.5L

Version 4.2


Revision Date 22.01.2024

Supersedes 3

Corrosive to metals Category 1  
H290 May be corrosive to metals.  
Skin corrosion Category 1B  
H314 Causes severe skin burns and eye damage.  
Serious eye damage Category 1  
H318 Causes serious eye damage.  
Short-term (acute) aquatic hazard Category 1  
H400 Very toxic to aquatic life.  
Long-term (chronic) aquatic hazard Category 2  
H411 Toxic to aquatic life with long lasting effects.

### 2.2. Label elements

#### REGULATION (EC) No 1272/2008

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H410 Very toxic to aquatic life with long lasting effects. EUH031 Contact with acids liberates toxic gas.
Precautionary statements	:	P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P284 In case of inadequate ventilation wear respiratory protection. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P302 + P352 IF ON SKIN: Wash with plenty of water. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Sodium hypochlorite solution

71696-2.5L

Version 4.2

Revision Date 22.01.2024

Supersedes 3

advice/ attention.

Hazardous components : sodium hypochlorite, solution  
which must be listed on the  
label

### 2.3. Other hazards

None known. Results of PBT and vPvB assessment, see chapter 12.5.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Chemical name	CAS-No. Index-No. REACH Registration Number EC-No.	Classification 1272/2008	Concentration	Remarks
sodium hypochlorite, solution	7681-52-9 017-011-00-1 231-668-3	Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H335; Respiratory system Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH031	>= 5 % - < 15 %	M(Aquatic Acute) = 10 M(Aquatic Chronic) = 1  EUH031:>= 5 %

Remaining components of this product are non-hazardous and/or are present at concentrations below reportable limits.

Occupational Exposure Limit(s), if available, are listed in Section 8.  
For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

*General advice:*

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Sodium hypochlorite solution

71696-2.5L

Version 4.2

Revision Date 22.01.2024

Supersedes 3

First aider needs to protect himself. Take off all contaminated clothing immediately.

### *Inhalation:*

Remove to fresh air. If breathing is difficult, give oxygen. Use oxygen as required, provided a qualified operator is present. Call a physician immediately.

### *Skin contact:*

Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use. Call a physician immediately.

### *Eye contact:*

Protect unharmed eye. Irrigate eyes for at least 15 minutes with copious quantities of water, keeping eyelids apart and away from eyeballs during irrigation. Call a physician immediately.

### *Ingestion:*

Rinse mouth with water. Do NOT induce vomiting. Call a physician immediately.

#### **4.2. Most important symptoms and effects, both acute and delayed**

No data available

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

See Section 11 for more detailed information on health effects and symptoms.

:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Sodium hypochlorite solution

71696-2.5L

Version 4.2

Revision Date 22.01.2024

Supersedes 3

---

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

*Suitable extinguishing media:*

Water spray

Foam

Carbon dioxide (CO<sub>2</sub>)

Dry powder

*Extinguishing media which shall not be used for safety reasons:*

High volume water jet

#### 5.2. Special hazards arising from the substance or mixture

Fire may cause evolution of:

Chlorine compounds

Hydrogen

Irritant gases/vapours

#### 5.3. Advice for firefighters

In the event of fire and/or explosion do not breathe fumes.

Wear self-contained breathing apparatus and protective suit.

No unprotected exposed skin areas.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire. The product itself does not burn.

---

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Use personal protective equipment.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Should not be released into the environment. Prevent further leakage or spillage if safe to do so.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Sodium hypochlorite solution

71696-2.5L

Version 4.2

Revision Date 22.01.2024

Supersedes 3

### 6.3. Methods and materials for containment and cleaning up

Soak up with inert absorbent material.  
Pick for disposal in tightly closed containers

### 6.4. Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

*Advice on safe handling:*

Exhaust ventilation at the object is necessary. Do not breathe vapours or spray mist.

*Advice on protection against fire and explosion:*

Normal measures for preventive fire protection.

*Hygiene measures:*

Separate rooms are required for washing, showering and changing clothes. Take off all contaminated clothing immediately. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday. When using do not eat or drink.

### 7.2. Conditions for safe storage, including any incompatibilities

*Further information on storage conditions:*

Store in original container. Keep container tightly closed and in a well-ventilated place. Do not leave vessels/containers open. Protect against light. Recommended storage temperature: 15 - 25 °C.

*Advice on common storage:*

Do not store together with: Acids

### 7.3. Specific end use(s)

no additional data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



## Sodium hypochlorite solution

71696-2.5L

Version 4.2

Revision Date 22.01.2024

Supersedes 3

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

##### DNEL/ PNEC-Values

Component	End-use/impact	Exposure duration	Value	Exposure routes	Remarks
sodium hypochlorite, solution	Workers / Long-term systemic effects		1,55 mg/m <sup>3</sup>	Inhalation	
sodium hypochlorite, solution	Workers / Acute systemic effects		3,1 mg/m <sup>3</sup>	Inhalation	
sodium hypochlorite, solution	Workers / Long-term local effects		1,55 mg/m <sup>3</sup>	Inhalation	
sodium hypochlorite, solution	Workers / Acute local effects		3,1 mg/m <sup>3</sup>	Inhalation	
sodium hypochlorite, solution	Consumers / Long-term systemic effects		1,55 mg/m <sup>3</sup>	Inhalation	
sodium hypochlorite, solution	Consumers / Acute systemic effects		3,1 mg/m <sup>3</sup>	Inhalation	
sodium hypochlorite, solution	Consumers / Long-term systemic effects		1,55 mg/m <sup>3</sup>	Inhalation	
sodium hypochlorite, solution	Consumers / Acute local		3,1 mg/m <sup>3</sup>	Inhalation	

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



## Sodium hypochlorite solution

71696-2.5L

Version 4.2

Revision Date 22.01.2024

Supersedes 3

	effects				
sodium hypochlorite, solution	Consumers / Long-term systemic effects		0,26mg/kg bw/d	Ingestion	

Component	Environmental compartment / Value	Remarks
sodium hypochlorite, solution	Fresh water: 0,00021 mg/l	Assessment factor: 10
sodium hypochlorite, solution	Marine water: 0,000042 mg/l	Assessment factor: 50
sodium hypochlorite, solution	Sewage treatment plant: 4,69 mg/kg	

### 8.2. Exposure controls

#### Occupational exposure controls

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345.

Ensure that eyewash stations and safety showers are close to the workstation location.

Do not breathe vapours or spray mist.

#### Engineering measures

Use with local exhaust ventilation.

#### Personal protective equipment

##### Respiratory protection:

In the case of vapour formation use a respirator with an approved filter.

Recommended Filter type:

Inorganic gas/vapour type

##### Hand protection:

Glove material: Nitrile rubber

Break through time: > 480 min

Glove thickness: 0,11 mm

Dermatril® P743

Gloves must be inspected prior to use.

Replace when worn.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Sodium hypochlorite solution

71696-2.5L

Version 4.2

Revision Date 22.01.2024

Supersedes 3

Remarks: Supplementary note: The specifications are based on information and tests from similar substances by analogy.

Due to varying conditions ( e.g.temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374.

Since actual conditions of practical use often deviate from standardised conditions according EN 374 the glove manufacturer recommends to use the chemical protective glove in practice not longer than 50% of the recommended permeation time.

Manufacturer's directions for use should be observed because of great diversity of types .

Suitable gloves tested according EN 374 are supplied e.g. from KCL GmbH, D-36124 Eichenzell, Vertrieb@kcl.de

*Eye protection:*

Safety goggles

*Skin and body protection:*

Impervious clothing

### Environmental exposure controls

Handle in accordance with local environmental regulations and good industrial practices.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

- |                                     |   |   |
|-------------------------------------|---|---|
| (a) Physical state                  | : | liquid                                  |
| (b) Colour                          | : | clear                                   |
| (c) Odour                           | : | No data available                       |
| (d) Melting point/freezing point    | : | -30 - -20 °C                            |
| (e) Boiling point/boiling range     | : | 111 °C                                  |
| (g) Lower and upper explosion limit | : | Lower explosion limit<br>Not applicable |
|                                     | : | Upper explosion limit                   |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Sodium hypochlorite solution

71696-2.5L

Version 4.2

Revision Date 22.01.2024

Supersedes 3

- Not applicable
- (h) Flash point : Not applicable
- (i) Auto-ignition temperature : No data available
- (j) Decomposition temperature : No decomposition if used as directed.
- (k) pH : 11,5 - 13,5
- (l) Viscosity, kinematic : No data available
- (m) Solubility(ies) : Water solubility:  
soluble
- (n) Partition coefficient: n-octanol/water : No data available
- (o) Vapour pressure : 23,3 hPa  
at 20 °C
- (p) Density and / or relative density : 1,206 g/cm<sup>3</sup>  
at 25 °C
- (q) Relative vapour density : No data available
- (r) Particle characteristics : No data available

### 9.2 Other Information

- Corrosive to metals : Corrosive to metals
- Evaporation rate : No data available
- Viscosity, dynamic : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Sodium hypochlorite solution

71696-2.5L

Version 4.2

Revision Date 22.01.2024

Supersedes 3

---

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Stable under normal conditions.

#### 10.2. Chemical stability

No decomposition if used as directed.

#### 10.3. Possibility of hazardous reactions

Corrosive in contact with metals  
Exothermic reaction with strong acids.

#### 10.4. Conditions to avoid

Protect from frost, heat and sunlight.

#### 10.5. Incompatible materials

Metals  
Reducing agents  
Acids  
Ammonia  
Amines  
Methanol

#### 10.6. Hazardous decomposition products

Chlorine compounds

---

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### (a) Acute toxicity

*Acute oral toxicity:*  
No data available

*Acute dermal toxicity:*  
No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Sodium hypochlorite solution

71696-2.5L

Version 4.2

Revision Date 22.01.2024

Supersedes 3

*Acute inhalation toxicity:*

No data available

*Acute toxicity (other routes of administration):*

No data available

**(b) Skin corrosion/irritation:**

Classification based on Annex VI of regulation 1272/2008/EC.

**(c) Serious eye damage/eye irritation:**

Classification based on Annex VI of regulation 1272/2008/EC.

**(d) Respiratory or skin sensitisation:**

Buehler Test

Species: Guinea pig

Classification: non-sensitizing

Method: OECD Test Guideline 406

**(f) Carcinogenicity:**

Note: No data available

**(h) STOT-single exposure:**

No data available

**(i) STOT - repeated exposure:**

No data available

**(j) Aspiration hazard:**

No data available

### 11.2. Information on other hazards

*Endocrine disrupting properties*

No data available

*Other information:*

No data available

---

## SECTION 12: Ecological information

### 12.1. Toxicity

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Sodium hypochlorite solution

71696-2.5L

Version 4.2

Revision Date 22.01.2024

Supersedes 3

### *Toxicity to fish:*

LC50

flow-through test

Species: *Oncorhynchus kisutch* (coho salmon)

Value: 0,032 mg/l

Exposure time: 96 h

Test substance: REACH dossier "read-across"  
anhydrous substance

### *Toxicity to aquatic plants:*

EC50

Growth rate

Species: *Pseudokirchneriella subcapitata* (green algae)

Value: < 0,05 mg actives Cl/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50

static test

Species: *Pseudokirchneriella subcapitata* (green algae)

Value: < 0,03 mg actives Cl/l

Exposure time: 72 h

Method: OECD Test Guideline 201

### *Toxicity to aquatic invertebrates:*

EC50

flow-through test

Species: *Ceriodaphnia dubia* (water flea)

Value: 0,035 mg actives Cl/l

Exposure time: 48 h

Method: OECD Test Guideline 202

EC50

flow-through test

Species: *Daphnia magna* (Water flea)

Value: 0,141 mg actives Cl/l

Exposure time: 48 h

Method: OECD Test Guideline 202

## 12.2. Persistence and degradability

### *Biodegradability:*

The methods for determining biodegradability are not applicable to inorganic substances.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Sodium hypochlorite solution

71696-2.5L

Version 4.2

Revision Date 22.01.2024

Supersedes 3

### 12.3. Bioaccumulative potential

No data available

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

Substance is not persistent, bioaccumulative, and toxic (PBT).

Substance is not very persistent and very bioaccumulative (vPvB).

### 12.6. Endocrine disrupting properties

No data available

### 12.7. Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

*Product:*

Dispose according to legal requirements.

*Packaging:*

Legal requirements are to be considered in regard of reuse or disposal of used packaging materials

*Further information:*

Provisions relating to waste:

EC Directive 2006/12/EC; 2008/98/EEC

Regulation No. 1013/2006

For personal protection see section 8.

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR/RID:1791

IMDG:1791

IATA:1791

### 14.2 UN proper shipping name

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



## Sodium hypochlorite solution

71696-2.5L

Version 4.2

Revision Date 22.01.2024

Supersedes 3

ADR/RID:HYPOCHLORITE SOLUTION  
IMDG:HYPOCHLORITE SOLUTION(SODIUM HYPOCHLORITE)  
IATA:Hypochlorite solution

### 14.3 Transport hazard class(es)

ADR/RID:8    IMDG: 8    IATA: 8

### 14.4 Packaging group

ADR/RID:II    IMDG: II    IATA: II

### 14.5 Environmental hazards

ADR/RID: yes    Marine pollutant: yes

### 14.6 Special precautions for user

IMDG Code segregation group (SGG8) - hypochlorites,  
Incompatible with acids.

### 14.7 Maritime transport in bulk according to IMO instruments

No data available

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Basis	Value	Remarks
Directive 2012/18/EC SEVESO III Listed in Regulation : E1: Hazardous to the aquatic environment	<b>Quantity:</b> 100.000 kg <b>Quantity:</b> 200.000 kg	
Substances of very high concern (SVHC)		This product does not contain substances of very high concern according to Regulation (EC) No Article 57 above the respective regulatory 1907/2006 (REACH), concentration limit of $\geq 0.1 \%$ (w/w).

### Other inventory information

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



## Sodium hypochlorite solution

71696-2.5L

Version 4.2

Revision Date 22.01.2024

Supersedes 3

US. Toxic Substances Control Act  
On TSCA Inventory

Australia. Inventory of Industrial Chemicals (AIIC), as amended  
On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)  
All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List  
On the inventory, or in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI)  
On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS)  
On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC)  
On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand  
On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI)  
On the inventory, or in compliance with the inventory

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

### Text of H-statements referred to under heading 3

sodium hypochlorite, solution : H314 Causes severe skin burns and eye damage.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Sodium hypochlorite solution

71696-2.5L

Version 4.2

Revision Date 22.01.2024

Supersedes 3

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH031 Contact with acids liberates toxic gas.

### Further information

All directives and regulations refer to amended versions.

Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Abbreviations:

EC European Community

CAS Chemical Abstracts Service

DNEL Derived no effect level

PNEC Predicted no effect level

vPvB Very persistent and very bioaccumulative substance

PBT Persistent, bioaccumulative and toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006, as amended



**Sodium hypochlorite solution**

71696-2.5L

Version 4.2

Revision Date 22.01.2024

Supersedes 3