according to Regulation (EC) No 1907/2006

LCK 340 Nitrat/Nitrate, Sample cuvette, 1/2

Revision date: 03.05.2018 Product code: LCK340-1 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LCK 340 Nitrat/Nitrate, Sample cuvette, 1/2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1A

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

sulphuric acid ... %

phosphoric acid; orthophosphoric acid ... %

Signal word: Danger

Pictograms:



Hazard statements

H290 May be corrosive to metals.

according to Regulation (EC) No 1907/2006

LCK 340 Nitrat/Nitrate, Sample cuvette, 1/2

Revision date: 03.05.2018 Product code: LCK340-1 Page 2 of 9

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Chemical name							
	EC No	Index No	REACH No						
	GHS Classification		•						
7664-93-9	sulphuric acid %			60 %					
	231-639-5	016-020-00-8							
	Skin Corr. 1A; H314								
7664-38-2	phosphoric acid; orthophosphoric acid %								
	231-633-2	015-011-00-6							
	Skin Corr. 1B; H314								
7732-18-5	Water			7 %					
	231-791-2								

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately .

Consult a physician. Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes. Consult a physician. Show this safety data sheet to the doctor in attendance.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting.

Consult a physician. Show this safety data sheet to the doctor in attendance.

according to Regulation (EC) No 1907/2006

LCK 340 Nitrat/Nitrate, Sample cuvette, 1/2

Revision date: 03.05.2018 Product code: LCK340-1 Page 3 of 9

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath, Nausea, Vomiting, Diarrhoea

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours. The following may develop in event of fire: sulfur oxides.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Do not breathe vapours, mist or gas. Ensure adequate ventilation.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Do not breathe vapours/dust.

Avoid contact with skin and eyes.

Advice on protection against fire and explosion

None known.

Further information on handling

Observe label precautions.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

according to Regulation (EC) No 1907/2006

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Wash hands before breaks and after work.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

Environmental exposure controls

Should not be released into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: odourless

pH-Value (at 20 °C): < 1

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

no data available

Flammability

Solid: no data available

according to Regulation (EC) No 1907/2006

	LCK 340 Nitrat/Nitrate, Sample cuvette, 1/2	
Revision date: 03.05.2018	Product code: LCK340-1	Page 5 of 9
Gas:	no data available	
Evaloriya proportica		

Explosive properties

no data available

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not applicable
not applicable
not applicable

Auto-ignition temperature

Solid: no data available
Gas: no data available
Decomposition temperature: no data available

Oxidizing properties

no data available

Vapour pressure:

Vapour pressure:

Density (at 20 °C):

Bulk density:

Water solubility:

(at 20 °C)

completely soluble

(at 20 °C)

Solubility in other solvents

soluble

Partition coefficient: no data available Viscosity / dynamic: no data available no data available Viscosity / kinematic: Flow time: no data available Vapour density: no data available Evaporation rate: no data available Solvent separation test: no data available no data available Solvent content:

9.2. Other information

Solid content: no data available

no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

Reacts violently with water. Reacts with the following substances: Alkali metals, Alkaline earth metals, Peroxides

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat. Above 300 °C, hazardous fumes may be released. Gives off hydrogen by reaction with metals.

according to Regulation (EC) No 1907/2006

LCK 340 Nitrat/Nitrate, Sample cuvette, 1/2

Revision date: 03.05.2018 Product code: LCK340-1 Page 6 of 9

10.5. Incompatible materials

Metals

10.6. Hazardous decomposition products

Sulphur trioxide

Further information

very reactive

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No data is available on the product itself.

CAS No	Chemical name						
	Exposure route	Dose	Species	Source	Method		
7664-38-2	phosphoric acid; orthophosphoric acid %						
	dermal	LD50 2740 mg/kg	rabbit	IUCLID			

Irritation and corrosivity

The product causes burns of eyes, skin and mucous membranes.

Sensitising effects

This information is not available.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No toxicology information is available.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name								
	Aquatic toxicity	Dose	[h] [d] Species	Source	Method				
7664-38-2	phosphoric acid; orthophosphoric acid %								
	Acute fish toxicity	LC50 138 mg/l	96 h Gambusia affinis		_				

12.2. Persistence and degradability

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

12.3. Bioaccumulative potential

no data available

according to Regulation (EC) No 1907/2006

LCK 340 Nitrat/Nitrate, Sample cuvette, 1/2

Revision date: 03.05.2018 Product code: LCK340-1 Page 7 of 9

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Our local agencies will accept used cuvettes to ensure their proper disposal.

In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	UN 3316
14.2 LIN proper shipping name:	Chemical kit

14.3. Transport hazard class(es):

14.4. Packing group:

Hazard label: 9



Classification code: M11
Special Provisions: 251 340
Limited quantity: SP251
Excepted quantity: SP340
Transport category: 2
Hazard No: Tunnel restriction code: E

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

14.1. UN number:UN 331614.2. UN proper shipping name:CHEMICAL KIT

14.3. Transport hazard class(es): 9
14.4. Packing group: ||

according to Regulation (EC) No 1907/2006

LCK 340 Nitrat/Nitrate, Sample cuvette, 1/2

Revision date: 03.05.2018 Product code: LCK340-1 Page 8 of 9

Hazard label:

Marine pollutant: --

Special Provisions: 251, 340
Limited quantity: See SP251
Excepted quantity: SP340
EmS: F-A, S-P

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:UN 331614.2. UN proper shipping name:CHEMICAL KIT

14.3. Transport hazard class(es):914.4. Packing group:IIHazard label:9



Special Provisions:A44 A163Limited quantity Passenger:1 kgPassenger LQ:Y960Excepted quantity:E0

IATA-packing instructions - Passenger:960IATA-max. quantity - Passenger:10 kgIATA-packing instructions - Cargo:960IATA-max. quantity - Cargo:10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Use personal protective equipment.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

These transport data apply to the entire pack

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 03.05.2018

according to Regulation (EC) No 1907/2006

LCK 340 Nitrat/Nitrate, Sample cuvette, 1/2

Revision date: 03.05.2018 Product code: LCK340-1 Page 9 of 9

Safety datasheet sections which have been updated: 8, 13

Revision: 09.03.2017

Safety datasheet sections which have been updated: 14

Revision: 10.11.2016

Safety datasheet sections which have been updated: 2

Revision: 19.09.2013

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to Regulation (EC) No 1907/2006

LCK 340 Nitrat/Nitrate, LCK 340 A; 2/2

Revision date: 03.05.2018 Product code: LCK340-2 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LCK 340 Nitrat/Nitrate, LCK 340 A; 2/2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 3

Hazard Statements:

Flammable liquid and vapour.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

propan-2-ol; isopropyl alcohol; isopropanol

Signal word: Warning

Pictograms:



Hazard statements

H226 Flammable liquid and vapour.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

according to Regulation (EC) No 1907/2006

LCK 340 Nitrat/Nitrate, LCK 340 A; 2/2

Revision date: 03.05.2018 Product code: LCK340-2 Page 2 of 9

P280

Wear protective gloves/protective clothing/eye protection/face protection.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

no data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	GHS Classification	•				
7732-18-5	Water			>95 %		
	231-791-2					
67-63-0	propan-2-ol; isopropyl alcohol;	isopropanol		<5 %		
	200-661-7	603-117-00-0				
	Flam. Liq. 2, Eye Irrit. 2, STOT	SE 3; H225 H319 H336				
576-26-1	2,6-xylenol			<1 %		
	209-400-1	604-006-00-X				
	Acute Tox. 3, Acute Tox. 3, Ski	n Corr. 1B, Aquatic Chronic 2; H	311 H301 H314 H411			
123-92-2	isopentyl acetate	<1 %				
	204-662-3	607-130-00-2				
	Flam. Liq. 3; H226 EUH066					

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.

In the case of skin irritation or allergic reactions see a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting.

Consult a physician. Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

No known effect.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

according to Regulation (EC) No 1907/2006

LCK 340 Nitrat/Nitrate, LCK 340 A; 2/2

Revision date: 03.05.2018 Product code: LCK340-2 Page 3 of 9

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Dry powder

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Only qualified personnel equipped with suitable protective equipment may intervene. Immediately evacuate personnel to safe areas.

Do not breathe vapours, mist or gas.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local/national regulations (see section 13).

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

Avoid contact with skin and eyes.

Do not breathe vapours/dust.

Wash thoroughly after handling.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

Further information on handling

Recommended preventive skin protection

Wash hands before breaks and at the end of workday.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

according to Regulation (EC) No 1907/2006

LCK 340 Nitrat/Nitrate, LCK 340 A; 2/2

Revision date: 03.05.2018 Product code: LCK340-2 Page 4 of 9

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
123-92-2	Pentyl acetates: Isopentyl acetate	50	270		TWA (8 h)	WEL
		100	541		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

General industrial hygiene practice.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove

material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Consult your supplier if the material is to be used for special applications such as in the food industry or for hygiene, medical or surgical end-use.

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed. Recommended Filter type: ABEK-filter

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: aromatic

Test method

pH-Value (at 20 °C):

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

not applicable

approx.100 °C

not applicable

not applicable

not applicable

according to Regulation (EC) No 1907/2006

Revision date: 03.05.2018 Product code: LCK340-2 Page 5 of 9

Pour point: no data available no data available

Flash point: 53 °C DIN 51755

Flammability

Solid: no data available
Gas: no data available

Explosive properties

no data available

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

no data available

no data available

Auto-ignition temperature

Solid: no data available
Gas: no data available
Decomposition temperature: no data available

Oxidizing properties

no data available

Vapour pressure: (2-Prop.) 43 hPa

(at 20 °C)

Vapour pressure:no data availableDensity (at 20 °C):0,95 g/cm³Bulk density:not applicableWater solubility:completely soluble

Solubility in other solvents

no data available

Partition coefficient: no data available Viscosity / dynamic: no data available Viscosity / kinematic: no data available Flow time: no data available no data available Vapour density: no data available Evaporation rate: Solvent separation test: no data available Solvent content: no data available

9.2. Other information

Solid content: no data available

no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Can become flammable in use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

To avoid thermal decomposition, do not overheat.

according to Regulation (EC) No 1907/2006

LCK 340 Nitrat/Nitrate, LCK 340 A; 2/2

Revision date: 03.05.2018 Product code: LCK340-2 Page 6 of 9

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

No decomposition if used as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No data is available on the product itself.

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol							
	oral	LD50 mg/kg	5045	rat	RTECS			
	dermal	LD50 mg/kg	12800	rabbit				
	inhalation (4 h) vapour	LC50	46,5 mg/l	rat				
576-26-1	2,6-xylenol							
	oral	LD50 mg/kg	296	Rat				
	dermal	LD50 mg/kg	1000	Rabbit				

Irritation and corrosivity

The product causes irritation of eyes, skin and mucous membranes.

Sensitising effects

This information is not available.

Carcinogenic/mutagenic/toxic effects for reproduction

This information is not available.

STOT-single exposure

This information is not available.

STOT-repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

Do not flush into surface water or sanitary sewer system.

according to Regulation (EC) No 1907/2006

LCK 340 Nitrat/Nitrate, LCK 340 A; 2/2

Revision date: 03.05.2018 Product code: LCK340-2 Page 7 of 9

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
67-63-0	propan-2-ol; isopropyl alc	ohol; isopro	panol						
	Acute fish toxicity	LC50 mg/l	1400	1	Lepomis macrochirus (Bluegill sunfish)				
	Acute algae toxicity	ErC50 mg/l	> 1000		Pseudokirchneriella subcapitata (green algae)	IUCLID			
	Acute crustacea toxicity	EC50 mg/l	13299	1	Daphnia magna (Water flea)	UICLID			
576-26-1									
	Acute fish toxicity	LC50	22 mg/l	96 h	Pimephales promelas				
	Acute crustacea toxicity	EC50	11,2 mg/l	48 h	Daphnia magna				

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
576-26-1	2,6-xylenol	2,36

12.4. Mobility in soil

No data is available on the product itself.

12.5. Results of PBT and vPvB assessment

No data is available on the product itself.

12.6. Other adverse effects

No known effect.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Our local agencies will accept used cuvettes to ensure their proper disposal.

In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

according to Regulation (EC) No 1907/2006

LCK 340 Nitrat/Nitrate, LCK 340 A; 2/2

Revision date: 03.05.2018 Product code: LCK340-2 Page 8 of 9

Land transport (ADR/RID)

14.1. UN number:UN 331614.2. UN proper shipping name:Chemical kit

14.3. Transport hazard class(es):914.4. Packing group:IIHazard label:9



Classification code: M11
Special Provisions: 251 340
Limited quantity: SP251
Excepted quantity: SP340
Transport category: 2
Hazard No: Tunnel restriction code: E

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

14.1. UN number:UN 331614.2. UN proper shipping name:CHEMICAL KIT

14.3. Transport hazard class(es): 9
14.4. Packing group: |

Hazard label: 9



Marine pollutant: --

Special Provisions: 251, 340
Limited quantity: See SP251
Excepted quantity: SP340
EmS: F-A, S-P

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3316

14.2. UN proper shipping name: CHEMICAL KIT

14.3. Transport hazard class(es):914.4. Packing group:IIHazard label:9



Special Provisions: A44 A163
Limited quantity Passenger: 1 kg
Passenger LQ: Y960
Excepted quantity: E0

IATA-packing instructions - Passenger: 960
IATA-max. quantity - Passenger: 10 kg

according to Regulation (EC) No 1907/2006

LCK 340 Nitrat/Nitrate, LCK 340 A; 2/2

Revision date: 03.05.2018 Product code: LCK340-2 Page 9 of 9

IATA-packing instructions - Cargo: 960 IATA-max. quantity - Cargo: 10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Use personal protective equipment.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

These transport data apply to the entire pack

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 03.05.2018

Safety datasheet sections which have been updated: 4, 13

Revision: 10.11.2016

Safety datasheet sections which have been updated: 2, 10

Revision: 19.09.2013

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)