

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate, Sample cuvette; 1/4

Revision date: 19.09.2019

Product code: LCK349-1

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LCK 349 Phosphat/Phosphate, Sample cuvette; 1/4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
 Street: Willstätterstr. 11
 Place: D-40549 Düsseldorf
 Telephone: +49 (0)211 5288-383
 e-mail: SDS@hach.com
 Internet: www.de.hach.com
 Responsible Department: HACH LANGE Ltd.
 5, Pacific Way
 Salford Manchester M50 1DL - United Kingdom
 Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
 e-Mail: info-uk@hach.com

HACH LANGE Ltd.
 Unit 1, Chestnut Road Western Industrial Estate
 IRL-Dublin 12
 Tel. +353 (0)1 4602522
 e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1A

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

sulphuric acid 11 %

Signal word:

Danger

Pictograms:



Hazard statements

H290

May be corrosive to metals.

H314

Causes severe skin burns and eye damage.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate, Sample cuvette; 1/4

Revision date: 19.09.2019

Product code: LCK349-1

Page 2 of 9

Precautionary statements

- P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7732-18-5	Water			>85 %
	231-791-2			
7664-93-9	sulphuric acid ... %			11 %
	231-639-5	016-020-00-8		
	Skin Corr. 1A; H314			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off contaminated clothing and shoes immediately.
 Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.
 If symptoms persist, call a physician.

After contact with skin

Wash off immediately with plenty of water.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Clean mouth with water and drink afterwards plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate, Sample cuvette; 1/4

Revision date: 19.09.2019

Product code: LCK349-1

Page 3 of 9

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

In the case of respirable dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Only qualified personnel equipped with suitable protective equipment may intervene. Immediately evacuate personnel to safe areas.

Do not breathe vapours, mist or gas.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

Avoid contact with skin and eyes.

Do not breathe vapours/dust.

Advice on protection against fire and explosion

None known.

See also section 5

Further information on handling

Observe label precautions.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a dry, cool place.

Storage temperature: 15 - 25°C

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate, Sample cuvette; 1/4

Revision date: 19.09.2019

Product code: LCK349-1

Page 4 of 9

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

General industrial hygiene practice.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

The protective gloves to be used must comply with the specifications of EC directive 2016/425/EC and the resultant standard EN374.

In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0.40 mm, Breakthrough time: > 30 min

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Breathing apparatus needed only when aerosol or mist is formed. ABEK-filter

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	colourless	
Odour:	odourless	
pH-Value (at 20 °C):		1

Changes in the physical state

Melting point:	not applicable
Initial boiling point and boiling range:	approx.100 °C
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	no data available
:	no data available
Flash point:	not applicable

Flammability

Solid:	not applicable
Gas:	not applicable

Explosive properties

not applicable

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate, Sample cuvette; 1/4

Revision date: 19.09.2019

Product code: LCK349-1

Page 5 of 9

Lower explosion limits: not applicable
 Upper explosion limits: not applicable
 Ignition temperature: not applicable

Auto-ignition temperature

Solid: not applicable
 Gas: not applicable

Decomposition temperature: not applicable

Oxidizing properties

not applicable

Vapour pressure: 15 hPa
 (at 10 °C)

Vapour pressure: no data available

Density (at 20 °C): 1,04 g/cm³

Bulk density: not applicable

Water solubility: completely soluble
 (at 20 °C)

Solubility in other solvents

no data available

Partition coefficient: no data available

Viscosity / dynamic: no data available

Viscosity / kinematic: no data available

Flow time: no data available

Vapour density: no data available

Evaporation rate: no data available

Solvent separation test: no data available

Solvent content: no data available

9.2. Other information

Solid content: no data available

no data available

SECTION 10: Stability and reactivity**10.1. Reactivity**

Corrosive to metals

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Contact with metals liberates hydrogen gas.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate, Sample cuvette; 1/4

Revision date: 19.09.2019

Product code: LCK349-1

Page 6 of 9

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Toxicokinetics, metabolism and distribution**

No toxicology information is available.

Acute toxicity

No data is available on the product itself.

Irritation and corrosivity

The product causes irritation of eyes, skin and mucous membranes.

Sensitising effects

No sensitisation responses were observed.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No data is available on the product itself.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information**12.1. Toxicity**

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

12.2. Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

no data available

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

no data available

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Our local agencies will accept used cuvettes to ensure their proper disposal.

In accordance with local and national regulations.

List of Wastes Code - residues/unused products

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate, Sample cuvette; 1/4

Revision date: 19.09.2019

Product code: LCK349-1

Page 7 of 9

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number: UN 3316
14.2. UN proper shipping name: Chemical kit
14.3. Transport hazard class(es): 9
14.4. Packing group: II
 Hazard label: 9



Classification code: M11
 Special Provisions: 251 340
 Limited quantity: SP251
 Excepted quantity: SP340
 Transport category: 2
 Hazard No: -
 Tunnel restriction code: E

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)
 Not tested

Marine transport (IMDG)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
 Hazard label: 9



Marine pollutant: -
 Special Provisions: 251, 340
 Limited quantity: See SP251
 Excepted quantity: SP340
 EmS: F-A, S-P

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
 Hazard label: 9

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate, Sample cuvette; 1/4

Revision date: 19.09.2019

Product code: LCK349-1

Page 8 of 9



Special Provisions:	A44 A163	
Limited quantity Passenger:	1 kg	
Passenger LQ:	Y960	
Excepted quantity:	E0	
IATA-packing instructions - Passenger:		960
IATA-max. quantity - Passenger:		10 kg
IATA-packing instructions - Cargo:		960
IATA-max. quantity - Cargo:		10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Use personal protective equipment.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

These transport data apply to the entire pack

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

Revision Date 19.09.2019

Safety datasheet sections which have been updated: 8, 15

Revision Date 17.03.2017

Safety datasheet sections which have been updated: 14

Revision: 30.03.2016

Safety datasheet sections which have been updated: 7

Revision: 28.07.2014

Revision: 2

Revision: 10.09.2013

Revision: 4-16

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.
 H314 Causes severe skin burns and eye damage.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate, Sample cuvette; 1/4

Revision date: 19.09.2019

Product code: LCK349-1

Page 9 of 9

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate, DosiCapZip; 2/4

Revision date: 19.09.2019

Product code: LCK349-2

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

LCK 349 Phosphat/Phosphate, DosiCapZip; 2/4

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Acute toxicity: Acute Tox. 4

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Respiratory or skin sensitisation: Resp. Sens. 1

Respiratory or skin sensitisation: Skin Sens. 1

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

Harmful if swallowed.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause respiratory irritation.

Causes serious eye irritation.

Causes skin irritation.

May cause an allergic skin reaction.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

Sodium peroxodisulfate

Sodium metaborate

Lithium sulfate monohydrate

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate, DosiCapZip; 2/4


Revision date: 19.09.2019

Product code: LCK349-2

Page 2 of 9

Signal word: Danger

Pictograms:



Hazard statements

H302 Harmful if swallowed.
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 H335 May cause respiratory irritation.
 H319 Causes serious eye irritation.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7775-27-1	Sodium peroxodisulfate			> 70 %
	231-892-1			
	Ox. Sol. 3, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT SE 3; H272 H302 H315 H319 H334 H317 H335			
10555-76-7	Sodium metaborate			> 20 %
	231-891-6			
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335			
10102-25-7	Lithium sulfate monohydrate			5-10 %
	233-820-4			
	Acute Tox. 4; H302			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate, DosiCapZip; 2/4

Revision date: 19.09.2019

Product code: LCK349-2

Page 3 of 9

General information

Take off all contaminated clothing immediately. Consult a physician.

After inhalation

Move to fresh air.

After contact with skin

Wash off immediately with plenty of water. If symptoms persist, call a physician. Show this safety data sheet to the doctor in attendance.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Allergic reactions, Cough, Shortness of breath

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Use mechanical handling equipment.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

Further information on handling

Use barrier skin cream.

7.2. Conditions for safe storage, including any incompatibilities

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate, DosiCapZip; 2/4

Revision date: 19.09.2019

Product code: LCK349-2

Page 4 of 9

Requirements for storage rooms and vessels

Keep in a dry, cool place.

Storage temperature: 15 - 25°C

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7775-27-1	(OLD) Disodium peroxodisulphate (measured as [S2O8])	-	1		TWA (8 h)	OES

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Wash hands before breaks and after work.

The protective gloves to be used must comply with the specifications of EC directive 2016/425/EC and the resultant standard EN374.

In case of full contact:

Glove material : Nitrile rubber

Layer thickness: 0,11 mm

Break through time: >480 min

In case of contact through splashing:

Glove material : Nitrile rubber

Layer thickness: 0,11 mm

Break through time: >480 min

Skin protection

Avoid contact with skin and eyes.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed. ABEK-filter

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: solid (lyophilised)

Colour: white

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate, DosiCapZip; 2/4

Revision date: 19.09.2019

Product code: LCK349-2

Page 5 of 9

Odour: odourless

pH-Value (at 20 °C): 4,5 (35 % solution)

Changes in the physical state

Melting point: no data available

Initial boiling point and boiling range: not applicable

Sublimation point: not applicable

Softening point: not applicable

Pour point: not applicable

: not applicable

Flash point: not applicable

Flammability

Solid: not applicable

Gas: not applicable

Explosive properties

not applicable

Lower explosion limits: not applicable

Upper explosion limits: not applicable

Ignition temperature: not applicable

Auto-ignition temperature

Solid: not applicable

Gas: not applicable

Decomposition temperature: not applicable

Oxidizing properties

The product has been shown not to be oxidising in a test following Directive 67/548/EEC (Method A17, oxidising properties).

Vapour pressure: no data available

Vapour pressure: no data available

Density: no data available

Bulk density: no data available

Water solubility: completely soluble
(at 20 °C)

Solubility in other solvents

no data available

Partition coefficient: not applicable

Viscosity / dynamic: not applicable

Viscosity / kinematic: not applicable

Flow time: not applicable

Vapour density: not applicable

Evaporation rate: not applicable

Solvent separation test: not applicable

Solvent content: not applicable

9.2. Other information

Solid content: not applicable

not applicable

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate, DosiCapZip; 2/4

Revision date: 19.09.2019

Product code: LCK349-2

Page 6 of 9

SECTION 10: Stability and reactivity**10.1. Reactivity**

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

No data is available on the product itself.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

No decomposition if used as directed.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute toxicity**

Harmful if swallowed.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7775-27-1	Sodium peroxodisulfate				
	oral	LD50 mg/kg	920	rat	
	inhalation (4 h) aerosol	LC50 mg/l	> 5,1	Merck	
10102-25-7	Lithium sulfate monohydrate				
	oral	LD50 mg/kg	613	rat	

Irritation and corrosivity

The product causes irritation of eyes, skin and mucous membranes.

Sensitising effects

May cause sensitisation by inhalation and skin contact.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No toxicology information is available.

Additional information on tests

None known.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate, DosiCapZip; 2/4

Revision date: 19.09.2019

Product code: LCK349-2

Page 7 of 9

Further information

Handle in accordance with good industrial hygiene and safety practice. Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7775-27-1	Sodium peroxodisulfate					
	Acute fish toxicity	LC50	771 mg/l	96 h	Oncorhynchus mykiss (rainbow trout)	
	Acute crustacea toxicity	EC50	133 mg/l	48 h	Daphnia magna (Water flea)	

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

no data available

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Our local agencies will accept used cuvettes to ensure their proper disposal. In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	UN 3316
14.2. UN proper shipping name:	Chemical kit
14.3. Transport hazard class(es):	9
14.4. Packing group:	II
Hazard label:	9

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate, DosiCapZip; 2/4

Revision date: 19.09.2019

Product code: LCK349-2

Page 8 of 9



Classification code: M11
 Special Provisions: 251 340
 Limited quantity: SP251
 Excepted quantity: SP340
 Transport category: 2
 Hazard No: -
 Tunnel restriction code: E

Inland waterways transport (ADN)**Other applicable information (inland waterways transport)**

Not tested

Marine transport (IMDG)


14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
 Hazard label: 9



Marine pollutant: -
 Special Provisions: 251, 340
 Limited quantity: See SP251
 Excepted quantity: SP340
 EmS: F-A, S-P

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
 Hazard label: 9



Special Provisions: A44 A163
 Limited quantity Passenger: 1 kg
 Passenger LQ: Y960
 Excepted quantity: E0
 IATA-packing instructions - Passenger: 960
 IATA-max. quantity - Passenger: 10 kg
 IATA-packing instructions - Cargo: 960
 IATA-max. quantity - Cargo: 10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

no data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate, DosiCapZip; 2/4

Revision date: 19.09.2019

Product code: LCK349-2

Page 9 of 9

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

These transport data apply to the entire pack

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

Revision: 19.09.2019

Safety datasheet sections which have been updated: 8, 11, 15

Revision Date 17.03.2017

Safety datasheet sections which have been updated: 14

Revision: 30.03.2016

Safety datasheet sections which have been updated: 7

Revision: 22..12.2015

Safety datasheet sections which have been updated: 2, 3

Revision: 7..12.2015

Safety datasheet sections which have been updated: 2

Revision: 14.10.2015

Safety datasheet sections which have been updated: 9

Revision: 28.07.2014

Revision: 2

Revision: 10.09.2013

Revision: 4-16

Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled .
H335	May cause respiratory irritation.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate, LCK 349 B; 3/4

Revision date: 19.09.2019

Product code: LCK349-3

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LCK 349 Phosphat/Phosphate, LCK 349 B; 3/4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
 Street: Willstätterstr. 11
 Place: D-40549 Düsseldorf
 Telephone: +49 (0)211 5288-383
 e-mail: SDS@hach.com
 Internet: www.de.hach.com
 Responsible Department: HACH LANGE Ltd.
 5, Pacific Way
 Salford Manchester M50 1DL - United Kingdom
 Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
 e-Mail: info-uk@hach.com

HACH LANGE Ltd.
 Unit 1, Chestnut Road Western Industrial Estate
 IRL-Dublin 12
 Tel. +353 (0)1 4602522
 e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1A

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

sulphuric acid 16 %

Signal word: Danger

Pictograms:



Hazard statements

H290

May be corrosive to metals.

H314

Causes severe skin burns and eye damage.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate, LCK 349 B; 3/4

Revision date: 19.09.2019

Product code: LCK349-3

Page 2 of 9

Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7732-18-5	Water			>80 %
	231-791-2			
7664-93-9	sulphuric acid ... %			16 %
	231-639-5	016-020-00-8		
	Skin Corr. 1A; H314			
12054-85-2	Ammonium heptamolybdate tetrahydrate			<2 %
	234-722-4			
	Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H302 H315 H319 H335			
5329-14-6	sulphamidic acid; sulphamic acid; sulfamic acid			<1 %
	226-218-8	016-026-00-0		
	Skin Irrit. 2, Eye Irrit. 2, Aquatic Chronic 3; H315 H319 H412			
28300-74-5	Potassium antimony(III) oxide tartrate hemihydrate			<1 %
	234-293-3	051-003-00-9		
	Acute Tox. 4, Acute Tox. 4, Aquatic Chronic 2; H332 H302 H411			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.
Consult a physician. Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes. Consult a physician. Show this safety data sheet to the doctor in attendance.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate, LCK 349 B; 3/4

Revision date: 19.09.2019

Product code: LCK349-3

Page 3 of 9

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Consult a physician. Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media**Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling**Advice on safe handling**

Use only in well-ventilated areas. Do not breathe vapours/dust.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep in a dry place.

Storage temperature: 15 - 25°C

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate, LCK 349 B; 3/4

Revision date: 19.09.2019

Product code: LCK349-3

Page 4 of 9

8.1. Control parameters**Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls**Appropriate engineering controls**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

The protective gloves to be used must comply with the specifications of EC directive 2016/425/EC and the resultant standard EN374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Consult your supplier if the material is to be used for special applications such as in the food industry or for hygiene, medical or surgical end-use.

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed. Recommended Filter type: ABEK-filter

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid	
Colour:	colourless	
Odour:	odourless	
pH-Value (at 230 °C):		1

Changes in the physical state

Melting point:	<-4 °C
Initial boiling point and boiling range:	>100 °C
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	not applicable
:	not applicable
Flash point:	not applicable

Flammability

Solid:	not applicable
Gas:	not applicable

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate, LCK 349 B; 3/4

Revision date: 19.09.2019

Product code: LCK349-3

Page 5 of 9

Explosive properties

not applicable

Lower explosion limits:

not applicable

Upper explosion limits:

not applicable

Ignition temperature:

not applicable

Auto-ignition temperature

Solid:

not applicable

Gas:

not applicable

Decomposition temperature:

not applicable

Oxidizing properties

not applicable

Vapour pressure:

20 hPa

(at 20 °C)

Vapour pressure:

no data available

Density (at 20 °C):

1,11 g/cm³

Bulk density:

not applicable

Water solubility:

no data available

Solubility in other solvents

no data available

Partition coefficient:

no data available

Viscosity / dynamic:

no data available

Viscosity / kinematic:

no data available

Flow time:

no data available

Vapour density:

no data available

Evaporation rate:

no data available

Solvent separation test:

no data available

Solvent content:

no data available

9.2. Other information

Solid content:

not applicable

SECTION 10: Stability and reactivity**10.1. Reactivity**

May be corrosive to metals.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Sulphur trioxide, Sulphur oxides

SECTION 11: Toxicological information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate, LCK 349 B; 3/4

Revision date: 19.09.2019

Product code: LCK349-3

Page 6 of 9

11.1. Information on toxicological effects**Acute toxicity**

No data is available on the product itself.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
12054-85-2	Ammonium heptamolybdate tetrahydrate				
	oral	ATE mg/kg	500		
5329-14-6	sulphamidic acid; sulphamic acid; sulfamic acid				
	oral	LD50 mg/kg	1450	Rat	
28300-74-5	Potassium antimony(III) oxide tartrate hemihydrate				
	oral	ATE mg/kg	500		
	inhalation vapour	ATE	11 mg/l		
	inhalation aerosol	ATE	1,5 mg/l		

Irritation and corrosivity

The product causes burns of eyes, skin and mucous membranes.

Sensitising effects

No known effect.

STOT-single exposure

The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No toxicology information is available.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information**12.1. Toxicity**

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
12054-85-2	Ammonium heptamolybdate tetrahydrate					
	Acute fish toxicity	LC50	420 mg/l	96 h		
	Acute crustacea toxicity	EC50	140 mg/l	48 h		
5329-14-6	sulphamidic acid; sulphamic acid; sulfamic acid					
	Acute fish toxicity	LC50 mg/l	70,3	96 h	Pimephales promelas	

12.2. Persistence and degradability

No data is available on the product itself.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate, LCK 349 B; 3/4

Revision date: 19.09.2019

Product code: LCK349-3

Page 7 of 9

12.3. Bioaccumulative potential

no data available

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

Further information

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Our local agencies will accept used cuvettes to ensure their proper disposal.
In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160505 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers other than those mentioned in 16 05 04

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number:	UN 3316
14.2. UN proper shipping name:	Chemical kit
14.3. Transport hazard class(es):	9
14.4. Packing group:	II
Hazard label:	9



Classification code:	M11
Special Provisions:	251 340
Limited quantity:	SP251
Excepted quantity:	SP340
Transport category:	2
Hazard No:	-
Tunnel restriction code:	E

Inland waterways transport (ADN)**Other applicable information (inland waterways transport)**

Not tested

Marine transport (IMDG)

14.1. UN number:	UN 3316
14.2. UN proper shipping name:	CHEMICAL KIT

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate, LCK 349 B; 3/4

Revision date: 19.09.2019

Product code: LCK349-3

Page 8 of 9

14.3. Transport hazard class(es):

9

14.4. Packing group:

II

Hazard label:

9



Marine pollutant:

-

Special Provisions:

251, 340

Limited quantity:

See SP251

Excepted quantity:

SP340

EmS:

F-A, S-P

Air transport (ICAO-TI/IATA-DGR)**14.1. UN number:**

UN 3316

14.2. UN proper shipping name:

CHEMICAL KIT

14.3. Transport hazard class(es):

9

14.4. Packing group:

II

Hazard label:

9



Special Provisions:

A44 A163

Limited quantity Passenger:

1 kg

Passenger LQ:

Y960

Excepted quantity:

E0

IATA-packing instructions - Passenger:

960

IATA-max. quantity - Passenger:

10 kg

IATA-packing instructions - Cargo:

960

IATA-max. quantity - Cargo:

10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Use personal protective equipment.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

These transport data apply to the entire pack

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water contaminating class (D):

1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

Revision: 19.09.2019

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate, LCK 349 B; 3/4

Revision date: 19.09.2019

Product code: LCK349-3

Page 9 of 9

Safety datasheet sections which have been updated: 8, 15

Revision: 30.03.2016

Safety datasheet sections which have been updated: 7

Revision: 28.07.2014

Revision: 2

Revision: 10.09.2013

Revision: 4-16

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate; LCK 349 DosiCap C; 4/4

Revision date: 19.09.2019

Product code: LCK349-4

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

LCK 349 Phosphat/Phosphate; LCK 349 DosiCap C; 4/4

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

Further Information

Water analysis

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

Causes skin irritation.

Causes serious eye irritation.

May cause respiratory irritation.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

Sodium metaborate

Signal word: Warning

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate; LCK 349 DosiCap C; 4/4

Revision date: 19.09.2019

Product code: LCK349-4

Page 2 of 8

Pictograms:**Hazard statements**

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
50-81-7	Ascorbic acid			>50 %
	200-066-2			
10555-76-7	Sodium metaborate			<25 %
	231-891-6			
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335			
9004-54-0	Dextran			>15 %
	232-677-5			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air.

After contact with skin

Wash off immediately with plenty of water.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate; LCK 349 DosiCap C; 4/4

Revision date: 19.09.2019

Product code: LCK349-4

Page 3 of 8

After ingestion

Clean mouth with water and drink afterwards plenty of water. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

No known effect.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Use mechanical handling equipment.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a dry place.

Storage temperature: 15 - 25°C

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

None known.

8.2. Exposure controls

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate; LCK 349 DosiCap C; 4/4

Revision date: 19.09.2019

Product code: LCK349-4

Page 4 of 8

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

The protective gloves to be used must comply with the specifications of EC directive 2016/425/EC and the resultant standard EN374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Consult your supplier if the material is to be used for special applications such as in the food industry or for hygiene, medical or surgical end-use.

Respiratory protection

Provide adequate ventilation.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	solid (lyophilised)
Colour:	white
Odour:	odourless
pH-Value (at 20 °C):	4-4,5

Changes in the physical state

Melting point:	192 °C
Initial boiling point and boiling range:	not applicable
Sublimation point:	no data available
Softening point:	no data available
Pour point:	not applicable
:	no data available
Flash point:	not applicable

Flammability

Solid:	not applicable
Gas:	not applicable

Explosive properties

not applicable

Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	not applicable

Auto-ignition temperature

Solid:	not applicable
Gas:	not applicable

Decomposition temperature:	not applicable
----------------------------	----------------

Oxidizing properties

not applicable

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate; LCK 349 DosiCap C; 4/4

Revision date: 19.09.2019

Product code: LCK349-4

Page 5 of 8

Vapour pressure:	no data available
Vapour pressure:	no data available
Density:	no data available
Bulk density:	600-900 kg/m ³
Water solubility:	no data available
Solubility in other solvents	
no data available	
Partition coefficient:	not applicable
Viscosity / dynamic:	not applicable
Viscosity / kinematic:	not applicable
Flow time:	not applicable
Vapour density:	not applicable
Evaporation rate:	not applicable
Solvent separation test:	not applicable
Solvent content:	not applicable

9.2. Other information

Solid content:	not applicable
----------------	----------------

SECTION 10: Stability and reactivity**10.1. Reactivity**

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

No decomposition if used as directed.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute toxicity**

No data is available on the product itself.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
50-81-7	Ascorbic acid				
	oral	LD50 mg/kg	11900	rat	RTECS

Irritation and corrosivity

May cause eye and skin irritation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate; LCK 349 DosiCap C; 4/4

Revision date: 19.09.2019

Product code: LCK349-4

Page 6 of 8

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No data is available on the product itself.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information**12.1. Toxicity**

Do not flush into surface water or sanitary sewer system.

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**Our local agencies will accept used cuvettes to ensure their proper disposal.
In accordance with local and national regulations.**List of Wastes Code - residues/unused products**

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information**Land transport (ADR/RID)****14.1. UN number:**

UN 3316

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate; LCK 349 DosiCap C; 4/4

Revision date: 19.09.2019

Product code: LCK349-4

Page 7 of 8

14.2. UN proper shipping name: Chemical kit**14.3. Transport hazard class(es):** 9**14.4. Packing group:** II

Hazard label: 9



Classification code: M11

Special Provisions: 251 340

Limited quantity: SP251

Excepted quantity: SP340

Transport category: 2

Hazard No: -

Tunnel restriction code: E

Inland waterways transport (ADN)**Other applicable information (inland waterways transport)**

Not tested

Marine transport (IMDG)**14.1. UN number:** UN 3316**14.2. UN proper shipping name:** CHEMICAL KIT**14.3. Transport hazard class(es):** 9**14.4. Packing group:** II

Hazard label: 9



Marine pollutant: -

Special Provisions: 251, 340

Limited quantity: See SP251

Excepted quantity: SP340

EmS: F-A, S-P

Air transport (ICAO-TI/IATA-DGR)**14.1. UN number:** UN 3316**14.2. UN proper shipping name:** CHEMICAL KIT**14.3. Transport hazard class(es):** 9**14.4. Packing group:** II

Hazard label: 9



Special Provisions: A44 A163

Limited quantity Passenger: 1 kg

Passenger LQ: Y960

Excepted quantity: E0

IATA-packing instructions - Passenger: 960

IATA-max. quantity - Passenger: 10 kg

IATA-packing instructions - Cargo: 960

IATA-max. quantity - Cargo: 10 kg

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 349 Phosphat/Phosphate; LCK 349 DosiCap C; 4/4

Revision date: 19.09.2019

Product code: LCK349-4

Page 8 of 8

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

These transport data apply to the entire pack

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 19.09.2019

Safety datasheet sections which have been updated: 8, 11, 15

Revision Date 17.03.2017

Safety datasheet sections which have been updated: 14,15

Revision: 30.03.2016

Safety datasheet sections which have been updated: 7

Revision: 28.07.2014

Revision: 2

Revision: 10.09.2013

Revision: 4-16

Relevant H and EUH statements (number and full text)

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)