



according to Regulation (EC) No 1907/2006

LCK 714 CSB/COD/DCO

Revision date: 12.05.2021 Product code: LCK714 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LCK 714 CSB/COD/DCO

UFI: QR0A-1FV5-X80X-MANR

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

Uses advised against

Consumer use

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Acute toxicity: Acute Tox. 3 Acute toxicity: Acute Tox. 4 Acute toxicity: Acute Tox. 4

Skin corrosion/irritation: Skin Corr. 1

Serious eye damage/eye irritation: Eye Dam. 1

Germ cell mutagenicity: Muta. 1B Carcinogenicity: Carc. 1B Reproductive toxicity: Repr. 1B

Specific target organ toxicity - repeated exposure: STOT RE 2 Hazardous to the aquatic environment: Aquatic Chronic 1

Hazard Statements:
May be corrosive to metals.
Toxic in contact with skin.
Harmful if swallowed.
Harmful if inhaled.

Causes severe skin burns and eye damage.





according to Regulation (EC) No 1907/2006

LCK 714 CSB/COD/DCO

Revision date: 12.05.2021 Product code: LCK714 Page 2 of 12

Causes serious eye damage. May cause genetic defects.

May cause cancer.

May damage fertility. May damage the unborn child.

May cause damage to organs through prolonged or repeated exposure.

Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

sulphuric acid ... % Mercury(II) sulfate potassium dichromate

Signal word: Danger

Pictograms:









Hazard statements

H290	May be corrosive to metals
H311	Toxic in contact with skin.
H302	Harmful if swallowed.
H332	Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

H340 May cause genetic defects.

H350 May cause cancer.

H360FD May damage fertility. May damage the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P201 Obtain special instructions before use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P391 Collect spillage.

Special labelling of certain mixtures

EUH208 Contains potassium dichromate. May produce an allergic reaction.

Restricted to professional users.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

SECTION 3: Composition/information on ingredients



according to Regulation (EC) No 1907/2006

LCK 714 CSB/COD/DCO

Revision date: 12.05.2021 Product code: LCK714 Page 3 of 12

3.2. Mixtures

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	GHS Classification					
7664-93-9	Sulphuric acid %			90 %		
	231-639-5	016-020-00-8	01-2119458838-20			
	Skin Corr. 1A; H314					
7732-18-5	Water			5 - < 10 %		
	231-791-2					
7702 25 0	Management (II) and factor			4 . 5 0/		
7783-35-9	Mercury(II) sulfate			1 - < 5 %		
	231-992-5	080-002-00-6				
	Acute Tox. 1, Acute Tox. 2, Acute H330 H300 H373 H400 H410	Tox. 2, STOT RE 2, Aquatic	Acute 1, Aquatic Chronic 1; H310			
10294-26-5	Silver sulfate	< 1 %				
	233-653-7					
	Eye Dam. 1, Aquatic Acute 1, Aq	uatic Chronic 1; H318 H400 F	1410			
7778-50-9	potassium dichromate	< 0,5 %				
	231-906-6	024-002-00-6	01-2119454792-32			
		OT RE 1, Aquatic Acute 1, Aq	Tox. 3, Acute Tox. 4, Skin Corr. 1B, uatic Chronic 1; H272 H350 H340			

Full text of H and EUH statements: see section 16.

Specific concentration limits and M-factors

CAS No	EC No	Chemical name	Quantity
	Specific conce	ntration limits and M-factors	
7664-93-9	231-639-5	Sulphuric acid %	90 %
	Skin Corr. 1A;	H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 Eye Irrit. 2; H319: >= 5 - < 15	
7783-35-9	231-992-5	Mercury(II) sulfate	1 - < 5 %
	STOT RE 2; H	373: >= 0,1 - 100	
10294-26-5	233-653-7	Silver sulfate	< 1 %
	M akut; H400:	M=100 M chron.; H410: M=100	
7778-50-9	231-906-6	potassium dichromate	< 0,5 %
	STOT SE 3; H	335: >= 5 - 100	

Further Information

This product contains substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57). potassium dichromate

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

Consult a physician. Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.

Consult a physician. Show this safety data sheet to the doctor in attendance.



Be Right™

Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

LCK 714 CSB/COD/DCO

Revision date: 12.05.2021 Product code: LCK714 Page 4 of 12

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.

Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Show this safety data sheet to the doctor in attendance.

After contact with eves

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting.

Consult a physician. Show this safety data sheet to the doctor in attendance.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours. The following may develop in event of fire: sulfur oxides, mercury vapors.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. For personal protection see section 8.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

6.4. Reference to other sections

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Do not breathe vapours/dust.

7.2. Conditions for safe storage, including any incompatibilities





Be Right™

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 714 CSB/COD/DCO

Revision date: 12.05.2021 Product code: LCK714 Page 5 of 12

Requirements for storage rooms and vessels

Keep tightly closed in a dry, cool and well-ventilated place. Protect against light. Accessible only for authorized persons.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
-	Chromium (VI) compounds (as Cr)	-	0.01		TWA (8 h)	WEL
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter	Value	Test material	Sampling time
-	Chromium VI	chromium (creatinine)	10 µmol/mol	urine	Post shift

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0.40 mm, Breakthrough time: > 30 min

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: orange
Odour: odourless



Be Right™

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 714 CSB/COD/DCO

Revision date: 12.05.2021 Product code: LCK714 Page 6 of 12

pH-Value (at 20 °C): <1

Changes in the physical state

Melting point:not applicableInitial boiling point and boiling range:300 °CSublimation point:not applicableSoftening point:not applicablePour point:not applicable:not applicableno data available

Flash point: not applicable

Flammability

Solid: not applicable
Gas: not applicable

Explosive properties

not applicable

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not applicable

not applicable

Auto-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: no data available

Oxidizing properties

no data available

Vapour pressure:no data availableVapour pressure:no data availableDensity (at 20 °C):1,81 g/cm³Bulk density:not applicableWater solubility:completely soluble

(at 20 °C)

Solubility in other solvents

no data available

Partition coefficient: no data available Viscosity / dynamic: no data available Viscosity / kinematic: no data available Flow time: no data available no data available Vapour density: Evaporation rate: no data available Solvent separation test: no data available no data available Solvent content:

9.2. Other information

Solid content: not applicable

Corrosive in contact with metals

SECTION 10: Stability and reactivity



according to Regulation (EC) No 1907/2006

LCK 714 CSB/COD/DCO

Revision date: 12.05.2021 Product code: LCK714 Page 7 of 12

10.1. Reactivity

Corrosive to metals

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat. Above 300 °C, hazardous fumes may be released.

10.5. Incompatible materials

Organic materials, Bases, Alkali metals, Metals, Ammonia, Reducing agents, Nitric acid. Reacts violently with water.

10.6. Hazardous decomposition products

Sulphur trioxide

Chromium oxides

Further information

very reactive

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Toxic in contact with skin.

Harmful if swallowed.

Harmful if inhaled.

No data is available on the product itself. Information given is based on data on the components and the toxicology of similar products.

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
7783-35-9	Mercury(II) sulfate	Mercury(II) sulfate							
	oral	ATE	5 mg/kg						
	dermal	ATE	5 mg/kg						
	inhalation vapour	ATE	0,5 mg/l						
	inhalation aerosol	ATE	0,05 mg/l						
10294-26-5	Silver sulfate								
	oral	LD50 mg/kg	5000	rat					
7778-50-9	potassium dichromate								
	oral	ATE mg/kg	100						
	dermal	ATE mg/kg	1100						
	inhalation (4 h) vapour	LC50 mg/l	0,094	Rat					
	inhalation (4 h) aerosol	LC50 mg/l	0,094	Rat					

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.



according to Regulation (EC) No 1907/2006

LCK 714 CSB/COD/DCO

Revision date: 12.05.2021 Product code: LCK714 Page 8 of 12

Sensitising effects

Contains potassium dichromate. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

May cause genetic defects. (potassium dichromate)

May cause cancer. (potassium dichromate)

May damage fertility. May damage the unborn child. (potassium dichromate)

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (Mercury(II) sulfate)

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

May cause long-term adverse effects in the aquatic environment.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7783-35-9	Mercury(II) sulfate						
	Acute fish toxicity	LC50 mg/l	0,19	96 h			
10294-26-5	Silver sulfate						
	Acute crustacea toxicity	EC50 mg/l	0,0045	48 h	Crustaceans		
7778-50-9	potassium dichromate						
	Acute fish toxicity	LC50 mg/l	26,13	96 h	Pimephales promelas		
	Acute algae toxicity	ErC50 0,59 mg/l	0,16 -	96 h	Chlorella vulgaris		

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

no data available

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Our local agencies will accept used cuvettes to ensure their proper disposal.



according to Regulation (EC) No 1907/2006

LCK 714 CSB/COD/DCO

Revision date: 12.05.2021 Product code: LCK714 Page 9 of 12

In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals: laboratory chemicals, consisting of or containing hazardous substances.

including mixtures of laboratory chemicals: hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:UN 331614.2. UN proper shipping name:Chemical kit

14.3. Transport hazard class(es):914.4. Packing group:IIHazard label:9



Classification code: M11
Special Provisions: 251 340
Limited quantity: SP251
Excepted quantity: SP340
Transport category: 2
Hazard No: Tunnel restriction code: E

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

14.1. UN number: UN 3316

14.2. UN proper shipping name: CHEMICAL KIT

14.3. Transport hazard class(es):914.4. Packing group:IIHazard label:9



Marine pollutant:

Special Provisions: 251, 340
Limited quantity: See SP251
Excepted quantity: SP340
EmS: F-A, S-P

Air transport (ICAO-TI/IATA-DGR)





according to Regulation (EC) No 1907/2006

LCK 714 CSB/COD/DCO

Revision date: 12.05.2021 Product code: LCK714 Page 10 of 12

<u>14.1. UN number:</u> UN 3316

14.2. UN proper shipping name: CHEMICAL KIT

14.3. Transport hazard class(es):914.4. Packing group:IIHazard label:9



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A44 A163

1 kg

Y960

Excepted quantity:

E0

IATA-packing instructions - Passenger:960IATA-max. quantity - Passenger:10 kgIATA-packing instructions - Cargo:960IATA-max. quantity - Cargo:10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



Danger releasing substance: Mercury(II) sulfate

potassium dichromate

Silver sulfate

14.6. Special precautions for user

Use personal protective equipment.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):

potassium dichromate

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 28

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 3 - strongly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision Date 12.05.2021



according to Regulation (EC) No 1907/2006

LCK 714 CSB/COD/DCO

Revision date: 12.05.2021 Product code: LCK714 Page 11 of 12

Safety datasheet sections which have been updated: 1, 2, 3, 5, 6, 7, 16

Revision Date 11.03.2019

Safety datasheet sections which have been updated: 2, 11, 15

Revision Date 21.03.2017

Safety datasheet sections which have been updated: 9, 14

Revision: 07.04.2016

Safety datasheet sections which have been updated: 3

Revision: 24.11.2014

Safety datasheet sections which have been updated: 2

Revision: 27.11.2013

This data sheet contains changes from the previous version in section(s): 9, 14

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 3; H311	Calculation method
Acute Tox. 4; H302	Calculation method
Acute Tox. 4; H332	Calculation method
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data
Muta. 1B; H340	Calculation method
Carc. 1B; H350	Calculation method
Repr. 1B; H360FD	Calculation method
STOT RE 2; H373	Calculation method
Aquatic Chronic 1; H410	Calculation method

Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH208	Contains potassium dichromate. May produce an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of





according to Regulation (EC) No 1907/2006

LCK 714 CSB/COD/DCO

Revision date: 12.05.2021 Product code: LCK714 Page 12 of 12

product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)