

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain Sample Cuvette; 1/5

Revision date: 27.01.2022

Product code: LCK359-1

Page 1 of 9

Creation date: 12.10.2006

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LCK 359 Zinn/Tin/Etain Sample Cuvette; 1/5

UFI: DXPE-6FV5-A804-DCPJ

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Additional advice on labelling

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain Sample Cuvette; 1/5

Revision date: 27.01.2022

Product code: LCK359-1

Page 2 of 9

Creation date: 12.10.2006

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	CLP Classification			
56-40-6	Glycine			40-50 %
	200-272-2			
7647-14-5	Sodium chloride			30 - 40%
	231-598-3		01-2119485491-33	
9003-39-8	Polyvidon 25			10-20 %
	618-363-4			
134-03-2	(+)-Sodium L-ascorbate			1-5 %
	205-126-1			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Take off contaminated clothing and shoes immediately.
Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.
If symptoms persist, call a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.
If skin irritation persists, call a physician.

After contact with eyes

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed

None known.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain Sample Cuvette; 1/5

Revision date: 27.01.2022

Product code: LCK359-1

Page 3 of 9

Creation date: 12.10.2006

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

In the event of fire, wear self-contained breathing apparatus.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Use mechanical handling equipment.

Flush away traces with water.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry and well-ventilated place.

Storage temperature: 2-8 °C

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Protective and hygiene measures

Wash hands before breaks and at the end of workday.

Eye/face protection

Safety glasses with side-shields

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain Sample Cuvette; 1/5

Revision date: 27.01.2022

Product code: LCK359-1

Page 4 of 9

Creation date: 12.10.2006

Hand protection

Use barrier skin cream.

The protective gloves to be used must comply with the specifications of EC directive 2016/425/EC and the resultant standard DIN EN ISO 374-1.

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Avoid breathing dust or vapour.

Provide adequate ventilation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	solid (lyophilised)
Colour:	white
Odour:	odourless
pH-Value (at 20 °C):	-

Changes in the physical state

Melting point:	no data available
Initial boiling point and boiling range:	not applicable
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	no data available
:	no data available
Flash point:	not applicable
Sustaining combustion:	No data available

Flammability

Solid:	not applicable
Gas:	not applicable

Explosive properties

not applicable

Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	not applicable

Auto-ignition temperature

Solid:	not applicable
Gas:	not applicable

Decomposition temperature: no data available

Oxidizing properties

not applicable

Vapour pressure:	not applicable
Vapour pressure:	no data available
Density (at 20 °C):	-
Bulk density:	no data available
Water solubility: (at 20 °C)	soluble

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain Sample Cuvette; 1/5

Revision date: 27.01.2022

Product code: LCK359-1

Page 5 of 9

Creation date: 12.10.2006

Solubility in other solvents

no data available

Partition coefficient:

not applicable

Viscosity / dynamic:

not applicable

Viscosity / kinematic:

not applicable

Flow time:

not applicable

Vapour density:

not applicable

Evaporation rate:

not applicable

Solvent separation test:

not applicable

Solvent content:

not applicable

9.2. Other information

Solid content:

not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

No decomposition if used as directed.

Further information

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicokinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

Based on available data, the classification criteria are not met.

No toxicology information is available.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain Sample Cuvette; 1/5

Revision date: 27.01.2022

Product code: LCK359-1

Page 6 of 9

Creation date: 12.10.2006

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
56-40-6	Glycine				
	oral	LD50 mg/kg 7930	rat		
7647-14-5	Sodium chloride				
	oral	LD50 mg/kg 3000	Ratte		
	dermal	LD50 mg/kg >10000	Kaninchen		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.
Contains no ingredient listed as a carcinogen

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

(+)-Sodium L-ascorbate: LD50/oral/rat = 11900 mg/kg

Further information

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No information on ecology is available.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7647-14-5	Sodium chloride					
	Acute fish toxicity	LC50 mg/l 7650	96 h	Pimephales promelas		
	Acute crustacea toxicity	EC50 mg/l 1000	48 h	Daphnia magna		

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain Sample Cuvette; 1/5

Revision date: 27.01.2022

Product code: LCK359-1

Page 7 of 9

Creation date: 12.10.2006

12.6. Other adverse effects

No known effect.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

In accordance with local and national regulations.

Our local agencies will accept used cuvettes to ensure their proper disposal.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste


Contaminated packaging

Dispose of as unused product.

The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number:	UN 3316
14.2. UN proper shipping name:	Chemical kit
14.3. Transport hazard class(es):	9
14.4. Packing group:	II
Hazard label:	9



Classification code:	M11
Special Provisions:	251 340
Limited quantity:	SP251
Excepted quantity:	SP340
Transport category:	2
Hazard No:	-
Tunnel restriction code:	E

Inland waterways transport (ADN)

14.2. UN proper shipping name:	Not tested
---------------------------------------	------------

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

14.1. UN number:	UN 3316
-------------------------	---------

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain Sample Cuvette; 1/5

Revision date: 27.01.2022

Product code: LCK359-1

Page 8 of 9

Creation date: 12.10.2006

14.2. UN proper shipping name: CHEMICAL KIT**14.3. Transport hazard class(es):** 9**14.4. Packing group:** II

Hazard label: 9



Marine pollutant: -

Special Provisions: 251, 340

Limited quantity: See SP251

Excepted quantity: SP340

EmS: F-A, S-P

Air transport (ICAO-TI/IATA-DGR)**14.1. UN number:** UN 3316**14.2. UN proper shipping name:** CHEMICAL KIT**14.3. Transport hazard class(es):** 9**14.4. Packing group:** II

Hazard label: 9



Special Provisions: A44 A163

Limited quantity Passenger: 1 kg

Passenger LQ: Y960

Excepted quantity: E0

IATA-packing instructions - Passenger: 960

IATA-max. quantity - Passenger: 10 kg

IATA-packing instructions - Cargo: 960

IATA-max. quantity - Cargo: 10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

Other applicable information

These transport data apply to the entire pack

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain Sample Cuvette; 1/5

Revision date: 27.01.2022

Product code: LCK359-1

Page 9 of 9

Creation date: 12.10.2006

Changes

Revision Date 27.01.2022

Safety datasheet sections which have been updated: 7, 8, 11

Revision Date 14.04.2021

Safety datasheet sections which have been updated: 3, 5, 10

Revision Date 27.04.2020

Safety datasheet sections which have been updated: 15

Revision Date 21.03.2017

Safety datasheet sections which have been updated: 2, 9, 14

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK359 A; 2/5

Revision date: 27.01.2022

Product code: LCK359-2

Page 1 of 9

Creation date: 12.10.2006

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

LCK 359 Zinn/Tin/Etain LCK359 A; 2/5

UFI: MTQE-8FS4-D802-0SH6

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Hazard Statements:

May be corrosive to metals.

2.2. Label elements**Regulation (EC) No. 1272/2008**

Signal word: Warning

Pictograms:

**Hazard statements**

H290 May be corrosive to metals.

Precautionary statements

P390 Absorb spillage to prevent material damage.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK359 A; 2/5

Revision date: 27.01.2022

Product code: LCK359-2

Page 2 of 9

Creation date: 12.10.2006

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	CLP Classification			
7732-18-5	Water			> 95 %
	231-791-2			
7647-01-0	hydrochloric acid ... %			1-5 %
	231-595-7	017-002-01-X	01-2119484862-27	
	Skin Corr. 1B, STOT SE 3; H314 H335			

Full text of H and EUH statements: see section 16.

Specific concentration limits and M-factors

CAS No	EC No	Chemical name	Quantity
	Specific concentration limits and M-factors		
7647-01-0	231-595-7	hydrochloric acid ... %	1-5 % %
	Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off contaminated clothing and shoes immediately.
Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.
If symptoms persist, call a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.
If skin irritation persists, call a physician.

After contact with eyes

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No known effect.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK359 A; 2/5

Revision date: 27.01.2022

Product code: LCK359-2

Page 3 of 9

Creation date: 12.10.2006

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

In the event of fire, wear self-contained breathing apparatus.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Avoid contact with skin and eyes.

Advice on protection against fire and explosion

See also section 5

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry and well-ventilated place.

Storage temperature: 2-8 °C

Hints on joint storage

None known.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK359 A; 2/5

Revision date: 27.01.2022

Product code: LCK359-2

Page 4 of 9

Creation date: 12.10.2006

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7647-01-0	Hydrogen chloride (gas and aerosol mists)	1	2		TWA (8 h)	WEL
		5	8		STEL (15 min)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Protective and hygiene measures

Wash hands before breaks and at the end of workday.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant protective gloves

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed. Recommended Filter type: ABEK-filter

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless
Odour:	odourless
pH-Value (at 20 °C):	< 1

Changes in the physical state

Melting point:	no data available
Initial boiling point and boiling range:	no data available
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	not applicable
:	no data available
Flash point:	not applicable
Sustaining combustion:	No data available

Flammability

Solid:	not applicable
Gas:	not applicable

Explosive properties

not applicable

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK359 A; 2/5

Revision date: 27.01.2022

Product code: LCK359-2

Page 5 of 9

Creation date: 12.10.2006

Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	no data available
Auto-ignition temperature	
Solid:	not applicable
Gas:	not applicable
Decomposition temperature:	no data available
Oxidizing properties	
not applicable	
Vapour pressure:	no data available
Vapour pressure:	no data available
Density (at 20 °C):	1,02 g/cm ³
Bulk density:	not applicable
Water solubility: (at 20 °C)	soluble
Solubility in other solvents	
no data available	
Partition coefficient:	no data available
Viscosity / dynamic:	no data available
Viscosity / kinematic:	no data available
Flow time:	no data available
Vapour density:	no data available
Evaporation rate:	no data available
Solvent separation test:	no data available
Solvent content:	no data available

9.2. Other information

Solid content:	not applicable
Corrosive in contact with metals	

SECTION 10: Stability and reactivity**10.1. Reactivity**

Corrosive to metals

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

Gives off hydrogen by reaction with metals.

10.6. Hazardous decomposition products

No decomposition if used as directed.

Further information

Stable under recommended storage conditions.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK359 A; 2/5

Revision date: 27.01.2022

Product code: LCK359-2

Page 6 of 9

Creation date: 12.10.2006

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No toxicology information is available.

Sensitising effects

Contains no substance or substances classified as sensitising.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No data is available on the product itself.

Additional information on tests

no data available

Practical experience

Observations relevant to classification

no data available

Other observations

no data available

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No information on ecology is available.

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

Further information

no data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK359 A; 2/5

Revision date: 27.01.2022

Product code: LCK359-2

Page 7 of 9

Creation date: 12.10.2006

Disposal recommendations

In accordance with local and national regulations.

Our local agencies will accept used cuvettes to ensure their proper disposal.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number:	UN 3316
14.2. UN proper shipping name:	Chemical kit
14.3. Transport hazard class(es):	9
14.4. Packing group:	II
Hazard label:	9



Classification code:	M11
Special Provisions:	251 340
Limited quantity:	SP251
Excepted quantity:	SP340
Transport category:	2
Hazard No:	-
Tunnel restriction code:	E

Inland waterways transport (ADN)**Other applicable information (inland waterways transport)**

Not tested

Marine transport (IMDG)

14.1. UN number:	UN 3316
14.2. UN proper shipping name:	CHEMICAL KIT
14.3. Transport hazard class(es):	9
14.4. Packing group:	II
Hazard label:	9



Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK359 A; 2/5

Revision date: 27.01.2022

Product code: LCK359-2


Page 8 of 9

Creation date: 12.10.2006

Marine pollutant: -
Special Provisions: 251, 340
Limited quantity: See SP251
Excepted quantity: SP340
EmS: F-A, S-P

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
Hazard label: 9



Special Provisions: A44 A163
Limited quantity Passenger: 1 kg
Passenger LQ: Y960
Excepted quantity: E0
IATA-packing instructions - Passenger: 960
IATA-max. quantity - Passenger: 10 kg
IATA-packing instructions - Cargo: 960
IATA-max. quantity - Cargo: 10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

Other applicable information

These transport data apply to the entire pack

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

Revision Date 27.01.2022
Safety datasheet sections which have been updated: 2, 7, 9, 10
Revision Date 14.04.2021
Safety datasheet sections which have been updated: 3, 5, 10
Revision Date 27.04.2020
Safety datasheet sections which have been updated: 15
Revision Date 21.03.2017

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK359 A; 2/5

Revision date: 27.01.2022

Product code: LCK359-2

Page 9 of 9

Creation date: 12.10.2006

Safety datasheet sections which have been updated: 2, 9, 11, 14

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK 359 B; 3/5

Revision date: 27.01.2022

Product code: LCK359-3

Page 1 of 10

Creation date: 12.10.2006

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

LCK 359 Zinn/Tin/Etain LCK 359 B; 3/5

CAS No: 7727-21-1
Index No: 016-061-00-1
EC No: 231-781-8

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Oxidising solid: Ox. Sol. 3

Acute toxicity: Acute Tox. 4

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Respiratory or skin sensitisation: Resp. Sens. 1

Respiratory or skin sensitisation: Skin Sens. 1

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

May intensify fire; oxidiser.

Harmful if swallowed.

Causes skin irritation.

Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

May cause respiratory irritation.

2.2. Label elements

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK 359 B; 3/5

Revision date: 27.01.2022

Product code: LCK359-3

Page 2 of 10

Creation date: 12.10.2006

Regulation (EC) No. 1272/2008
Hazard components for labelling

dipotassium peroxodisulphate; potassium persulphate

Signal word: Danger

Pictograms:

Hazard statements

H272 May intensify fire; oxidiser.
 H302 Harmful if swallowed.
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 H335 May cause respiratory irritation.
 H319 Causes serious eye irritation.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P264 Wash hands thoroughly after handling.
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
 P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients
3.1. Substances
Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7727-21-1	dipotassium peroxodisulphate; potassium persulphate			100 %
	231-781-8	016-061-00-1		
	Ox. Sol. 3, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT SE 3; H272 H302 H315 H319 H334 H317 H335			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK 359 B; 3/5

Revision date: 27.01.2022

Product code: LCK359-3

Page 3 of 10

Creation date: 12.10.2006

4.1. Description of first aid measures

General information

Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.

After contact with skin

Take off all contaminated clothing immediately. Wash off immediately with plenty of water.

Consult a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Clean mouth with water and drink afterwards plenty of water.

Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

irritant effects, Allergic reactions, Cough, Shortness of breath

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

No Limit

5.2. Special hazards arising from the substance or mixture

Oxidizing agents (strong) - Risks of ignition followed by flame propagation or secondary explosions shall be prevented by avoiding accumulation of dust, e.g. on floors and ledges.

Fire may liberate hazardous vapours.

In the event of fire the following can be released: Sulphur oxides

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Use mechanical handling equipment.

Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK 359 B; 3/5

Revision date: 27.01.2022

Product code: LCK359-3

Page 4 of 10

Creation date: 12.10.2006

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.
Use only in well-ventilated areas. Do not breathe vapours/dust.

Further information on handling

Observe label precautions.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a dry, cool place.
Storage temperature: 2-8 °C

Hints on joint storage

Keep away from combustible material.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7727-21-1	(OLD) Dipotassium peroxodisulphate (measured as [S208])	-	1		TWA (8 h)	OES

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.
Chemical resistant protective gloves
The protective gloves to be used must comply with the specifications of EC directive 2016/425/EC and the resultant standard DIN EN ISO 374-1.

In case of full contact:

Glove material : Nitrile rubber
Layer thickness: 0,11 mm
Break through time: 480 min

In case of contact through splashing:

Glove material : Nitrile rubber
Layer thickness: 0,11 mm

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK 359 B; 3/5

Revision date: 27.01.2022

Product code: LCK359-3

Page 5 of 10

Creation date: 12.10.2006

Break through time: 60 min

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves.

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Provide adequate ventilation.

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: powder
 Colour: white
 Odour: odourless

Test method

pH-Value (at 20 °C): 4

Changes in the physical state

Melting point: 100 °C Decomposition temperature
 Initial boiling point and boiling range: not applicable
 Sublimation point: no data available
 Softening point: not applicable
 Pour point: not applicable
 Flash point: not applicable
 Sustaining combustion: No data available

Flammability

Solid: not applicable
 Gas: not applicable

Explosive properties

not applicable

Lower explosion limits: not applicable
 Upper explosion limits: not applicable
 Ignition temperature: no data available

Auto-ignition temperature

Solid: no data available
 Gas: no data available

Decomposition temperature: 100 °C

Oxidizing properties

no data available

Vapour pressure: no data available
 Vapour pressure: no data available
 Density (at 20 °C): 2,48 g/cm³
 Bulk density: no data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK 359 B; 3/5

Revision date: 27.01.2022

Product code: LCK359-3

Page 6 of 10

Creation date: 12.10.2006

Water solubility: 47 g/L
(at 20 °C)

Solubility in other solvents

no data available

Partition coefficient: no data available

Viscosity / dynamic: no data available

Viscosity / kinematic: no data available

Flow time: no data available

Vapour density: no data available

Evaporation rate: no data available

Solvent separation test: no data available

Solvent content: no data available

9.2. Other information

Solid content: no data available

no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Hazard: Oxidizing agents

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Reacts with the following substances: Metals, Heavy metals, Reducing agents, Combustible material, Strong bases, Acids

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

Exposure to moisture.

10.5. Incompatible materials

Combustible material

Reducing agents

Bases

10.6. Hazardous decomposition products

Sulphur oxides

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Harmful if swallowed.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7727-21-1	dipotassium peroxodisulphate; potassium persulphate				
	oral	LD50 mg/kg	802	Rat	GESTIS

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK 359 B; 3/5

Revision date: 27.01.2022

Product code: LCK359-3

Page 7 of 10

Creation date: 12.10.2006

Irritation and corrosivity

Causes serious eye irritation.
Causes skin irritation.

Sensitising effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (dipotassium peroxodisulphate; potassium persulphate)
May cause an allergic skin reaction. (dipotassium peroxodisulphate; potassium persulphate)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.
Contains no ingredient listed as a carcinogen

STOT-single exposure

May cause respiratory irritation. (dipotassium peroxodisulphate; potassium persulphate)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No toxicology information is available.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No information on ecology is available.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7727-21-1	dipotassium peroxodisulphate; potassium persulphate					
	Acute fish toxicity	LC50	100 mg/l	96 h	Poecilia reticulata	Hommel

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Our local agencies will accept used cuvettes to ensure their proper disposal.
In accordance with local and national regulations.

List of Wastes Code - residues/unused products

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK 359 B; 3/5

Revision date: 27.01.2022

Product code: LCK359-3

Page 8 of 10

Creation date: 12.10.2006

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number: UN 3316
14.2. UN proper shipping name: Chemical kit
14.3. Transport hazard class(es): 9
14.4. Packing group: II
Hazard label: 9



Classification code: M11
Special Provisions: 251 340
Limited quantity: SP251
Excepted quantity: SP340
Transport category: 2
Hazard No: -
Tunnel restriction code: E

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)
Not tested

Marine transport (IMDG)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
Hazard label: 9



Marine pollutant: --
Special Provisions: 251, 340
Limited quantity: See SP251
Excepted quantity: SP340
EmS: F-A, S-P

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3316

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK 359 B; 3/5

Revision date: 27.01.2022

Product code: LCK359-3

Page 9 of 10

Creation date: 12.10.2006

14.2. UN proper shipping name: CHEMICAL KIT**14.3. Transport hazard class(es):** 9**14.4. Packing group:** II

Hazard label: 9



Special Provisions: A44 A163

Limited quantity Passenger: 1 kg

Passenger LQ: Y960

Excepted quantity: E0

IATA-packing instructions - Passenger: 960

IATA-max. quantity - Passenger: 10 kg

IATA-packing instructions - Cargo: 960

IATA-max. quantity - Cargo: 10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Use personal protective equipment.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

These transport data apply to the entire pack

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Information according to 2012/18/EU (SEVESO III): P8 OXIDISING LIQUIDS AND SOLIDS

Additional information

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information**Changes**

Revision Date 27.01.2022

Safety datasheet sections which have been updated: 2, 7, 11, 15

Revision Date 27.04.2020

Safety datasheet sections which have been updated: 15

Revision Date 21.03.2017

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK 359 B; 3/5

Revision date: 27.01.2022

Product code: LCK359-3

Page 10 of 10

Creation date: 12.10.2006

Safety datasheet sections which have been updated: 2, 9, 14, 15, 16

Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK 359 C; 4/5

Revision date: 27.01.2022

Product code: LCK359-4

Page 1 of 10

Creation date: 12.10.2006

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LCK 359 Zinn/Tin/Etain LCK 359 C; 4/5

UFI: 0NRE-AFP3-F801-M6AU

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 3

Acute toxicity: Acute Tox. 4

Acute toxicity: Acute Tox. 4

Acute toxicity: Acute Tox. 4

Specific target organ toxicity - single exposure: STOT SE 1

Hazard Statements:

Flammable liquid and vapour.

Harmful if swallowed.

Harmful in contact with skin.

Harmful if inhaled.

Causes damage to organs.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word: Danger

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK 359 C; 4/5

Revision date: 27.01.2022

Product code: LCK359-4

Page 2 of 10

Creation date: 12.10.2006

Pictograms:



Hazard statements

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H370	Causes damage to organs.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor.
P390	Absorb spillage to prevent material damage.
P403+P235	Store in a well-ventilated place. Keep cool.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7732-18-5	Water			75-80 %
	231-791-2			
67-56-1	methanol			15-20 %
	200-659-6	603-001-00-X	01-2119433307-44	
	Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H331 H311 H301 H370			
7647-01-0	hydrochloric acid ... %			< 1 %
	231-595-7	017-002-01-X	01-2119484862-27	
	Skin Corr. 1B, STOT SE 3; H314 H335			

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK 359 C; 4/5

Revision date: 27.01.2022

Product code: LCK359-4

Page 3 of 10

Creation date: 12.10.2006

Specific concentration limits and M-factors

CAS No	EC No	Chemical name	Quantity
		Specific concentration limits and M-factors	
67-56-1	200-659-6	methanol	15-20 % %
		STOT SE 1; H370: >= 10 - 100 STOT SE 2; H371: >= 3 - < 10	
7647-01-0	231-595-7	hydrochloric acid ... %	< 1 % %
		Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off contaminated clothing and shoes immediately.
Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.
If symptoms persist, call a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.
If skin irritation persists, call a physician.

After contact with eyes

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed

irritant effects

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.
In the event of fire, wear self-contained breathing apparatus.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK 359 C; 4/5

Revision date: 27.01.2022

Product code: LCK359-4

Page 4 of 10

Creation date: 12.10.2006

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

Avoid contact with skin and eyes.

Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry and well-ventilated place.

Storage temperature: 2-8 °C

Keep away from heat and sources of ignition.

Hints on joint storage

Do not store near combustible materials.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7647-01-0	Hydrogen chloride (gas and aerosol mists)	1	2		TWA (8 h)	WEL
		5	8		STEL (15 min)	WEL
67-56-1	Methanol	200	266		TWA (8 h)	WEL
		250	333		STEL (15 min)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Protective and hygiene measures

Wash hands before breaks and at the end of workday.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant protective gloves

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK 359 C; 4/5

Revision date: 27.01.2022

Product code: LCK359-4

Page 5 of 10

Creation date: 12.10.2006

The protective gloves to be used must comply with the specifications of EC directive 2016/425/EC and the resultant standard DIN EN ISO 374-1.

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	yellow-orange
Odour:	odourless
pH-Value (at 20 °C):	< 1

Changes in the physical state

Melting point:	no data available
Initial boiling point and boiling range:	65 °C
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	not applicable
:	no data available
Flash point:	42,5 °C
Sustaining combustion:	No data available

Flammability

Solid:	no data available
Gas:	no data available

Explosive properties

no data available

Lower explosion limits:	no data available
Upper explosion limits:	no data available
Ignition temperature:	no data available

Auto-ignition temperature

Solid:	no data available
Gas:	no data available

Decomposition temperature: no data available

Oxidizing properties

no data available

Vapour pressure: (at 20 °C)	128 hPa
Vapour pressure:	no data available
Density (at 20 °C):	0,95 g/cm ³
Bulk density:	not applicable
Water solubility: (at 20 °C)	soluble

Solubility in other solvents

no data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK 359 C; 4/5

Revision date: 27.01.2022

Product code: LCK359-4

Page 6 of 10

Creation date: 12.10.2006

Partition coefficient:	no data available
Viscosity / dynamic:	no data available
Viscosity / kinematic:	no data available
Flow time:	no data available
Vapour density:	no data available
Evaporation rate:	no data available
Solvent separation test:	no data available
Solvent content:	no data available

9.2. Other information

Solid content:	not applicable
no data available	

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Reacts with the following substances: Oxidizing agents,

10.4. Conditions to avoid

Heat, flames and sparks.

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Harmful if swallowed.
Harmful in contact with skin.
Harmful if inhaled.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
67-56-1	methanol				
	oral	ATE 100 mg/kg			
	dermal	ATE 300 mg/kg			
	inhalation vapour	ATE 3 mg/l			
	inhalation aerosol	ATE 0,5 mg/l			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK 359 C; 4/5

Revision date: 27.01.2022

Product code: LCK359-4

Page 7 of 10

Creation date: 12.10.2006

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Causes damage to organs. (methanol)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
67-56-1	methanol					
	Acute fish toxicity	LC50 mg/l	15400	96 h	Lepomis macrochirus (Bluegill sunfish)	
	Acute algae toxicity	ErC50 mg/l	22000	96 h	Pseudokirchneriella subcapitata (green algae)	
	Acute crustacea toxicity	EC50 mg/l	24500	48 h	Crustaceans	

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-56-1	methanol	-0,77

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

In accordance with local and national regulations.

Our local agencies will accept used cuvettes to ensure their proper disposal.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK 359 C; 4/5

Revision date: 27.01.2022

Product code: LCK359-4

Page 8 of 10

Creation date: 12.10.2006

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number: UN 3316
14.2. UN proper shipping name: Chemical kit
14.3. Transport hazard class(es): 9
14.4. Packing group: II
Hazard label: 9



Classification code: M11
Special Provisions: 251 340
Limited quantity: SP251
Excepted quantity: SP340
Transport category: 2
Hazard No: -
Tunnel restriction code: E

Inland waterways transport (ADN)**Other applicable information (inland waterways transport)**

Not tested

Marine transport (IMDG)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
Hazard label: 9



Marine pollutant: -
Special Provisions: 251, 340
Limited quantity: See SP251
Excepted quantity: SP340
EmS: F-A, S-P

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK 359 C; 4/5

Revision date: 27.01.2022

Product code: LCK359-4

Page 9 of 10

Creation date: 12.10.2006

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
Hazard label: 9



Special Provisions: A44 A163
Limited quantity Passenger: 1 kg
Passenger LQ: Y960
Excepted quantity: E0
IATA-packing instructions - Passenger: 960
IATA-max. quantity - Passenger: 10 kg
IATA-packing instructions - Cargo: 960
IATA-max. quantity - Cargo: 10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Use personal protective equipment.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

This product forms part of a kit. Information in this section relates to the kit as a whole.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 69

Information according to 2012/18/EU (SEVESO III):

H3 STOT SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE

Additional information:

P5c

Additional information

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D):

1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain LCK 359 C; 4/5

Revision date: 27.01.2022

Product code: LCK359-4

Page 10 of 10

Creation date: 12.10.2006

Changes

- Revision Date 27.01.2022
Safety datasheet sections which have been updated: 2, 7, 8, 15
- Revision Date 14.04.2021
Safety datasheet sections which have been updated: 3, 5
- Revision Date 27.04.2020
Safety datasheet sections which have been updated: 11, 15, 16
- Revision Date 21.03.2017
Safety datasheet sections which have been updated: 2, 9, 14, 15
- Revision: 17.09.2014
Safety datasheet sections which have been updated: 2, 4, 6-15

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Acute Tox. 4; H302	Calculation method
Acute Tox. 4; H312	Calculation method
Acute Tox. 4; H332	Calculation method
STOT SE 1; H370	Calculation method

Relevant H and EUH statements (number and full text)

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H370 Causes damage to organs.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain zero solution; 5/5

Revision date: 27.01.2022

Product code: LCK359-5

Page 1 of 10

Creation date: 13.10.2006

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LCK 359 Zinn/Tin/Etain zero solution; 5/5

UFI: HHSE-DFK2-G80Y-7M5G

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Acute toxicity: Acute Tox. 4

Specific target organ toxicity - single exposure: STOT SE 2

Hazard Statements:

May be corrosive to metals.

Harmful if swallowed.

May cause damage to organs.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

methanol

Signal word: Warning

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain zero solution; 5/5

Revision date: 27.01.2022

Product code: LCK359-5

Page 2 of 10

Creation date: 13.10.2006

Pictograms:

Hazard statements

H290 May be corrosive to metals.
 H302 Harmful if swallowed.
 H371 May cause damage to organs.

Precautionary statements

P264 Wash hands thoroughly after handling.
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
 P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.
 P390 Absorb spillage to prevent material damage.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	GHS Classification			
7732-18-5	Water			90-95 %
	231-791-2			
67-56-1	methanol			5-10 %
	200-659-6	603-001-00-X	01-2119433307-44	
	Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H331 H311 H301 H370			
7647-01-0	hydrochloric acid ... %			< 1 %
	231-595-7	017-002-01-X	01-2119484862-27	
	Skin Corr. 1B, STOT SE 3; H314 H335			

Full text of H and EUH statements: see section 16.

Specific concentration limits and M-factors

CAS No	EC No	Chemical name	Quantity
		Specific concentration limits and M-factors	
67-56-1	200-659-6	methanol	5-10 % %
		STOT SE 1; H370: >= 10 - 100 STOT SE 2; H371: >= 3 - < 10	
7647-01-0	231-595-7	hydrochloric acid ... %	< 1 % %
		Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100	

SECTION 4: First aid measures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain zero solution; 5/5

Revision date: 27.01.2022

Product code: LCK359-5

Page 3 of 10

Creation date: 13.10.2006

4.1. Description of first aid measures

General information

Take off contaminated clothing and shoes immediately.
Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.
If symptoms persist, call a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.
If skin irritation persists, call a physician.

After contact with eyes

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed

irritant effects

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.
In the event of fire, wear self-contained breathing apparatus.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain zero solution; 5/5

Revision date: 27.01.2022

Product code: LCK359-5

Page 4 of 10

Creation date: 13.10.2006

7.1. Precautions for safe handling

Advice on safe handling

- Use only in well-ventilated areas.
- Avoid contact with skin and eyes.
- Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

- Keep container tightly closed in a dry and well-ventilated place.
- Storage temperature: 2-8 °C
- Keep away from heat and sources of ignition.

Hints on joint storage

- Do not store near combustible materials.

7.3. Specific end use(s)

- Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7647-01-0	Hydrogen chloride (gas and aerosol mists)	1	2		TWA (8 h)	WEL
		5	8		STEL (15 min)	WEL
67-56-1	Methanol	200	266		TWA (8 h)	WEL
		250	333		STEL (15 min)	WEL

Additional advice on limit values

- None known.

8.2. Exposure controls

Appropriate engineering controls

- The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Protective and hygiene measures

- Wash hands before breaks and at the end of workday.

Eye/face protection

- Safety glasses with side-shields

Hand protection

- Use barrier skin cream.
- Chemical resistant protective gloves
- The protective gloves to be used must comply with the specifications of EC directive 2016/425/EC and the resultant standard DIN EN ISO 374-1.

Skin protection

- Avoid contact with skin, eyes and clothing.

Respiratory protection

- Provide adequate ventilation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain zero solution; 5/5

Revision date: 27.01.2022

Product code: LCK359-5

Page 5 of 10

Creation date: 13.10.2006

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	yellow
Odour:	odourless
pH-Value (at 20 °C):	< 1

Changes in the physical state

Melting point:	no data available
Initial boiling point and boiling range:	65 °C
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	not applicable
:	no data available
Flash point:	60,3 °C
Sustaining combustion:	No data available

Flammability

Solid:	no data available
Gas:	no data available

Explosive properties

no data available

Lower explosion limits:	no data available
Upper explosion limits:	no data available
Ignition temperature:	no data available

Auto-ignition temperature

Solid:	no data available
Gas:	no data available

Decomposition temperature: no data available

Oxidizing properties

no data available

Vapour pressure: (at 20 °C)	128 hPa
Vapour pressure:	no data available
Density (at 20 °C):	1,03 g/cm ³
Bulk density:	not applicable
Water solubility: (at 20 °C)	soluble

Solubility in other solvents

no data available

Partition coefficient:	no data available
Viscosity / dynamic:	no data available
Viscosity / kinematic:	no data available
Flow time:	no data available
Vapour density:	no data available
Evaporation rate:	no data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain zero solution; 5/5

Revision date: 27.01.2022

Product code: LCK359-5

Page 6 of 10

Creation date: 13.10.2006

Solvent separation test: no data available

Solvent content: no data available

9.2. Other information

Solid content: not applicable

Corrosive in contact with metals

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Reacts with the following substances: Oxidizing agents,

10.4. Conditions to avoid

Heat, flames and sparks.

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Harmful if swallowed.

ATEmix calculated

ATE (oral) 1247,7 mg/kg

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
67-56-1	methanol				
	oral	ATE 100 mg/kg			
	dermal	ATE 300 mg/kg			
	inhalation vapour	ATE 3 mg/l			
	inhalation aerosol	ATE 0,5 mg/l			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause damage to organs. (methanol)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain zero solution; 5/5

Revision date: 27.01.2022

Product code: LCK359-5

Page 7 of 10

Creation date: 13.10.2006

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No toxicology information is available.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information
12.1. Toxicity

No data is available on the product itself.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
67-56-1	methanol					
	Acute fish toxicity	LC50 mg/l	15400	96 h	Lepomis macrochirus (Bluegill sunfish)	
	Acute algae toxicity	ErC50 mg/l	22000	96 h	Pseudokirchneriella subcapitata (green algae)	
	Acute crustacea toxicity	EC50 mg/l	24500	48 h	Crustaceans	

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-56-1	methanol	-0,77

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

SECTION 13: Disposal considerations
13.1. Waste treatment methods
Disposal recommendations

In accordance with local and national regulations.

Our local agencies will accept used cuvettes to ensure their proper disposal.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain zero solution; 5/5

Revision date: 27.01.2022

Product code: LCK359-5

Page 8 of 10

Creation date: 13.10.2006

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number: UN 3316
14.2. UN proper shipping name: Chemical kit
14.3. Transport hazard class(es): 9
14.4. Packing group: II
Hazard label: 9



Classification code: M11
Special Provisions: 251 340
Limited quantity: SP251
Excepted quantity: SP340
Transport category: 2
Hazard No: -
Tunnel restriction code: E

Inland waterways transport (ADN)**Other applicable information (inland waterways transport)**

Not tested

Marine transport (IMDG)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
Hazard label: 9



Marine pollutant: -
Special Provisions: 251, 340
Limited quantity: See SP251
Excepted quantity: SP340
EmS: F-A, S-P

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain zero solution; 5/5

Revision date: 27.01.2022

Product code: LCK359-5

Page 9 of 10


Creation date: 13.10.2006

14.4. Packing group:

II

Hazard label:

9



Special Provisions:

A44 A163

Limited quantity Passenger:

1 kg

Passenger LQ:

Y960

Excepted quantity:

E0

IATA-packing instructions - Passenger:

960

IATA-max. quantity - Passenger:

10 kg

IATA-packing instructions - Cargo:

960

IATA-max. quantity - Cargo:

10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

This product forms part of a kit. Information in this section relates to the kit as a whole.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 69

Additional information

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D):

1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

Revision Date 27.01.2022

Safety datasheet sections which have been updated: 2, 7, 9, 10, 11

Revision Date 14.04.2021

Safety datasheet sections which have been updated: 3, 5

Revision Date 27.04.2020

Safety datasheet sections which have been updated: 11, 15, 16

Revision Date 21.03.2017

Safety datasheet sections which have been updated: 2, 9, 14, 15

Revision: 17.09.2014

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 359 Zinn/Tin/Etain zero solution; 5/5

Revision date: 27.01.2022

Product code: LCK359-5

Page 10 of 10

Creation date: 13.10.2006

Safety datasheet sections which have been updated: 2, 4, 6-15

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 4; H302	Calculation method
STOT SE 2; H371	Calculation method

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H370	Causes damage to organs.
H371	May cause damage to organs.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)