

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 502 Ammonium, Sample cuvette; 1/2

Revision date: 02.02.2022

Product code: LCK502-1

Page 1 of 10

Creation date: 19.06.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LCK 502 Ammonium, Sample cuvette; 1/2

UFI: ATG5-1FT3-Q808-DVTK

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

Causes serious eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Sodium salicylate

Signal word: Danger

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 502 Ammonium, Sample cuvette; 1/2

Revision date: 02.02.2022

Product code: LCK502-1

Page 2 of 10

Creation date: 19.06.2019

Pictograms:

Hazard statements

- H290 May be corrosive to metals.
 H314 Causes severe skin burns and eye damage.

Precautionary statements

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
 P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P390 Absorb spillage to prevent material damage.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7732-18-5	Water			>95 %
	231-791-2			
54-21-7	Sodium salicylate			<2 %
	200-198-0			
	Acute Tox. 4, Eye Irrit. 2; H302 H319			
1310-73-2	sodium hydroxide; caustic soda			<0,2 %
	215-185-5	011-002-00-6		
	Skin Corr. 1A; H314			

Full text of H and EUH statements: see section 16.

Specific concentration limits and M-factors

CAS No	EC No	Chemical name	Quantity
	Specific concentration limits and M-factors		
1310-73-2	215-185-5	sodium hydroxide; caustic soda	<0,2 %
	Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2		

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 502 Ammonium, Sample cuvette; 1/2

Revision date: 02.02.2022

Product code: LCK502-1

Page 3 of 10

Creation date: 19.06.2019

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air.

If symptoms persist, call a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.

Take off all contaminated clothing immediately.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

Unsuitable extinguishing media

No Limit

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Only qualified personnel equipped with suitable protective equipment may intervene. Immediately evacuate personnel to safe areas.

Do not breathe vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 502 Ammonium, Sample cuvette; 1/2

Revision date: 02.02.2022

Product code: LCK502-1

Page 4 of 10

Creation date: 19.06.2019

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

Avoid contact with skin and eyes.

Advice on protection against fire and explosion

None known.

Further information on handling

Observe label precautions.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep refrigerated. (2-8 °C)

Hints on joint storage

None known.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Handle in accordance with good industrial hygiene and safety practice.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove

material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Remove and wash contaminated clothing before re-use.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 502 Ammonium, Sample cuvette; 1/2

Revision date: 02.02.2022

Product code: LCK502-1

Page 5 of 10

Creation date: 19.06.2019

Respiratory protection

Provide adequate ventilation.

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid	
Colour:	colourless	
Odour:	odourless	
pH-Value (at 20 °C):		13

Changes in the physical state

Melting point:	not applicable
Initial boiling point and boiling range:	100 °C
Sublimation point:	not applicable
Softening point:	no data available
Pour point:	no data available
:	no data available
Flash point:	not applicable
Sustaining combustion:	No data available

Flammability

Solid:	no data available
Gas:	no data available

Explosive properties

no data available

Lower explosion limits:	no data available
Upper explosion limits:	no data available
Ignition temperature:	no data available

Auto-ignition temperature

Solid:	no data available
Gas:	no data available

Decomposition temperature: no data available

Oxidizing properties

no data available

Vapour pressure:	no data available
Vapour pressure:	no data available
Density (at 20 °C):	1,02 g/cm ³
Bulk density:	no data available
Water solubility:	completely soluble

Solubility in other solvents

no data available

Partition coefficient:	no data available
Viscosity / dynamic:	no data available
Viscosity / kinematic:	no data available
Flow time:	no data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 502 Ammonium, Sample cuvette; 1/2

Revision date: 02.02.2022

Product code: LCK502-1

Page 6 of 10

Creation date: 19.06.2019

Vapour density: no data available
 Evaporation rate: no data available
 Solvent separation test: no data available
 Solvent content: no data available

9.2. Other information

Solid content: no data available
 Corrosive in contact with metals

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals

10.2. Chemical stability

The product is chemically stable.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicokinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

No data is available on the product itself.

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
54-21-7	Sodium salicylate					
	oral	LD50 mg/kg	930	Ratte	RTECS	

Irritation and corrosivity

Causes skin and eye burns.

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 502 Ammonium, Sample cuvette; 1/2

Revision date: 02.02.2022

Product code: LCK502-1

Page 7 of 10

Creation date: 19.06.2019

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

None known.

Additional information on tests

None known.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
54-21-7	Sodium salicylate					
	Acute fish toxicity	LC50 mg/l	1760	96 h		
1310-73-2	sodium hydroxide; caustic soda					
	Acute fish toxicity	LC50 mg/l	45,4	96 h	Onchorhynchus mykiss	

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

no data available

Further information

no data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Our local agencies will accept used cuvettes to ensure their proper disposal.
In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 502 Ammonium, Sample cuvette; 1/2

Revision date: 02.02.2022

Product code: LCK502-1

Page 8 of 10

Creation date: 19.06.2019

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 3316
14.2. UN proper shipping name: Chemical kit
14.3. Transport hazard class(es): 9
14.4. Packing group: II
Hazard label: 9



Classification code: M11
Special Provisions: 251 340
Limited quantity: 340
Excepted quantity: SP340
Transport category: 2
Hazard No: -
Tunnel restriction code: E

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)
Not tested

Marine transport (IMDG)


14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
Hazard label: 9



Marine pollutant: -
Special Provisions: 251, 340
Limited quantity: See SP251
Excepted quantity: SP340
EmS: F-A, S-P

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
Hazard label: 9



Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 502 Ammonium, Sample cuvette; 1/2

Revision date: 02.02.2022

Product code: LCK502-1

Page 9 of 10

Creation date: 19.06.2019

Special Provisions:	A44 A163
Limited quantity Passenger:	1 kg
Passenger LQ:	Y960
Excepted quantity:	E0
IATA-packing instructions - Passenger:	960
IATA-max. quantity - Passenger:	10 kg
IATA-packing instructions - Cargo:	960
IATA-max. quantity - Cargo:	10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Use personal protective equipment.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

These transport data apply to the entire pack

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Water hazard class (D): - - non-hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision Date 02.02.2022

Safety datasheet sections which have been updated: 2, 7, 9, 10

Revision Date 19.06.2019

Safety datasheet sections which have been updated: 1--16

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 502 Ammonium, Sample cuvette; 1/2

Revision date: 02.02.2022

Product code: LCK502-1

Page 10 of 10

Creation date: 19.06.2019

Further Information

This data sheet contains changes from the previous version in section(s): 14

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 502 Ammonium, DosiCapZip; 2/2

Revision date: 02.02.2022

Product code: LCK502-2

Page 1 of 10

Creation date: 19.06.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

LCK 502 Ammonium, DosiCapZip; 2/2

UFI: SDK5-7FH0-W804-749H

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Acute toxicity: Acute Tox. 4

Serious eye damage/eye irritation: Eye Irrit. 2

Specific target organ toxicity - single exposure: STOT SE 3

Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:

Harmful if swallowed.

Causes serious eye irritation.

May cause respiratory irritation.

Toxic to aquatic life with long lasting effects.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

Sodium Nitroferricyanide

Sodium dichloroisocyanurate, troclosene sodium

Signal word: Warning

Safety Data Sheet

according to Regulation (EC) No 1907/2006


LCK 502 Ammonium, DosiCapZip; 2/2

Revision date: 02.02.2022

Product code: LCK502-2

Page 2 of 10

Creation date: 19.06.2019

Pictograms:

Hazard statements

H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P337+P313	If eye irritation persists: Get medical advice/attention.
P391	Collect spillage.

Special labelling of certain mixtures

EUH031	Contact with acids liberates toxic gas.
--------	---

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Hazardous components

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	GHS Classification	
69-65-8	D(-)-Mannitol	76 %
	200-711-8	
14402-89-2	Sodium Nitroferricyanide	12 %
	238-373-9	
	Acute Tox. 3; H301	
2893-78-9	Sodium dichloroisocyanurate, troclosene sodium	12 %
	220-767-7	
	613-030-00-X	
	Ox. Sol. 2, Acute Tox. 4, Eye Irrit. 2, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 1; H272 H302 H319 H335 H400 H410 EUH031	

Full text of H and EUH statements: see section 16.

Specific concentration limits and M-factors

CAS No	EC No	Chemical name	Quantity
		Specific concentration limits and M-factors	
2893-78-9	220-767-7	Sodium dichloroisocyanurate, troclosene sodium	12 %
		STOT SE 3; H335: >= 10 - 100 EUH; EUH031: >= 10 - 100	

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 502 Ammonium, DosiCapZip; 2/2

Revision date: 02.02.2022

Product code: LCK502-2

Page 3 of 10

Creation date: 19.06.2019

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off contaminated clothing and shoes immediately.
Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.
If symptoms persist, call a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.
Take off all contaminated clothing immediately.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

Harmful if swallowed.
Cough, Shortness of breath, Spasm.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.
In the event of fire, wear self-contained breathing apparatus.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Only qualified personnel equipped with suitable protective equipment may intervene. Immediately evacuate personnel to safe areas.
Do not breathe vapours, mist or gas. Ensure adequate ventilation.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local/national regulations (see section 13).

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 502 Ammonium, DosiCapZip; 2/2

Revision date: 02.02.2022

Product code: LCK502-2

Page 4 of 10

Creation date: 19.06.2019

Soak up with inert absorbent material.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.
Avoid contact with skin and eyes.
Do not breathe vapours/dust.
Wash thoroughly after handling.

Advice on protection against fire and explosion

None known.

Further information on handling

Observe label precautions.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a dry, cool place.
Storage temperature: 2-8 °C

Hints on joint storage

Do not store near acids.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.
The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Handle in accordance with good industrial hygiene and safety practice.

Protective and hygiene measures

Wash hands before breaks and after work.
General industrial hygiene practice.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.
Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:
Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Avoid contact with skin, eyes and clothing.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 502 Ammonium, DosiCapZip; 2/2

Revision date: 02.02.2022

Product code: LCK502-2

Page 5 of 10

Creation date: 19.06.2019

Respiratory protection

Avoid breathing dust or vapour.

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	lyophilised cake
Colour:	beige
Odour:	odourless
pH-Value (at 20 °C):	7 (5 % solution)

Changes in the physical state

Melting point:	no data available
Initial boiling point and boiling range:	not applicable
Sublimation point:	no data available
Softening point:	not applicable
Pour point:	no data available
:	no data available
Flash point:	not applicable
Sustaining combustion:	No data available

Flammability

Solid:	no data available
Gas:	no data available

Explosive properties

no data available

Lower explosion limits:	no data available
Upper explosion limits:	no data available
Ignition temperature:	no data available

Auto-ignition temperature

Solid:	no data available
Gas:	no data available

Decomposition temperature: no data available

Oxidizing properties

no data available

Vapour pressure:	no data available
Vapour pressure:	no data available
Density:	not applicable
Bulk density:	no data available
Water solubility: (at 20 °C)	160 g/L

Solubility in other solvents

no data available

Partition coefficient:	not applicable
Viscosity / dynamic:	not applicable
Viscosity / kinematic:	not applicable

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 502 Ammonium, DosiCapZip; 2/2

Revision date: 02.02.2022

Product code: LCK502-2

Page 6 of 10

Creation date: 19.06.2019

Flow time: not applicable
 Vapour density: not applicable
 Evaporation rate: not applicable
 Solvent separation test: not applicable
 Solvent content: not applicable

9.2. Other information

Solid content: no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Contact with acids liberates toxic gas.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

To avoid thermal decomposition, do not overheat.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.
 Decomposes on heating.

10.5. Incompatible materials

May develop chlorine if mixed with acidic solutions.

10.6. Hazardous decomposition products

Carbon monoxide

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicokinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

Harmful if swallowed.

ATEmix calculated

ATE (oral) 793,9 mg/kg

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
69-65-8	D(-)-Mannitol				
	oral	LD50 mg/kg	135000	Ratte	
14402-89-2	Sodium Nitroferricyanide				
	oral	LD50	99 mg/kg	rat	
2893-78-9	Sodium dichloroisocyanurate, troclosene sodium				
	oral	ATE mg/kg	500		

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 502 Ammonium, DosiCapZip; 2/2

Revision date: 02.02.2022

Product code: LCK502-2

Page 7 of 10

Creation date: 19.06.2019

Sensitising effects

Based on available data, the classification criteria are not met.
No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.
Contains no ingredient listed as a carcinogen

STOT-single exposure

May cause respiratory irritation. (Sodium dichloroisocyanurate, troclosene sodium)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.
No aspiration toxicity classification

Specific effects in experiment on an animal

None known.

Additional information on tests

None known.

Practical experience

Observations relevant to classification

Harmful if swallowed.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.
Do not flush into surface water or sanitary sewer system.

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

no data available

Further information

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Our local agencies will accept used cuvettes to ensure their proper disposal.
In accordance with local and national regulations.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 502 Ammonium, DosiCapZip; 2/2

Revision date: 02.02.2022

Product code: LCK502-2

Page 8 of 10

Creation date: 19.06.2019

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 3316
14.2. UN proper shipping name: Chemical kit
14.3. Transport hazard class(es): 9
14.4. Packing group: II
Hazard label: 9



Classification code: M11
Special Provisions: 251 340
Limited quantity: SP251
Excepted quantity: SP340
Transport category: 2
Hazard No: -
Tunnel restriction code: E

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9
14.4. Packing group: II
Hazard label: 9



Marine pollutant: -
Special Provisions: 251, 340
Limited quantity: See SP251
Excepted quantity: SP340
EmS: F-A, S-P

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT
14.3. Transport hazard class(es): 9

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 502 Ammonium, DosiCapZip; 2/2

Revision date: 02.02.2022

Product code: LCK502-2

Page 9 of 10

Creation date: 19.06.2019

14.4. Packing group:

II

Hazard label:

9



Special Provisions:

A44 A163

Limited quantity Passenger:

1 kg

Passenger LQ:

Y960

Excepted quantity:

E0

IATA-packing instructions - Passenger:

960

IATA-max. quantity - Passenger:

10 kg

IATA-packing instructions - Cargo:

960

IATA-max. quantity - Cargo:

10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

Yes



Danger releasing substance:

troclosene sodium, dihydrate

14.6. Special precautions for user

Use personal protective equipment.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

These transport data apply to the entire pack.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**Information according to 2012/18/EU
(SEVESO III):

E2 Hazardous to the Aquatic Environment

National regulatory information

Water hazard class (D):

3 - strongly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

Revision Date 02.02.2022

Safety datasheet sections which have been updated: 2, 7, 11, 15

Revision Date 19.06.2019

Safety datasheet sections which have been updated: 1-16

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 502 Ammonium, DosiCapZip; 2/2

Revision date: 02.02.2022

Product code: LCK502-2

Page 10 of 10

Creation date: 19.06.2019

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Eye Irrit. 2; H319	Calculation method
STOT SE 3; H335	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH031	Contact with acids liberates toxic gas.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)