



according to Regulation (EC) No 1907/2006

1934-32 Amino Acid Reagent

Revision date: 15.03.2021 Product code: 193432 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

1934-32 Amino Acid Reagent

UFI: WWY9-JDJM-Y00M-WFF1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

5. Pacific Way

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Serious eye damage/eye irritation: Eye Dam. 1 Respiratory or skin sensitisation: Resp. Sens. 1

Reproductive toxicity: Repr. 1B

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Causes serious eye damage.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May damage the unborn child.

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

N,N-dimethylformamide; dimethyl formamide

sodium metabisulphite

Signal word: Danger



Safety Data Sheet

according to Regulation (EC) No 1907/2006

1934-32 Amino Acid Reagent

Revision date: 15.03.2021 Product code: 193432 Page 2 of 9

Pictograms:





Hazard statements

H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H360D May damage the unborn child.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P284 Wear respiratory protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P273 Avoid release to the environment.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name						
	EC No	Index No	REACH No				
	GHS Classification						
7732-18-5	Water			65-75 %			
	231-791-2						
68-12-2	N,N-dimethylformamide; dimethyl formamide						
	200-679-5	616-001-00-X					
	Repr. 1B, Acute Tox. 4, Acute T	ox. 4, Eye Irrit. 2; H360D H33	2 H312 H319				
7681-57-4	sodium metabisulphite						
	231-673-0	016-063-00-2	01-2119531326-45				
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Resp. Sens. 1, STOT SE 3, Aquatic Chronic 3; H302 H315 H318 H334 H335 H412 EUH031						
7757-83-7	Sodium sulfite			1-5 %			
	231-821-4						
	EUH031						

Full text of H and EUH statements: see section 16.





Be Right"

Safety Data Sheet

according to Regulation (EC) No 1907/2006

1934-32 Amino Acid Reagent

Revision date: 15.03.2021 Product code: 193432 Page 3 of 9

Further Information

This product contains substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57). N,N-dimethylformamide; dimethyl formamide

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air. Call a physician immediately.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Call a physician immediately.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Ingest immediately about 350 ml (5 ml/kg body weight) of activated charcoal slurry. Note: To prepare activated charcoal slurry, mix thoroughly 50 g of activated charcoal in 400 ml (about 2 cups) water.

Never give anything by mouth to an unconscious person.

Induce vomiting immediately and call a physician.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours. The following may develop in event of fire: sulfur oxides., nitrogen oxides (NOx), Carbon monoxide, Carbon dioxide (CO2)

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.





according to Regulation (EC) No 1907/2006

1934-32 Amino Acid Reagent

Revision date: 15.03.2021 Product code: 193432 Page 4 of 9

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.

Do not breathe vapours or spray mist.

Wash thoroughly after handling.

Advice on protection against fire and explosion

None known.

See also section 5

Further information on handling

Observe label precautions.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep away from heat and sources of ignition.

Keep at temperatures between 10 and 25 °C.

Hints on joint storage

Protect against Acids, Oxidizing agents, Alkali metals

Further information on storage conditions

Keep locked up or in an area accessible only to qualified or authorised persons.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7681-57-4	Disodium disulphite	-	5		TWA (8 h)	WEL
68-12-2	N,N-Dimethylformamide	5	15		TWA (8 h)	WEL
		10	30		STEL (15 min)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Protective and hygiene measures

Wash hands before breaks and at the end of workday.

Eye/face protection

Safety glasses with side-shields





Safety Data Sheet

according to Regulation (EC) No 1907/2006

1934-32 Amino Acid Reagent

Revision date: 15.03.2021 Product code: 193432 Page 5 of 9

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Provide adequate ventilation.

Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: yellow
Odour: amine-like

pH-Value (at 20 °C): 5,8

Changes in the physical state

Melting point:no data availableInitial boiling point and boiling range:102 °CSublimation point:not applicableSoftening point:not applicablePour point:no data availableFlash point:> 100 °C

Flammability

Solid: not applicable
Gas: not applicable

Explosive properties

not applicable

Lower explosion limits:

Upper explosion limits:

Inot applicable
Inot applicable
Inot applicable
Inot applicable

Auto-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: no data available

Oxidizing properties

not applicable

Vapour pressure:

Density (at 20 °C):

Bulk density:

Not applicable

Water solubility:

soluble

Solubility in other solvents

no data available

Partition coefficient: no data available



according to Regulation (EC) No 1907/2006

1934-32 Amino Acid Reagent

Revision date: 15.03.2021 Product code: 193432 Page 6 of 9

Viscosity / dynamic:

Viscosity / kinematic:

no data available

Flow time:

no data available

Vapour density:

no data available

Evaporation rate:

no data available

Solvent separation test:

no data available

no data available

no data available

no data available

9.2. Other information

Solid content: not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Hazard: Oxidizing agents

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

To avoid thermal decomposition, do not overheat.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

Nitric acid, Alkali metals, Oxidizing agents

10.6. Hazardous decomposition products

nitrogen oxides (NOx), Carbon monoxide, Carbon dioxide (CO2)

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

LD50/oral/rat = >5000 mg/kg

CAS No	Chemical name	Chemical name					
	Exposure route	Dose		Species	Source	Method	
68-12-2	N,N-dimethylformamide;	dimethyl for	mamide				
	dermal	ATE mg/kg	1100				
	inhalation vapour	ATE	11 mg/l				
	inhalation aerosol	ATE	1,5 mg/l				
7681-57-4	sodium metabisulphite						
	oral	LD50 mg/kg	1131	Rat			
	dermal	LD50 mg/kg	>2000	Rat	RTECS		
	inhalation (4 h) aerosol	LC50	>5,5 mg/l	Rat	RTECS		
7757-83-7	Sodium sulfite						
	oral	LD50 mg/kg	2610	rat			
	inhalation (4 h) aerosol	LC50	>5,5 mg/l	rat			



according to Regulation (EC) No 1907/2006

1934-32 Amino Acid Reagent

Revision date: 15.03.2021 Product code: 193432 Page 7 of 9

Irritation and corrosivity

H318 - Causes serious eye damage.

Sensitising effects

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled. (sodium metabisulphite)

Carcinogenic/mutagenic/toxic effects for reproduction

May cause harm to the unborn child. (N,N-dimethylformamide; dimethyl formamide)

STOT-single exposure

The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

In some animal tests formamide has shown teratogenic effects.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

110 00	No data is available of the product itself.						
CAS No	Chemical name	Chemical name					
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7681-57-4	sodium metabisulphite						
	Acute fish toxicity	LC50	32 mg/l		Lepomis macrochirus (Bluegill sunfish)	OECD	
	Acute crustacea toxicity	EC50	89 mg/l		Daphnia magna (Water flea)	OECD	
7757-83-7	Sodium sulfite						
	Acute fish toxicity	LC50	315 mg/l	96 h			

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68-12-2	N,N-dimethylformamide; dimethyl formamide	0,85

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

SECTION 13: Disposal considerations

13.1. Waste treatment methods





according to Regulation (EC) No 1907/2006

1934-32 Amino Acid Reagent

Revision date: 15.03.2021 Product code: 193432 Page 8 of 9

Disposal recommendations

Dispose of as special waste in compliance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals: hazardous waste

List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

Not subject to transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

Other applicable information (marine transport)

Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport)

Not subject to transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):

N,N-dimethylformamide; dimethyl formamide

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 30

National regulatory information





according to Regulation (EC) No 1907/2006

1934-32 Amino Acid Reagent

Revision date: 15.03.2021 Product code: 193432 Page 9 of 9

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 15.03.2021

Safety datasheet sections which have been updated: 2, 3, 7

Revision: 03.01.2019

Safety datasheet sections which have been updated: 2, 11, 15, 16

Revision: 28.04.2016

Safety datasheet sections which have been updated: 2, 3, 11

Revision: 12.04.2016

Safety datasheet sections which have been updated: 3

Revision: 28.05.2015

Safety datasheet sections which have been updated: 2, 4, 11

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Eye Dam. 1; H318	Calculation method
Resp. Sens. 1; H334	Calculation method
Repr. 1B; H360D	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma s

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation. H360D May damage the unborn child.

H412 Harmful to aquatic life with long lasting effects.

EUH031 Contact with acids liberates toxic gas.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)





according to Regulation (EC) No 1907/2006

2236-32 Molybdate Reagent

Revision date: 16.09.2020 Product code: 223632 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

2236-32 Molybdate Reagent

UFI: M0WT-3CU3-Q00G-TXKE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1A

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

Causes serious eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

sulphuric acid ... %

Signal word: Danger

Pictograms:





Safety Data Sheet

according to Regulation (EC) No 1907/2006

2236-32 Molybdate Reagent

Revision date: 16.09.2020 Product code: 223632 Page 2 of 9

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P363 Wash contaminated clothing before reuse.
P390 Absorb spillage to prevent material damage.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

no data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	GHS Classification					
7732-18-5	Water			35-45 %		
	231-791-2					
7664-93-9	sulphuric acid %					
	231-639-5					
	Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1, STOT SE 3; H290 H314 H318 H335					
12054-85-2	Ammonium heptamolybdate tetrahydrate					
	234-722-4					
	Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H302 H315 H319 H335					

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air. Consult a physician.



Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

2236-32 Molybdate Reagent

Revision date: 16.09.2020 Product code: 223632 Page 3 of 9

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes. Call a physician immediately. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Drink 1 or 2 glasses of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Dry chemical

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Water

5.2. Special hazards arising from the substance or mixture

The following may develop in event of fire: sulfur oxides., nitrogen oxides (NOx), Ammonia

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes. Avoid contact with clothing.

Do not breathe vapours or spray mist.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep containers tightly closed in a cool, well-ventilated place.



according to Regulation (EC) No 1907/2006

2236-32 Molybdate Reagent

Revision date: 16.09.2020 Product code: 223632 Page 4 of 9

Hints on joint storage

Do not store together with Oxidizing agents, Solvent, Bases, Metals

Further information on storage conditions

Keep locked up or in an area accessible only to qualified or authorised persons.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

8.2. Exposure controls

Appropriate engineering controls

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Protective and hygiene measures

Wash hands before breaks and at the end of workday.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Ensure adequate ventilation, especially in confined areas.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: odourless

pH-Value (at 20 °C): <0,5

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

Pour point:

Ino data available

no data available

Flammability



Safety Data Sheet

according to Regulation (EC) No 1907/2006

2236-32 Molybdate Reagent

Revision date: 16.09.2020 Product code: 223632 Page 5 of 9

Solid: not applicable
Gas: not applicable

Explosive properties

not applicable

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not applicable

not applicable

Auto-ignition temperature

Solid: not applicable
Gas: not applicable
Decomposition temperature: no data available

Oxidizing properties

not applicable

Vapour pressure:no data availableVapour pressure:no data availableDensity (at 20 °C):1,30 g/cm³Bulk density:no data availableWater solubility:miscible

(at 20 °C)

Solubility in other solvents

Acids

Partition coefficient: no data available Viscosity / dynamic: no data available Viscosity / kinematic: no data available Flow time: no data available no data available Vapour density: no data available Evaporation rate: Solvent separation test: no data available Solvent content: no data available

9.2. Other information

Solid content: no data available

Corrosive in contact with metals

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

To avoid thermal decomposition, do not overheat.

10.5. Incompatible materials

Strong bases, Solvent, Acetic acid



according to Regulation (EC) No 1907/2006

2236-32 Molybdate Reagent

Revision date: 16.09.2020 Product code: 223632 Page 6 of 9

Incompatible with oxidizing agents.

Gives off hydrogen by reaction with metals.

10.6. Hazardous decomposition products

Sulphur oxides, nitrogen oxides (NOx), Ammonia

Further information

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No data is available on the product itself.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7664-93-9	sulphuric acid %				
	oral	LD50 2140 mg/kg	rat		
12054-85-2	Ammonium heptamolybdate tetrahydrate				
	I = · = ··	ATE 500 mg/kg			

Irritation and corrosivity

The product causes burns of eyes, skin and mucous membranes.

Sensitising effects

No known effect.

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Specific effects in experiment on an animal

No toxicology information is available.

Additional information on tests

None known.

Practical experience

Other observations

None known.

Further information

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
12054-85-2	Ammonium heptamolybdate tetrahydrate						
	Acute fish toxicity	LC50	420 mg/l	96 h			
	Acute crustacea toxicity	EC50	140 mg/l	48 h			

12.2. Persistence and degradability



Safety Data Sheet

according to Regulation (EC) No 1907/2006

2236-32 Molybdate Reagent

Revision date: 16.09.2020 Product code: 223632 Page 7 of 9

No data is available on the product itself.

12.3. Bioaccumulative potential

no data available

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 3264

14.2. UN proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (sulphuric acid < 45 % - solution)

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Classification code:

Special Provisions:

Limited quantity:

Excepted quantity:

Transport category:

Hazard No:

Tunnel restriction code:

C1

Special Provisions:

274

Extended quantity:

E1

Transport category:

80

Tunnel restriction code:

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)





according to Regulation (EC) No 1907/2006

2236-32 Molybdate Reagent

Revision date: 16.09.2020 Product code: 223632 Page 8 of 9

14.1. UN number: UN 3264

14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (<45% Sulphuric

acid solution)

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Marine pollutant:

Special Provisions: 223, 274
Limited quantity: 5 L
Excepted quantity: E1
EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3264

14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (<45% Sulphuric

acid solution)

 14.3. Transport hazard class(es):
 8

 14.4. Packing group:
 III

 Hazard label:
 8



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3 A803

1 L

Y841

Excepted quantity:

E1

IATA-packing instructions - Passenger:852IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:856IATA-max. quantity - Cargo:60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Use personal protective equipment.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit, Hazard Class: 9, UN Number3316, Package group II, EMS Code: F-A, S-P

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3





according to Regulation (EC) No 1907/2006

2236-32 Molybdate Reagent

Revision date: 16.09.2020 Product code: 223632 Page 9 of 9

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 16.09.2020

Safety datasheet sections which have been updated: 2, 11, 15, 16

Revision: 16.05.2013

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1A; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)