

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**2125951 COD/CSB/DCO**

Revision date: 28.11.2018

Product code: 2125951

Page 1 of 10

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

2125951 COD/CSB/DCO

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Water analysis

**1.3. Details of the supplier of the safety data sheet**

Company name: HACH LANGE GmbH  
Street: Willstätterstr. 11  
Place: D-40549 Düsseldorf  
Telephone: +49 (0)211 5288-383  
e-mail: SDS@hach.com  
Internet: www.de.hach.com  
Responsible Department: HACH LANGE Ltd.  
5, Pacific Way  
Salford Manchester M50 1DL - United Kingdom  
Tel. +44 (0) 161 872 1487 \* Fax +44 (0) 161 848 7324  
e-Mail: info-uk@hach.com

HACH LANGE Ltd.  
Unit 1, Chestnut Road Western Industrial Estate  
IRL-Dublin 12  
Tel. +353 (0)1 4602522  
e-Mail: info-ie@hach.com

**1.4. Emergency telephone number:**

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Acute toxicity: Acute Tox. 3

Acute toxicity: Acute Tox. 4

Skin corrosion/irritation: Skin Corr. 1A

Germ cell mutagenicity: Muta. 1B

Carcinogenicity: Carc. 1A

Specific target organ toxicity - repeated exposure: STOT RE 2

Hazardous to the aquatic environment: Aquatic Chronic 1

Hazard Statements:

May be corrosive to metals.

Toxic in contact with skin.

Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause genetic defects.

May cause cancer.

May cause damage to organs through prolonged or repeated exposure.

Very toxic to aquatic life with long lasting effects.

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

**2.2. Label elements**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**2125951 COD/CSB/DCO**

Revision date: 28.11.2018

Product code: 2125951

Page 2 of 10

### Regulation (EC) No. 1272/2008

#### Hazard components for labelling

sulphuric acid ... %  
Mercury(II) sulfate  
chromium (VI) trioxide

**Signal word:** Danger

#### Pictograms:



#### Hazard statements

H290 May be corrosive to metals.  
H311 Toxic in contact with skin.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H340 May cause genetic defects.  
H350 May cause cancer.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

#### Precautionary statements

P201 Obtain special instructions before use.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P309+P311 IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

#### Special labelling of certain mixtures

EUH208 Contains chromium (VI) trioxide. May produce an allergic reaction.  
Restricted to professional users.

#### Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

#### 2.3. Other hazards

no data available

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**2125951 COD/CSB/DCO**

Revision date: 28.11.2018

Product code: 2125951

Page 3 of 10

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
7664-93-9	sulphuric acid ... %			82 %
	231-639-5	016-020-00-8		
	Skin Corr. 1A; H314			
7732-18-5	Water			<20 %
	231-791-2			
7783-35-9	Mercury(II) sulfate			<0,6 %
	231-992-5	080-002-00-6		
	Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H310 H330 H300 H373 H400 H410			
10294-26-5	Silver sulfate			<1 %
	233-653-7			
	Eye Dam. 1, Aquatic Acute 1 (M-Factor = 100), Aquatic Chronic 1 (M-Factor = 100); H318 H400 H410			
1333-82-0	chromium (VI) trioxide			<0,5 %
	215-607-8	024-001-00-0		
	Ox. Sol. 1, Carc. 1A, Muta. 1B, Repr. 2, Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, STOT RE 1, Skin Corr. 1A, Resp. Sens. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H271 H350 H340 H361f *** H330 H311 H301 H372 ** H314 H334 H317 H400 H410			

Full text of H and EUH statements: see section 16.

**Further Information**

This product contains substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).  
chromium (VI) trioxide

**SECTION 4: First aid measures**
**4.1. Description of first aid measures**
**General information**

Take off all contaminated clothing immediately.  
Consult a physician. Show this safety data sheet to the doctor in attendance.

**After inhalation**

Move to fresh air.  
Consult a physician. Show this safety data sheet to the doctor in attendance.

**After contact with skin**

Wash off immediately with plenty of water for at least 15 minutes.  
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Show this safety data sheet to the doctor in attendance.

**After contact with eyes**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Show this safety data sheet to the doctor in attendance.

**After ingestion**

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting.  
Consult a physician. Show this safety data sheet to the doctor in attendance.

**4.2. Most important symptoms and effects, both acute and delayed**

Health injuries are not known or expected under normal use.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**2125951 COD/CSB/DCO**

Revision date: 28.11.2018

Product code: 2125951

Page 4 of 10

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

### 5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours. The following may develop in event of fire: sulfur oxides, mercury vapors.

### 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

#### Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

### 6.4. Reference to other sections

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Use only in well-ventilated areas. Do not breathe vapours/dust.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep tightly closed in a dry, cool and well-ventilated place. Protect against light. Accessible only for authorized persons.

### 7.3. Specific end use(s)

Reagent for analysis

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

### 8.2. Exposure controls

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**2125951 COD/CSB/DCO**

Revision date: 28.11.2018

Product code: 2125951

Page 5 of 10

### Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

### Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

### Eye/face protection

Safety glasses with side-shields

### Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0.40 mm, Breakthrough time: > 30 min

### Skin protection

Remove and wash contaminated clothing before re-use.

### Respiratory protection

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

### Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	orange
Odour:	odourless
pH-Value (at 20 °C):	< 1
<b>Changes in the physical state</b>	
Melting point:	not applicable
Initial boiling point and boiling range:	300 °C
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	no data available
:	no data available
Flash point:	not applicable
Sustaining combustion:	No data available
<b>Flammability</b>	
Solid:	not applicable
Gas:	not applicable
<b>Explosive properties</b>	
not applicable	
Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	not applicable
<b>Auto-ignition temperature</b>	
Solid:	no data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**2125951 COD/CSB/DCO**

Revision date: 28.11.2018

Product code: 2125951

Page 6 of 10

Gas:	no data available
Decomposition temperature:	no data available
<b>Oxidizing properties</b> no data available	
Vapour pressure:	no data available
Vapour pressure:	no data available
Density (at 20 °C):	1,78 g/cm <sup>3</sup>
Bulk density:	not applicable
Water solubility: (at 20 °C)	completely soluble
<b>Solubility in other solvents</b> no data available	
Partition coefficient:	no data available
Viscosity / dynamic:	no data available
Viscosity / kinematic:	no data available
Flow time:	no data available
Vapour density:	no data available
Evaporation rate:	no data available
Solvent separation test:	no data available
Solvent content:	no data available
<b>9.2. Other information</b>	
Solid content:	no data available
Corrosive in contact with metals	

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Corrosive to metals

#### 10.2. Chemical stability

Stable under recommended storage conditions.

#### 10.3. Possibility of hazardous reactions

Reacts with the following substances:: Oxidizing agents

#### 10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat. Above 300 °C, hazardous fumes may be released.

#### 10.5. Incompatible materials

Organic materials, Bases, Alkali metals, Metals, Ammonia, Reducing agents, Nitric acid.  
Reacts violently with water.

#### 10.6. Hazardous decomposition products

Sulphur trioxide  
Chromium oxides

#### **Further information**

very reactive

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**2125951 COD/CSB/DCO**

Revision date: 28.11.2018

Product code: 2125951

Page 7 of 10

**Acute toxicity**

LD50/oral/rat = 360 - 428 mg/kg

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7783-35-9	Mercury(II) sulfate					
	oral	ATE	5 mg/kg			
	dermal	ATE	5 mg/kg			
	inhalation vapour	ATE	0,5 mg/l			
	inhalation aerosol	ATE	0,05 mg/l			
10294-26-5	Silver sulfate					
	oral	LD50	5000 mg/kg	rat		
1333-82-0	chromium (VI) trioxide					
	oral	LD50	52 mg/kg	Rat	ERMA	
	dermal	LD50	55 mg/kg	Rat	ERMA	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) aerosol	LC50	0,217 mg/l	Rat	ERMA	

**Irritation and corrosivity**

The product causes burns of eyes, skin and mucous membranes.

**Sensitising effects**

May cause sensitisation by inhalation and skin contact.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Known carcinogen. Mutagen

**Further information**

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

**SECTION 12: Ecological information**

**12.1. Toxicity**

May cause long-term adverse effects in the aquatic environment.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7783-35-9	Mercury(II) sulfate						
	Acute fish toxicity	LC50	0,19 mg/l	96 h			
10294-26-5	Silver sulfate						
	Acute crustacea toxicity	EC50	0,0045 mg/l	48 h	Crustaceans		

**12.2. Persistence and degradability**

no data available

**12.3. Bioaccumulative potential**

no data available

**12.4. Mobility in soil**

no data available



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**2125951 COD/CSB/DCO**

Revision date: 28.11.2018

Product code: 2125951

Page 8 of 10

### 12.5. Results of PBT and vPvB assessment

no data available

### 12.6. Other adverse effects

Discharge into the environment must be avoided.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### **Advice on disposal**

Our local agencies will accept used cuvettes to ensure their proper disposal.  
In accordance with local and national regulations.

#### **Waste disposal number of waste from residues/unused products**

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

#### **Waste disposal number of used product**

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

## SECTION 14: Transport information

### Land transport (ADR/RID)

<b>14.1. UN number:</b>	UN 1830
<b>14.2. UN proper shipping name:</b>	Sulphuric acid
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8



Classification code:	C1
Special Provisions:	-
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E

### Inland waterways transport (ADN)

#### **Other applicable information (inland waterways transport)**

Not tested

### Marine transport (IMDG)

<b>14.1. UN number:</b>	UN 1830
<b>14.2. UN proper shipping name:</b>	Sulphuric acid
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**2125951 COD/CSB/DCO**

Revision date: 28.11.2018

Product code: 2125951

Page 9 of 10



Marine pollutant: -  
Special Provisions: -  
Limited quantity: 1 L  
Excepted quantity: E2  
EmS: F-A, S-B  
Segregation group: acids

### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 1830  
**14.2. UN proper shipping name:** Sulphuric acid  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
Hazard label: 8



Special Provisions: -  
Limited quantity Passenger: 0.5 L  
Passenger LQ: Y840  
Excepted quantity: E2  
IATA-packing instructions - Passenger: 851  
IATA-max. quantity - Passenger: 1 L  
IATA-packing instructions - Cargo: 855  
IATA-max. quantity - Cargo: 30 L

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes



Danger releasing substance: sulphuric acid ... %  
Mercury(II) sulfate  
chromium (VI) trioxide

### 14.6. Special precautions for user

Use personal protective equipment.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant.

### Other applicable information

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit, Hazard Class: 9, UN Number 3316, Package group II, EMS Code: F-A, S-P

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Authorisations (REACH, annex XIV):  
chromium (VI) trioxide

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**2125951 COD/CSB/DCO**

Revision date: 28.11.2018

Product code: 2125951

Page 10 of 10

Restrictions on use (REACH, annex XVII):

Entry 28: chromium (VI) trioxide

**National regulatory information**

Employment restrictions:

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water contaminating class (D):

2 - clearly water contaminating

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

Revision Date 28.03.2017

Safety datasheet sections which have been updated: 2, 9, 14

Revision: 07.04.2016

Safety datasheet sections which have been updated: 3

Revision: 25.06.2013

Safety datasheet sections which have been updated: 2, 9

**Relevant H and EUH statements (number and full text)**

H271	May cause fire or explosion; strong oxidiser.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H361f	Suspected of damaging fertility.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH208	Contains chromium (VI) trioxide. May produce an allergic reaction.

**Further Information**

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*