

Safety Data Sheet

according to Regulation (EC) No 1907/2006

25437-68 FerroMo® Iron Reagent 1 Powder Pillows

Revision date: 01.12.2020

Product code: 2543768

Page 1 of 9

Creation date: 23.11.2005

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

25437-68 FerroMo® Iron Reagent 1 Powder Pillows

UFI: WJXV-QFCC-F00W-21RM

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Dam. 1

Respiratory or skin sensitisation: Resp. Sens. 1

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Causes skin irritation.

Causes serious eye damage.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

sodium metabisulphite

Signal word: Danger

Safety Data Sheet

according to Regulation (EC) No 1907/2006

25437-68 FerroMo® Iron Reagent 1 Powder Pillows

Revision date: 01.12.2020

Product code: 2543768

Page 2 of 9

Creation date: 23.11.2005

Pictograms:



Hazard statements

- H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

- P273 Avoid release to the environment.
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
 P332+P313 If skin irritation occurs: Get medical advice/attention.
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	CLP Classification			
7681-57-4	sodium metabisulphite			5-15 %
	231-673-0	016-063-00-2	01-2119531326-45	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Resp. Sens. 1, STOT SE 3, Aquatic Chronic 3; H302 H315 H318 H334 H335 H412 EUH031			
7775-14-6	sodium dithionite, sodium hydrosulphite			9 %
	231-890-0	016-028-00-1		
	Self-heat. 1, Acute Tox. 4, Eye Irrit. 2, Aquatic Chronic 3; H251 H302 H319 H412 EUH031			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

25437-68 FerroMo® Iron Reagent 1 Powder Pillows

Revision date: 01.12.2020

Product code: 2543768

Page 3 of 9

Creation date: 23.11.2005

After inhalation

Move to fresh air.

After contact with skin

Wash off immediately with plenty of water.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Clean mouth with water and drink afterwards plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

Allergies

Repeated or prolonged contact causes sensitisation, asthma and eczemas.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

Unsuitable extinguishing media

No Limit

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Only qualified personnel equipped with suitable protective equipment may intervene. Immediately evacuate personnel to safe areas.

Do not breathe vapours, mist or gas. Ensure adequate ventilation.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local/national regulations (see section 13).

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Use only in well-ventilated areas.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

25437-68 FerroMo® Iron Reagent 1 Powder Pillows

Revision date: 01.12.2020

Product code: 2543768

Page 4 of 9

Creation date: 23.11.2005

Advice on protection against fire and explosion

See also section 5

Further information on handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep in a dry, cool place.

Hints on joint storage

Avoid contact with skin, eyes and clothing.

Further information on storage conditions

no data available

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7681-57-4	Disodium disulphite	-	5		TWA (8 h)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls**Appropriate engineering controls**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove

material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Avoid breathing dust or vapour.

Provide adequate ventilation.

Environmental exposure controls

Should not be released into the environment.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

25437-68 FerroMo® Iron Reagent 1 Powder Pillows

Revision date: 01.12.2020

Product code: 2543768

Page 5 of 9

Creation date: 23.11.2005

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	powder
Colour:	white
Odour:	sulphurous
pH-Value (at 20 °C):	5,65 ((5 % solution)

Changes in the physical state

Melting point:	145-148 °C
Initial boiling point and boiling range:	not applicable
Sublimation point:	not applicable
Softening point:	not applicable
:	no data available
Flash point:	not applicable
Sustaining combustion:	No data available

Flammability

Solid:	not applicable
Gas:	not applicable

Explosive properties

not applicable

Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	not applicable

Auto-ignition temperature

Solid:	not applicable
Gas:	not applicable

Decomposition temperature: no data available

Oxidizing properties

not applicable

Vapour pressure: not applicable

Density (at 20 °C): 1,75 g/cm³

Bulk density: no data available

Water solubility:
(at 20 °C) completely soluble**Solubility in other solvents**

no data available

Partition coefficient: not applicable

Viscosity / dynamic: not applicable

Viscosity / kinematic: not applicable

Flow time: not applicable

Vapour density: not applicable

Evaporation rate: not applicable

Solvent separation test: not applicable

Solvent content: not applicable

Safety Data Sheet

according to Regulation (EC) No 1907/2006

25437-68 FerroMo® Iron Reagent 1 Powder Pillows

Revision date: 01.12.2020

Product code: 2543768

Page 6 of 9

Creation date: 23.11.2005

9.2. Other information

Solid content: not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicokinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7681-57-4	sodium metabisulphite					
	oral	LD50 mg/kg	1131	Rat		
	dermal	LD50 mg/kg	>2000	Rat	RTECS	
	inhalation (4 h) aerosol	LC50	>5,5 mg/l	Rat	RTECS	
7775-14-6	sodium dithionite, sodium hydrosulphite					
	oral	LD50 mg/kg	2500	rat		

Irritation and corrosivity

Causes skin irritation.

Causes serious eye damage.

Sensitising effects

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (sodium metabisulphite)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

25437-68 FerroMo® Iron Reagent 1 Powder Pillows

Revision date: 01.12.2020

Product code: 2543768

Page 7 of 9

Creation date: 23.11.2005

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data is available on the product itself.

Additional information on tests

None known.

Practical experience

Observations relevant to classification

None known.

Other observations

None known.

Further information

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7681-57-4	sodium metabisulphite					
	Acute fish toxicity	LC50 32 mg/l	96 h	Lepomis macrochirus (Bluegill sunfish)	OECD	
	Acute crustacea toxicity	EC50 89 mg/l	48 h	Daphnia magna (Water flea)	OECD	
7775-14-6	sodium dithionite, sodium hydrosulphite					
	Acute fish toxicity	LC50 46-68 mg/l	96 h	Leuciscus idus (Golden orfe)		
	Acute crustacea toxicity	EC50 98 mg/l	48 h	Daphnia magna (Water flea)		

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

Further information

No known effect.

SECTION 13: Disposal considerations

Safety Data Sheet

according to Regulation (EC) No 1907/2006

25437-68 FerroMo® Iron Reagent 1 Powder Pillows

Revision date: 01.12.2020

Product code: 2543768

Page 8 of 9

Creation date: 23.11.2005

13.1. Waste treatment methods

Disposal recommendations

In accordance with local and national regulations.

Dispose of in accordance with the European Directives on waste and hazardous waste.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

Not subject to transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

Other applicable information (marine transport)

Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport)

Not subject to transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

Other applicable information

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit, Hazard Class: 9, UN Number 3316, Package group II, EMS Code: F-A, S-P

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 01.12.2020

Safety datasheet sections which have been updated: 2, 11, 15, 16

Revision: 26.06.2018

Safety datasheet sections which have been updated: 2, 4, 11

Revision: 12.05.2015

Safety Data Sheet

according to Regulation (EC) No 1907/2006

25437-68 FerroMo® Iron Reagent 1 Powder Pillows

Revision date: 01.12.2020

Product code: 2543768

Page 9 of 9

Creation date: 23.11.2005

Safety datasheet sections which have been updated: 2, 4, 11

Revision: 09.10.2014

Safety datasheet sections which have been updated: 4 - 16

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method
Resp. Sens. 1; H334	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H251	Self-heating: may catch fire.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.
EUH031	Contact with acids liberates toxic gas.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

25438-66 FerroMo® Iron Reagent 2 Powder Pillows

Revision date: 30.06.2020

Product code: 2543866

Page 1 of 8

Creation date: 25.11.2005

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

25438-66 FerroMo® Iron Reagent 2 Powder Pillows

UFI: 1J4W-4FP4-W00H-DXJ4

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way
Salford Manchester M50 1DL - United Kingdom
Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324
e-Mail: info-uk@hach.com

HACH LANGE Ltd.
Unit 1, Chestnut Road Western Industrial Estate
IRL-Dublin 12
Tel. +353 (0)1 4602522
e-Mail: info-ie@hach.com

1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Acute toxicity: Acute Tox. 4

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Harmful if swallowed.

Causes serious eye irritation.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

Citric acid monosodium salt

2,4,6-Tri-(2-Pyridyl)-1,3,5-Triazine 1:3 Salt with p-Toluenesulfonic acid

Signal word: Warning

Pictograms:



Safety Data Sheet

according to Regulation (EC) No 1907/2006

25438-66 FerroMo® Iron Reagent 2 Powder Pillows

Revision date: 30.06.2020

Product code: 2543866

Page 2 of 8

Creation date: 25.11.2005

Hazard statements

H302 Harmful if swallowed.
H319 Causes serious eye irritation.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P330 Rinse mouth.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	CLP Classification			
18996-35-5	Citric acid monosodium salt			>99 %
	242-734-6			
	Acute Tox. 4, Eye Irrit. 2; H302 H319			
103404-99-5	2,4,6-Tri-(2-Pyridyl)-1,3,5-Triazine 1:3 Salt with p-Toluenesulfonic acid			< 1 %
	Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H302 H315 H319 H335			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air.

After contact with skin

Wash off immediately with plenty of water.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Clean mouth with water and drink afterwards plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

irritant effects

4.3. Indication of any immediate medical attention and special treatment needed

Safety Data Sheet

according to Regulation (EC) No 1907/2006

25438-66 FerroMo® Iron Reagent 2 Powder Pillows

Revision date: 30.06.2020

Product code: 2543866

Page 3 of 8

Creation date: 25.11.2005

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

Unsuitable extinguishing media

No Limit

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Use mechanical handling equipment.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

Advice on protection against fire and explosion

See also section 5

Further information on handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a dry, cool place.

Hints on joint storage

Avoid contact with skin, eyes and clothing.

Further information on storage conditions

no data available

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

Safety Data Sheet

according to Regulation (EC) No 1907/2006

25438-66 FerroMo® Iron Reagent 2 Powder Pillows

Revision date: 30.06.2020

Product code: 2543866

Page 4 of 8

Creation date: 25.11.2005

8.1. Control parameters

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Consult your supplier if the material is to be used for special applications such as in the food industry or for hygiene, medical or surgical end-use.

Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Avoid breathing dust or vapour.

Provide adequate ventilation.

Environmental exposure controls

Should not be released into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	powder
Colour:	white
Odour:	odourless
pH-Value (at 20 °C):	3,6 (5 % solution)

Changes in the physical state

Melting point:	214-215 °C
Initial boiling point and boiling range:	not applicable
Sublimation point:	not applicable
Softening point:	not applicable
Flash point:	not applicable

Flammability

Solid:	not applicable
Gas:	not applicable

Safety Data Sheet

according to Regulation (EC) No 1907/2006

25438-66 FerroMo® Iron Reagent 2 Powder Pillows

Revision date: 30.06.2020

Product code: 2543866

Page 5 of 8

Creation date: 25.11.2005

Explosive properties

not applicable

Lower explosion limits:

not applicable

Upper explosion limits:

not applicable

Ignition temperature:

not applicable

Auto-ignition temperature

Solid:

not applicable

Gas:

not applicable

Decomposition temperature:

no data available

Oxidizing properties

not applicable

Vapour pressure:

not applicable

Density (at 20 °C):

0,972 g/cm³

Bulk density:

no data available

Water solubility:

soluble

(at 20 °C)

Solubility in other solvents

no data available

Partition coefficient:

not applicable

Viscosity / dynamic:

not applicable

Viscosity / kinematic:

not applicable

Flow time:

not applicable

Vapour density:

not applicable

Evaporation rate:

not applicable

Solvent separation test:

not applicable

Solvent content:

not applicable

9.2. Other information

Solid content:

not applicable

no data available

SECTION 10: Stability and reactivity**10.1. Reactivity**

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

25438-66 FerroMo® Iron Reagent 2 Powder Pillows

Revision date: 30.06.2020

Product code: 2543866

Page 6 of 8

Creation date: 25.11.2005

Further information

Stable under recommended storage conditions.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Toxicokinetics, metabolism and distribution**

No toxicology information is available.

Acute toxicity

Harmful if swallowed.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
18996-35-5	Citric acid monosodium salt				
	oral	LD50 mg/kg	1700	rat	
103404-99-5	2,4,6-Tri-(2-Pyridyl)-1,3,5-Triazine 1:3 Salt with p-Toluenesulfonic acid				
	oral	ATE mg/kg	500		

Irritation and corrosivity

Severe eye irritation

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No data is available on the product itself.

Additional information on tests

None known.

Practical experience**Observations relevant to classification**

None known.

Other observations

None known.

Further information

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information**12.1. Toxicity**

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

12.2. Persistence and degradability

Safety Data Sheet

according to Regulation (EC) No 1907/2006

25438-66 FerroMo® Iron Reagent 2 Powder Pillows

Revision date: 30.06.2020

Product code: 2543866

Page 7 of 8

Creation date: 25.11.2005

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

Further information

No known effect.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

In accordance with local and national regulations.

Dispose of in accordance with the European Directives on waste and hazardous waste.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

Not subject to transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

Other applicable information (marine transport)

Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport)

Not subject to transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

Other applicable information

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit, Hazard Class: 9, UN Number 3316, Package group II, EMS Code: F-A, S-P

SECTION 15: Regulatory information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

25438-66 FerroMo® Iron Reagent 2 Powder Pillows

Revision date: 30.06.2020

Product code: 2543866

Page 8 of 8

Creation date: 25.11.2005

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 30.06.2020

Safety datasheet sections which have been updated: 7, 11, 15

Revision: 03.01.2019

Safety datasheet sections which have been updated: 2, 4, 15, 16

Revision: 28.05.2015

Safety datasheet sections which have been updated: 2, 3, 4, 8, 11

Revision: 09.10.2014

Safety datasheet sections which have been updated: 4 - 16

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)