

## **Safety Data Sheet**

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

## 26300-20 Chlorine Standard Solution Ampule 25-30 mg/l as Cl2

Revision date: 10.04.2019 Product code: 2630020 Page 1 of 9

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

26300-20 Chlorine Standard Solution Ampule 25-30 mg/l as Cl2

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Water analysis

## 1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5. Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 \* Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

<u>number:</u> service -

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Corr. 1

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Causes severe skin burns and eye damage.

Causes serious eye damage.

## 2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word: Danger

Pictograms:



### **Hazard statements**

H314 Causes severe skin burns and eye damage.

### **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.



### **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### 26300-20 Chlorine Standard Solution Ampule 25-30 mg/l as CI2

Revision date: 10.04.2019 Product code: 2630020 Page 2 of 9

P363 Wash contaminated clothing before reuse.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER/doctor.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing . Rinse skin with

water or shower.

P405 Store locked up.

P501 Dispose of contents/container to Disposal.

#### Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

## Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Pictograms:



#### **Hazard statements**

H314

### **Precautionary statements**

P260-P264-P280-P301+P330+P331-P303+P361+P353-P363-P304+P340-P310-P321-P305+P351+P338-P310-P405-P501

### 2.3. Other hazards

None known.

### **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

### **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification				
7732-18-5	Water				
	231-791-2				
		•			
7790-92-3	Hypoclorous acid				
	232-232-5				
	Skin Corr. 1, Eye Dam. 1; H314 H318				
1310-58-3	potassium hydroxide; caustic potash				
	215-181-3	019-002-00-8			
	Acute Tox. 4, Skin Corr. 1A; H302 H314				

Full text of H and EUH statements: see section 16.

### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **General information**

Take off all contaminated clothing immediately.



## **Safety Data Sheet**

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

### 26300-20 Chlorine Standard Solution Ampule 25-30 mg/l as Cl2

Revision date: 10.04.2019 Product code: 2630020 Page 3 of 9

#### After contact with skin

Rinse with water.

#### After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### After ingestion

Clean mouth with water and drink afterwards plenty of water.

### 4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

The product itself does not burn.

#### 5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

### 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

#### **Additional information**

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

#### 6.4. Reference to other sections

13. Disposal considerations

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin and eyes.

### Advice on protection against fire and explosion

See also section 5

### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep at temperatures between 2 and 8 °C.

#### Hints on joint storage

None known.

#### 7.3. Specific end use(s)

Standard solution





## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## 26300-20 Chlorine Standard Solution Ampule 25-30 mg/l as Cl2

Revision date: 10.04.2019 Product code: 2630020 Page 4 of 9

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1310-58-3	Potassium hydroxide	-	2		STEL (15 min)	WEL

#### Additional advice on limit values

None known.

### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

#### Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

#### Eye/face protection

Safety glasses with side-shields

#### Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

### Skin protection

Remove and wash contaminated clothing before re-use.

#### Respiratory protection

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type:

ABEK-filter

### **Environmental exposure controls**

Do not flush into surface water or sanitary sewer system.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: odourless

pH-Value (at 20 °C): 12,5

Changes in the physical state

Melting point: 0 °C Initial boiling point and boiling range: 100 °C Sublimation point: not applicable Softening point: not applicable Pour point: not applicable : no data available Flash point: not applicable

Revision No: 3,4 GB - EN Print date: 13.04.2019





## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## 26300-20 Chlorine Standard Solution Ampule 25-30 mg/l as CI2

Revision date: 10.04.2019 Product code: 2630020 Page 5 of 9

Sustaining combustion: No data available

**Flammability** 

Solid: not applicable
Gas: not applicable

**Explosive properties** 

not applicable

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not applicable

not applicable

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable
Decomposition temperature: not applicable

**Oxidizing properties** 

not applicable

Vapour pressure:no data availableVapour pressure:no data availableDensity (at 20 °C):0,999 g/cm³Bulk density:not applicableWater solubility:soluble

Solubility in other solvents

no data available

Partition coefficient: no data available Viscosity / dynamic: no data available no data available Viscosity / kinematic: no data available Flow time: Vapour density: no data available no data available Evaporation rate: Solvent separation test: no data available Solvent content: no data available

9.2. Other information

Solid content: not applicable

no data available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

None known.

## 10.2. Chemical stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

### 10.4. Conditions to avoid

None known.

## 10.5. Incompatible materials

None known.



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## 26300-20 Chlorine Standard Solution Ampule 25-30 mg/l as CI2

Revision date: 10.04.2019 Product code: 2630020 Page 6 of 9

### 10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

#### **Further information**

None known.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

### **Acute toxicity**

No data is available on the product itself.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1310-58-3	potassium hydroxide; caustic potash				
	oral	LD50 333 mg/kg	Rat	Merck	

#### Irritation and corrosivity

Causes skin and eye burns.

### Sensitising effects

No known effect.

### Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

### STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **Aspiration hazard**

No aspiration toxicity classification

## Specific effects in experiment on an animal

No data is available on the product itself.

#### Additional information on tests

no data available

### Practical experience

### Observations relevant to classification

no data available

### Other observations

no data available

### **Further information**

Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
1310-58-3	potassium hydroxide; caustic potash						
	Acute fish toxicity	LC50	80 mg/l	96 h	Gambusia affinis	IUCLID	



### Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 26300-20 Chlorine Standard Solution Ampule 25-30 mg/l as Cl2

Revision date: 10.04.2019 Product code: 2630020 Page 7 of 9

#### 12.2. Persistence and degradability

No data is available on the product itself.

#### 12.3. Bioaccumulative potential

No data is available on the product itself.

#### 12.4. Mobility in soil

no data available

### 12.5. Results of PBT and vPvB assessment

no data available

### 12.6. Other adverse effects

No known effect.

#### **Further information**

no data available

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### Advice on disposal

In accordance with local and national regulations.

### Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

## Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

### Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

## Contaminated packaging

Dispose of as unused product.

### **SECTION 14: Transport information**

### Land transport (ADR/RID)

**14.1. UN number:** UN 1791

14.2. UN proper shipping name: HYPOCHLORITE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:II

Hazard label: 8



Classification code: C9
Special Provisions: 521
Limited quantity: 1 L
Excepted quantity: E2
Transport category: 2
Hazard No: 80





### **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## 26300-20 Chlorine Standard Solution Ampule 25-30 mg/l as CI2

Revision date: 10.04.2019 Product code: 2630020 Page 8 of 9

Tunnel restriction code:

### Inland waterways transport (ADN)

### Other applicable information (inland waterways transport)

Not tested

#### Marine transport (IMDG)

**14.1. UN number:** UN 1791

14.2. UN proper shipping name: HYPOCHLORITE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



Marine pollutant: P
Special Provisions: Limited quantity: 1 L
Excepted quantity: E2
EmS: F-A, S-B

### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 1791

14.2. UN proper shipping name: HYPOCHLORITE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3 A803

0.5 L

Y840

Excepted quantity:

E2

IATA-packing instructions - Passenger:851IATA-max. quantity - Passenger:1 LIATA-packing instructions - Cargo:855IATA-max. quantity - Cargo:30 L

## 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

## 14.6. Special precautions for user

no data available

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

#### Other applicable information

no data available

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information



## **Safety Data Sheet**

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

### 26300-20 Chlorine Standard Solution Ampule 25-30 mg/l as CI2

Revision date: 10.04.2019 Product code: 2630020 Page 9 of 9

Water contaminating class (D): - - not water contaminating

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

### Changes

Revision: 10.04.2019

Safety datasheet sections which have been updated: 2, 11, 14, 15, 16

Revision: 17.01.2017

Safety datasheet sections which have been updated: 2

Revision: 6.10.2016

Safety datasheet sections which have been updated: 2

Revision: 1.10.2015

Safety datasheet sections which have been updated: 2, 3, 11

Revision: 12.05.2015

Safety datasheet sections which have been updated: 2, 4, 11

## Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

#### Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

## **Further Information**

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)