

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 26605-42 StablCal® Standard, 800 NTU or FNU

Revision date: 15.08.2018

Product code: 2660542

Page 1 of 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

26605-42 StablCal® Standard, 800 NTU or FNU

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Water analysis

### 1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH  
Street: Willstätterstr. 11  
Place: D-40549 Düsseldorf  
Telephone: +49 (0)211 5288-383  
e-mail: SDS@hach.com  
Internet: www.de.hach.com  
Responsible Department: HACH LANGE Ltd.  
5, Pacific Way  
Salford Manchester M50 1DL - United Kingdom  
Tel. +44 (0) 161 872 1487 \* Fax +44 (0) 161 848 7324  
e-Mail: info-uk@hach.com

HACH LANGE Ltd.  
Unit 1, Chestnut Road Western Industrial Estate  
IRL-Dublin 12  
Tel. +353 (0)1 4602522  
e-Mail: info-ie@hach.com

### 1.4. Emergency telephone number:

Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

Hazard categories:

Respiratory or skin sensitisation: Resp. Sens. 1

Respiratory or skin sensitisation: Skin Sens. 1

Hazard Statements:

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

### 2.2. Label elements

#### Regulation (EC) No. 1272/2008

#### Hazard components for labelling

methenamine; hexamethylenetetramine

Signal word: Danger

Pictograms:



#### Hazard statements

H317

May cause an allergic skin reaction.

H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

## 26605-42 StabiCal® Standard, 800 NTU or FNU

Revision date: 15.08.2018

Product code: 2660542

Page 2 of 9

### Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container to Disposal.

### Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

### 2.3. Other hazards

None known.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
7732-18-5	Water	>90 %
	231-791-2	
100-97-0	methenamine; hexamethylenetetramine	5-10 %
	202-905-8	612-101-00-2
	Flam. Sol. 2, Resp. Sens. 1, Skin Sens. 1; H228 H334 H317	
7757-82-6	Sodium sulfate	<0,5 %
	231-820-9	
50-00-0	formaldehyde ... %	<0,1 %
	200-001-8	605-001-00-5
	Carc. 1B, Muta. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Skin Sens. 1; H350 H341 H301 H311 H331 H314 H317	

Full text of H and EUH statements: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Take off all contaminated clothing immediately.

#### After inhalation

Move to fresh air.

#### After contact with skin

Wash off immediately with plenty of water.

#### After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 26605-42 StabiCal® Standard, 800 NTU or FNU

Revision date: 15.08.2018

Product code: 2660542

Page 3 of 9

#### After ingestion

Induce vomiting, but only if victim is fully conscious.

#### 4.2. Most important symptoms and effects, both acute and delayed

sensitising effects

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

#### 5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

#### 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

#### Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

#### 6.4. Reference to other sections

13. Disposal considerations

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

Use only in well-ventilated areas.

##### Advice on protection against fire and explosion

See also section 5

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep in a dry, cool place.

##### Hints on joint storage

None known.

#### 7.3. Specific end use(s)

Reagent for analysis

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 26605-42 StabiCal® Standard, 800 NTU or FNU

Revision date: 15.08.2018

Product code: 2660542

Page 4 of 9

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
50-00-0	Formaldehyde	2	2.5		TWA (8 h)	WEL
		2	2.5		STEL (15 min)	WEL

#### Additional advice on limit values

None known.

#### 8.2. Exposure controls

##### Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

##### Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Wash hands before breaks and after work.

##### Eye/face protection

Safety glasses with side-shields

##### Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove

material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

##### Skin protection

Remove and wash contaminated clothing before re-use.

##### Respiratory protection

Breathing apparatus only if aerosol or dust is formed. Recommended Filter type: ABEK-filter

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless
Odour:	odourless
pH-Value (at 20 °C):	7,5-8,5

#### Changes in the physical state

Melting point:	no data available
Initial boiling point and boiling range:	100 °C
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	not applicable
:	no data available
Flash point:	not applicable
Sustaining combustion:	No data available

#### Flammability

Solid:	not applicable
Gas:	not applicable

#### Explosive properties

not applicable

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 26605-42 StabiCal® Standard, 800 NTU or FNU

Revision date: 15.08.2018

Product code: 2660542

Page 5 of 9

Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	no data available
<b>Auto-ignition temperature</b>	
Solid:	not applicable
Gas:	not applicable
Decomposition temperature:	no data available
<b>Oxidizing properties</b>	
not applicable	
Vapour pressure:	no data available
Vapour pressure:	no data available
Density (at 20 °C):	1,04 g/cm <sup>3</sup>
Bulk density:	not applicable
Water solubility: (at 20 °C)	completely soluble
<b>Solubility in other solvents</b>	
no data available	
Partition coefficient:	no data available
Viscosity / dynamic:	no data available
Viscosity / kinematic:	no data available
Flow time:	no data available
Vapour density:	no data available
Evaporation rate:	no data available
Solvent separation test:	no data available
Solvent content:	no data available

#### **9.2. Other information**

Solid content:	not applicable
no data available	

### **SECTION 10: Stability and reactivity**

#### **10.1. Reactivity**

See also section 10.3

#### **10.2. Chemical stability**

Stable under recommended storage conditions.

#### **10.3. Possibility of hazardous reactions**

No dangerous reaction known under conditions of normal use.

#### **10.4. Conditions to avoid**

Extremes of temperature and direct sunlight.

#### **10.5. Incompatible materials**

No dangerous reaction known under conditions of normal use.  
Oxidizing agents

#### **10.6. Hazardous decomposition products**

No decomposition if stored and applied as directed.

#### **Further information**

None known.

**26605-42 StabiCal® Standard, 800 NTU or FNU**

Revision date: 15.08.2018

Product code: 2660542

Page 6 of 9

**SECTION 11: Toxicological information**

**11.1. Information on toxicological effects**

**Acute toxicity**

No data is available on the product itself.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
100-97-0	methenamine; hexamethylenetetramine				
	oral	LD50 mg/kg	9200	Ratte	
7757-82-6	Sodium sulfate				
	oral	LD50 mg/kg	5989	mouse	
50-00-0	formaldehyde ... %				
	oral	ATE mg/kg	100		
	dermal	ATE mg/kg	300		
	inhalation (4 h) vapour	LC50	250 mg/l	rat	
	inhalation aerosol	ATE	0,5 mg/l		

**Irritation and corrosivity**

No known effect.

**Sensitising effects**

May cause sensitisation by skin contact.

May cause sensitisation by inhalation. (List of references: Asthma in the workplace, I.Leonard Bernstein)

**Carcinogenic/mutagenic/toxic effects for reproduction**

Contains no ingredient listed as a carcinogen

**STOT-single exposure**

The substance or mixture is not classified as specific target organ toxicant, single exposure.

**STOT-repeated exposure**

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Aspiration hazard**

No aspiration toxicity classification

**Specific effects in experiment on an animal**

No data is available on the product itself.

**Additional information on tests**

no data available

**Practical experience**

**Observations relevant to classification**

no data available

**Other observations**

no data available

**Further information**

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

**SECTION 12: Ecological information**

## 26605-42 StabiCal® Standard, 800 NTU or FNU

Revision date: 15.08.2018

Product code: 2660542

Page 7 of 9

### 12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
100-97-0	methenamine; hexamethylenetetramine					
	Acute fish toxicity	LC50 mg/l	49800	96 h	Fisch	
7757-82-6	Sodium sulfate					
	Acute fish toxicity	LC50	120 mg/l	96 h	Gambusia affinis	Merck
	Acute crustacea toxicity	EC50 mg/l	2564	48 h		

### 12.2. Persistence and degradability

No data is available on the product itself.

### 12.3. Bioaccumulative potential

No data is available on the product itself.

### 12.4. Mobility in soil

no data available

### 12.5. Results of PBT and vPvB assessment

no data available

### 12.6. Other adverse effects

No known effect.

### Further information

no data available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Advice on disposal

In accordance with local and national regulations.

#### Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

#### Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

#### Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

#### Contaminated packaging

Dispose of as unused product.

## SECTION 14: Transport information

### Land transport (ADR/RID)

#### Other applicable information (land transport)

Not subject to transport regulations.



**26605-42 StabiCal® Standard, 800 NTU or FNU**

Revision date: 15.08.2018

Product code: 2660542

Page 8 of 9

**Inland waterways transport (ADN)**

**Other applicable information (inland waterways transport)**

Not tested

**Marine transport (IMDG)**

**Other applicable information (marine transport)**

Not subject to transport regulations.

**Air transport (ICAO-TI/IATA-DGR)**

**Other applicable information (air transport)**

Not subject to transport regulations.

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

**14.6. Special precautions for user**

no data available

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not applicable

**Other applicable information**

no data available

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 28: formaldehyde ... %

**National regulatory information**

Water contaminating class (D): 1 - slightly water contaminating

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information**

**Changes**

Revision: 15.08.2018

Safety datasheet sections which have been updated: 2, 3, 15

Revision: 22.09.2015

Safety datasheet sections which have been updated: 2, 3

Revision: 18.06.2015

Safety datasheet sections which have been updated: 2, 4, 11

**Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]**

Classification	Classification procedure
Resp. Sens. 1; H334	Calculation method
Skin Sens. 1; H317	Calculation method

**Relevant H and EUH statements (number and full text)**

H228	Flammable solid.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 26605-42 StabiCal® Standard, 800 NTU or FNU

Revision date: 15.08.2018

Product code: 2660542

Page 9 of 9

H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled .
H341	Suspected of causing genetic defects.
H350	May cause cancer.

#### Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*